



Validation of alternative analysis methods

NF102 – Application to the food industry

Certificate

Certificate No.: **3M 01/07-03/99**

Renewal decision dated: 31-01-2019

Expiry date: 23-03-2023

The Company:

3M Health Care
Microbiology Products
2501 Hudson Road – Building 275 5W05
MN 55144, St PAUL, USA

Is authorized to affix the NF VALIDATION mark on the alternative analysis method cited below, in accordance with the NF VALIDATION general rules and the certification rules NF102 - Validation of alternative analysis methods (Application to the food industry):

3M™ Petrifilm™ High Sensitivity Coliform Count Plate (HSCC)

Validated for the enumeration of coliforms

Technical sheet
reference's

34-8727-3216-8

This decision attests that the alternative analysis method has been assessed by AFNOR Certification and found to conform to the standards cited in page 2/2 and complementary requirements, as specified in the certification reference document. The **principal certified characteristics** are the "analytical performances" as defined in the associated validation study summarized report (relative trueness, accuracy profile...) available on the certification dedicated website <http://nf-validation.org/en>.

This certificate supersedes all previous certificates This NF VALIDATION certificate, included 2 pages, is valid until **23th mars 2023**. It is subject to the results obtained upon regular controls carried out by AFNOR Certification. Appropriate decision is made by AFNOR Certification in accordance with the NF VALIDATION general rules and certification rules NF102 - Validation of alternative analysis methods (Application to the food industry).



Managing Director
Julien NIZRI

Issue dated 21/01/2022

Page 1/2



Validation of alternative analysis methods

NF102 – Application to the food industry

Certificate

Certificate No.: **3M 01/07-03/99**

Renewal decision dated: **31-01-2019**

Expiry date: **23-03-2023**

The alternative analysis method:

3M™ Petrifilm™ High Sensitivity Coliform Count Plate (HSCC)

Validated for the enumeration of coliforms

Manufactured by:

3M Health Care
PO BOX 227 SOUTH DAKOTA
57006 BROOKINGS, USA

Has been certified according to the reference documents and the application scope specified here after:

Validation protocol	NF EN ISO 16140-2 (September 2016): Microbiology of the food chain. Method validation - Part 2: Protocol for the validation of alternative (proprietary) methods against a reference method.
Reference method(s)	NF ISO 4831 (October 2006): Microbiology of food and animal feeding stuffs. Horizontal method for the detection and enumeration of coliforms - Most probable number technique.
Scope	All human food products (by performing validation assays on a broad range of foods).
Restriction(s)	None.
Warning	None.
Other informations	Non applicable.

Please send any queries concerning the performances of the certified alternative method to AFNOR Certification.

You may download the validation study **summarized report** on <http://nf-validation.afnor.org/en>.