

NF VALIDATION - Validation of alternative analysis methods Application to the food industry

Summary report according to the EN ISO 16140-2:2016 standard

Qualitative method

VIDAS *Listeria* Duo
**for the detection of *Listeria* spp and *Listeria monocytogenes* in
human food products and in environmental samples**
Certificate # BIO 12/18-03/06

Expert laboratory:

Laboratoire MICROSEPT
ZA de la Sablonnière
15 rue Denis Papin
49220 LE LION D'ANGERS
FRANCE

For:

bioMérieux
Chemin de l'Orme
69280 MARCY L'ETOILE
FRANCE

This report contains 134 pages, including 90 pages of appendices.

The reproduction of this document is only authorized in its entirety.

The accreditation of the COFRAC (Section Laboratory) gives evidence of the expertise of the laboratory for the only tests covered by the accreditation that are specified by the symbol (■).

Version 1

April 07, 2022

LABORATOIRE MICROSEPT

ZA de la Sablonnière - 15 rue Denis Papin - 49220 LE LION D'ANGERS

Tél. : 02 41 41 70 70 - Fax : 02 41 41 70 71 - laboratoire@microsept.fr - www.microsept.fr

SAS AU CAPITAL DE 40 000 € - N° SIRET 394 895 304 00035 - RCS ANGERS - APE 7120 B - N° INTRACOMMUNAUTAIRE FR92 394 895 304

Preamble

- Protocols of validation :

- **EN ISO 16140-1 and NF EN ISO 16140-2 (September 2016): Microbiology of the food chain — Method validation**
Part 1: Vocabulary.
Part 2: Protocol for the validation of alternative (proprietary) methods against a reference method.
- **Requirements regarding comparison and interlaboratory studies for implementation of the standard EN ISO 16140-2 (version 6).**

- Reference method:

- **EN ISO 11290-1 (July 2017):** Horizontal method for the detection and enumeration of *Listeria monocytogenes* and of *Listeria* spp- Part 1: Detection method.

- Application scope:

- **All human food products** by a validation testing of a broad range of foods, including:
 - meat products,
 - dairy products,
 - seafood products,
 - vegetal products,
 - composite foods,
 - dairy products (excluding raw milk) in 125g,
 - powder infant formula and cereals in 125g.
- **Environmental samples.**

- Certification body:

- **AFNOR Certification (<https://nf-validation.afnor.org/>).**

Definitions

- **Method comparison study**

The method comparison study is the part of the validation process that is performed in the organizing laboratory. It consists of three parts namely the following :

- A comparative study of the results of the reference method to the results of the alternative method in (naturally and/or artificially) contaminated samples (so-called sensitivity study);
- A comparative study to determine the relative level of detection (RLOD) in artificially contaminated samples (so-called RLOD study);
- An inclusivity/exclusivity study of the alternative method.

- **Sensitivity study**

The sensitivity study aims to determine the difference in sensitivity between the reference and the alternative method.

The sensitivity is the ability of the reference method or alternative method to detect the analyte.

- **Relative level of detection study**

A comparative study is conducted to evaluate the level of detection (LOD) of the alternative method against the reference method. The evaluation is based on the calculation of the relative level of detection (RLOD).

The level of detection at 50% (LOD_{50}) is the measured analyte concentration, obtained by a given measurement procedure, for which the probability of detection is 50%.

The relative level of detection level of detection at $P = 0,50$ (LOD_{50}) of the alternative method divided by the level of detection at $P = 0,50$ (LOD_{50}) of the reference method.

- **Inclusivity and exclusivity study**

The inclusivity study is a study involving pure target strains to be detected or enumerated by the alternative method.

The exclusivity study is a study involving pure non-target strains, which can be potentially cross-reactive, but are not expected to be detected or enumerated by the alternative method.

- **Interlaboratory study**

The interlaboratory study is a study performed by multiple laboratories testing identical samples at the same time, the results of which are used to estimate alternative-method performance parameters.

The aim of the interlaboratory study is to determine the difference in sensitivity between the reference and the alternative method when tested by different collaborators using identical samples (reproducibility conditions).

Table of contents

1.	Introduction.....	6
2.	Protocols of the methods	7
2.1.	Alternative method	7
2.1.1.	Principle of the method.....	7
2.1.2.	Protocol of the method	8
2.1.3.	Restrictions	9
2.2.	Reference method	9
2.3.	Application scope	10
2.4.	Study design	10
3.	Methods comparison study.....	11
3.1.	Sensitivity study.....	11
3.1.1.	Protocols applied during the studies	11
3.1.2.	Artificial contamination	11
3.1.3.	Detection of <i>Listeria</i> spp.....	12
3.1.3.1.	Number and nature of the samples	12
3.1.3.2.	Results	13
3.1.3.3.	Calculation of relative trueness (RT), sensitivity (SE) and false positive ratio (PFR)	14
3.1.3.4.	Analysis of discordant results	16
3.1.3.5.	Comments on tests performed after 72 hours of storage	20
3.1.4.	Detection of <i>Listeria monocytogenes</i>	23
3.1.4.1.	Number and nature of the samples	23
3.1.4.2.	Results	24
3.1.4.3.	Calculation of relative trueness (RT), sensitivity (SE) and false positive ratio (PFR)	24
3.1.4.4.	Analysis of discordant results	26
3.1.4.5.	Comments on tests performed after 72 hours of storage	30
3.1.5.	Conclusion of the sensitivity study	31
3.2.	Relative detection level study	32
3.2.1.	Matrices used	32
3.2.2.	Contamination protocol	33
3.2.3.	Results	34
3.2.4.	Interpretation and conclusion	35
3.3.	Inclusivity and exclusivity study.....	35
3.3.1.	Test protocols	35
3.3.2.	Results and conclusion	36

3.4.	Practicability	36
3.5.	Conclusion	36
4.	Interlaboratory study	38
4.1.	Study organization	38
4.2.	Control of the experimental parameters	38
4.2.1.	Contamination level	38
4.2.2.	Shipping conditions (temperature and state of the samples).....	38
4.3.	Test results.....	39
4.3.1.	Expert laboratory results	39
4.3.2.	Collaborators results	40
4.3.3.	Results of the collaborators used for the statistical analysis	41
4.4.	Calculations and interpretation.....	41
4.4.1.	Calculation of the specificity.....	41
4.4.2.	Summary of the results	41
4.4.3.	Calculation of the sensitivity of the methods, relative trueness and false positive ratio	42
4.4.4.	Determination of the acceptability limit and conclusion	42
4.4.5.	Determination of the relative level of detection.....	43
4.5.	Conclusion	43
5.	General conclusion	44
6.	Package insert.....	44

Appendices

Appendix A: Protocols of the alternative method

Appendix B: Protocol of the reference method

Appendix C: Artificial contaminations

Appendix D1: Results of the sensitivity study – initial validation

Appendix D2: Results of the sensitivity study after cold storage of the broths – initial validation

Appendix D3: Results of the sensitivity study – third renewal study

Appendix D4: Results of the sensitivity study – extension study

Appendix E1: Results of the relative level of detection study – initial validation

Appendix E2: Results of the relative level of detection study – third renewal study

Appendix E3: Results of the relative level of detection study – extension study

Appendix F: Results of the selectivity study

Appendix G: Results of the interlaboratory study

1. Introduction

The VIDAS *Listeria* Duo method (VIDAS LDUO) is validated by AFNOR Certification under the mark NF VALIDATION with the certification number BIO 12/18–03/06 according to the ISO 16140-2:2016 standard. The method is intended for all human food products and environmental samples (except primary production samples) since its initial validation.

Table 1 summarizes the different steps of the validation that occurred since the initial validation.

Table 1: Steps of the validation AFNOR certification

Study	Date	Standard	Expert Laboratory	Observation
Initial validation	March 2006	ISO 16140:2003	SERMHA IPL Nord	/
First renewal	December 2009	ISO 16140:2003	Eurofins IPL Nord	No additional tests
Second renewal	January 2014	ISO 16140/A1:2011	Institut Scientifique d'Hygiène et d'Analyse	No additional tests
Third renewal	March 2018	ISO 11290-1:2017 ISO 16140-2:2016	Microsept	Additional tests to fulfill the requirements of the validation standard
Fourth renewal study and extension study	December 2021	ISO 11290-1:2017 ISO 16140-2:2016	Microsept	Addition of 2 new protocols in 125 g for dairy products and infant formula & cereals

This document is the summary report of the AFNOR Certification Validation of the VIDAS® *Listeria* DUO (LDUO) method according to the standard EN ISO 16140-2:2016.

A part of the results set out in this report were produced during the initial validation tests carried out by SERMHA IPL Nord as part of NF Validation, in accordance with prevailing requirements.

The remaining part of the results is constituted by the analyses performed by the Laboratory Microsept as part of the requirements of the updated validation standard.

Two new protocols have been added for which sensitivity study tests and RLOD study tests have been performed with LX pre-warmed enrichment broth and concern two categories:

- Dairy products excluding raw milk (125 g)
- Powder Infant Formula and cereals (125 g)

2. Protocols of the methods

2.1. Alternative method


2.1.1. Principle of the method

VIDAS *Listeria* Duo is an immuno-enzyme test enabling the detection of the *Listeria monocytogenes* and *Listeria* antigens using the ELFA (Enzyme Linked Fluorescent Assay) method with the VIDAS automated system.

Each test is broken down into two components:

- The single-use SPR used both for the solid phase and as a pipetting system for the test. The inside of the SPR is coated with anti-*Listeria monocytogenes* antibodies and anti-*Listeria* antibodies adsorbed on its surface.
- The strip (see figure 1 below) which contains all of the ready-to-use reagents required for the test: washing solution, anti-*Listeria monocytogenes* antibodies and anti-*Listeria* antibodies conjugated with alkaline phosphatase and substrate.

Figure 1: Components of a VIDAS strip



All steps are performed automatically by the VIDAS analytical module. An aliquot of enrichment broth is placed in the strip and undergoes a suction/discharge cycle whose duration is specifically calculated to activate the reaction.

Thus, the system performs two revelation stages and two readings:

- the first reading provides a response for *Listeria monocytogenes* (DLMO),
- the second reading provides a response for *Listeria spp* (DLIS).

The fluorescence intensity is measured by the VIDAS optical system at 450 nm and expressed as a relative fluorescence value (RFV), interpreted by the VIDAS system as follows.

The test values calculated using the following formula are subsequently compared to the threshold values defined for *Listeria monocytogenes* and for *Listeria spp*.

Test value (TV) = sample RFV / standard RFV.

Response for *Listeria monocytogenes* (DLMO)

If $TV < 0.05$, \Rightarrow the test is negative and
If $TV \geq 0.05$, \Rightarrow the test is positive

Response for *Listeria* (DLIS)

If $TV < 0.1$, \Rightarrow the test is negative and
If $TV \geq 0.1$, \Rightarrow the test is positive

However, it should be noted that if the test is positive for *Listeria monocytogenes*, the system does not provide a test value for *Listeria spp.*, but instead provides a positive response by default.
The different types of response are set out in the table below:

Case	DLMO	DLMO test value	DLIS	DLIS test value	Response (subject to confirmation)
Case 1	+	Available	+ by default	Not available	Presence of <i>Listeria monocytogenes</i> and <u>by default</u> , presence of <i>Listeria spp.</i>
Case 2	-	Available	+	Available	Absence of <i>Listeria monocytogenes</i> & Presence of <i>Listeria spp.</i> other than <i>Listeria monocytogenes</i>
Case 3	-	Available	-	Available	Absence of <i>Listeria spp.</i> , including Absence of <i>Listeria monocytogenes</i>

2.1.2. Protocol of the method

The protocol is as follows:

- **General protocol**

- enrichment in LX broth, incubated for 22 to 26 hours at $30^{\circ}\text{C} \pm 1^{\circ}\text{C}$,
- subculture in LX broth (0.1 ml in 6 ml), incubated for 22 to 26 hours at $30^{\circ}\text{C} \pm 1^{\circ}\text{C}$

The workflow of the method is set out in Appendix A.

The VIDAS LDUO test is then performed using an aliquot of LX heated for 5 minutes ± 1 minute at 95-100°C. Two responses are provided: presence or absence of *Listeria monocytogenes* (DLMO) and presence or absence of *Listeria spp.* (DLIS).

The samples found to be positive using the VIDAS LDUO test are confirmed by isolating the tube of unheated LX broth on selective agar enabling the development of all *Listeria* species (Palcam, Oxford or chromogenic agar).

The characteristic colonies of *Listeria spp.* are subsequently confirmed using conventional biochemical tests.

In addition,

- in the event of a positive response for *Listeria monocytogenes*, a second confirmation option is offered: in the event that characteristic colonies are present on chromogenic agar, the VIDAS DLMO result for *Listeria monocytogenes* is considered as confirmed,
- in the event of a positive response for *Listeria spp.* other than *Listeria monocytogenes*, the colonies characteristics of *Listeria* are confirmed using conventional biochemical tests or using an API test strip without prior purification if the colony is sufficiently isolated.

- **New protocols**

The following protocols have been added to the method:

- Dairy products excluding raw milk: **125 g** diluted at 1/10 in pre-warmed LX broth, incubation at 30±1°C for 22 – 26 h and subculture in LX broth (0,1 ml in 6 ml) incubated at 30±1°C for 22 – 26 h.
- Powder Infant Formula and cereals: **125 g** diluted at 1/10 in pre-warmed LX broth, incubation at 30±1°C for 26 – 30 h and subculture in LX broth (0,1 ml in 6 ml) incubated at 30±1°C for 22 – 26 h.

The VIDAS LDUO test is then performed using an aliquot of LX broth heated for 5 minutes ± 1 minute at 95-100°C with a Heat & Go or a water bath. For the tests that were carried out during this extension, only the Heat & Go was used.

The samples found to be positive using the VIDAS LDUO test are confirmed by isolating the tube of unheated LX broth on selective agar enabling the development of all *Listeria* species (Palcam, Oxford or chromogenic agar).

The colonies characteristics of *Listeria spp.* are subsequently confirmed using conventional biochemical tests.

In addition,

- in the event of a positive response for *Listeria monocytogenes*, a second confirmation option is offered: in the event that characteristic colonies are present on chromogenic agar, the VIDAS DLMO result for *Listeria monocytogenes* is considered as confirmed,
- in the event of a positive response for *Listeria spp.* other than *Listeria monocytogenes*, the colonies characteristics of *Listeria* are confirmed using conventional biochemical tests or using an API test strip without prior purification if the colony is sufficiently isolated.

The enrichment broth can be stored for 72 hours at +2°C to +8°C before the VIDAS® test is performed.

The workflow of the method is set out in Appendix A.

2.1.3. Restrictions

There are no restrictions on use for the method VIDAS *Listeria* Duo.

2.2. Reference method

The standard EN ISO 11290-1/A1:2005 was used for the initial validation study and for the two following renewal studies.

This standard was revised in 2017. The main changes introduced in the ISO 11290-1:2017 are considered as major. The technical changes were assessed and were considered to have no significant effect on the method performance characteristics or test results.

That's why the method described in the new standard EN ISO 11290-1:2017 "Horizontal method for the detection and enumeration of *Listeria monocytogenes* and of *Listeria* spp – Part 1: detection method" was used as reference method for the supplementary tests performed by the Laboratory Microsept.

The workflow of the reference method is presented in Appendix B.

2.3. Application scope

The scope of the method concerns a broad range of foods and environmental samples including the categories presented in table 2.

Table 2: Categories tested during the VIDAS LDUO Validation study

Categories	Protocol	Study design
① Meat products (25g)		
② Dairy products (25g)		
③ Seafood products (25g)		
④ Vegetal products (25g)		
⑤ Composite food (25g)		
⑥ Environmental samples		
⑦ Dairy products excluding raw milk (125g)	General protocol: LX broth – 22-26h – 30±1°C LX broth (1 ml in 6 ml) – 22-26h – 30±1°C	Unpaired study
⑧ Powder Infant Formula and cereals (125g)	Specific protocol: Pre-warmed LX broth – 22-26h – 30±1°C LX broth (0,1 ml in 6 ml) – 22-26h – 30±1°C	Unpaired study
⑧ Powder Infant Formula and cereals (125g)	Specific protocol: Pre-warmed LX broth – 26-30h – 30±1°C LX broth (0,1 ml in 6 ml) – 22-26h – 30±1°C	Unpaired study

2.4. Study design

As there is no shared enrichment step for both the alternative and the reference methods, different test portions coming from the same batch or lot of products have to be used for the two methods. The study thus provides unpaired data and the word "unpaired study" is used to describe the study design.

3. Methods comparison study

The study was conducted on a variety of samples and strains representative of food products. This is not an exhaustive list of the various matrices included in the application scope. For any remark on the alternative method, you can contact AFNOR Certification by connecting to the Internet page <http://nf-validation.afnor.org/contact-2/>.

3.1. Sensitivity study

The purpose of this study is to compare the two methods – the reference method ISO 11290-1 and the VIDAS LDUO method – on samples contaminated or not contaminated with *Listeria monocytogenes* and *Listeria* spp other than *L. monocytogenes*.

3.1.1. Protocols applied during the studies

- Incubation time: the minimum incubation times were tested, namely 22 hours for the enrichment in LX broth for categories ①, ②, ③, ④, ⑤, ⑥, ⑦ and 26 hours for category ⑧. The incubation time for the subculture in LX broth it is 22 hours for all categories.
- Confirmation: presumptive positive results were confirmed by streaking 10 µl of the second enriched LX broth on an Ottaviani & Agosti (ALOA) and on a PALCAM plate. Typical colonies were confirmed by the realization of a biochemical gallery without purification and by the implementation of the tests described in the reference method after purification.
- The tubes of LX broth were kept for 72 hours at 2°C - 8°C and then tested again using VIDAS and confirmed if the VIDAS LDUO test was positive, in order to document the impact of storing the broths for up to 72 hours at 2°C - 8°C.

3.1.2. Artificial contamination

Artificial contamination was carried out using stressed strains in accordance with the requirements of the validation standard and the AFNOR Validation Technical Bureau (see Appendix C).

Table 3 gives the distribution of the positive samples per type and level of contamination.

Table 3: distribution of the positive samples per contamination type and level (LIS: parameter “Listeria spp”, LMO: parameter “Listeria monocytogenes”, cl: contamination level)

Positive samples		Naturally contaminated samples	Artificially contaminated samples						Total	
			Spiking			Seeding				
			cl ≤ 5	5 < cl ≤ 10	10 < cl ≤ 30	cl ≤ 3	3 < cl ≤ 10	cl > 10		
LIS	#	179	87	38	6	63	3	0	376	
	%	47.7%	23.1%	10.1%	1.6%	16.7%	0.8%	0%	100%	
LMO	#	157	42	18	5	60	3	0	285	
	%	55.1%	14.8%	6.3%	1.7%	21.1%	1.0%	0%	100%	

For the parameter “*Listeria monocytogenes*”, 285 samples gave a positive result by at least one of the method and 55.1% of them were naturally contaminated.

For the parameter “*Listeria* spp”, 376 samples gave a positive result by at least one of the method and 47.7% of them were naturally contaminated. The percentage obtained is a little lower than that required by AFNOR rules due to the addition of a category of infant milk powders in particular.

3.1.3. Detection of *Listeria* spp

3.1.3.1. Number and nature of the samples

The sensitivity study for all categories concerned 694 samples : 438 analyzed during the initial validation study, 92 analyzed during this third renewal study and 164 analyzed during the extension.

Table 4: Distribution of the samples per category and type

Category	Types	Positive results				Negative results	Total
		LMO	LIS	LMO + LIS	All		
Meat products	a Raw meat products	7	11	10	28	10	38
	b RTRH products and meat-based products	7	1	4	12	10	22
	c Delicatessen	7	8	16	31	15	46
	Total	21	20	30	71	35	106
Dairy products	a Cow raw milk cheese	12	6	2	20	15	35
	b Goat or ewe raw milk cheese	4	1	5	10	11	21
	c Other milk products	6	7	3	16	15	31
	Total	22	14	10	46	41	87
Seafood products	a Raw products	9	11	3	23	18	41
	b Smoked, marinated products	16	2	0	18	10	28
	c Ready-to-eat and ready-to-reheat products	10	1	0	11	10	21
	Total	35	14	3	52	38	90
Vegetal products	a Raw vegetal products	8	4	0	12	22	34
	b Pre-cut fruits and vegetables	8	2	6	16	10	26
	c Plant product based food	8	8	3	19	10	29
	Total	24	14	9	47	42	89
Composite foods	a Ready-to-eat products	7	3	2	12	10	22
	b Ready-to-reheat products	9	4	2	15	10	25
	c Pastries and derivated, egg products	3	9	2	14	10	24
	Total	19	16	6	41	30	71
Environmental samples	a Process and cleaning waters	5	3	2	10	17	27
	b Surface samples	8	8	4	20	18	38
	c Residues	10	1	1	12	10	22
	Total	23	12	7	42	45	87
Dairy products excluding raw milk (125g)	a Raw milk cheese	8	6	0	14	16	30
	b Pasteurized cheese	6	4	2	12	13	25
	c Milk powder	6	4	1	11	14	25
	Total	20	14	3	37	43	80
Powder Infant Formula and cereals (125g)	a Infant formula without probiotic	3	2	5	10	11	21
	b Infant formula with probiotic	9	5	0	14	19	33
	c Infant cereal with and w/o probiotic	13	3	0	16	14	30
	Total	25	10	5	40	44	84
Total		189	114	73	376	318	694

For the parameter “*Listeria* spp”, the proportions of *Listeria* spp (only or mixed with *L. monocytogenes*) and of *L. monocytogenes* among the positive samples for all categories are presented below:

Table 5: proportions of Listeria spp and of Listeria monocytogenes among the positive samples

Category	<i>Listeria</i> spp only (A)		<i>Listeria</i> spp + <i>L. monocytogenes</i> (B)		Total A+B		<i>L. monocytogenes</i> only		Total positive samples
	#	%	#	%	#	%	#	%	
Meat products	20	28,2%	30	42,3%	50	70,4%	21	29,6%	71
Dairy products	14	30,4%	10	21,7%	24	52,2%	22	47,8%	46
Seafood products	14	26,9%	3	5,8%	17	32,7%	35	67,3%	52
Vegetal products	14	29,8%	9	19,1%	23	48,9%	24	51,1%	47
Composite foods	16	39,0%	6	14,6%	22	53,7%	19	46,3%	41
Environmental samples	12	28,6%	7	16,7%	19	45,2%	23	54,8%	42
Dairy products excluding raw milk (125g)	14	37,9%	3	8,1%	17	45,9%	20	54,1%	37
Powder Infant Formula and cereals (125g)	10	25,0%	5	12,5%	15	37,5%	25	62,5%	40
All	114	30,3%	73	19,4%	187	49,7%	189	50,3%	376

According to the *Requirements regarding comparison and interlaboratory studies for implementation of the standard EN ISO 16140-2, v7*, “for *Listeria* genus studies, compliance per category with a proportion of at least 15 to 25 *Listeria* spp contaminated samples (alone or combined with *Listeria monocytogenes*) is requested”. This requirement is fulfilled for each category.

3.1.3.2. Results

Raw data are shown in appendices D1 and D2 for the initial validation study, in appendix D3 for the renewal study and in appendix D4 for extension study. Table 6 shows the results of the sensitivity study for all categories.

Table 6: Distribution of the samples per category and type (PA: positive agreement, NA: negative agreement, ND: negative deviation, PD: positive deviation, PP: presumptive positive before confirmation)

Category		PA	NA	PD	ND	PPND	PPNA	Total
1	Meat products	64	35	4	3	0	0	106
2	Dairy products	37	41	7	2	0	0	87
3	Seafood products	42	38	6	4	0	0	90
4	Vegetal products	40	42	3	4	0	0	89
5	Composite foods	31	30	5	5	0	0	71
6	Environmental samples	35	45	6	1	0	0	87
7	Dairy products excluding raw milk (125g)	30	43	4	3	0	2	80
8	Powder Infant Formula and cereals (125g)	24	44	13	3	0	0	84
Total		303	318	48	25	0	2	694

3.1.3.3. Calculation of relative trueness (RT), sensitivity (SE) and false positive ratio (PFR)

The set of results obtained were used to calculate the relative trueness, the sensitivity and the false positive ratio for each of the categories and for all the categories, according to the formulas set out in the EN ISO 16140-2:2016 standard (table 7).

Table 7: values in % of sensitivity for the two methods, relative trueness and false positive ratio for the alternative method (SE_{alt} : sensitivity for the alternative method, SE_{ref} : sensitivity for the reference method, RT: relative trueness, FPR: false positive ratio for the alternative method)

Category	Type	PA	NA	ND	PD	N	PPND	PPNA	SEalt	SEref	RT	FPR
Meats products ①	a	26	10	0	2	38	0	0	100.0%	92.9%	94.7%	0.0%
	b	10	10	2	0	22	0	0	83.3%	100.0%	90.9%	0.0%
	c	28	15	1	2	46	0	0	96.8%	93.5%	93.5%	0.0%
	Total	64	35	3	4	106	0	0	95.8%	94.4%	93.4%	0.0%
Dairy products ②	a	16	15	1	3	35	0	0	95.0%	85.0%	88.6%	0.0%
	b	9	11	0	1	21	0	0	100.0%	90.0%	95.2%	0.0%
	c	12	15	1	3	31	0	0	93.8%	81.3%	87.1%	0.0%
	Total	37	41	2	7	87	0	0	95.7%	84.8%	89.7%	0.0%
Seafood products ③	a	17	18	3	3	41	0	0	87.0%	87.0%	85.4%	0.0%
	b	14	10	1	3	28	0	0	94.4%	83.3%	85.7%	0.0%
	c	11	10	0	0	21	0	0	100.0%	100.0%	100.0%	0.0%
	Total	42	38	4	6	90	0	0	92.3%	88.5%	88.9%	0.0%
Vegetal products ④	a	7	22	3	2	34	0	0	75.0%	83.3%	85.3%	0.0%
	b	16	10	0	0	26	0	0	100.0%	100.0%	100.0%	0.0%
	c	17	10	1	1	29	0	0	94.7%	94.7%	93.1%	0.0%
	Total	40	42	4	3	89	0	0	91.5%	93.6%	92.1%	0.0%
Composite foods ⑤	a	9	10	2	1	22	0	0	83.3%	91.7%	86.4%	0.0%
	b	11	10	1	3	25	0	0	93.3%	80.0%	84.0%	0.0%
	c	11	10	2	1	24	0	0	85.7%	92.9%	87.5%	0.0%
	Total	31	30	5	5	71	0	0	87.8%	87.8%	85.9%	0.0%
Environmental samples ⑥	a	8	17	0	2	27	0	0	100.0%	80.0%	92.6%	0.0%
	b	17	18	1	2	38	0	0	95.0%	90.0%	92.1%	0.0%
	c	10	10	0	2	22	0	0	100.0%	83.3%	90.9%	0.0%
	Total	35	45	1	6	87	0	0	97.6%	85.7%	92.0%	0.0%
Dairy products excluding raw milk (125g) ⑦	a	11	16	2	1	30	0	1	85.7%	92.9%	90.0%	6.3%
	b	11	13	1	0	25	0	1	91.7%	100.0%	96.0%	7.7%
	c	8	14	0	3	25	0	0	100.0%	72.7%	88.0%	0.0%
	Total	30	43	3	4	80	0	2	91.9%	89.2%	91.3%	4.7%
Powder Infant Formula and cereals (125g) ⑧	a	8	11	0	2	21	0	0	100.0%	80.0%	90.5%	0.0%
	b	8	19	2	4	33	0	0	85.7%	71.4%	81.8%	0.0%
	c	8	14	1	7	30	0	0	93.8%	56.3%	73.3%	0.0%
	Total	24	44	3	13	84	0	0	92.5%	67.5%	81.0%	0.0%
All categories	Total	303	318	25	48	694	0	2	93.4%	87.2%	89.5%	0.6%

The results for all categories are summarized in the table 8 below.

Table 8: summary of the results for all categories

Parameter	Formula EN ISO 16140-2 :2016	Results for all categories
Sensitivity of the alternative method (SE _{alt})	$SE_{alt} = \frac{(PA + PD)}{(PA + ND + PD)} \times 100 \%$	93.4 %
Sensitivity of the reference method (SE _{ref})	$SE_{ref} = \frac{(PA + ND)}{(PA + ND + PD)} \times 100 \%$	87.2 %
Relative trueness (RT)	$RT = \frac{(PA + NA)}{N} \times 100 \%$	89.5 %
False positive ratio (FPR)	$FPR = \frac{FP}{NA} \times 100 \%$	0.6 %

3.1.3.4. Analysis of discordant results

Discordant results are examined according to the standard ISO 16140-2: 2016.

Table 9 summarizes the positive deviations and table 10 summarizes the negative deviations.

Table 9: summary of the positive deviations

Validation	CODE	MATRICES	Cat.	Type	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD										COMPARISON	
					FRASER			CONFIRMATION			VIDAS LDUO					CONFIRMATION						
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	TEST LMO	RFV LUS	VT	TEST LUS	PAL	RLM	OAA	IDENTIF.		
Initial	T15	Tomato burger	PC1	a	Ø	Ø	Ø	Ø	/	-	11	0.00	-	7048	3.13	+	+HA	+HA	+MB	Linnocua	+	PD
Initial	D7	Beef minced meat	PC1	a	Ø	Ø	Ø	Ø	/	-	199	0.05	+	/	/	+ par défaut	+LA	+LA	+LA	Lmonocytogenes	+	PD
Initial	C19	Chipolata sausage	PC3	c	-LE	-LE	Ø	Ø	/	-	8633	2.31	+	/	/	+ par défaut	+HA	+HB	+MB	Lmonocytogenes Lwelshimeri	+	PD
Initial	V10	Strasbourg sausages	PC3	c	Ø	-LE	Ø	Ø	/	-	7711	1.99	+	/	/	+ par défaut	+HA	+HA	+MA	Lmonocytogenes	+	PD
Initial	C7	Cow raw milk cheese	PL1	a	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	9209	3.25	+	+HA	+LA	+LB	Lseeligeri	+	PD
Initial	D14	Munster cheese	PL1	a	Ø	-ME	Ø	Ø	/	-	0	0.00	-	592	0.22	+	+MB	+MA	+MB	Linnocua	+	PD
Initial	H1	Grated Gruyère cheese	PL1	a	Ø	Ø	Ø	-ME	/	-	9	0.00	-	7931	3.39	+	+HA	+HA	+HA	Linnocua	+	PD
Initial	C10	Goat cheese	PL2	b	Ø	-LF	Ø	Ø	/	-	1710	0.45	+	/	/	+ par défaut	+MA	+HA	+MA	Lmonocytogenes	+	PD
Initial	J19	Milk powder	PL3	c	Ø	Ø	Ø	Ø	/	-	8	0.00	-	7246	3.09	+	+HA	+HA	+MA	Linnocua	+	PD
Initial	J14	Raw milk	PL3	c	Ø	Ø	Ø	Ø	/	-	6926	1.76	+	/	/	+ par défaut	+HA	+HA*	+HA	Lmonocytogenes Linnocua	+	PD
Initial	J17	Raw milk	PL3	c	Ø	Ø	Ø	Ø	/	-	3054	0.77	+	/	/	+ par défaut	+HA	+HA*	+HA	Lmonocytogenes Linnocua	+	PD
Initial	G8	Salmon steak	PP1	a	Ø	Ø	Ø	Ø	/	-	7666	1.94	+	/	/	+ par défaut	+HB	+HA	+MA	Lmonocytogenes	+	PD
Initial	I36	Tuna steak	PP1	a	Ø	Ø	Ø	Ø	/	-	10839	2.92	+	/	/	+ par défaut	+HA	+HA	+MA	Lmonocytogenes	+	PD
Initial	S5	Cod fillet	PP1	a	Ø	Ø	Ø	-LE	/	-	42	0.00	-	7984	3.55	+	+HA	+HA	+HB	Linnocua	+	PD
Initial	I37	Scottish smoked salmon	PP2	b	Ø	Ø	Ø	Ø	/	-	7678	2.06	+	/	/	+ par défaut	+HA	+HB	+MA	Lmonocytogenes	+	PD
Initial	I39	Smoked trout	PP2	b	Ø	Ø	Ø	Ø	/	-	7340	1.97	+	/	/	+ par défaut	+HB	+HB	+HB	Lmonocytogenes	+	PD
Initial	U3	Smoked trout	PP2	b	Ø	Ø	Ø	Ø	/	-	5	0.00	-	7665	3.41	+	/	+HA	+HA	Linnocua	+	PD
Initial	L125-1	Red cabbage	PV1	a	Ø	Ø	Ø	-LE	/	-	25	0.00	-	2001	0.89	+	/	+MA	+MB	Lmonocytogenes	+	PD
Initial	Q10	Salmon paupiette with vegetables	C2	b	PP1	-LE	Ø	-LE	/	-	-3	0.00	-	3233	1.41	+	+MA	+MA	+MA	Lwelshimeri	+	PD
Initial	J28	Strawberry ice-cream	C3	c	Ø	Ø	Ø	Ø	/	-	6	0.00	-	7544	3.32	+	+HA	+HA	+HA	Linnocua	+	PD
Initial	H13	Water from light rinsing	EN1	a	Ø	Ø	Ø	-LE	/	-	5	0.00	-	7485	3.20	+	+LB	+HB	+HA	Linnocua Lseeligeri	+	PD
Initial	H7	Water from final rinsing	EN1	a	Ø	Ø	Ø	Ø	/	-	8	0.00	-	7098	3.03	+	+HA	+HA	+HA	Lseeligeri	+	PD
Initial	G27	Surface of cold meats knife	EN2	b	Ø	-LE	-LE	-LE	/	-	20	0.00	-	7541	2.89	+	+HA	+HA	+HA	Lwelshimeri	+	PD
Initial	J1	Surface of stainless steel table in pastries facility	EN2	b	Ø	Ø	-ME	-ME	/	-	14	0.00	-	8251	3.51	+	+HA	+HA	+HB	Linnocua	+	PD
Initial	I32	Bone dust	EN3	c	Ø	Ø	Ø	Ø	/	-	3	0.00	-	9928	3.89	+	+MA	+HA	+MA	Lwelshimeri Linnocua	+	PD
Initial	I43	Residue from cutting counter	EN3	c	Ø	Ø	Ø	Ø	/	-	6691	1.80	+	/	/	+ par défaut	+MA	+MB	+MA	Lmonocytogenes	+	PD
3 rd renew.	1372306	Fresh chive	VP1	a	-ØE	-ØE	-LE	-LE	/	-	2569	0.62	+	/	/	+	+MC	/	+ LB	L monocytogenes	+	PD
3 rd renew.	1398372	Frozen vegetables gyoza	VP3	c	+LB	-LE	+MC	-ME	/	-	2441	0.65	+	/	/	+	-HE	/	+ HA	L monocytogenes	+	PD
3 rd renew.	1370081	Sweetbread bouchée	CF2	b	-ØE	-ØE	-ØE	-ØE	/	-	8925	2.15	+	/	/	+	+HA	/	+	L monocytogenes	+	PD
3 rd renew.	1372303	Mixed vegetables with mayonnaise	CF1	a	-LE	-LE	-LE	-LE	/	-	9813	2.37	+	/	/	+	+HA	/	+	L monocytogenes	+	PD
3 rd renew.	1372307	Cooked turkey aiguillettes	CF2	b	-LE	-LE	-ØE	-ØE	/	-	1583	0.38	+	/	/	+	+HA	/	+	L monocytogenes	+	PD
Ext.	1977823	Raw milk cow cheese (Tommé)	DP125	a	Ø	EL	Ø	EL	/	-	8537	2.16	+	/	/	+	AM	/	AM halo	L monocytogenes	+	PD
Ext.	1977582	Skimmed milk powder	DP125	c	EM	EM	EM	Ø	/	-	686	0,17	+	/	/	+	EM	/	BM halo	L monocytogenes	+	PD
Ext.	1977584	Powdered buttermilk	DP125	c	EM	EM	EL	EL	/	-	6106	1,55	+	/	/	+	BM	/	AM halo	L monocytogenes	+	PD
Ext.	1978383	Skimmed milk powder	DP125	c	EL	EL	EM	EL	/	-	3083	0.78	+	/	/	+	CM	/	AM halo	L monocytogenes	+	PD
Ext.	1977567	Baby milk powder	PIF125	a	EL	Ø	Ø	Ø	/	-	8386	2,11	+	/	/	+	DM	/	AM halo	L monocytogenes	+	PD
Ext.	1977568	Junior baby milk powder	PIF125	a	EL	Ø	EL	Ø	/	-	8648	2,17	+	/	/	+	BM	/	AM halo	L monocytogenes	+	PD
Ext.	1977592	Infant milk 0-6 months+probio	PIF125	b	EL	EL	EM	Ø	/	-	11219	2,84	+	/	/	+	AM	/	AM halo	L monocytogenes	+	PD
Ext.	1977595	Infant milk 6-12 months+probio	PIF125	b	EM	EL	EM	EM	/	-	6299	1,59	+	/	/	+	EM	/	AM halo	L monocytogenes	+	PD
Ext.	1977760	Infant milk 6-12 months+probio	PIF125	b	EL	EL	EL	Ø	/	-	8153	2,06	+	/	/	+	EM	/	AM halo	L monocytogenes	+	PD
Ext.	1977761	Infant milk 6-12 months+probio	PIF125	b	EL	Ø	EL	Ø	/	-	9400	2,38	+	/	/	+	EM	/	AM halo	L monocytogenes	+	PD
Ext.	1977747	Infant multi-cereals with exotic fruits	PIF125	c	EL	Ø	EL	Ø	/	-	9017	2,28	+	/	/	+	EM	/	AM halo	L monocytogenes	+	PD
Ext.	1977750	Infant chocolate cereals	PIF125	c	EL	Ø	EL	Ø	/	-	9269	2,35	+	/	/	+	EM	/	AM halo	L monocytogenes	+	PD
Ext.	1977751	Infant caramel cereals	PIF125	c	EL	Ø	EL	Ø	/	-	8338	2,11	+	/	/	+	EM	/	AM halo	L monocytogenes	+	PD
Ext.	1977773	Infant cereals with honey	PIF125	c	EL	Ø	EL	Ø	/	-	0	0.00	-	9150	3.39	+	EL	/	AM halo	L monocytogenes	+	PD
Ext.	1977774	Biscuit flavored infant cereals	PIF125	c	EL	Ø	EL	Ø	/	-	8364	2.12	+	/	/	+	EM	/	AM halo	L monocytogenes	+	PD
Ext.	1977775	Infant cereals with 5 cereals	PIF125	c	EL	Ø	EL	Ø	/	-	8378	2.12	+	/	/	+	EL	/	AM halo	L monocytogenes	+	PD
Ext.	1977781	Infant caramel cereals	PIF125	c	EL	Ø	EL	Ø	/	-	8486	2.15	+	/	/	+	Ø	/	AM halo	L monocytogenes	+	PD

Table 10: summary of the negative deviations

Validation	CODE	MATRICES	Cat.	Type	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON		
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
Initial	I10	Jellied tongue	PC2	b	+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	-3	0,00	-	23	0,00	-	Ø	Ø	Ø	/	-	ND
Initial	L1	Tuscan minced pork	PC2	b	Ø	+LA	+HA	+MA	<i>L.welshimeri</i>	+	-3	0,00	-	21	0,00	-	Ø	Ø	-ME	/	-	ND
Initial	L3	Rillettes	PC3	c	+LA	+LA	+HA	+HA	<i>Livanovii</i>	+	-3	0,00	-	38	0,01	-	Ø	Ø	Ø	/	-	ND
Initial	L6	Munster cheese	PL1	a	+LA	+LB	+HA	+HA	<i>Linnocua</i>	+	-3	0,00	-	37	0,01	-	Ø	Ø	Ø	/	-	ND
Initial	J20	Milk powder	PL3	c	+LA	+LA	+HA	+HA	<i>Linnocua</i>	+	-3	0,00	-	23	0,00	-	Ø	Ø	Ø	/	-	ND
Initial	M13	Fish fillet	PP1	a	PP1	+LA(1)	+LA	+LA	<i>L.welshimeri</i>	+	-3	0,00	-	38	0,01	-	+HA	+MA	+MA	<i>L.welshimeri</i>	-	ND
Initial	M16	Scabbardfish fillet	PP1	a	PP1	+LA	+LA	+LA	<i>L.welshimeri</i>	+	-3	0,00	-	25	0,01	-	+MB	+MA	+MB	<i>L.welshimeri</i>	-	ND
Initial	M15	Dogfish	PP1	a	PP1	+LA	+MA	+MA	<i>L.welshimeri</i>	+	-2	0,00	-	22	0,00	-	Ø	Ø	Ø	/	-	ND
Initial	S3	Atlantic smoked salmon	PP2	b	+HB	+MA	+MB	+MB	<i>Linnocua</i>	+	-3	0,00	-	21	0,00	-	Ø	Ø	-LE	Ø	-	ND
Initial	Q18	Red cabbage	PV1	a	+LA	+LD	+HA	+MB	<i>L.monocytogenes</i>	+	-3	0,00	-	23	0,01	-	Ø	Ø	Ø	Ø	-	ND
Initial	S8	Carrots	PV1	a	Ø	Ø	+MA	+MA	<i>L.monocytogenes</i>	+	-4	0,00	-	23	0,01	-	Ø	Ø	-HE	/	-	ND
Initial	S12	Red cabbage	PV1	a	+LA(2)	+LA(1)	+MA	+MA	<i>L.monocytogenes</i>	+	-5	0,00	-	19	0,00	-	Ø	Ø	-ME	/	-	ND
Initial	U9	Fried zucchini	PV3	c	-LE	+MB	-LE	+MC	<i>L.seeligeri</i>	+	-5	0,00	-	23	0,01	-	-ME	-LE	-ME	Ø	-	ND
Initial	C13	Cream cake	CF3	c	+LA	+LB	Ø	-ME	<i>L.grayi</i>	+	-4	0,00	-	18	0,00	-	/	/	/	/	-	ND
Initial	O3	Cold meats counter knife	EN2	b	+LB	-ME	+HB	+MB	<i>L.monocytogenes</i>	+	-4	0,00	-	20	0,00	-	Ø	-LE	-ME	/	-	ND
3 rd renewal	1372305	Coleslaw salad	CF1	a	+ LB	+ LB	+ HA	+ HA	<i>L. monocytogenes</i>	+	-1	-0,00	-	13	0,00	-	- ME	/	- ME	/	-	ND
3 rd renewal	1398357	Custard	CF3	c	+ LA	+ LA	+ HA	+ HA	<i>L. ivanovii</i>	+	-2	-0,00	-	11	0,00	-	- ØE	/	- ØE	/	-	ND
3 rd renewal	1398362	Pork nems	CF2	b	+ LB	- LE	+ HA	+ HC	<i>L. monocytogenes</i>	+	0	0,00	-	17	0,00	-	- LE	/	- ME	/	-	ND
3 rd renewal	1409265	Sandwich ham cheddar salad	CF1	a	+ LA	+ LE	+ MA	+ ME	<i>L. welshimeri</i>	+	-2	-0,00	-	26	0,00	-	- ME	/	- LE	/	-	ND
Extension	1977572	Raw milk cow cheese (Morbier)	DP125	a	EM	BM halo	EM	AL halo	<i>L.monocytogenes</i>	+	0	0,00	-	0	0,00	-	EM	/	Ø	/	-	ND
Extension	1977785	Raw milk cow cheese (St Nectaire) batch 1	DP125	a	EM	DM halo	EM	AMØ halo	<i>Linnocua</i>	+	5	0,00	-	135	0,05	-	EM	/	EM	/	-	ND
Extension	1977551	Pasteurized cow cheese	DP125	b	EM	AM halo	EM	AM halo	<i>L.monocytogenes</i>	+	-1	-0,00	-	18	0,18	-	EM	/	Ø	/	-	ND
Extension	1977590	Organic infant milk	PIF125	b	EL	AL halo	EL	AM halo	<i>L.monocytogenes</i>	+	1	0,00	-	21	0,00	-	EM	/	Ø	/	-	ND
Extension	1977756	Organic infant milk	PIF125	b	EL	AL halo	EL	AM halo	<i>L.monocytogenes</i>	+	1	0,00	-	21	0,00	-	EM	/	Ø	/	-	ND
Extension	1977746	Whole oat and wheat infant cereals	PIF125	c	EL	AL halo	EM	AM halo	<i>L.monocytogenes</i>	+	1	0,00	-	24	0,00	-	EL	/	Ø	/	-	ND

All deviations come from the nature of the study design. In an unpaired study, because of the difference of sampling between both methods, and the use of naturally contaminated samples or seeded samples with low levels of contamination, no cell of *Listeria* may have been present in the sampling of one of the two methods.

For sample 1398368, artificially contaminated with a strain of *Listeria ivanovii*, a negative result is obtained by the alternative method. However, the confirmation protocol allowed finding typical colonies which were confirmed as *Listeria ivanovii*. The result of the reference method is negative for this sample. The comparison of the two methods leads therefore to a negative agreement.

It's important to note that the same strain of *L. ivanovii* was used at the same concentration to contaminate the sample 1398355 and that the result of the alternative method was clearly positive and confirmed.

Another strain of *L. ivanovii* was used combined with a strain of *L. monocytogenes* to contaminate the sample 1409270. The result of the alternative was positive and the two species were found during the confirmation.

Table 11 shows the difference between negative deviations and positive deviations and the acceptability limits.

Table 11: acceptability limits

Category	Type	ND	PD	(ND-PD)	Acceptability limit (AL)	Observation
Meat products ①	a	0	2	/	/	(ND-PD) ≤ AL :
	b	2	0			
	c	1	2			
	Total	3	4	-1	3	
Dairy products ②	a	1	3	/	/	(ND-PD) ≤ AL :
	b	0	1			
	c	1	3			
	Total	2	7	-5	3	
Seafood products ③	a	3	3	/	/	(ND-PD) ≤ AL :
	b	1	3			
	c	0	0			
	Total	4	6	-2	3	
Vegetal products ④	a	3	2	/	/	(ND-PD) ≤ AL :
	b	0	0			
	c	1	1			
	Total	4	3	1	3	
Composite foods ⑤	a	2	1	/	/	(ND-PD) ≤ AL :
	b	1	3			
	c	2	1			
	Total	5	5	0	3	
Environmental samples ⑥	a	0	2	/	/	(ND-PD) ≤ AL :
	b	1	2			
	c	0	2			
	Total	1	6	-5	3	
Dairy products excluding raw milk (125g) ⑦	a	2	1			(ND-PD) ≤ AL :
	b	1	0			
	c	0	3			
	Total	3	4	-1	3	
Powder Infant Formula and cereals (125g) ⑧	a	0	2			(ND-PD) ≤ AL :
	b	2	4			
	c	1	7			
	Total	3	13	-10	3	
All categories	Total	25	48	-23	7	

The observed values (ND – PD) are below the acceptability limit for each category and for all categories. The alternative method produces results comparable to the reference method.

3.1.3.5. Comments on tests performed after 72 hours of storage

The LX broths were tested using the VIDAS LDUO TEST, immediately after incubation, then stored for 3 days at 2°C - 8°C and retested. In addition, LX broth was isolated on selective agar and confirmation tests were performed.

Some discordances between the two results appeared during the VIDAS LDUO test performed using LX broth stored for 72 hours at 2°C – 8°C:

- 7 samples: L11 (ice cream), H14 (residues), I19 (beefsteak), K6 (porc ribs), T15 (tomato burger), V2 (catalan poellee), V16 (tomato burger, presented a discordance between the specific test result and the identification result (positive DLMO test result with identification of a *Listeria* strain other than *L. monocytogenes*).
- 3 samples: C11 raw milk cheese, E4 soft cheese with chocolate, R5 Herring fillet, gave a positive result with the DLIS test but no *Listeria* was observed on selective agars. The reference method gave a negative result for these 3 samples. There are consequently false positive results after the storage of the broths.
- a sample which gave a negative deviation with the initial test (M13, fish fillet) became concordant following storage of the LX broth at 2°C - 8°C.

During these extension, two discordances between the two results appeared during the VIDAS LDUO test performed using LX broth stored for 72 hours at 2°C – 8°C:

- 1 sample: 1977520 (Goat cheese with raw milk) gave a false positive result with the initial test and became concordant negative result following storage of the LX broth at 2°C - 8°C.
- 1 sample: 1977579 (Skimmed milk powder) gave a negative result with the initial test and became false negative result (just like the reference method) following storage of the LX broth at 2°C - 8°C.

These results are summarized below:

Samples	Results at the end of incubation	Results after storage at 2-8°C
L11, H14, I19, K6, V2, V16	DLIS: + Confirmation: + (PA)	DLMO: + Confirmation: presence of <i>Listeria</i> spp other than <i>L. monocytogenes</i> (PA)
T15	DLIS: + Confirmation: + (PD)	DLMO: + Confirmation: presence of <i>Listeria</i> spp other than <i>L. monocytogenes</i> (PA))
C11, E4, R5	DLIS: - Confirmation: - (NA)	DLIS: + Confirmation: - (NA/FP)
M13	DLIS: - (ND)	DLIS: + Confirmation: + (PA)
1977520	DLIS: + Confirmation: - (NA/PP)	DLIS: - Confirmation: - (NA)
1977579	DLIS: - Confirmation: - (NA)	DLIS: - Confirmation: + (NA/FN)

The results of the VIDAS LDUO tests performed on the LX broths stored for 72 hours at 2°C – 8°C are therefore globally equivalent to those obtained when the VIDAS LDUO test is carried out directly after incubation.

Table 12 shows the difference between negative deviations and positive deviations and the acceptability limits.

Table 12: acceptability limits

Category	Type	ND	PD	(ND-PD)	Acceptability limit (AL)	Observation
Meat products ①	a	0	2	/	/	(ND-PD) ≤ AL :
	b	2	0			
	c	1	2			
	Total	3	4	-1	3	
Dairy products ②	a	1	3	/	/	(ND-PD) ≤ AL :
	b	0	1			
	c	1	3			
	Total	2	7	-5	3	
Seafood products ③	a	3	3	/	/	(ND-PD) ≤ AL :
	b	1	3			
	c	0	0			
	Total	4	6	-2	3	
Vegetal products ④	a	3	2	/	/	(ND-PD) ≤ AL :
	b	0	0			
	c	1	1			
	Total	4	3	1	3	
Composite foods ⑤	a	2	1	/	/	(ND-PD) ≤ AL :
	b	1	3			
	c	2	1			
	Total	5	5	0	3	
Environmental samples ⑥	a	0	2	/	/	(ND-PD) ≤ AL :
	b	1	2			
	c	0	2			
	Total	1	6	-5	3	
Dairy products excluding raw milk (125g) ⑦	a	2	1			(ND-PD) ≤ AL :
	b	1	0			
	c	0	3			
	Total	3	4	-1	3	
Powder Infant Formula and cereals (125g) ⑧	a	0	2			(ND-PD) ≤ AL :
	b	2	4			
	c	1	7			
	Total	3	13	-10	3	
All categories	Total	25	48	-23	7	

The observed values (ND – PD) are below the acceptability limit for each category and for all categories after storage of the broths. The alternative method produces results comparable to the reference method.

3.1.4. Detection of *Listeria monocytogenes*

3.1.4.1. Number and nature of the samples

The sensitivity study for all categories concerned 715 samples: 464 analyzed during the initial validation study, 79 analyzed during this third renewal study and 172 analyzed during the extension

Samples analyzed by category and type are presented in table 13.

Table 13: Distribution of the samples per category and type

Category	Types		Positive results	Negative results	Total
Meat products	a	Raw meat products	17	21	38
	b	RTRH products and meat-based products	10	12	22
	c	Delicatessen	23	24	47
	Total		50	57	107
Dairy products	a	Cow raw milk cheese	14	24	38
	b	Goat or ewe raw milk cheese	10	12	22
	c	Other milk products	10	21	31
	Total		34	57	91
Seafood products	a	Raw products	12	29	41
	b	Smoked, marinated products	16	10	26
	c	Ready-to-eat and ready-to-reheat products	10	10	20
	Total		38	49	87
Vegetal products	a	Raw vegetal products	10	28	38
	b	Pre-cut fruits and vegetables	15	13	28
	c	Plant product based food	11	18	29
	Total		36	59	95
Composite foods	a	Ready-to-eat products	10	10	20
	b	Ready-to-reheat products	11	10	21
	c	Pastries and derivated, egg products	10	13	23
	Total		31	33	64
Environmental samples	a	Process and cleaning waters	10	21	31
	b	Surface samples	14	32	46
	c	Residues	12	10	22
	Total		36	63	99
Dairy products excluding raw milk (125g)	a	Raw milk cheese	11	23	34
	b	Pasteurized cheese	9	18	27
	c	Milk powder	10	18	28
	Total		30	59	89
Powder Infant Formula and cereals (125g)	a	Infant formula without probiotic	8	13	21
	b	Infant formula with probiotic	9	23	32
	c	Infant cereal with and w/o probiotic	13	17	30
	Total		30	53	83
Total			285	430	715

3.1.4.2. Results

Raw data are shown in appendices D1 and D2 for the initial validation study, in appendix D3 for the renewal study and appendix D4 for extension study.

Table 14 shows the results of the sensitivity study for all categories.

Table 14: Distribution of the samples per category and type (PA: positive agreement, NA: negative agreement, ND: negative deviation, PD: positive deviation, PP: presumptive positive before confirmation)

Category		PA	NA	PD	ND	PPND	PPNA	Total
1	Meat products	44	57	5	1	0	0	107
2	Dairy products	30	57	4	0	0	0	91
3	Seafood products	33	49	5	0	0	0	87
4	Vegetal products	29	59	4	3	0	0	95
5	Composite foods	24	33	5	2	0	0	64
6	Environmental samples	34	63	1	1	0	0	99
7	Dairy products excluding raw milk (125g)	21	59	7	2	0	2	89
8	Powder Infant Formula and cereals (125g)	15	53	12	3	0	0	83
Total		230	430	43	12	0	2	715

3.1.4.3. Calculation of relative trueness (RT), sensitivity (SE) and false positive ratio (PFR)

The set of results obtained were used to calculate the relative trueness, the sensitivity and the false positive ratio for each of the categories and for all the categories, according to the formulas set out in the EN ISO 16140-2:2016 standard (table 15).

Table 15: values in % of sensitivity for the two methods, relative trueness and false positive ratio for the alternative method (SE_{alt} : sensitivity for the alternative method, SE_{ref} : sensitivity for the reference method, RT: relative trueness, FPR: false positive ratio for the alternative method)

Category	Type	PA	NA	ND	PD	N	PPND	PPNA	SEalt	SEref	RT	FPR
Meats products ①	a	15	21	0	2	38	0	0	100.0%	88.2%	94.7%	0.0%
	b	9	12	1	0	22	0	0	90.0%	100.0%	95.5%	0.0%
	c	20	24	0	3	47	0	0	100.0%	87.0%	93.6%	0.0%
	Total	44	57	1	5	107	0	0	98.0%	90.0%	94.4%	0.0%
Dairy products ②	a	14	24	0	0	38	0	0	100.0%	100.0%	100.0%	0.0%
	b	8	12	0	2	22	0	0	100.0%	80.0%	90.9%	0.0%
	c	8	21	0	2	31	0	0	100.0%	80.0%	93.5%	0.0%
	Total	30	57	0	4	91	0	0	100.0%	88.2%	95.6%	0.0%
Seafood products ③	a	9	29	0	3	41	0	0	100.0%	75.0%	92.7%	0.0%
	b	14	10	0	2	26	0	0	100.0%	87.5%	92.3%	0.0%
	c	10	10	0	0	20	0	0	100.0%	100.0%	100.0%	0.0%
	Total	33	49	0	5	87	0	0	100.0%	86.8%	94.3%	0.0%
Vegetal products ④	a	5	28	3	2	38	0	0	70.0%	80.0%	86.8%	0.0%
	b	14	13	0	1	28	0	0	100.0%	93.3%	96.4%	0.0%
	c	10	18	0	1	29	0	0	100.0%	90.9%	96.6%	0.0%
	Total	29	59	3	4	95	0	0	91.7%	88.9%	92.6%	0.0%
Composite foods ⑤	a	6	10	1	3	20	0	0	90.0%	70.0%	80.0%	0.0%
	b	8	10	1	2	21	0	0	90.9%	81.8%	85.7%	0.0%
	c	10	13	0	0	23	0	0	100.0%	100.0%	100.0%	0.0%
	Total	24	33	2	5	64	0	0	93.5%	83.9%	89.1%	0.0%
Environmental samples ⑥	a	10	21	0	0	31	0	0	100.0%	100.0%	100.0%	0.0%
	b	13	32	1	0	46	0	0	92.9%	100.0%	97.8%	0.0%
	c	11	10	0	1	22	0	0	100.0%	91.7%	95.5%	0.0%
	Total	34	63	1	1	99	0	0	97.2%	97.2%	98.0%	0.0%
Dairy products excluding raw milk (125g) ⑦	a	9	23	1	1	34	0	1	90.9%	90.9%	94.1%	4.3%
	b	6	18	1	2	27	0	1	88.9%	77.8%	88.9%	5.6%
	c	6	18	0	4	28	0	0	100.0%	60.0%	85.7%	0.0%
	Total	21	59	2	7	89	0	2	93.3%	76.7%	89.9%	3.4%
Powder Infant Formula and cereals (125g) ⑧	a	5	13	1	2	21	0	0	87.5%	75.0%	85.7%	0.0%
	b	4	23	1	4	32	0	0	88.9%	55.6%	84.4%	0.0%
	c	6	17	1	6	30	0	0	92.3%	53.8%	76.7%	0.0%
	Total	15	53	3	12	83	0	0	90.0%	60.0%	81.9%	0.0%
All categories	<u>Total</u>	230	430	12	43	715	0	2	95.8%	84.9%	92.3%	0.5%

The results for all categories are summarized in the table 16 below.

Table 16: summary of the results for all categories

Parameter	Formula EN ISO 16140-2 :2016	Results for all categories
Sensitivity of the alternative method (SE _{alt})	$SE_{alt} = \frac{(PA + PD)}{(PA + ND + PD)} \times 100 \%$	95.8 %
Sensitivity of the reference method (SE _{ref})	$SE_{ref} = \frac{(PA + ND)}{(PA + ND + PD)} \times 100 \%$	84.9 %
Relative trueness (RT)	$RT = \frac{(PA + NA)}{N} \times 100 \%$	92.3 %
False positive ratio (FPR)	$FPR = \frac{FP}{NA} \times 100 \%$	0.5 %

3.1.4.4. Analysis of discordant results

Discordant results are examined according to the standard ISO 16140-2: 2016.

The table 17 summarizes the positive deviations and table 18 summarizes negative deviations.

Table 17: summary of the positive deviations

Validation	Code	Matrices	Cat.	Type	NF EN ISO 11290-1 METHOD							VIDAS LDUO METHOD									Comparison	
					FRASER 1/2			FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION						
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	TEST LMO	RFV LIS	VT	TEST LIS	PAL	RLM	OAA	IDENTIF.		
Initial	D7	Beef minced meat	PC1	a	Ø	Ø	Ø	Ø	/	-	199	0.05	+	/	/	+ par défaut	+LA	+LA	+LA	Lmonocytogenes	+	PD
Initial	C19	Chipolata sausage	PC3	c	-LE	-LE	Ø	Ø	/	-	8633	2.31	+	/	/	+ par défaut	+HA	+HB	+MB	Lmonocytogenes Lwelshimeri	+	PD
Initial	V10	Strasbourg sausages	PC3	c	Ø	-LE	Ø	Ø	/	-	7711	1.99	+	/	/	+ par défaut	+HA	+HA	+MA	Lmonocytogenes	+	PD
Initial	C10	Goat cheese	PL2	b	Ø	-LE	Ø	Ø	/	-	1710	0.45	+	/	/	+ par défaut	+MA	+HA	+MA	Lmonocytogenes	+	PD
Initial	J14	Raw milk	PL3	c	Ø	Ø	Ø	Ø	/	-	6926	1.76	+	/	/	+ par défaut	+HA	+HA*	+HA	Lmonocytogenes Linnocua	+	PD
Initial	J17	Raw milk	PL3	c	Ø	Ø	Ø	Ø	/	-	3054	0.77	+	/	/	+ par défaut	+HA	+HA*	+HA	Lmonocytogenes Linnocua	+	PD
Initial	G8	Salmon steak	PP1	a	Ø	Ø	Ø	Ø	/	-	7666	1.94	+	/	/	+ par défaut	+HB	+HA	+MA	Lmonocytogenes	+	PD
Initial	I36	Tuna steak	PP1	a	Ø	Ø	Ø	Ø	/	-	10839	2.92	+	/	/	+ par défaut	+HA	+HA	+MA	Lmonocytogenes	+	PD
Initial	I37	Scottish smoked salmon	PP2	b	Ø	Ø	Ø	Ø	/	-	7678	2.06	+	/	/	+ par défaut	+HA	+HB	+MA	Lmonocytogenes	+	PD
Initial	I39	Smoked trout	PP2	b	Ø	Ø	Ø	Ø	/	-	7340	1.97	+	/	/	+ par défaut	+HB	+HB	+HB	Lmonocytogenes	+	PD
Initial	L125-1	Red cabbage	PV1	a	Ø	Ø	Ø	-LE	/	-	25	0.00	-	2001	0.89	+	/	+MA	+MB	Lmonocytogenes	+	PD
Initial	I43	Residue from cutting counter	EN3	c	Ø	Ø	Ø	Ø	/	-	6691	1.80	+	/	/	+ par défaut	+MA	+MB	+MA	Lmonocytogenes	+	PD
Initial	V14	Chicken fillet	PC1	a	Ø	Ø	+HA	+MA	Lwelshimeri	-	1934	0.50	+	/	/	+ par défaut	+HA	+HA	+MA*	Lmonocytogenes Lwelshimeri	+	PD
Initial	V11	Smoked lardons	PC3	c	Ø	+LA	+HA	+HA	Lwelshimeri	-	7529	1.94	+	/	/	+ par défaut	+HA	+HA	+HA	Lmonocytogenes Lwelshimeri	+	PD
Initial	B16	Ossau Iraty cheese	PL2	b	Ø	+LB	-LE	-LE	Lseeligeri	-	7636	2.04	+	/	/	+ par défaut	+HA	+MA	+HA	Lmonocytogenes	+	PD
Initial	U1	Prawns	PP1	a	Ø	+LA	+MA	+HA	Lseeligeri	-	7478	1.91	+	/	/	+ par défaut	/	+HA	+HB	Lmonocytogenes Lseeligeri	+	PD
Initial	C1	Frozen fried potatoes	PV2	b	-LE	+LA	Ø	Ø	Lgrayi	-	6710	1.79	+	/	/	+ par défaut	+HA	+HA	+HA	Lmonocytogenes	+	PD
3 rd renew.	1372306	Fresh chive	VP1	a	-ØE	-ØE	-LE	-LE	/	-	2569	0.62	+	/	/	+	+ MC	/	+ LB	Lmonocytogenes	+	PD
3 rd renew.	1370081	Sweetbread bouchée	CF2	b	-ØE	-ØE	-ØE	-ØE	/	-	8925	2.15	+	/	/	+	+ HA	/	+	Lmonocytogenes	+	PD
3 rd renew.	1372303	Mixed vegetables with mayonnaise	CF1	a	-LE	-LE	-LE	-LE	/	-	9813	2.37	+	/	/	+	+ HA	/	+	Lmonocytogenes	+	PD
3 rd renew.	1372307	Cooked turkey aiguillettes	CF2	b	-LE	-LE	-ØE	-ØE	/	-	1583	0.38	+	/	/	+	+ HA	/	+	Lmonocytogenes	+	PD
3 rd renew.	1409271	Cucumber with cottage cheese and chives	CF1	a	+MC	+MA	+MA	+MB	Linnocua	-	10933	2.85	+	/	/	+	+ MA	/	+ MC	Lmonocytogenes Linnocua	+	PD
3 rd renew.	1409275	Saveloy salad with vinaigrette	CF1	a	+LA	+LB	+MA	+MB	Lwelshimeri	-	8449	2.20	+	/	/	+	+ HA	/	+ HA	Lmonocytogenes	+	PD
3 rd renew.	1398372	Frozen vegetables gyoza	VP3	c	+LB	+MC	-ME	-ME	/	-	2441	0.65	+	/	/	+	+ HA	/	-HE	Lmonocytogenes	+	PD
Ext.	1977823	Raw milk cow cheese (Tomme)	DP125	a	Ø	EL	Ø	EL	/	-	8537	2.16	+	/	/	+	AM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977582	Skimmed milk powder	DP125	c	EM	EM	EM	Ø	/	-	686	0.17	+	/	/	+	EM	/	BM halo	Lmonocytogenes	+	PD
Ext.	1977584	Powdered buttermilk	DP125	c	EM	EM	EL	EL	/	-	6106	1.55	+	/	/	+	BM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977542	Pasteurized cow cheese (Munster)	DP125	b	Ø	EM	Ø	EM	/	-	1324	0.33	+	/	/	+	CM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977546	Pasteurized sheep cheese	DP125	b	EM	CL sans halo	CM	AM sans halo	Lwelshimeri	-	3607	0.93	+	/	/	+	CM	/	AM halo+sans halo	Lmonocytogenes Lwelshimeri	+	PD
Ext.	1977555	Powdered whey	DP125	c	EL	EL	DM	AM sans halo	Linnocua	-	671	0.17	+	/	/	+	CM	/	AM halo+sans halo	Linnocua Lmonocytogenes	+	PD
Ext.	1978383	Skimmed milk powder	DP125	c	EL	EL	EM	EL	/	-	3083	0.78	+	/	/	+	CM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977567	Baby milk powder	PIF125	a	EL	Ø	Ø	Ø	/	-	8386	2,11	+	/	/	+	DM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977568	Junior baby milk powder	PIF125	a	EL	Ø	EL	Ø	/	-	8648	2,17	+	/	/	+	BM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977592	Infant milk 0-6 months+probio	PIF125	b	EL	EL	EM	Ø	/	-	11219	2,84	+	/	/	+	AM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977595	Infant milk 6-12 months+probio	PIF125	b	EM	EL	EM	EM	/	-	6299	1,59	+	/	/	+	EM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977760	Infant milk 6-12 months+probio	PIF125	b	EL	EL	Ø	/	/	-	8153	2,06	+	/	/	+	EM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977761	Infant milk 6-12 months+probio	PIF125	b	EL	Ø	EL	Ø	/	-	9400	2,38	+	/	/	+	EM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977747	Infant multi-cereals with exotic fruits	PIF125	c	EL	Ø	EL	Ø	/	-	9017	2,28	+	/	/	+	EM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977750	Infant chocolate cereals	PIF125	c	EL	Ø	EL	Ø	/	-	9269	2,35	+	/	/	+	EM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977751	Infant caramel cereals	PIF125	c	EL	Ø	EL	Ø	/	-	8338	2,11	+	/	/	+	EM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977774	Biscuit flavored infant cereals	PIF125	c	EL	Ø	EL	Ø	/	-	8364	2,12	+	/	/	+	EM	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977775	Infant cereals with 5 cereals	PIF125	c	EL	Ø	EL	Ø	/	-	8378	2,12	+	/	/	+	EL	/	AM halo	Lmonocytogenes	+	PD
Ext.	1977781	Infant caramel cereals	PIF125	c	EL	Ø	EL	Ø	/	-	8486	2,15	+	/	/	+	Ø	/	AM halo	Lmonocytogenes	+	PD

Table 18: summary of the negative deviations

Validation	CODE	MATRICES	Cat.	Type	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON	
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION						
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.	
Initial	I10	Jellied tongue	PC2	b	+LA	+LA	+HA	+MA	<i>Lmonocytogenes</i>	+	-3	0.00	-	23	0.00	-	Ø	Ø	Ø	/	- ND
Initial	Q18	Red cabbage	PV1	a	+LA	+LD	+HA	+MB	<i>Lmonocytogenes</i>	+	-3	0.00	-	23	0.01	-	Ø	Ø	Ø	Ø	- ND
Initial	S8	Carrots	PV1	a	Ø	Ø	+MA	+MA	<i>Lmonocytogenes</i>	+	-4	0.00	-	23	0.01	-	Ø	Ø	-HE	/	- ND
Initial	S12	Red cabbage	PV1	a	+LA(2)	+LA(1)	+MA	+MA	<i>Lmonocytogenes</i>	+	-5	0.00	-	19	0.00	-	Ø	Ø	-ME	/	- ND
Initial	O3	Cold meats counter knife	EN2	b	+LB	-ME	+HB	+MB	<i>L.monocytogenes</i>	+	-4	0.00	-	20	0.00	-	Ø	-LE	-ME	/	- ND
3 rd renewal	1372305	Coleslaw salad	CF1	a	+ LB	+ LB	+ HA	+ HA	<i>L.monocytogenes</i>	+	-1	-0.00	-	13	0.00	-	- ME	/	- ME	/	- ND
3 rd renewal	1398362	Pork nems	CF2	b	+ LB	- LE	+ HA	+ HC	<i>L.monocytogenes</i>	+	0	0.00	-	17	0.00	-	- LE	/	- ME	/	- ND
Extension	1977572	Raw milk cow cheese (Morbier)	DP125	a	EM	BM halo	EM	AL halo	<i>Lmonocytogenes</i>	+	0	0.00	-	0	0.00	-	EM	/	Ø	/	- ND
Extension	1977551	Pasteurized cow cheese	DP125	b	EM	AM halo	EM	AM halo	<i>Lmonocytogenes</i>	+	-1	-0.00	-	18	0.18	-	EM	/	Ø	/	- ND
Extension	1977590	Organic infant milk	PIF125	b	EL	AL halo	EL	AM halo	<i>Lmonocytogenes</i>	+	1	0,00	-	21	0,00	-	EM	/	Ø	/	- ND
Extension	1977746	Whole oat and wheat infant cereals	PIF125	c	EL	AL halo	EM	AM halo	<i>Lmonocytogenes</i>	+	1	0.00	-	24	0,00	-	EL	/	Ø	/	- ND
Extension	1977561	Baby milk powder 6-12 months LOT 1	PIF125	a	DM	BM halo + sans	BM	AM halo + sans	<i>Linnocua</i> <i>L.monocytogenes</i>	+	104	0,02	-	9205	3.3	+	DM	/	AM halo + sans	<i>L.monocytogenes</i> <i>L. innocua</i>	- ND

All deviations come from the nature of the study design. In an unpaired study, because of the difference of sampling between both methods, and the use of naturally contaminated samples or seeded samples with low levels of contamination, no cell of *L. monocytogenes* may have been present in the sampling of one of the two methods.

Table 19 shows the difference between negative deviations and positive deviations and the acceptability limits

Table 19: acceptability limits

Category	Type	ND	PD	(ND-PD)	Acceptability limit (AL)	Observation
Meat products ①	a	0	2	/	/	
	b	1	0			
	c	0	3			
	Total	1	5	-4	3	
Dairy products ②	a	0	0	/	/	
	b	0	2			
	c	0	2			
	Total	0	4	-4	3	
Seafood products ③	a	0	3	/	/	
	b	0	2			
	c	0	0			
	Total	0	5	-5	3	
Vegetal products ④	a	3	2	/	/	
	b	0	1			
	c	0	1			
	Total	3	4	-1	3	
Composite foods ⑤	a	1	3	/	/	(ND-PD) ≤ AL :
	b	1	2			
	c	0	0			
	Total	2	5	-3	3	
Environmental samples ⑥	a	0	0	/	/	
	b	1	0			
	c	0	1			
	Total	1	1	0	3	
Dairy products excluding raw milk (125g) ⑦	a	1	1	/	/	
	b	1	2			
	c	0	4			
	Total	2	7	-5	3	
Powder Infant Formula and cereals (125g) ⑧	a	1	2	/	/	
	b	1	4			
	c	1	6			
	Total	3	12	-9	3	
All categories		Total	12	43	-31	7

The observed values (ND – PD) are below the acceptability limit for each category and for all categories. The alternative method produces results comparable to the reference method.

3.1.4.5. Comments on tests performed after 72 hours of storage

The LX broths were tested using the VIDAS LDUO TEST, immediately after incubation, then stored for 3 days at 2°C - 8°C and retested. In addition, LX broth was isolated on selective agar and confirmation tests were performed.

Some discordances between the two results appeared during the VIDAS LDUO test performed using LX broth stored for 72 hours at 2°C – 8°C:

- 7 samples: L11 (ice cream), H14 (residues), I19 (beefsteak), K6 (porc ribs), T15 (tomato burger), V2 (catalan poelée), V16 (tomato burger, presented a discordance between the specific test result (positive DLIS test result with identification of a *Listeria* strain other than *L. monocytogenes*) and the identification result (positive DLMO test result with identification of a *Listeria* strain other than *L. monocytogenes*). For the response “*Listeria monocytogenes*”, they are still negative agreements, but they are considered as false positive results.

During these extension, one discordance between the two results appeared during the VIDAS LDUO test performed using LX broth stored for 72 hours at 2°C – 8°C:

- 1 sample: 1977520 (Goat cheese with raw milk) gave a false positive result with the initial test and became concordant negative result following storage of the LX broth at 2°C - 8°C.

The results of the VIDAS LDUO tests performed on the LX broths stored for 72 hours at 2°C - 8°C are therefore globally equivalent to those obtained when the VIDAS LDUO test is carried out directly after incubation.

Table 20 shows the difference between negative deviations and positive deviations and the acceptability limits.

Table 20: acceptability limits

Category	Type	ND	PD	(ND-PD)	Acceptability limit (AL)	Observation
Meat products ①	a	0	2			(ND-PD) ≤ AL :
	b	1	0	/	/	
	c	0	3			
	Total	1	5	-4	3	
Dairy products ②	a	0	0			(ND-PD) ≤ AL :
	b	0	2	/	/	
	c	0	2			
	Total	0	4	-4	3	
Seafood products ③	a	0	3			(ND-PD) ≤ AL :
	b	0	2	/	/	
	c	0	0			
	Total	0	5	-5	3	
Vegetal products ④	a	3	2			(ND-PD) ≤ AL :
	b	0	1	/	/	
	c	0	1			
	Total	3	4	-1	3	
Composite foods ⑤	a	1	3			(ND-PD) ≤ AL :
	b	1	2	/	/	
	c	0	0			
	Total	2	5	-3	3	
Environmental samples ⑥	a	0	0			(ND-PD) ≤ AL :
	b	1	0	/	/	
	c	0	1			
	Total	1	1	0	3	
Dairy products excluding raw milk (125g) ⑦	a	1	1			(ND-PD) ≤ AL :
	b	1	2	/	/	
	c	0	4			
	Total	2	7	-5	3	
Powder Infant Formula and cereals (125g) ⑧	a	1	2			(ND-PD) ≤ AL :
	b	1	4	/	/	
	c	1	6			
	Total	3	12	-9	3	
All categories	Total	12	43	-31	7	

The acceptability limits are not modified for the response "*Listeria monocytogenes*".

The alternative method produces results comparable to the reference method after storage of the broths for 3 days at 5±3°C.

3.1.5. Conclusion of the sensitivity study

The statistical tests of the EN ISO 16140-2:2016 standard conclude that the alternative method produces comparable results to the reference method.

However, the sensitivity results showed that the alternative method broth allows a better recovery of *Listeria* spp (including *Listeria monocytogenes*) than the reference method broth, the difference of the deviations being clearly in favor of the alternative method.

3.2. Relative detection level study

3.2.1. Matrices used

Various "food matrix-strain" pairs were studied in parallel using the reference method and the VIDAS LDUO method, for the categories in question (cf. table 21).

Table 21: pairs matrix-strain for each category

Category	Couple matrix strain	Origin of the strain	Step of the validation
① Meat products	Rillettes / <i>L. welshimeri</i>	Minced meat	Initial validation study according to ISO 16140:2003 standard
② Dairy products	Raw milk / <i>L. monocytogenes</i> 1/2b	Raw milk cheese	
	Raw milk / <i>L. innocua</i>	Raw milk cheese	
③ Seafood products	Smoked salmon / <i>L. monocytogenes</i> 1/2a	Smoked salmon offcuts	
④ Vegetal products	Red cabbage / <i>L. monocytogenes</i> 4b	Salad	
⑥ Environmental samples	Process water / <i>L. monocytogenes</i> 1/2c	Surface sample	
⑤ Composite foods	Pastry cream / <i>L. seeligeri</i>	Pastry cream filled cake	3 rd renewal study according to ISO 16140-2:2016 standard
⑦ Dairy products (except raw milk) 125g	Cottage cheese with raw milk / <i>Listeria ivanovii</i> GQD028	Environment dairy industry	Extension Microsept 2021
⑧ Powder infant formula and cereals 125g	Infant milk powder with probiotics / <i>Listeria monocytogenes</i> 1/2b JAR249	Pasteurized milk cheese	Extension Microsept 2021

For categories **①, ②, ③, ④, ⑤, ⑥, ⑦** the total flora of the matrix was determined.

For the category **⑧**, an enumeration of probiotics was carried out according to ISO 15214.

The results are presented in Appendix E.

3.2.2. Contamination protocol

- Protocol for categories 1, 2, 3, 4 and 6 (previous validation)

At least four contamination levels, including the negative control, were performed. Each of the "matrix – strain – level" combinations was replicated six times using the VIDAS LDUO alternative method and the ISO 11290-1/A1 reference method.

As the first enrichment stage is not common, twelve 25-g bags of food products were made up, diluted to 1/10 in the appropriate diluent, then individually contaminated using a bacterial suspension with the determined titer. Each contaminant suspension was enumerated on 30 plates of TSAYE agar.

- Protocol for the category 5 (assays 2017)

Three levels of contamination were prepared consisting of a negative control level, a low level, and a higher level.

The negative control level shall not produce positive results. Five replicates were tested for this level. The low level shall be the theoretical detection level, it was contaminated at 0.7 - 1 CFU per test portion to obtain fractional recovery results. Twenty replicates were tested for this level.

The higher level shall be just above the theoretical detection level, it was contaminated at 2 - 3 CFU per test portion. Five replicates were tested for this level.

The pastry cream was contaminated using the seeding protocol. Bulk contaminations were performed on the matrix for the different levels of contamination, then the matrix was stored at 5±3°C for two days before analysis. Samples were then analyzed by the reference and the alternative method.

- Protocol for categories 7 & 8 (assays 2021)

Three levels of contamination were prepared consisting of a negative control level, a low level, and a higher level.

The negative control level shall not produce positive results. Five replicates were tested for this level. The low level shall be the theoretical detection level, it was contaminated for 7 category at 1.2 CFU and at 1.0 for 8 category per test portion to obtain fractional recovery results. Twenty replicates were tested for this level.

The higher level shall be just above the theoretical detection level, it was contaminated for 7 category at 3.3 CFU and at 2.0 for 8 category per test portion. Five replicates were tested for this level.

For the category 7, the cottage cheese with raw milk was contaminated using the seeding protocol. Bulk contaminations were performed on the matrix for the different levels of contamination, then the matrix was stored at 5±3°C for two days before analysis. Samples were then analyzed by the reference and the alternative method.

For the category 8, the infant milk powder with probiotics was contaminated using the spiking protocol. The strain of *Listeria monocytogenes* used was stressed with heat treatment. Each initial suspension was then contaminated with this stressed and calibrated strain.

3.2.3. Results

The detailed results tables are set out in Appendices E1, E2 and E3.

The RLOD is defined as the ratio of the LODs of the alternative method and the reference method:

$$\text{RLOD} = \frac{\text{LOD}_{\text{alt}}}{\text{LOD}_{\text{ref}}}$$

The RLODs calculations were performed according to the standard ISO 16140-2: 2016 using the Excel spreadsheet available for download at <http://standards.iso.org/iso/16140>, with unknown concentrations. Values of the RLODs are set out in table 22.

Table 22: RLODs values for all categories (RLOD: the estimated relative level of detection value, RLODU: the upper limit of the 95% confidence interval for RLOD, RLODL: the lower limit of the 95% confidence interval for RLOD, b=ln(RLOD): logarithm of the RLOD value, sd(b): standard deviation of b, z-Test statistic: absolute value of the test statistic of the z-Test with the null hypothesis H0: b=0, p-value: p-value of the z-Test)

Matrix/strain pairs	RLOD	RLODL	RLODU	b=ln(RLOD)	sd(b)	z-Test statistic	p-value	AL
① Rillettes / <i>L. welshimeri</i>	0.911	0.420	1.977	-0.093	0.387	0.240	1.190	2.5
② Raw milk / <i>L. monocytogenes</i> 1/2b	1.732	0.590	5.086	0.549	0.539	1.020	0.308	2.5
② Raw milk / <i>L. innocua</i>	1.000	0.370	2.705	0.000	0.498	0.000	1.000	2.5
③ Smoked salmon / <i>L. monocytogenes</i> 1/2a	1.000	0.336	2.976	0.000	0.545	0.000	1.000	2.5
④ Red cabbage / <i>L. monocytogenes</i> 4b	0.619	0.276	1.388	-0.480	0.404	1.189	1.765	2.5
⑤ Pastry cream / <i>L. seeligeri</i>	0.868	0.355	2.123	-0.142	0.447	0.316	1.248	2.5
⑥ Process water / <i>L. monocytogenes</i> 1/2c	1.997	0.681	5.860	0.692	0.538	1.286	0.199	2.5
⑦ Cottage cheese with raw milk / <i>Listeria ivanovii</i> GQD028	1.146	0.498	2.636	0.136	0.417	0.327	0.744	2.5
⑧ Infant milk powder with probiotics / <i>L. monocytogenes</i> 1/2b JAR249	1.146	0.498	2.636	0.136	0.417	0.327	0.744	2.5
Combined	0.989	0.757	1.292	-0.011	0.134	0.083	1.066	2.5

The LOD₅₀ calculations according to Wilrich & Wilrich POD-LOD calculation program - version 10, are given in Table 23.

Table 23: LOD50% for the alternative and reference method

Matrix	Strain	LOD50% Alternative method	LOD50% Reference method
❶ Rillettes (25g)	<i>L. welshimeri</i>	0.534	0.583
❷ Raw milk (25g)	<i>L. monocytogenes</i> 1/2b	0.482	0.374
❷ Raw milk (25g)	<i>L. innocua</i>	1.594	1.637
❸ Smoked salmon (25g)	<i>L. monocytogenes</i> 1/2a	0.682	0.682
❹ Red cabbage (25g)	<i>L. monocytogenes</i> 4b	0.406	0.638
❺ Process water (25g)	<i>L. monocytogenes</i> 1/2c	0.765	0.522
❻ Pastry cream (25g)	<i>L. seeligeri</i>	0.657	0.739
❼ Cottage cheese with raw milk (125g)	<i>L. ivanovii</i> GQD028	0.836	0.745
❽ Infant milk powder with probiotics (125g)	<i>L. monocytogenes</i> 1/2b JAR249	0.667	0.596
Combined results (CFU/25g) - ❶ ❷ ❸ ❹ ❺ ❻		0.682	0.698
Combined results (CFU/125g) - ❼ ❽		0.748	0.667

3.2.4. Interpretation and conclusion

The RLODs values are below the acceptability limit set at 2.5, meaning that, as stated in ISO 16140-2: 2016, the maximum increase in LOD of the alternative versus the reference method is not considered as relevant in consideration of the fitness for purpose of the method.

In conclusion, alternative and reference methods show similar LODs values for the detection of *Listeria* spp and of *Listeria monocytogenes* in the categories tested.

3.3. Inclusivity and exclusivity study

The inclusivity and exclusivity of the method are defined by analyzing, respectively, 50 positive strains and 30 negative strains.

As the VIDAS LDUO method provides a simultaneous response for both *L. monocytogenes* and *Listeria* spp., 50 *L. monocytogenes* strains and 30 *Listeria* spp. strains (other than *L. monocytogenes*) were tested. Thirty-one strains not belonging to the *Listeria* genus were also tested.

3.3.1. Test protocols

- Protocol for inclusivity

For each of the *Listeria* strains, a culture in nutrient broth was performed for 24 hours at 30°C.

An LX broth was inoculated with approximately 10 *Listeria* per ml, then the complete enrichment protocol for the method was followed prior to performing the VIDAS LDUO test.

- **Protocol for exclusivity**

The various negative strains were cultured in nutrient broth for 24 hours at 30°C, inoculated in 10 ml of nutrient broth in order to obtain levels of around 105 cells per ml, then incubated for 24 hours at 30°C prior to performing the VIDAS LDUO test.

3.3.2. Results and conclusion

The results are set out in Appendix F.

The 50 *L. monocytogenes* strains were all detected using the LDUO test (positive DLMO response). The 30 *Listeria* strains other than *Listeria monocytogenes* were also detected using the LDUO test (positive DLIS response).

No cross-reactions were obtained with the 31 non-*Listeria* strains.

3.4. Practicability

The practicability of the alternative method was informed according to the criteria defined by the Technical Committee.

1. Storage conditions, shelf-life and modalities of utilization after first use

The kits are packaged in 60-test kits containing:

- the LDUO strips, made of polypropylene, consisting of 10 wells covered with aluminum foil,
- the LDUO SPRs, in aluminum pouches containing 30 units, with a desiccant,
- the vial of LDUO S1 standard (*Listeria monocytogenes*) (6 ml),
- the vial of LDUO S2 standard (*Listeria*) (6 ml),
- the vials of LDUO C1 and C3 positive controls (*Listeria monocytogenes* and *Listeria*) (6 ml),
- the vial of C2 negative control (6 ml).

The test storage temperature is 2-8°C.

The shelf-life of tests is indicated on the kits.

Each reagent should be stored between +2°C and +8°C.

2. Time-to-result

Negative results are obtained in two days.

Positive results are obtained in:

- three to four days using a confirmation by streaking on a chromogenic agar media,
- four to five days using a API *Listeria* gallery without purification,
- up to ten days using the tests of the reference method.

3. Common step with the reference method

The alternative method has no common step with the reference method.

3.5. Conclusion

The comparative study of the methods was performed according to the EN ISO 16140-2:2016 standard.

- **Sensitivity study**

The performance of the VIDAS *Listeria* Duo (LDUO) method was compared to that of the EN ISO 11290-1:2017 reference method by analyzing 694 samples for *Listeria* spp test and 715 samples for *Listeria monocytogenes* test divided into eight product categories.

For the response "*Listeria* spp", the sensitivity of the alternative method was 93.4% and the sensitivity of the reference method was 87.2%.

For the response "*Listeria monocytogenes*", the sensitivity of the alternative method was 95.8% and the sensitivity of the reference method was 84.9%.

The observed values (ND – PD) were below to the acceptability limit for each category and for all categories after the initial test and after three days of conservation at $5\pm3^{\circ}\text{C}$.

Statistically, the alternative method produces results comparable to that of the reference method. The difference of the deviations is however clearly in favor of the alternative method.

- **Relative level of detection study**

The relative detection level of the VIDAS LDUO method and reference method was evaluated by artificially contaminating eight different products.

The relative level of detection of the alternative method was between 0.619 and 1.997 cells per test portion.

The VIDAS LDUO method and the reference method showed similar LODs values for the detection of *Listeria* spp and *Listeria monocytogenes* in the categories tested.

- **Inclusivity and exclusivity study**

The specificity of the method is satisfactory, as all *Listeria monocytogenes* and *Listeria* spp strains were detected (inclusivity) and no cross-reactions were observed among non-targeted tested strains when the complete protocol for the alternative method was implemented (exclusivity).

4. Interlaboratory study

4.1. Study organization

- **Number of participating laboratories:** seventeen collaborators received samples.
- **Matrix used:** pasteurized milk was used as matrix for the interlaboratory study.
- **Strain used:** the strain used for contamination was a strain of *Listeria monocytogenes* (coded L37 by the Expert Laboratory) isolated from dairy products.
- **Number of samples per laboratory:** 24 samples per collaborator were prepared for the reference method and 24 samples for the alternative method, broken down into 3 levels, with 8 samples per level. One additional sample, not artificially contaminated, was provided to the collaborators for the enumeration of the microorganisms of the matrix.

4.2. Control of the experimental parameters

4.2.1. Contamination level

The contamination rates obtained in the matrix are set out in the table below:

Table 24: theoretical and actual contamination levels

Level	Samples	Theoretical target level (CFU / 25 ml)	Real level (CFU / 25 ml)
L₀: Level 0	3-4-9-10-15-16-21-22	0	0
L₁: Low level	1-2-7-8 -13-14-19-20	3	3.2
L₂: High level	5-6-11-12-17-18-23-24	30	33.0

4.2.2. Shipping conditions (temperature and state of the samples)

The temperatures of the samples at reception for all the collaborators are given in table 25.

Table 25: temperature and shipping conditions

Collaborator	Temperatures at reception		Comments
	Given by the collaborator	Indicated by the probe	
A	3.0°C	2.7°C	/
B	2.7°C	2.7°C	/
C	4.0°C	3.2°C	/
D	3.8°C	/	Analyses not realized
E	4.0°C	2.2°C	/
F	4.1°C	2.7°C	/
G	4.0°C	2.7°C	/
H	4.3°C	3.7°C	/
I	/	/	Delivery at D+2
J	5.7°C	2.2°C	/
K	4.0°C	2.7°C	/
L	4.5°C	5.7°C	/
M	4.6°C	4.7°C	/
N	5.7°C	3.2°C	/
O	4.0°C	2.7°C	/
P	6.4°C	3.7°C	/
Q	5.3°C	3.9°C	/

As a result of transport conditions, 15 laboratories carried out the tests.

Two laboratories were not included in the final list of laboratories:

- collaborator I received the samples after the deadline,
- for the collaborator D, the VIDAS system had not been updated.

4.3. Test results

The post-confirmation positive results obtained by the collaborators and by the expert laboratory are set out in the following tables and in appendix G. The results of the enumeration of the microorganisms of the matrix are also provided for each lab in this appendix. For all collaborators, results ranged between <1 CFU/ml and 20 CFU/ml.

4.3.1. Expert laboratory results

The results of the expert laboratory are summarized in table 26.

Table 26: positive results obtained by expert laboratory by both methods

Contamination level	Alternative method	Reference method
L_0	0/8	0/8
L_1	7/8	7/8
L_2	8/8	8/8

4.3.2. Collaborators results

Table 27: Positive results obtained with the reference method

Collaborators	Contamination levels		
	L_0	L_1	L_2
Collaborator A	0 / 8	7 / 8	8 / 8
Collaborator B	0 / 8	8 / 8	8 / 8
Collaborator C	0 / 8	7 / 8	8 / 8
Collaborator E	0 / 8	8 / 8	8 / 8
Collaborator F	0 / 8	8 / 8	8 / 8
Collaborator G	0 / 8	8 / 8	8 / 8
Collaborator H	0 / 8	8 / 8	8 / 8
Collaborator J	0 / 8	7 / 8	8 / 8
Collaborator K	0 / 8	8 / 8	8 / 8
Collaborator L	0 / 8	7 / 8	8 / 8
Collaborator M	0 / 8	8 / 8	8 / 8
Collaborator N	0 / 8	7 / 8	8 / 8
Collaborator O	0 / 8	8 / 8	8 / 8
Collaborator P	0 / 8	8 / 8	8 / 8
Collaborator Q	0 / 8	8 / 8	8 / 8
Total	0 / 120	115 / 120	120 / 120

Table 28: Positive results obtained with the alternative method

Collaborators	Contamination levels		
	L_0	L_1	L_2
Collaborator A	0 / 8	8 / 8	8 / 8
Collaborator B	0 / 8	8 / 8	8 / 8
Collaborator C	0 / 8	8 / 8	8 / 8
Collaborator E	0 / 8	7 / 8	8 / 8
Collaborator F	0 / 8	8 / 8	8 / 8
Collaborator G	0 / 8	8 / 8	8 / 8
Collaborator H	0 / 8	7 / 8	8 / 8
Collaborator J	0 / 8	8 / 8	8 / 8
Collaborator K	0 / 8	8 / 8	8 / 8
Collaborator L	0 / 8	8 / 8	8 / 8
Collaborator M	0 / 8	7 / 8	8 / 8
Collaborator N	0 / 8	8 / 8	8 / 8
Collaborator O	0 / 8	7 / 8	8 / 8
Collaborator P	0 / 8	8 / 8	8 / 8
Collaborator Q	0 / 8	8 / 8	8 / 8
Total	0 / 120	116 / 120	120 / 120

The results using the reference method and alternative method are concordant for six laboratories: B, F, G, K, P and Q.

For collaborator F, one of the non-contaminated samples was found to be positive using the VIDAS LDUO test at the threshold value (VT = 0.10) for the DLIS response. The laboratory staff isolated the LX broth and did not find any colonies on selective agars.

Collaborators A, C, J, L and N all found one sample with a low contamination level that was negative using the reference method.

Likewise, collaborators E, H, M and O all found one sample with a low contamination rate that was negative using the alternative method for the DLMO and DLIS responses. It must be noted however that the collaborators E and M applied the confirmation protocol from the LX broth for this negative sample of the low contamination level and that it was found negative.

These differences between the two methods may happen in an unpaired study. Two sets of eight distinct samples had been prepared for the low contamination level. One sample was used for only one of the methods (alternative or reference), as the primary enrichment broths were different. It is likely that the samples found to be negative were not contaminated.

4.3.3. Results of the collaborators used for the statistical analysis

The results of the 15 collaborators having realized the analyses are retained for the statistical interpretation.

4.4. Calculations and interpretation

4.4.1. Calculation of the specificity

The percentage specificity (SP) of the reference method and the alternative method is calculated, using the data after confirmation, based on the results of level L_0 as follows:

- Specificity of the reference method: $SP_{ref} = \left[1 - \left(\frac{P_0}{N-}\right)\right] \times 100\%$
- Specificity of the alternative method: $SP_{alt} = \left[1 - \left(\frac{CP_0}{N-}\right)\right] \times 100\%$

where:

$N-$ is the number of all L_0 tests,

P_0 is the total number of false-positive results obtained with the blank samples before confirmation,

CP_0 is the total number of false-positive results obtained with blank samples.

The results are the following:

- $SP_{ref} = 100\%$
- $SP_{alt} = 100\%$

4.4.2. Summary of the results

A summary of results obtained at level 1 (L_1), for which fractional positive results were obtained, is set out in table 29.

Table 29 : tests results for the two methods at level L_1 (PA: positive agreement, NA: negative agreement, ND: negative deviation, PD: positive deviation, PP: presumed positive before confirmation, *: for the collaborator F only with the DLIS response)

Level	Alternative method	Reference method			Total
		Reference method positive (R+)	Reference method negative (R-)		
L_1	Alternative method positive (A+)	PA = 111	PD = 5		116
	Alternative method negative (A-)	ND = 4 including 0 PPND	NA = 0 including 0 PPNA		4
	Total	115	5		120

The cause of the positive and negative deviations is explained in § 4.3.2 (unpaired study).

4.4.3. Calculation of the sensitivity of the methods, relative trueness and false positive ratio

The sensitivity of the two methods, the relative trueness and the false positive ratio parameters are calculated with the data of the table 26, according to the formulas below:

- Sensitivity for the alternative method: $SE_{alt} = \frac{(PA+PD)}{(PA+ND+PD)} \times 100\%$
- Sensitivity for the reference method: $SE_{ref} = \frac{(PA+ND)}{(PA+ND+PD)} \times 100\%$
- Relative trueness: $RT = \frac{(PA+NA)}{N} \times 100\%$
- False positive ratio for the alternative method: $FP = \frac{FP}{NA} \times 100\%$

where N is the total number of samples (NA + PA + PD + ND) and FP is false positive results.

The results are the following:

- $SE_{alt} = 96.7\%$
- $SE_{ref} = 95.8\%$
- $RT = 92.5\%$
- $FP = 0\%$

4.4.4. Determination of the acceptability limit and conclusion

The difference between (ND – PD) for the level where fractional recovery was obtained (L_1) is calculated. The observed value found for (ND – PD) shall not be higher than the acceptability limit (AL). The AL is defined as $[(ND - PD)_{max}]$ and calculated per level where fractional recovery was obtained as described below using the following three parameters:

$$- (p+)_{ref} = \frac{Px}{Nx}, \text{ where}$$

Px = number of samples with a positive result obtained with the reference method at level x, (L_1 or L_2) for all laboratories;

Nx = number of samples tested at level x (L_1 or L_2) with the reference method by all laboratories.

$$- (p+)_{alt} = \frac{CPx}{Nx}, \text{ where}$$

CP_x = number of samples with a confirmed positive result obtained with the alternative method at level x (L_1 or L_2) for all laboratories;

N_x = number of samples tested at level x (L_1 or L_2) with the alternative method by all laboratories.

$$- (ND - PD)_{max} = \sqrt{3N_x \times ((p+)_{ref} + (p+)_{alt} - 2((p+)_{ref} \times (p+)_{alt}))}, \text{ where}$$

N_x = the total number of samples tested for level x (L1 or L2) by all laboratories.

The AL is not met when the observed value is higher than the AL. When the AL is not met, investigations should be made (e.g. root cause analysis) in order to provide an explanation of the observed results.

Based on the AL and the additional information, it is decided whether the alternative method is regarded as not fit for purpose. The reasons for acceptance of the alternative method in case the AL is not met shall be stated in the study report.

In this study, fractional positive results are observed at level L_1 only. The different parameters obtained by the calculation are detailed in the table below:

Table 30: values obtained for the determination of the acceptability limit

Parameter	Value
(p+) _{ref}	0.9583
(p+) _{alt}	0.9667
Acceptability limit: AL = (ND-PD) _{max}	5.1
Observed value: ND-PD	-1

The value (ND-PD) is inferior to the acceptability limit, so the requirements of the standard ISO 16140-2:2016 are fulfilled.

4.4.5. Determination of the relative level of detection

This evaluation is performed according to Annex F of ISO 16140-2:2016 and using the Excel spreadsheet as described in this standard.

As there is limited experience with the interpretation of this approach, the results are used only for information. Results are shown in the table below :

Table 31 : values obtained for the determination of the relative level of detection (RLOD: the estimated relative level of detection value, RLODU: the upper limit of the 95% confidence interval for RLOD, RLODL: the lower limit of the 95% confidence interval for RLOD, b=ln(RLOD): logarithm of the RLOD value, sd(b): standard deviation of b, z-Test statistic: absolute value of the test statistic of the z-Test with the null hypothesis H0: b=0, p-value: p-value of the z-Test)

Category	RLOD	RLODL	RLODU	b=ln(RLOD)	sd(b)	z-Test statistic	p-value
ILS	0,934	0,627	1,393	-0,068	0,200	0,340	1,266

4.5. Conclusion

The data and their interpretation meet the requirements of the standard EN ISO 16140-2:2016. The performance of the alternative method and the reference method can be considered as equivalent.

5. General conclusion

- Method comparison study

The performance of the VIDAS LDUO test is comparable to that of the standard ISO 11290-1 : 2017. This study concerned samples of eight categories of products.

Values obtained for the criteria of the sensitivity study are the following, depending on the incubation times and the protocol of confirmation.

For *Listeria* spp test:

- sensitivity of the alternative method : 93.4%
- sensitivity of the reference method : 87.2%
- relative trueness: 89.5%
- false positive ratio: from 0.6%

For *Listeria monocytogenes* test:

- sensitivity of the alternative method : 95.8%
- sensitivity of the reference method : 84.9%
- relative trueness: 92.3%
- false positive ratio: from 0.5%

A number of discordant results were observed possibly due to the unpaired study design.

The relative level of detection of the alternative method and the reference method was evaluated for all categories. The results are comparable between the two methods. It varies between 0.619 and 1.997 CFU per test portion for the alternative method for all categories.

The specificity of the method is satisfactory.

The study of the practicability of the alternative method shows a simple and easy-to-use method and significant time savings compared to the reference method.

- Interlaboratory study

Concerning the interlaboratory study, the results obtained for the selected laboratories showed that the performance of the alternative method and the reference method can be considered as equivalent.

6. Package insert

The current version is numbered 050700-02, the next version including the new protocols described in this extension will be 050700-03.

Le Lion d'Angers, April 07, 2022

François Le Nestour


Head of the Microbiology Department




APPENDICES

APPENDIX A
VIDAS LISTERIA DUO – General protocol

Diagram of the procedure as described in the user guide




APPENDIX A
VIDAS LISTERIA DUO – New protocols



APPENDIX B
EN ISO 11290-1:2017

Diagram of the procedure as described in the standard



APPENDIX C

ARTIFICIAL CONTAMINATIONS

ARTIFICIAL CONTAMINATIONS – INITIAL VALIDATION STUDY

Code	Matrix	Artificial contamination					Result	
		No.	Strain	Origin	Type of stress	Evaluation of stress		
H1	Grated Gruyère	L64	<i>L.innocua</i>	Époisses cheese	45 mins. at 55°C, then 30 mins. at -80°C	1.0	16.8	+
H2	Vieux pâné cheese	L64	<i>L.innocua</i>	Époisses cheese	45 mins. at 55°C, then 30 mins. at -80°C	1.0	33.6	+
H3	Ossau-Iraty sheep's milk cheese	L142	<i>L.seeligeri</i>	Cheese made with raw milk	45 mins. at 55°C, then 30 mins. at -80°C	3.9	28.0	-
H4	Brie cheese	L142	<i>L.seeligeri</i>	Cheese made with raw milk	45 mins. at 55°C, then 30 mins. at -80°C	3.9	56.0	-
H5	Reblochon cheese	L64	<i>L.innocua</i>	Époisses cheese	45 mins. at 55°C, then 30 mins. at -80°C	1.0	50.4	+
H6	Reblochon cheese	L142	<i>L.seeligeri</i>	Cheese made with raw milk	45 mins. at 55°C, then 30 mins. at -80°C	3.9	84.0	-
H7	Water from final rinsing	L115	<i>L.seeligeri</i>	Standing water	45 mins. at 55°C, then 30 mins. at -80°C	1.6	8.0	+
H8	Rinsing bath	L115	<i>L.seeligeri</i>	Standing water	45 mins. at 55°C, then 30 mins. at -80°C	1.6	16.0	+
H9	Washing basin	L115	<i>L.seeligeri</i>	Standing water	45 mins. at 55°C, then 30 mins. at -80°C	1.6	24.0	-
H10	Residual water	L132	<i>L.innocua</i>	Cheese counter chopping board	45 mins. at 55°C, then 30 mins. at -80°C	0.2	0.1	-
H11	Doser rinsing water	L132	<i>L.innocua</i>	Cheese counter chopping board	45 mins. at 55°C, then 30 mins. at -80°C	0.2	0.1	-
H12	Standing water from storage room	L132	<i>L.innocua</i>	Cheese counter chopping board	45 mins. at 55°C, then 30 mins. at -80°C	0.2	0.2	-
H13	Water from light rinsing	L115	<i>L.seeligeri</i>	Standing water	45 mins. at 55°C, then 30 mins. at -80°C	1.6	4.0	+
H14	Residue from machine filter	L132	<i>L.innocua</i>	Cheese counter chopping board	45 mins. at 55°C, then 30 mins. at -80°C	0.2	0.0	-
H15	Ground surface in storage room	L115	<i>L.seeligeri</i>	Standing water	45 mins. at 55°C, then 30 mins. at -80°C	1.6	16.0	+
H16	Surface of dirty service lift	L115	<i>L.seeligeri</i>	Standing water	45 mins. at 55°C, then 30 mins. at -80°C	1.6	24.0	+
I14	Rabbit terrine	L132	<i>L.innocua</i>	Cheese counter chopping board	45 mins. at 55°C, then 30 mins. at -80°C	0.2	0.1	+
I15	Farmhouse liver pâté	L115	<i>L.seeligeri</i>	Standing water	45 mins. at 55°C, then 30 mins. at -80°C	1.6	16.0	+
I16	Country pâté	L77	<i>L.innocua</i>	Toulouse sausage	45 mins. at 55°C, then 30 mins. at -80°C	1.1	1.2	-
I17	Duck pâté	L77	<i>L.innocua</i>	Toulouse sausage	45 mins. at 55°C, then 30 mins. at -80°C	1.1	0.8	-
I18	Chicken pie	L87	<i>L.welshimeri</i>	Minced beef burger	45 mins. at 55°C, then 30 mins. at -80°C	ND	<1	+
I19	Beef steak	L87	<i>L.welshimeri</i>	Minced beef burger	45 mins. at 55°C, then 30 mins. at -80°C	ND	<1	-
I20	Ham roulade	L87	<i>L.welshimeri</i>	Minced beef burger	45 mins. at 55°C, then 30 mins. at -80°C	ND	<1	-
I22	Brie cheese	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C	2.4	34.5	-
I23	Powdered milk	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C	2.4	27.6	-
I24	Powdered milk	L37	<i>L.monocytogenes</i>	Maroilles cheese	45 mins. at 55°C, then 30 mins. at -80°C	0.5	0.7	-
I25	Powdered milk	L37	<i>L.monocytogenes</i>	Maroilles cheese	45 mins. at 55°C, then 30 mins. at -80°C	0.5	0.5	-
I26	Raw milk	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C	2.4	20.7	-
I27	Raw milk	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C	2.4	34.5	-
I28	Raw milk	L37	<i>L.monocytogenes</i>	Maroilles cheese	45 mins. at 55°C, then 30 mins. at -80°C	0.5	0.8	-
J1	Surface of stainless steel table in pastries facility	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C	0.5	0.5	-
J2	Surface of slicer in butcher's facility	L28	<i>L.monocytogenes</i>	Surface in facility	48 hrs at -20°C, 45 min. 55°C, then 30 mins. at -80°C	1.1	0.2	-
J3	Cheese counter board surface	L132	<i>L.innocua</i>	Cheese counter chopping board	48 hrs at -20°C, 45 min. 55°C, then 30 mins. at -80°C	0.2	0.4	+
J4	Cheese counter knife	L28	<i>L.monocytogenes</i>	Surface in facility	48 hrs at -20°C, 45 min. 55°C, then 30 mins. at -80°C	1.1	0.4	-
J5	Saw blade from butcher's stand	L132	<i>L.innocua</i>	Cheese counter chopping board	48 hrs at -20°C, 45 min. 55°C, then 30 mins. at -80°C	0.2	0.8	+
J6	Surface of freezer in pastries facility	L132	<i>L.innocua</i>	Cheese counter chopping board	48 hrs at -20°C, 45 min. 55°C, then 30 mins. at -80°C	0.2	1.6	+
J8	Ground surface in butcher's facility	L115	<i>L.seeligeri</i>	Standing water	48 hrs at -20°C, 45 min. 55°C, then 30 mins. at -80°C	1.0	0.4	-
J9	Surface of butcher's cutting table	L115	<i>L.seeligeri</i>	Standing water	48 hrs at -20°C, 45 min. 55°C, then 30 mins. at -80°C	1.0	0.3	-
		L28	<i>L.monocytogenes</i>	Surface in facility	48 hrs at -20°C, 45 min. 55°C, then 30 mins. at -80°C	1.1	0.7	-

Code	Matrix	Artificial contamination						Result	
		Strain		Type of stress	Evaluation of stress	CFU / 25 g			
		No.	Name	Origin					
J14	Raw milk	L37	<i>L.monocytogenes</i>	Maroilles cheese	45 mins. at 55°C, then 30 mins. at -80°C	0.6	3.4	+	
		L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	5.0		
J15	Raw milk	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	7.5	+	
J16	Raw milk	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	10.0	+	
J17	Raw milk	L37	<i>L.monocytogenes</i>	Maroilles cheese	45 mins. at 55°C, then 30 mins. at -80°C	0.6	5.1	+	
		L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	7.5		
J18	Powdered milk	L37	<i>L.monocytogenes</i>	Maroilles cheese	45 mins. at 55°C, then 30 mins. at -80°C	0.6	5.1	+	
		L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	7.5		
J19	Powdered milk	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	7.5	+	
J20	Powdered milk	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	10.0	+	
J21	Chantilly cream puff	L37	<i>L.monocytogenes</i>	Maroilles cheese	45 mins. at 55°C, then 30 mins. at -80°C	0.6	5.1	+	
		L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	7.5		
J22	Strawberry melba	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	10.0	+	
J28	Strawberry ice cream	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	5.0	+	
J29	Vanilla ice cream	L72	<i>L.innocua</i>	Boulette d'Avesnes cheese	45 mins. at 55°C, then 30 mins. at -80°C, then 24 hrs at 4°C	0.6	7.5	+	
J30	Surface of stainless steel table in butcher's facility	L115	<i>L.seeligeri</i>	Standing water	48 hrs at -20°C, 45 min. 55°C, then 30 mins. at -80°C	1.0	0.3	-	
K1	Minced pork loin	L77	<i>L.innocua</i>	Toulouse sausage	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	0.8	4.1	+	
K2	Chicken gizzard	L77	<i>L.innocua</i>	Toulouse sausage	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	0.8	5.5	+	
K3	Mortadella sausage	L77	<i>L.innocua</i>	Toulouse sausage	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	0.8	6.8	+	
K4	Beef	L77	<i>L.innocua</i>	Toulouse sausage	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	0.8	8.2	+	
K5	Ham	L87	<i>L.welshimeri</i>	Minced beef burger	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	1.3	9.6	+	
K6	Pork chop	L87	<i>L.welshimeri</i>	Minced beef burger	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	1.3	12.0	+	
K7	Jellied tongue	L87	<i>L.welshimeri</i>	Minced beef burger	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	1.3	14.4	+	
K8	Potjevlesch potted meat	L87	<i>L.welshimeri</i>	Minced beef burger	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	1.3	16.8	+	
K9	Bayonne ham	L77	<i>L.innocua</i>	Toulouse sausage	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	0.8	6.8	+	
K10	Meat pâté	L87	<i>L.welshimeri</i>	Minced beef burger	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	1.3	12.0	+	
		L77	<i>L.innocua</i>	Toulouse sausage	30 mins at 55°C, 20 mins at -80°C, 5 mins at 45°C	0.8	5.5		
L1	Tuscan minced pork	L91	<i>L.welshimeri</i>	Aoste rosette dried sausage	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.6	2.3	+	
L2	Strasbourg sausages	L91	<i>L.welshimeri</i>	Aoste rosette dried sausage	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.6	1.8	+	
L3	Rillettes	L151	<i>Livanovii</i>	Minced beef burger	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.2	0.3	+	
L4	Chicken rillettes	L151	<i>Livanovii</i>	Minced beef burger	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.2	0.6	-	
L5	Camembert	L64	<i>L.innocua</i>	Époisses cheese	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.2	5.0	+	
L6	Munster cheese	L111	<i>L.innocua</i>	Munster cheese	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	2.4	+	
L7	Double-cream cheese	L64	<i>L.innocua</i>	Époisses cheese	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.2	10.0	+	
		L111	<i>L.innocua</i>	Munster cheese	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	8.7		
L8	Leerdamer cheese	L64	<i>L.innocua</i>	Époisses cheese	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.2	10.0	+	
L9	Normandy apple pie	L111	<i>L.innocua</i>	Munster cheese	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	8.7	+	
L10	Egg custard pie	L64	<i>L.innocua</i>	Époisses cheese	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.2	15.0	+	
		L111	<i>L.innocua</i>	Munster cheese	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	8.7		
L11	Strawberry vanilla ice cream	L64	<i>L.innocua</i>	Époisses cheese	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.2	4.5	+	
L12	Raw milk	L111	<i>L.innocua</i>	Munster cheese	30 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	2.7	+	
M2	Minced meat	L2	<i>L.innocua</i>	Minced beef burger	30 mins at 55°C, 25 mins at -80°C, 5 mins at 46°C	0.9	5.7	+	
M5	Rosette dried sausage	L44	<i>L.monocytogenes</i>	Dried sausage	30 mins at 55°C, 25 mins at -80°C, 5 mins at 46°C	0.5	7.0	+	
		L2	<i>L.innocua</i>	Minced beef burger	30 mins at 55°C, 25 mins at -80°C, 5 mins at 46°C	0.9	3.8		

Code	Matrix	Artificial contamination						Result	
		Strain		Type of stress	Evaluation of stress	CFU / 25 g			
		No.	Name	Origin					
M13	Fish fillet	L86	<i>L.welshimeri</i>	ATCC 35897	30 mins at 55°C, 25 mins at -80°C, 5 mins at 46°C	0.7	3.8	+	
M15	Dogfish	L86	<i>L.welshimeri</i>	ATCC 35897	30 mins at 55°C, 25 mins at -80°C, 5 mins at 46°C	0.7	5.7	+	
M16	Fillet of scabbardfish	L86	<i>L.welshimeri</i>	ATCC 35897	30 mins at 55°C, 25 mins at -80°C, 5 mins at 46°C	0.7	4.8	+	
M27	Rinsing water	L44	<i>L.monocytogenes</i>	Dried sausage	30 mins at 55°C, 25 mins at -80°C, 5 mins at 46°C	0.5	7.0	+	
		L2	<i>L.innocua</i>	Minced beef burger	30 mins at 55°C, 25 mins at -80°C, 5 mins at 46°C	0.9	3.8		
M28	Water from washing container	L44	<i>L.monocytogenes</i>	Dried sausage	30 mins at 55°C, 25 mins at -80°C, 5 mins at 46°C	0.5	8.8	+	
		L2	<i>L.innocua</i>	Minced beef burger	30 mins at 55°C, 25 mins at -80°C, 5 mins at 46°C	0.9	3.8	-	
O10	Residue from cutting facility stainless steel table	L149	<i>L.monocytogenes</i>	Environmental sample	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	1.0	13.0	+	
		L144	<i>L.innocua</i>	Bin surface	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	0.7	10.0		
O11	Surface in cooling room	L149	<i>L.monocytogenes</i>	Environmental sample	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	1.0	19.5	+	
		L144	<i>L.innocua</i>	Bin surface	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	0.7	7.5		
O12	Floor of cold packaging room	L149	<i>L.monocytogenes</i>	Environmental sample	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	1.0	9.7	+	
		L144	<i>L.innocua</i>	Bin surface	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	0.7	5.0		
O13	Stainless steel shelf surface in cold store	L149	<i>L.monocytogenes</i>	Environmental sample	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	1.0	6.5	+	
O14	Residue from sink in cutting facility	L149	<i>L.monocytogenes</i>	Environmental sample	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	1.0	9.7	+	
O15	Residue from packaging container	L153	<i>L.ivanovii</i>	Environmental sample	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	ND	<1	+	
O16	Surface of slicer in cold meats facility	L153	<i>L.ivanovii</i>	Environmental sample	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	ND	<1	-	
O17	Surface in cold store for cheese	L153	<i>L.ivanovii</i>	Environmental sample	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	ND	<1	-	
O18	Water from rinsing container filter outlet	L144	<i>L.innocua</i>	Bin surface	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	0.7	6.5	+	
O19	Surface of transport trolley	L144	<i>L.innocua</i>	Bin surface	45 mins at 55°C, 30 mins at -80°C, 10 mins at 55°C	0.7	13.0	+	
P15	Stainless steel table - cold meats counter	L132	<i>L.innocua</i>	Cheese counter chopping board	45 mins at 55°C, 30 mins at -20°C, 10 mins at 50°C	0.5	ND	+	
P16	Sink in production area	L132	<i>L.innocua</i>	Cheese counter chopping board	45 mins at 55°C, 30 mins at -20°C, 10 mins at 50°C	0.5	ND	+	
P17	Swab from wall-floor join	L132	<i>L.innocua</i>	Cheese counter chopping board	45 mins at 55°C, 30 mins at -20°C, 10 mins at 50°C	0.5	ND	+	
		L153	<i>L.ivanovii</i>	Environmental sample	45 mins at 55°C, 30 mins at -20°C, 10 mins at 50°C	0.5	ND		
P18	Surface of trolley from manufacturing area	L132	<i>L.innocua</i>	Cheese counter chopping board	45 mins at 55°C, 30 mins at -20°C, 10 mins at 50°C	0.5	ND	+	
Q13	Green beans	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	6.6	+	
Q14	Carrots - Onions	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	13.2	+	
Q15	Catalan salad mix	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	10.6	+	
Q16	Soya	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	10.6	+	
Q17	Spinach salad	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	6.6	+	
Q18	Red cabbage	L47	<i>L.monocytogenes</i>	Fried potatoes	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	1.1	2.2	+	
Q19	Salad	L47	<i>L.monocytogenes</i>	Fried potatoes	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	1.1	1.4	-	
Q20	Mixture of carrots, celery, peppers	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	6.6	+	
		L47	<i>L.monocytogenes</i>	Fried potatoes	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	1.1	1.4	-	
Q24	Carrots & cabbage	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	10.6	+	
Q25	Lamb's lettuce	L47	<i>L.monocytogenes</i>	Fried potatoes	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	1.1	2.2	-	
Q26	Vegetable kebabs	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.5	6.6	+	
		L47	<i>L.monocytogenes</i>	Fried potatoes	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	1.1	1.4	-	
R11	Cod fritters	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.8	0.2	+	
R12	Cod fillet	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.8	0.3	-	
R13	Fillet of coalfish	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.8	0.2	+	
R14	Salmon fillet	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.8	0.1	+	
R15	Langoustines	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.8	0.3	+	

Code	Matrix	Artificial contamination						Result	
		Strain		Type of stress		Evaluation of stress	CFU / 25 g		
		No.	Name	Origin					
R16	Cucumbers	L47	<i>L.monocytogenes</i>	Fried potatoes	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	ND	< 0.1	-	
R17	Broccoli	L47	<i>L.monocytogenes</i>	Fried potatoes	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	ND	< 0.1	-	
R18	Carrots	L47	<i>L.monocytogenes</i>	Fried potatoes	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	ND	< 0.1	-	
R19	Lamb's lettuce	L47	<i>L.monocytogenes</i>	Fried potatoes	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	ND	< 0.1	-	
R20	White cabbage	L47	<i>L.monocytogenes</i>	Fried potatoes	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	ND	< 0.1	-	
S2	Prawns	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	1.6	-	
S3	Smoked Atlantic salmon	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	2.5	+	
S4	Prawns	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	2.5	+	
S5	Cod fillet	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	2.5	+	
S6	Fillet of coalfish	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	1.6	+	
S7	Fillet of pollock with baby vegetables	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	1.6	+	
S8	Carrots	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	4.9	+	
S9	Mushrooms	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	4.9	+	
S12	Red cabbage	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	20.0	+	
S13	Vegetable soup	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	10.0	+	
S14	Celery and beetroot salad	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	20.0	+	
S15	Ratatouille	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	10.0	+	
S16	Potato flakes	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	10.0	+	
S19	Frozen fries	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.7	20.0	+	
T3	Broccoli and cauliflower patties	L58	<i>L.monocytogenes</i>	Salad	45 mins at 55°C, 30 mins at -80°C	1.3	21.5	+	
T4	Celery cake	L140	<i>L.seeligeri</i>	Frozen fries	45 mins at 55°C, 30 mins at -80°C	> 4.5	30.0	+	
T5	Frozen mushrooms	L140	<i>L.seeligeri</i>	Frozen fries	45 mins at 55°C, 30 mins at -80°C	> 4.5	ND	+	
T6	Mixed salad	L58	<i>L.monocytogenes</i>	Salad	45 mins at 55°C, 30 mins at -80°C	1.3	21.5	+	
T8	Smoked Atlantic salmon	L85	<i>L.seeligeri</i>	Collection	45 mins at 55°C, 30 mins at -80°C	> 1.3	0.8	-	
T9	Smoked halibut	L85	<i>L.seeligeri</i>	Collection	45 mins at 55°C, 30 mins at -80°C	> 1.3	0.4	-	
U2	Prawns	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C	0.5	4.4	+	
U3	Smoked trout	L113	<i>L.innocua</i>	Smoked halibut	45 mins at 55°C, 30 mins at -80°C	0.5	2.7	+	
U9	Pan-fried courgettes	L140	<i>L.seeligeri</i>	Frozen fries	45 mins at 55°C, 30 mins at -80°C	> 3	0.3	+	
U10	Pan-fried Mediterranean vegetables	L140	<i>L.seeligeri</i>	Frozen fries	45 mins at 55°C, 30 mins at -80°C	> 3	0.4	-	
U11	Pan-fried mushrooms and vegetables	L140	<i>L.seeligeri</i>	Frozen fries	45 mins at 55°C, 30 mins at -80°C	> 3	0.5	-	
L125-1	Red cabbage	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C	0.6	2.7	+	
L125-2	Red cabbage	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C	0.6	2.7	-	
L125-3	Red cabbage	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C	0.6	2.7	-	
L125-4	Red cabbage	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C	0.6	2.7	-	
L125-5	Red cabbage	L125	<i>L.monocytogenes</i>	Pan-fried vegetables	45 mins at 55°C, 30 mins at -80°C	0.6	2.7	-	
V3	Pan-fried Mediterranean vegetables	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.6	4.2	+	
V4	Pan-fried mushrooms and vegetables	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.6	7.2	+	
V5	Pan-fried vegetables	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.6	4.2	+	
V6	Vegetable purée	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.6	5.6	+	
V7	Cooked carrots	L66	<i>L.innocua</i>	Spinach	45 mins at 55°C, 30 mins at -80°C, 5 mins at 46°C	0.6	7.2	+	

ARTIFICIAL CONTAMINATIONS - THIRD RENEWAL STUDY

Category	Strain	Serovar	Code	Origin	Contamination	Contamination level	Conservation	#	Sample
Meat products	<i>Listeria monocytogenes</i>	1/2c	DHN231	Raw chicken leg	Seeding	3.0	3 days at 5°C 3 days at 5°C	1398360 1398361	Spiced cooked chicken wings Bolognese escalope
Dairy products	<i>Listeria monocytogenes</i>	1/2b	JAR249	Pasteurized milk cheese	Seeding	2.4	3 days at 5°C	1370083	Sliced cheddar (pasteurized milk)
	<i>Listeria monocytogenes</i>	4d	GCQ471	Raw milk cheese	Seeding	2.2	3 days at 5°C 3 days at 5°C	1398363 1398364	Raw cow milk Slice fourme d'Ambert (pasteurized milk)
	<i>Listeria monocytogenes</i>	1/2b	CLM641	Raw milk cheese	Seeding	1.0	3 days at 5°C 3 days at 5°C	1398365 1398366	Ewe soft cheese (pasteurized milk) Ewe cheese, pressed not-cooked (pasteurized milk)
	<i>Listeria ivanovii</i>	/	/	Cream pastry cake	Seeding	1.2	2 weeks at -24°C	1398371	Coffee ice-cream with hazelnut sauce
	<i>Listeria monocytogenes</i>	4b	HBP652	Goat raw milk cheese	Seeding	2.6	3 days at 5°C 3 days at 5°C	1420538 1420539	Goat raw milk cheese 1 Goat raw milk cheese 2
Seafood products	<i>Listeria monocytogenes</i>	1/2a	SCZ856	Stuffed monkfish	Seeding	3.0	3 days at 5°C	1398351	Scallop terrine
	<i>Listeria monocytogenes</i>	4b	VCD638	Fish brandade	Seeding	2.6	3 days at 5°C 3 days at 5°C	1398352 1398353	Minced Alaska pollock with lemon and onion Tuna rillettes
Vegetal products	<i>Listeria monocytogenes</i>	4b	RCJ280	Buckwheat flour	Seeding	2.4	3 days at 5°C 3 days at 5°C	1372306 1372308	Fresh chive Mixture of aromatic herbs
	<i>Listeria monocytogenes</i>	1/2a	MEF831	Celery puree	Seeding	0.8	2 weeks at -24°C 2 weeks at -24°C	1398372 1398373	Frozen vegetables gyroza Frozen puree: carrot, sweet potato, pumpkin and potato
	<i>Listeria monocytogenes</i>	1/2a	FCY076	Eggplant gratin	Seeding	0.8	3 days at 5°C 3 days at 5°C	1409272 1409273	Fruit salad Apple red berries compote with whipped cream
	<i>Listeria monocytogenes</i>	1/2a	XBB696	Peeled frozen beans	Seeding	2.8	3 days at 5°C 2 weeks at -24°C	1420540 1420541	Strawberries Fine beans (frozen)
Composite foods	<i>Listeria monocytogenes</i>	1/2a	SCZ856	Stuffed monkfish	Seeding	1.0	3 days at 5°C	1370078	Gambas and scallop marinade with lemon
	<i>Listeria monocytogenes</i>	1/2c	TED200	Rillettes	Seeding	0.2	3 days at 5°C	1370081	Sweetbread bouchée
	<i>Listeria monocytogenes</i>	1/2b	JAR249	Pasteurized milk cheese	Seeding	1.2	3 days at 5°C	1370082	Goat cheese soufflé
	<i>Listeria monocytogenes</i>	1/2a	FCY076	Eggplant gratin	Seeding	1.8	3 days at 5°C	1372303	Mixed vegetables with mayonnaise
	<i>Listeria monocytogenes</i>	1/2c	TED200	Rillettes	Seeding	0.2	3 days at 5°C	1372304	Chorizo slices
	<i>Listeria monocytogenes</i>	1/2a	MEF831	Celery puree	Seeding	3.8	3 days at 5°C	1372305	Coleslaw salad
	<i>Listeria monocytogenes</i>	1/2c	TED200	Rillettes	Seeding	0.2	3 days at 5°C	1372307	Cooked turkey aiguillettes
	<i>Listeria ivanovii</i>	/	/	Cream pastry cake	Seeding	1.8	3 days at 5°C 3 days at 5°C	1398355 1398368	Chocolate fondant Chocolate and coffee "religieuse" pastry
	<i>Listeria welshimeri</i>	/	EGK088	Bouchée with pork	Seeding	1.4	3 days at 5°C 3 days at 5°C	1398357 1398356	Custard Ricotta - spinach ravioli
	<i>Listeria monocytogenes</i>	1/2c	SAE286	Ham	Seeding	0.6	3 days at 5°C 3 days at 5°C 3 days at 5°C	1398362 1398369 1398370	Pork nems Grilled chicken and mayonnaise sandwich Chicken cheddar hamburger with barbecue sauce
	<i>Listeria welshimeri</i>	/	DJC260	Pork meat	Seeding	2.4	3 days at 5°C	1409265	Sandwich ham cheddar salad
	<i>Listeria monocytogenes</i>	1/2b	JAR249	Pasteurized milk cheese	Seeding	1.0	3 days at 5°C	1409266	Cheese bites with spices and herbs
	<i>Listeria innocua</i>	/	FEY823	Liver pâté	Seeding	2.4	3 days at 5°C	1409267 1409264	Wrap bacon, yoghurt sauce, egg, marinated tomatoes Cocktail bites bacon/cheese
	<i>Listeria monocytogenes</i>	1/2a	KFT154	Meal with fermented pork	Seeding	2.8	3 days at 5°C 3 days at 5°C 3 days at 5°C	1409268 1409269	Sandwich beef, cheese sauce and cheese Rillauds (ready-to-eat cooked pork bites)
	<i>Listeria monocytogenes</i>	4b	ALB748	Salmon tagliatelle	Seeding	1.0	3 days at 5°C	1409270	Fusilli carbonara
	<i>Listeria ivanovii</i>	/	/	Pork	Seeding	1.6	3 days at 5°C		
	<i>Listeria monocytogenes</i>	1/2a	XBB696	Peeled frozen beans	Seeding	0.8	3 days at 5°C	1409271	Cucumber with cottage cheese and chives
	<i>Listeria innocua</i>	/	CLM641	Garlic	Seeding	2.4	3 days at 5°C		
	<i>Listeria welshimeri</i>	/	DJC260	Pork meat	Seeding	2.0	3 days at 5°C	1409274	Beef mousse à la lyonnaise
	<i>Listeria monocytogenes</i>	1/2a	EFV356	Bacon	Seeding	2.0	3 days at 5°C	1409275	Saveloy salad with vinaigrette
	<i>Listeria monocytogenes</i>	1/2a	FCY076	Eggplant gratin	Seeding	1.2	3 days at 5°C	1420542 1420543	Salat bulgur, quinoa, cranberries Liquid pasteurized whole eggs
	<i>Listeria monocytogenes</i>	4b	ALB748	Salmon tagliatelle	Seeding	2.2	3 days at 5°C 3 days at 5°C	1420544 1420545	Béchamel sauce Liquid pasteurized egg whites
	<i>Listeria monocytogenes</i>	1/2a	HCX517	Cod eggs	Seeding	2.4	3 days at 5°C 3 days at 5°C	1420546 1420547	Praline-flavoured cream pastry Fraisier (strawberry-flavoured cream pastry)
Environmental samples	<i>Listeria monocytogenes</i>	1/2a	GEB639	Swab washing station	Seeding	1.8	3 days at 5°C 3 days at 5°C	1420548 1420549	Process water fish plant 1 Process water fish plant 2
	<i>Listeria monocytogenes</i>	3a	RAX819	Sponge butchery	Seeding	2.4	3 days at 5°C 3 days at 5°C 3 days at 5°C	1420550 1420551 1420552	Process water vegetable processing area Process water dairy plant Process water egg processing plant

Artificial contaminations - Extension study

#	Sample name	Category	Type	Strain			Injury protocol				Result
				Strain	Code	Origin	Type of stress	Applied stress	Delta log	Level (CFU/test portion)	
1977823	Raw milk cow cheese (Tomme)	Dairy products excluding raw milk	a	<i>L.monocytogenes</i> 1/2b ou 3b ou 7	BMU793	Raw milk dairy products	Seeding	72h at 4°C	/	2,0	+
1977824	Raw milk cow cheese (Abondance)		a	<i>L.monocytogenes</i> 1/2b ou 3b ou 7	BMU793	Raw milk dairy products	Seeding	72h at 4°C	/	2,0	+
1977825	Raw milk cow cheese (Brie de Meaux)		a	<i>L.monocytogenes</i> 1/2b ou 3b ou 7	BMU793	Raw milk dairy products	Seeding	72h at 4°C	/	2,0	+
1977827	Raw milk cow cheese (Chabichou)		a	<i>L.monocytogenes</i> 1/2a ou 3a	BLV059	Raw milk cheese	Seeding	72h at 4°C	/	2,2	+
1977828	Raw milk cow cheese (Roquefort)		a	<i>L.monocytogenes</i> 1/2a ou 3a	BLV059	Raw milk cheese	Seeding	72h at 4°C	/	2,2	+
2067968	Raw milk ewe cheese (Roquefort)		a	<i>L.monocytogenes</i> 4d	GQ471	Raw milk cheese	Seeding	72h at 4°C	/	2,8	+
2067969	Raw milk goat cheese (Ste Maure)		a	<i>L.monocytogenes</i> 4d	GQ471	Raw milk cheese	Seeding	72h at 4°C	/	2,8	+
2067970	Raw milk cow cheese (Camembert)		a	<i>L.monocytogenes</i> 4d	GQ471	Raw milk cheese	Seeding	72h at 4°C	/	2,8	+
1977818	Raw milk cow cheese (Camembert)		a	<i>L. innocua</i>	QHW317	Gorgonzola	Seeding	72h at 4°C	/	2,6	-
1977819	Raw milk cow cheese (Comté)		a	<i>L. innocua</i>	QHW317	Gorgonzola	Seeding	72h at 4°C	/	2,6	+
1977820	Raw milk cow cheese (Ste Maure de Touraine)		a	<i>L. innocua</i>	GLE603	Environment dairy industry	Seeding	72h at 4°C	/	0,8	-
1977821	Raw milk cow cheese (Tomme de Savoie)		a	<i>L. innocua</i>	GLE603	Environment dairy industry	Seeding	72h at 4°C	/	0,8	+
2034902	Raw milk cow cheese (Bethmale)		a	<i>Livanovii</i>	GJP629	Environment dairy industry	Seeding	72h at 4°C	/	1,2	+
2034903	Raw milk cow cheese (Beaufort)		a	<i>Livanovii</i>	GJP629	Environment dairy industry	Seeding	72h at 4°C	/	1,2	+
1977542	Pasteurized cow cheese (Munster)		b	<i>L.monocytogenes</i> 1/2b	CLM641	Raw milk cheese	Seeding	72h at 4°C	/	1,8	+
1977546	Pasteurized sheep cheese		b	<i>L.monocytogenes</i> 1/2a ou 3a - <i>L.welshimeri</i>	FKZ497 - GLX736	Tartiflette brusheta - Infant formula industry	Seeding	72h at 4°C	/	1,6/2,2	+
1977547	Pasteurized cow cheese (Brie)		b	<i>L.monocytogenes</i> 1/2a ou 3a - <i>L.welshimeri</i>	FKZ497 - GLX736	Tartiflette brusheta - Infant formula industry	Seeding	72h at 4°C	/	1,6/2,2	+
1977548	Pasteurized sheep cheese (Bleu)		b	<i>L.monocytogenes</i> 1/2a ou 3a	FMJ325	Thermized milk cheese	Seeding	72h at 4°C	/	1,8	+
1977549	Pasteurized cow cheese (Merzer)		b	<i>L.monocytogenes</i> 1/2a ou 3a	FMJ325	Thermized milk cheese	Seeding	72h at 4°C	/	1,8	+
1977550	Pasteurized sheep cheese		b	<i>L.monocytogenes</i> 1/2a ou 3a	FMJ325	Thermized milk cheese	Seeding	72h at 4°C	/	1,8	+
1977551	Pasteurized cow cheese		b	<i>L.monocytogenes</i> 1/2a ou 3a	FMJ325	Thermized milk cheese	Seeding	72h at 4°C	/	1,8	+
1978392	Pasteurized cow cheese (Emmental)		b	<i>L.monocytogenes</i> 1/2b	CLM641	Raw milk cheese	Seeding	72h at 4°C	/	2,6	+
1978393	Pasteurized cow cheese (Vieux Pané)		b	<i>L.monocytogenes</i> 1/2b	CLM641	Raw milk cheese	Seeding	72h at 4°C	/	2,6	+
1978394	Pasteurized cow cheese (Chamois d'or)		b	<i>L.monocytogenes</i> 1/2b ou 3b ou 7	FLD375	Feta cheese	Seeding	72h at 4°C	/	2,6	-
1978395	Pasteurized cow cheese (Tomme)		b	<i>L.monocytogenes</i> 1/2b ou 3b ou 7	FLD375	Feta cheese	Seeding	72h at 4°C	/	2,6	-
1977543	Pasteurized goat cheese		b	<i>Linnocua</i>	QBB281	Organic raw milk cheese	Seeding	72h at 4°C	/	2,4	+
1977544	Pasteurized goat cheese (Ossau Iraty)		b	<i>Linnocua</i>	QBB281	Organic raw milk cheese	Seeding	72h at 4°C	/	2,4	+
1977552	Pasteurized cow cheese (Emmental)		b	<i>L. ivanovii</i>	GQD028	Environment dairy industry	Seeding	72h at 4°C	/	2,4	+
1977553	Pasteurized cow cheese (Camembert)		b	<i>L. ivanovii</i>	GQD028	Environment dairy industry	Seeding	72h at 4°C	/	2,4	+
1977555	Powdered whey		c	<i>L. monocytogenes</i> 4b - <i>Linnocua</i>	HBP652 - GPQ140	Raw milk cheese - Milk powder industry	Spiking	15 min at 56°C	1,63 / 1,26	4,8/4,0	+
1978383	Skimmed milk powder		c	<i>L.monocytogenes</i> 1/2a ou 3a	GND673	Environment dairy industry	Spiking	15 min at 56°C	0,85	3,8	+
1977558	Goat milk powder		c	<i>L.monocytogenes</i> 1/2b ou 3b ou 7	FLD375	Feta cheese	Spiking	15 min at 56°C	1,81	4,6	+
1977559	Powdered caseinate		c	<i>L.monocytogenes</i> 1/2b ou 3b ou 7	FLD375	Feta cheese	Spiking	15 min at 56°C	1,81	4,6	+
1977582	Skimmed milk powder		c	<i>L.monocytogenes</i> 1/2b	JAR249	Pasteurized milk cheese	Spiking	15 min at 56°C	1,03	4,0	+
1977584	Powdered buttermilk		c	<i>L.monocytogenes</i> 4b	LAS822	Raw milk cheese	Spiking	15 min at 56°C	0,80	4,4	+
1977585	Semi-skimmed milk powder		c	<i>L.monocytogenes</i> 4b	LAS822	Raw milk cheese	Spiking	15 min at 56°C	0,80	4,4	+
1977577	Whey permeate		c	<i>Lmonocytogenes</i> 1/2a ou 3a	GND673	Environment dairy industry	Spiking	15 min at 56°C	0,85	4,4	-
1977578	Organic skimmed milk powder		c	<i>Lmonocytogenes</i> 1/2a ou 3a	GND673	Environment dairy industry	Spiking	15 min at 56°C	0,85	4,4	-
1977583	Whey permeate		c	<i>Lmonocytogenes</i> 1/2b	JAR249	Pasteurized milk cheese	Spiking	15 min at 56°C	1,03	4,0	-
2067971	Whey permeate		c	<i>Lmonocytogenes</i> 1/2a ou 3a	FKZ497	Tartiflette brushetta	Spiking	15 min at 56°C	1,12	4,2	+
2067972	Powdered buttermilk		c	<i>Lmonocytogenes</i> 1/2a ou 3a	FKZ497	Tartiflette brushetta	Spiking	15 min at 56°C	1,12	4,2	+
2067973	Ewe whole milk powder		c	<i>Lmonocytogenes</i> 1/2a ou 3a	FKZ497	Tartiflette brushetta	Spiking	15 min at 56°C	1,12	4,2	+
1978386	Skimmed milk	Powdered Infant Formula and cereals	c	<i>Linnocua</i>	QHW317	Gorgonzola	Spiking	15 min at 56°C	1,03	1,6	+
1978387	Organic skimmed milk powder		c	<i>Linnocua</i>	BVG975	Environment dairy industry	Spiking	15 min at 56°C	1,85	4,6	+
1977554	Powdered whole milk		c	<i>Linnocua</i>	GPQ140	Milk powder industry	Spiking	15 min at 56°C	1,3	4,0	+
1977579	Skimmed milk powder LOT1		c	<i>Lwelshimeri</i>	GLX736	Infant formula industry	Spiking	15 min at 56°C	1,48	3,2	-
1977580	Skimmed milk powder LOT2		c	<i>Lwelshimeri</i>	GLX736	Infant formula industry	Spiking	15 min at 56°C	1,48	3,2	+
1977560	Baby milk powder 0-6 months		a	<i>Linnocua</i> - <i>L.monocytogenes</i> 1/2b ou 3b ou 7	GRR943 - BMU793	Environment dairy industry - Fresh cream with raw milk	Spiking	15 min at 56°C	1,40 / 1,29	2,8/3,0	+
1977561	Baby milk powder 6-12 months batch 1		a	<i>Linnocua</i> - <i>L.monocytogenes</i> 1/2b ou 3b ou 7	GRR943 - BMU793	Environment dairy industry - Fresh cream with raw milk	Spiking	15 min at 56°C	1,40 / 1,29	2,8/3,0	+
1977562	Baby milk powder 1-3 years batch 1		a	<i>Linnocua</i> - <i>L.monocytogenes</i> 1/2b ou 3b ou 7	GRR943 - BMU793	Environment dairy industry - Fresh cream with raw milk	Spiking	15 min at 56°C	1,40 / 1,29	2,8/3,0	+
1977563	Baby growth milk powder 1-3 years		a	<i>Linnocua</i> - <i>L.monocytogenes</i> 1/2a ou 3a	GLE603 - BLV059	Environment dairy industry - Raw milk cheese	Spiking	15 min at 56°C	1,28 / 1,15	3,0/4,0	+
1977564	Baby goat milk powder 1- 3 years		a	<i>Linnocua</i> - <i>L.monocytogenes</i> 1/2a ou 3a	GLE603 - BLV059	Environment dairy industry - Raw milk cheese	Spiking	15 min at 56°C	1,28 / 1,15	3,0/4,0	+
1977568	Junior baby milk powder + 18 months		a	<i>L.monocytogenes</i> 1/2a	PCA920	Environment dairy industry	Spiking	15 min at 56°C	0,57	4,0	+
1977567	Baby milk powder thickened formula 6-12 months		a	<i>L.monocytogenes</i> 1/2a	PCA920	Environment dairy industry	Spiking	15 min at 56°C	0,57	4,0	+
1977569	Baby milk powder 6-12 months LOT 2		a	<i>Lmonocytogenes</i> 1/2a	PCA920	Environment dairy industry	Spiking	15 min at 56°C	0,57	4,0	+
1977566	Baby growth milk powder 1-3 years		a	<i>Lmonocytogenes</i> 1/2a	PCA920	Environment dairy industry	Spiking	15 min at 56°C	0,57	4,0	-
1977570	Baby milk powder 1-3 years LOT 1		a	<i>Linnocua</i>	QHW317	Gorgonzola	Spiking	15 min at 56°C	1,03	4,6	+
1977571	Baby milk powder 1-3 years LOT 2		a	<i>Linnocua</i>	QHW317	Gorgonzola	Spiking	15 min at 56°C	1,03	4,6	+
1977589	Infant milk 1-3 years <i>Lactobacillus reuteri</i> DSM 17938 - 5.5 10 ⁶ UFC/g		b	<i>L.monocytogenes</i> 1/2b	JAR249	Pasteurized milk cheese	Spiking	15 min at 56°C	1,03	4,0	+
1977590	Organic infant milk 6-12 months <i>Lactobacillus fermentum hereditum</i> - 10 ⁶ UFC/g		b	<i>L.monocytogenes</i> 1/2a	PCA920	Environment dairy industry	Spiking	15 min at 56°C	1,26	4,0	+

Artificial contaminations - Extension study

#	Sample name	Category	Type	Strain			Injury protocol				Result
				Strain	Code	Origin	Type of stress	Applied stress	Delta log	Level (CFU/test portion)	
1977591	Organic infant milk 1-3 years <i>Bifidobactérium lactis</i> - 2,1 10 ⁷ UFC/g	Powdered Infant Formula and cereals	b	<i>L.monocytogenes 1/2a</i>	PCA920	Environment dairy industry	Spiking	15 min at 56°C	1.26	4.0	+
1977592	Infant milk 0-6 months greedy baby <i>B.Lactis</i> - 4,5 10 ⁶ UFC/g		b	<i>L.monocytogenes 4b</i>	HBP652	Raw milk cheese	Spiking	15 min at 56°C	1.02	4.6	+
1977593	Infant milk 6-12 months <i>Lactobacillus reuteri</i> DSM 17938 - 6,1 10 ⁶ UFC/g		b	<i>L.monocytogenes 4b</i>	HBP652	Raw milk cheese	Spiking	15 min at 56°C	1.02	4.6	+
1977594	Infant milk 6-12 months <i>S.thermophilus</i> - 7,7 10 ⁶ UFC/g		b	<i>L.monocytogenes 4b</i>	HBP652	Raw milk cheese	Spiking	15 min at 56°C	1.02	4.6	+
1977595	Infant milk 6-12 months thickened formula Bifidobactéries - 1,6 10 ⁶ UFC/g		b	<i>L.monocytogenes 4b</i>	HBP652	Raw milk cheese	Spiking	15 min at 56°C	1.02	4.6	+
1977760	Infant milk 6-12 months S. <i>thermophilus</i> - 7700000UFC/g		b	<i>L.monocytogenes 1/2a ou 3a</i>	GND673	Environment dairy industry	Spiking	30 min at 60°C	1.73	2.6	+
1977761	Infant milk 6-12 months thickened formula Bifidobactéries - 1600000 UFC/g		b	<i>L.monocytogenes 1/2a ou 3a</i>	GND673	Environment dairy industry	Spiking	30 min at 60°C	1.73	2.6	+
1977586	Infant milk 0-6 months thickened formula <i>B.Lactis</i> - 4,7 10 ⁶ UFC/g		b	<i>L.monocytogenes 1/2b</i>	JAR249	Pasteurized milk cheese	Spiking	15 min at 56°C	1.03	4.0	-
1977587	Infant milk 0-6 months (breastfeeding relay) <i>Lactobacillus reuteri</i> DSM 17938 - 4 10 ⁵ UFC/g		b	<i>L.monocytogenes 4b</i>	LAS822	Raw milk cheese	Spiking	15 min at 56°C	0.8	4.4	-
1977588	Infant milk 6-12 months thickened formula <i>Bifidobactérium infantis</i> - 4,1 10 ⁶ UFC/g		b	<i>L.monocytogenes 4b</i>	LAS822	Raw milk cheese	Spiking	15 min at 56°C	0.8	4.4	-
1977757	Organic infant milk 1-3 years Bifidobactérium lactis - 2100000 UFC/g		b	<i>L.monocytogenes 1/2b</i>	CLM641	Raw milk cheese	Spiking	15 min at 56°C	1.2	3.0	-
1977758	Infant milk 0-6 months greedy baby B. <i>Lactis</i> - 4500000 UFC/g		b	<i>L.monocytogenes 1/2b</i>	CLM641	Raw milk cheese	Spiking	15 min at 56°C	1.2	3.0	-
1977759	Infant milk 6-12 months Lactobacillus reuteri DSM 17938 - 6100000UFC/g		b	<i>L.monocytogenes 1/2b</i>	CLM641	Raw milk cheese	Spiking	15 min at 56°C	1.2	3.0	-
1977754	Infant milk 6-12 months thickened formula Bifidobactérium infantis - 4100000 UFC/g		b	<i>L. ivanovii</i>	GQD028	Environment dairy industry	Spiking	15 min at 56°C	0.95	4.4	+
1977756	Organic infant milk 6-12 months Lactobacillus fermentum hereditum CECT5716 - 1000000UFC/g		b	<i>L. ivanovii</i>	GQD028	Environment dairy industry	Spiking	15 min at 56°C	0.95	4.4	+
1978396	Infant milk 6-12 months thickened formula <i>Bifidobactérium infantis</i> - 3,4x10 ⁶ UFC/g		b	<i>Linnocua</i>	GPQ140	Milk powder industry	Spiking	30 min at 60°C	0.51	5.0	+
1978397	Infant milk 1-3 years <i>Lactobacillus reuteri</i> DSM 17938 - 5,4x10 ⁶ UFC/g		b	<i>Linnocua</i>	GPQ140	Milk powder industry	Spiking	30 min at 60°C	0.51	5.0	+
1978398	Infant milk 1-3 years <i>Lactobacillus reuteri</i> DSM 17938 - 1,1x10 ⁷ UFC/g		b	<i>Linnocua</i>	GPQ140	Milk powder industry	Spiking	30 min at 60°C	0.51	5.0	+
1977752	Infant milk 0-6 months thickened formula B. <i>Lactis</i> - 4700000 UFC/g		b	<i>Linnocua</i>	QBB281	Organic raw milk cheese	Spiking	30 min at 60°C	3.20	4.4	-
1977753	Infant milk 0-6 months (breastfeeding relay) Lactobacillus reuteri DSM 17938 - 400000UFC/g		b	<i>Lwelshimeri</i>	GLX736	Infant formula industry	Spiking	30 min at 60°C	0.89	2.8	-
1977755	Infant milk 1-3 years Lactobacillus reuteri DSM 17938 - 5500000UFC/g		b	<i>Linnocua</i>	QBB281	Organic raw milk cheese	Spiking	30 min at 60°C	3.20	4.4	-
1977742	Infant cereal quinoa banana plum B. <i>lactis</i> 1,1 10 ⁶ CFU/g		c	<i>L.monocytogenes 4b</i>	RCJ280	Plants	Spiking	30 min at 60°C	0.73	4	+
1977743	Infant cereals with honey B. <i>lactis</i> 3,4 10 ⁶ CFU/g		c	<i>L.monocytogenes 4b</i>	RCJ280	Plants	Spiking	30 min at 60°C	0.73	4	+
1977744	Biscuit flavored infant cereals B. <i>lactis</i> 7 10 ⁶ CFU/g		c	<i>L.monocytogenes 4b</i>	RCJ280	Plants	Spiking	30 min at 60°C	0.73	4	+
1977745	Infant cereals with 5 cereals B. <i>lactis</i> 5 10 ⁶ CFU/g		c	<i>L.monocytogenes 4b</i>	RCJ280	Plants	Spiking	30 min at 60°C	0.73	4	+
1977746	Whole oat and wheat infant cereals B. <i>lactis</i> 6,8 10 ⁶ CFU/g		c	<i>L.monocytogenes</i>	BNX114	Composite feeds	Spiking	15 min at 56°C	1.01	3.4	+
1977747	Infant multi-cereals with exotic fruits		c	<i>Lmonocytogenes</i>	BNX114	Composite feeds	Spiking	15 min at 56°C	1.01	3.4	+
1977748	Brioche flavored Infant cereals		c	<i>Lmonocytogenes 4b</i>	RCJ280	Plants	Spiking	30 min at 60°C	0.73	4	+
1977749	Infant vanilla cereals		c	<i>Lmonocytogenes 4b</i>	LAS822	Raw milk cheese	Spiking	15 min at 56°C	1.72	2.8	-
1977750	Infant chocolate cereals		c	<i>Lmonocytogenes 4b</i>	LAS822	Raw milk cheese	Spiking	15 min at 56°C	1.72	2.8	+
1977751	Infant caramel cereals		c	<i>Lmonocytogenes 1/2b</i>	JAR249	Pasteurized milk cheese	Spiking	15 min at 56°C	1.85	2.6	+
1977780	Infant chocolate cereals		c	<i>Lmonocytogenes 1/2a ou 3a</i>	GND673	Environment dairy industry	Spiking	30 min at 60°C	1.73	3,8	+
1977774	Biscuit flavored infant cereals B. <i>lactis</i> 7 10 ⁶ CFU/g		c	<i>Lmonocytogenes 1/2a</i>	PCA920	Environment dairy industry	Spiking	15 min at 56°C	1.26	5.0	+
1977775	Infant cereals with 5 cereals B. <i>lactis</i> 5 10 ⁶ CFU/g		c	<i>Lmonocytogenes 1/2a</i>	PCA920	Environment dairy industry	Spiking	15 min at 56°C	1.26	5.0	+
1977778	Brioche flavored Infant cereals		c	<i>Lmonocytogenes 1/2b</i>	CLM641	Raw milk cheese	Spiking	15 min at 56°C	1.2	4.0	-
1977779	Infant vanilla cereals		c	<i>Lmonocytogenes 1/2b</i>	CLM641	Raw milk cheese	Spiking	15 min at 56°C	1.2	4.0	-

Artificial contaminations - Extension study

#	Sample name	Category	Type	Strain			Injury protocol				Result
				Strain	Code	Origin	Type of stress	Applied stress	Delta log	Level (CFU/test portion)	
1977781	Infant caramel cereals	Infant Formula and cereals	c	<i>L.monocytogenes 1/2a ou 3a</i>	GND673	Environment dairy industry	Spiking	30 min at 60°C	1.73	5.0	+
1977772	Infant cereal quinoa banana plum		c	<i>Linnocua</i>	QBB281	Organic raw milk cheese	Spiking	30 min at 60°C	3.13	4.2	-
1977773	Infant cereals with honey		c	<i>Linnocua</i>	QBB281	Organic raw milk cheese	Spiking	30 min at 60°C	3.13	4.2	+
1977776	Whole oat and wheat infant cereals		c	<i>L. ivanovii</i>	GQD028	Dairy industry	Spiking	15 min at 56°C	0.76	4.8	+
1977777	Infant multi-cereals with exotic fruits		c	<i>L. ivanovii</i>	GQD028	Dairy industry	Spiking	15 min at 56°C	0.76	4.8	+

APPENDIX D1

INITIAL VALIDATION STUDY

SENSITIVITY RAW RESULTS

KEY

Bacterial burden

Ø: no culture

L = low

M = moderate

H = high

Breakdown of flora

A = pure culture of suspect colonies

B = mixture with a majority of suspect colonies

C = mixture with a minority of suspect colonies

D = mixture with rare suspect colonies

E = absence of suspect colonies

(x): x colonies characteristic of *Listeria* if $x \leq 5$

* : presence of two types of characteristic colony (*L.monocytogenes* + other)

a: reincubation of LX broths for 24 hours at 30°C

b: subculture of 0.1ml in LX broth, incubated for 24 hours at 30°C, then re-tested using LDUO

c: subculture of 0.1ml in Fraser broth, incubated for 24 hours at 30°C, then re-tested using LDUO



Samples excluded from the interpretation

Meat products - Listeria spp

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON	
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION						
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.	
E12	Lamb kebab	PC1	No		Ø	Ø	Ø	-LE	/	-	-3	0.00	-	17	0.00	-	/	/	/	/	- NA
F1	Tournedos	PC1	No		Ø	Ø	Ø	Ø	/	-	-5	0.00	-	22	0.00	-	/	/	/	/	- NA
F3	Horse meat fillet	PC1	No		Ø	Ø	Ø	Ø	/	-	0	0.00	-	34	0.01	-	/	/	/	/	- NA
F4	pork chop	PC1	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	19	0.00	-	/	/	/	/	- NA
F5	Rump steak	PC1	No		Ø	Ø	Ø	Ø	/	-	-5	0.00	-	22	0.00	-	/	/	/	/	- NA
F6	Rib steak	PC1	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	24	0.00	-	/	/	/	/	- NA
M1	Lamb kidneys	PC1	No		Ø	-ME	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	- NA
M6	Chicken breasts	PC1	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	- NA
M11	Kidneys	PC1	No		Ø	-LE	Ø	-LE	/	-	-3	0.00	-	25	0.01	-	/	/	/	/	- NA
W14	Minced horse meat	PC1	No		Ø	Ø	Ø	-LE	/	-	22	0.00	-	24	0.00	-	/	/	/	/	- NA
F2	Tomato & basil chipolata sausages	PC2	No		-LE	Ø	-LE	Ø	/	-	-4	0.00	-	39	0.01	-	/	/	/	/	- NA
M3	Blood sausage	PC2	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	/	/	/	/	- NA
M12	Blood sausage	PC2	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	16	0.00	-	/	/	/	/	- NA
V12	Tomato stuffing	PC2	No		-LE	-LE	Ø	Ø	/	-	-5	0.00	-	16	0.00	-	/	/	/	/	- NA
V18	Bolognese minced meat	PC2	No		Ø	-LE	Ø	Ø	/	-	-5	0.00	-	33	0.01	-	/	/	/	/	- NA
M10	Pâté with pastry crust	PC2	No		Ø	Ø	-LE	Ø	/	-	-2	0.00	-	21	0.00	-	/	/	/	/	- NA
I14	Rabbit terrine	PC2	Yes	1.17	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	30	0.01	-	/	/	/	/	- NA
I17	Duck pâté	PC2	Yes	<1	-LE	Ø	-ME	Ø	/	-	-4	0.00	-	19	0.00	-	/	/	/	/	- NA
C26	Forester pâté	PC3	No		Ø	Ø	Ø	Ø	/	-	-5	0.00	-	25	0.00	-	/	/	/	/	- NA
E5	Country style pâté	PC3	No		Ø	-LE	Ø	Ø	/	-	-4	0.00	-	38	0.01	-	/	/	/	/	- NA
E8	Country style pâté	PC3	No		Ø	-LE	Ø	-ME	/	-	-2	0.00	-	44	0.01	-	/	/	/	/	- NA
F9	Country style pâté	PC3	No		Ø	Ø	Ø	Ø	/	-	-5	0.00	-	50	0.01	-	/	/	/	/	- NA
F11	Liver pâté	PC3	No		Ø	Ø	-ME	-LE	/	-	-4	0.00	-	54	0.01	-	/	/	/	/	- NA
I7	Pâté with shallots	PC3	No		Ø	Ø	-ME	Ø	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	- NA
T14	Liver pâté	PC3	No		Ø	-LE	Ø	Ø	/	-	-4	0.00	-	28	0.01	-	Ø	Ø	-LE	/	- NA
I15	Farmhouse liver pâté	PC3	Yes	0.78	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	- NA
L4	Chicken rillettes	PC3	Yes	0.6	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	- NA
E6	Strasbourg sausages	PC3	No		-LE	Ø	-LE	Ø	/	-	-3	0.00	-	18	0.00	-	/	/	/	/	- NA

Meat products - Listeria spp

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON			
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
F10	Cured ham	PC3	No		Ø	Ø	Ø	-LE	/	-	-3	0.00	-	20	0.00	-	/	/	/	/	- NA	
I6	Garlic sausage	PC3	No		Ø	Ø	-ME	-LE	/	-	-2	0.00	-	19	0.00	-	/	/	/	/	- NA	
M7	Cervelas sausage	PC3	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	23	0.01	-	/	/	/	/	- NA	
M9	Ham	PC3	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	- NA	
I20	Ham roulade	PC3	Yes	<1	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	/	/	/	/	- NA	
T15	Tomato burger	PC1	No		Ø	Ø	Ø	Ø	/	-	11	0.00	-	7048	3.13	+	+HA	+HA	+MB	<i>L.innocua</i>	+	PD
D7	Beef minced meat	PC1	No		Ø	Ø	Ø	Ø	/	-	199	0.05	+	/	/	+ par défaut	+LA	+LA	+LA	<i>L.monocytogenes</i>	+	PD
C23	Beef heart	PC1	No		+MA	+MB	+MA	+MA	<i>L.monocytogenes</i>	+	7363	1.97	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
D1	Turkey kebab	PC1	No		+LA*	+LA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	1474	0.37	+	/	/	+ par défaut	+HA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	PA
D2	Chicken wings	PC1	No		+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	10982	2.78	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
E2	Minced meat	PC1	No		+LA	+LA(2)	+MA	+MA	<i>L.monocytogenes</i>	+	7515	1.90	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	+	PA
E3	Minced meat	PC1	No		+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	8260	2.09	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
E7	Minced meat	PC1	No		Ø	Ø	+HA	+HA	<i>L.monocytogenes</i>	+	7980	2.02	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
E10	Lean bourguignon beef	PC1	No		+LA	+LA	+MA	+MA	<i>L.welshimeri</i>	+	8	0.00	-	7812	3.00	+	+HA	+HA	+HA	<i>L.welshimeri</i>	+	PA
I21	Pork kidneys	PC1	No		+LA*	+LA*	+HA*	+LA*	<i>L.welshimeri</i> <i>L.innocua</i>	+	26	0.00	-	6924	2.96	+	+MB	+MA*	+MA*	<i>L.welshimeri</i> <i>L.innocua</i>	+	PA
M4	Chicken thighs	PC1	No		+LA	+LA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i> <i>L.innocua</i>	+	6	0.00	-	8155	3.62	+	+MA	+HA	+MA	<i>L.monocytogenes</i> <i>L.welshimeri</i> <i>L.innocua</i>	+	PA
T11	Fillet of duck breast	PC1	No		Ø	Ø	+HA	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	9390	2.39	+	/	/	+ par défaut	+HA	+MA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
T16	Veal	PC1	No		+LA(1)	-LE	+HB	+MB	<i>L.welshimeri</i>	+	9	0.00	-	8603	3.83	+	+MA	+MA*	+MD	<i>L.welshimeri</i>	+	PA
T19	Turkey kebab	PC1	No		+LA(4)	+HD	+MA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	10155	2.59	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
V8	Frozen minced beef burger	PC1	No		+LB	+LB	+HA	+MA	<i>L.monocytogenes</i>	+	7871	2.03	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
V9	Fillet of duck breast	PC1	No		Ø	Ø	+MA	+MA	<i>L.monocytogenes</i>	+	9836	2.54	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
V14	Chicken fillet	PC1	No		Ø	Ø	+HA	+MA	<i>L.welshimeri</i>	+	1934	0.50	+	/	/	+ par défaut	+HA	+HA	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PA
D10	Minced meat	PC1	No		+LA(4)	+LA*(2)	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	1339	0.33	+	/	/	+ par défaut	+HA	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
I13	Fillet of duck breast	PC1	No		+LA*	+LA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	9599	2.44	+	/	/	+ par défaut	+HA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
T10	Minced beef burger with oignons	PC1	No		+LA(3)	+LB	+HB	+MA	<i>L.innocua</i>	+	9	0.00	-	8008	3.56	+	+HA	+HA	+MA	<i>L.innocua</i>	+	PA
I8	Hamburger	PC1	No		+LA	+MA	+HB	+MA	<i>L.monocytogenes</i>	+	7818	1.99	+	/	/	+ par défaut	+MA	+HB	+MA	<i>L.monocytogenes</i>	+	PA
V16	Tomato burger	PC1	No		Ø	Ø	+HA	+MA	<i>L.welshimeri</i>	+	27	0.00	-	7573	2.65	+	+HA	+HA*	+MA	<i>L.welshimeri</i>	+	PA
I19	Beef steak	PC1	Yes	<1	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	+	172	0.04	-	6293	2.69	+	+MA	+MA	+MA	<i>L.welshimeri</i>	+	PA

Meat products - Listeria spp

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON			
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
K1	Minced pork loin	PC1	Yes	4.11	+LA	+LA	+MA	+MA	<i>L.innocua</i>	+	27	0.00	-	7824	3.34	+	+HA	+HA	+HB	<i>L.innocua</i>	+	PA
K2	Chicken gizzard	PC1	Yes	5.5	+HA	+MA	+HA	+MA	<i>L.innocua</i>	+	7	0.00	-	7930	3.39	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA
M2	Minced meat	PC1	Yes	5.7	Ø	+LA	+MA	+LA	<i>L.innocua</i>	+	-3	0.00	-	4646	2.06	+	+MA	+LA	+MA	<i>L.innocua</i>	+	PA
K4	Bovine meat	PC1	No & Yes	8.2	+LA	+LA	+HA	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	252	0.06	+	/	/	+ par défaut	+HA	+HA	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
K6	pork chop	PC1	Yes	12	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	+	169	0.04	-	6845	2.92	+	+HA	+HB	+HA	<i>L.welshimeri</i>	+	PA
D9	Minced meat with herbs	PC2	No		+LA*	+LA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	5372	1.36	+	/	/	+ par défaut	+HA	+HA*	+HB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
G4	Texane barbecued pork	PC2	No		+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i>	+	9331	2.36	+	/	/	+ par défaut	+MA*	+MB	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
G10	Pork belly with herbs	PC2	No		+HA	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7937	2.01	+	/	/	+ par défaut	+MA*	+HA*	+MA*	<i>L.monocytogenes</i>	+	PA
G11	Spiced pork belly	PC2	No		+HA*	+HA*	+HA	+MA*	<i>L.monocytogenes</i>	+	9639	2.44	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
I10	Jellied tongue	PC2	No		+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	-3	0.00	-	23	0.00	-	Ø	Ø	Ø	/	-	ND
I11	Pig's head pâté	PC2	No		+MA	+MB*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	10504	2.67	+	/	/	+ par défaut	+HA*	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
T18	Jellied tongue	PC2	No		+LB	+LC	+MB	+MA*	<i>L.monocytogenes</i>	+	7159	1.82	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i>	+	PA
V13	Grilled ham	PC2	No		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	7299	1.88	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
L1	Tuscan minced pork	PC2	Yes	2.3	Ø	+LA	+HA	+MA	<i>L.welshimeri</i>	+	-3	0.00	-	21	0.00	-	Ø	Ø	-ME	/	-	ND
K7	Jellied tongue	PC2	Yes	14.4	+MA	+MA	+HA	+HA	<i>L.welshimeri</i>	+	15	0.00	-	7794	3.33	+	+HA	+HA	+HA	<i>L.welshimeri</i>	+	PA
C19	Chipolata sausage	PC3	No		-LE	-LE	Ø	Ø	/	-	8633	2.31	+	/	/	+ par défaut	+HA	+HB	+MB	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PD
B30	Sausage	PC3	No		+HA	+HA	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	8627	2.31	+	/	/	+ par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
D3	Merguez sausage	PC3	No		+MA*	+MB*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	10263	2.60	+	/	/	+ par défaut	+HA	+HA*	+HB	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	PA
D4	Merguez sausage	PC3	No		Ø	Ø	+MA	+MA	<i>L.monocytogenes</i>	+	592	0.15	+	/	/	+ par défaut	+HA*	+MA*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
D6	Chipolata sausage	PC3	No		Ø	Ø	+HC	+MB	<i>L.monocytogenes</i>	+	9036	2.29	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
D11	Andouillette sausage	PC3	No		+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	7809	1.98	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	+	PA
E9	Chipolata sausage with olives	PC3	No		+LA	+LB	+LB	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i> <i>L.innocua</i>	+	452	0.11	+	/	/	+ par défaut	+MA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i> <i>L.innocua</i>	+	PA
E11	Toulouse sausage	PC3	No		+LA*	+LA*	+HA	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	3134	0.79	+	/	/	+ par défaut	+HA	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
F7	Chipolata sausage	PC3	No		+MA*	+MA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	10480	2.80	+	/	/	+ par défaut	+HA*	+MB*	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
F8	Merguez sausage	PC3	No		+MB	+LA	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	9529	2.54	+	/	/	+ par défaut	+HB	+HB	+HA	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	PA
M8	Merguez sausage	PC3	No		+HB	+HB	+MB	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	9253	2.33	+	/	/	+ par défaut	+HB	+HA*	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
V10	Strasbourg sausages	PC3	No		Ø	-LE	Ø	Ø	/	-	7711	1.99	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PD
D5	Lardons	PC3	No		+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	8706	2.20	+	/	/	+ par défaut	+HA	+HA*	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
D8	Cured ham	PC3	No		+MA	+MA	+MA	+MA	<i>L.welshimeri</i>	+	61	0.01	-	7666	2.94	+	+HA	+HA	+HA	<i>L.welshimeri</i>	+	PA
G3	Paris style cooked ham	PC3	No		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	7946	2.01	+	/	/	+ par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	+	PA
I12	Knuckle of ham	PC3	No		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	8991	2.29	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
T12	Somked lardons	PC3	No		+LA(2)	+MA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	10064	2.57	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PA
T13	Spreadable sausage	PC3	No		+MA*	+MA*	+HB	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	9739	2.48	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PA
T17	Spreadable sausage	PC3	No		+MA	+MA*	+HB	+MA	<i>L.innocua</i> <i>L.welshimeri</i>	+	9	0.00	-	7075	3.15	+	+HA	+HA	+MA	<i>L.innocua</i>	+	PA

Meat products - Listeria spp

CODE	MATRICES	Cat.	AC	NF EN ISO 11290-1 METHOD			VIDAS LDUO METHOD										FINAL RESULT	COMPARISON				
				FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO					CONFIRMATION							
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.			
V11	Smoked lardons	PC3	No	Ø	+LA	+HA	+HA	<i>L.welshimeri</i>	+	7529	1.94	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PA	
V15	Smoked pork belly	PC3	No	+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	6943	1.79	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	+	PA	
V17	Lardons	PC3	No	+LA	+LB	+MA	+MA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	9735	2.52	+	/	/	+ par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PA	
W15	Lardons	PC3	No	+LA	+LA	+HA	+HB	<i>L.monocytogenes</i>	+	7707	1.99	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
X16	Lardons	PC3	No	+LA	+LA	+MA	+MA	<i>L.innocua</i>	+	1	0.00	-	7853	2.75	+	+MA	+HA	+HA	<i>L.innocua</i>	+	PA	
X17	Smoked pork belly	PC3	No	+LA(2)	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	9129	2.36	+	/	/	+ par défaut	+MB	+HA	+HB	<i>L.monocytogenes</i>	+	PA	
I16	Country pâté	PC3	Yes	<1	+MA	+MA	+HA	<i>L.welshimeri</i>	+	6	0.00	-	7054	3.01	+	+MA	+HA	+MA	<i>L.welshimeri</i>	+	PA	
L3	Rillettes	PC3	Yes	0.3	+LA	+LA	+HA	+HA	<i>L.ivanovii</i>	+	-3	0.00	-	38	0.01	-	Ø	Ø	Ø	/	-	ND
L2	Strasbourg sausages	PC3	Yes	1.8	+LA	+LA	+HA	+HA	<i>L.welshimeri</i>	+	8	0.00	-	7975	3.54	+	+HA	+HA	+HA	<i>L.welshimeri</i>	+	PA
K3	Mortadella sausage	PC3	Yes	6.8	+LA	+MB	+HA	+HA	<i>L.innocua</i>	+	29	0.00	-	7682	3.28	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA
K5	Ham	PC3	Yes	9.6	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	+	8	0.00	-	7880	3.38	+	+HA	+HA	+HB	<i>L.welshimeri</i>	+	PA
M5	Rosette dried sausage	PC3	Yes	7 et 3,8	+HA(2)	+MA	+MA	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	8149	2.05	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA

Dairy products - Listeria spp

APPENDIX D

CODE	MATRICES	NF EN ISO 11290-1 METHOD					VIDAS LDUO METHOD										FINAL RESULT	COMPARISON					
		Cat.	AC	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO					CONFIRMATION								
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.				
I22	Brie cheese	PL1	Yes	34.5	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	27	0.01	-	/	/	/	/	-	NA	
H4	Brie cheese	PL1	Yes	56	Ø	-ME	Ø	-LE	/	-	-3	0.00	-	26	0.01	-	/	/	/	/	-	NA	
H6	Reblochon cheese	PL1	Yes	84	Ø	-LE	Ø	-LE	/	-	-5	0.00	-	19	0.00	-	/	/	/	/	-	NA	
B17	Maroilles cheese	PL1	No	-LE	-LE	-ME	Ø	/	-	-2	0.00	-	31	0.01	-	/	/	/	/	-	NA		
C22	Epoisses cheese	PL1	No	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	32	0.01	-	/	/	/	/	-	NA		
C25	Maroilles cheese	PL1	No	Ø	-LE	Ø	Ø	/	-	-5	0.00	-	22	0.00	-	/	/	/	/	-	NA		
D12	Coulommiers cheese	PL1	No	Ø	Ø	Ø	Ø	/	-	-1	0.00	-	44	0.01	-	/	/	/	/	-	NA		
D13	Maroilles cheese	PL1	No	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	17	0.00	-	/	/	/	/	-	NA		
D15	Camembert cheese	PL1	No	Ø	-LE	Ø	-ME	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	-	NA		
D16	Reblochon cheese	PL1	No	Ø	-LE	Ø	Ø	/	-	-5	0.00	-	17	0.00	-	/	/	/	/	-	NA		
D17	Reblochon cheese	PL1	No	Ø	-ME	Ø	-ME	/	-	-2	0.00	-	19	0.00	-	/	/	/	/	-	NA		
D18	Neufchâtel cheese	PL1	No	-ME	-ME	-ME	Ø	/	-	-3	0.00	-	17	0.00	-	/	/	/	/	-	NA		
D19	Langres cheese	PL1	No	Ø	Ø	Ø	Ø	/	-	1	0.00	-	20	0.00	-	/	/	/	/	-	NA		
G2	Morbier cheese	PL1	No	Ø	-ME	Ø	Ø	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	-	NA		
I5	Brie cheese	PL1	No	Ø	-ME	-LE	-ME	/	-	6	0.00	-	230	0.09	-	/	/	/	/	-	NA		
I3	Roquefort cheese	PL2	No	Ø	-LE	Ø	Ø	/	-	-2	0.00	-	22	0.00	-	/	/	/	/	-	NA		
H3	Ossau Iraty cheese	PL2	Yes	28	-LE	-LE	-LE	-ME	/	-	-3	0.00	-	24	0.01	-	/	/	/	/	-	NA	
C11	Carré du vinage cheese	PL2	No	-LE	-LE	Ø	Ø	/	-	0	0.00	-	103	0.03	-	/	/	/	/	-	NA		
C24	Picodon cheese	PL2	No	Ø	Ø	Ø	-LE	/	-	-4	0.00	-	22	0.00	-	/	/	/	/	-	NA		
D20	Goat cheese	PL2	No	Ø	-LE	Ø	-ME	/	-	-1	0.00	-	23	0.00	-	/	/	/	/	-	NA		
I4	Crottin goat cheese	PL2	No	Ø	Ø	Ø	-LE	/	-	103	0.02	-	99	0.04	-	/	/	/	/	-	NA		
P8	Farm made chevrotin cheese	PL2	No	Ø	-LE	-ME	-ME	/	-	-2	0.00	-	25	0.01	-	Ø	Ø	Ø	Ø	-	NA		
V1	Goat cheese log	PL2	No	Ø	-LE	Ø	-ME	/	-	-4	0.00	-	90	0.03	-	/	/	/	/	-	NA		
W16	Goat cheese	PL2	No	Ø	Ø	Ø	-ME	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	-	NA		
B10	Roquefort creamy cheese	PL2	No	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	/	/	/	/	=	NA		
B15	Rond du vinage cheese	PL2	No	Ø	-LE	Ø	-LE	/	-	-4	0.00	-	27	0.00	-	/	/	/	/	=	NA		
I28	Raw milk	PL3	Yes	0.5	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	34	0.01	-	/	/	/	/	-	NA	
I24	Milk powder	PL3	Yes	0.66	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	29	0.01	-	/	/	/	/	-	NA	
I27	Raw milk	PL3	Yes	0.82	-LE	Ø	-LE	Ø	/	-	-3	0.00	-	19	0.00	-	/	/	/	/	-	NA	
I23	Milk powder	PL3	Yes	27.6	Ø	Ø	Ø	Ø	/	-	1	0.00	-	26	0.01	-	/	/	/	/	-	NA	
I26	Raw milk	PL3	Yes	34.5	Ø	Ø	Ø	Ø	/	-	-5	0.00	-	20	0.00	-	/	/	/	/	-	NA	
I25	Milk powder	PL3	Yes	0.5 mono 20.7 inno	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	20	0.00	-	/	/	/	/	-	NA	
J23	Raw milk	PL3	No		Ø	Ø	-LE	-LE	/	-	-2	0.00	-	23	0.00	-	/	/	/	/	-	NA	
J24	Raw milk	PL3	No		Ø	Ø	-LE	-ME	/	-	-3	0.00	-	27	0.01	-	/	/	/	/	-	NA	
J25	Raw milk	PL3	No		Ø	Ø	Ø	-LE	/	-	-2	0.00	-	23	0.00	-	/	/	/	/	-	NA	
J26	Raw milk	PL3	No		Ø	Ø	-ME	-ME	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA	
J27	Raw milk	PL3	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	36	0.01	-	/	/	/	/	-	NA	
E4	Chocolate flavored fresh cheese	PL3	No		Ø	Ø	-ME	-LE	/	-	-3	0.00	-	14	0.00	-	/	/	/	/	-	NA	
I1	0% white cheese	PL3	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA	
I2	20% white cheese	PL3	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	-	NA	
C7	Cow raw milk cheese	PL1	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	9209	3.25	+	+HA	+LA	+LB	<i>L.seeligeri</i>	+	PD	
D14	Munster cheese	PL1	No		Ø	-ME	Ø	Ø	/	-	0	0.00	-	592	0.22	+	+MB	+MA	+MB	<i>L.innocua</i>	+	PD	
B2	Maroilles cheese	PL1	No	+LB	+LA	+HB	+MA	<i>L.monocytogenes</i>	+	7049	1.88	+	/	/	+	par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
B4	Farm made Maroilles cheese	PL1	No	+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	8091	2.16	+	/	/	+	par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	+	PA	
B6	Maroilles cheese	PL1	No	+LB	+LB	+HA	+HA	<i>L.monocytogenes</i>	+	8772	2.35	+	/	/	+	par défaut	+HB	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
B18	Epoisses cheese	PL1	No	+MA	+MB	+HA	+HA	<i>L.monocytogenes</i>	+	8071	2.16	+	/	/	+	par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
B19	Maroilles cheese	PL1	No	+LA	+LA	+HA	+HB	<i>L.monocytogenes</i>	+	8414	2.25	+	/	/	+	par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
B23	Maroilles cheese	PL1	No	+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	9450	2.53	+	/	/	+	par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
B24	St Germain cheese	PL1	No	+LB	+LA	+HB	+HA	<i>L.monocytogenes</i>	+	8512	2.28	+	/	/	+	par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
C8	Epoisses cheese	PL1	No	+LA	+LA	+HA	+MB	<i>L.monocytogenes</i>	+	7015	1.87	+	/	/	+	par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
C18	Cambrai tomme cheese	PL1	No		+MA	+HA	+MA*	+MA*	<i>L.monocytogenes</i>	+	11453	3.06	+	/	/	+	par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i>	+	PA
G1	Morbier cheese	PL1	No		+MA	+MB	+HB	+HB	<i>L.monocytogenes</i>	+	7924	2.01	+	/	/	+	par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
P4	Epoisses cheese	PL1	No		+HB	+HA	+MA	+MA	<i>L.monocytogenes</i>	+	7342	1.85	+	/	/	+	par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
P6	Maroilles cheese	PL1	No		+LA	+HC	+HB	+HA	<i>L.monocytogenes</i>	+	8008	2.02	+	/	/	+	par défaut	+MA	+MA	+HA	<i>L.monocytogenes</i>	+	PA
P7	Maroilles cheese	PL1	No		+LB	+LB	+HB	+HB	<i>L.monocytogenes</i>	+	7557	1.90	+	/	/	+	par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	+	PA

Dairy products - Listeria spp

APPENDIX D

CODE	MATRICES				NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON		
		Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
R21	Boule du vinage cheese	PL1	No		+LB	+MB	+MB	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	10129	2.60	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
L6	Munster cheese	PL1	Yes	2.4	+LA	+LB	+HA	+HA	<i>L.innocua</i>	+	-3	0.00	-	37	0.01	-	Ø	Ø	Ø	/	-	ND
L5	Camembert cheese	PL1	Yes	5	Ø	+LA	+HA	+HA	<i>L.innocua</i>	+	8	0.00	-	8002	3.55	+	+HA	+HB	+HA	<i>L.innocua</i>	+	PA
L8	Leerdamer cheese	PL1	Yes	10	+HA	+MA	+HA	+HA	<i>L.innocua</i>	+	6	0.00	-	7833	3.47	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA
H1	Grated Gruyère cheese	PL1	Yes	16.8	Ø	Ø	Ø	-ME	/	-	9	0.00	-	7931	3.39	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PD
C10	Goat cheese	PL2	No		Ø	-LE	Ø	Ø	/	-	1710	0.45	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PD
B8	Roquefort creamy cheese	PL2	No		+LA(4)	+LA	-ME	+LB(1)	<i>L.monocytogenes</i>	+	9049	2.42	+	/	/	+ par défaut	+HA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
B16	Ossau Iraty cheese	PL2	No		Ø	+LB	-LE	-LE	<i>L.seeligeri</i>	+	7636	2.04	+	/	/	+ par défaut	+HA	+MA	+HA	<i>L.monocytogenes</i>	+	PA
B21	Raw milk goat cheese	PL2	No		+LA	+LB	+HA	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	11171	2.99	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
B22	Raw milk goat cheese	PL2	No		+LA	+MC	+HA	+HA	<i>L.monocytogenes</i>	+	7592	2.03	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.Seeligeri</i>	+	PA
C9	Petit vinageois Raw milk goat cheese	PL2	No		+MA	+MB	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7301	1.95	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	+	PA
P13	Goat cheese	PL2	No		+HB	+MA	+HA	+MA	<i>L.welshimeri</i>	+	10	0.00	-	7057	3.13	+	+HA	+HA	+MA	<i>L.welshimeri</i>	+	PA
X18	Goat cheese	PL2	No		+LA(1)	+LA(1)	+HA	+MA	<i>L.monocytogenes</i>	+	412	0.10	+	/	/	+ par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	+	PA
X19	Goat cheese	PL2	No		+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	9755	2.52	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
N1	Raw milk	PL3	No		+LA	+LB	+MA	+MA	<i>L.innocua</i>	+	8	0.00	-	8082	3.59	+	+HA	+HB	+HB	<i>L.innocua</i>	+	PA
N2	Raw milk	PL3	No		+LA	+LA*	+MA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	8371	2.11	+	/	/	+ par défaut	+HA	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
L12	Raw milk	PL3	Yes	2.66	+MB	+MB	+HB	+HB	<i>L.innocua</i>	+	8	0.00	-	7722	3.43	+	+HA	+HB	+HB	<i>L.innocua</i>	+	PA
J15	Raw milk	PL3	Yes	7.5	+LA(1)	+LA(2)	+MA	+MA	<i>L.innocua</i>	+	6	0.00	-	7033	3.00	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA
J19	Milk powder	PL3	Yes	7.5	Ø	Ø	Ø	Ø	/	-	8	0.00	-	7246	3.09	+	+HA	+HA	+MA	<i>L.innocua</i>	+	PD
J14	Raw milk	PL3	Yes	3.4 et 5.0	Ø	Ø	Ø	Ø	/	-	6926	1.76	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PD
J16	Raw milk	PL3	Yes	10	+LA	+MA	+MA	+MA	<i>L.innocua</i>	+	6	0.00	-	7156	3.05	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA
J20	Milk powder	PL3	Yes	10	+LA	+LA	+HA	+HA	<i>L.innocua</i>	+	-3	0.00	-	23	0.00	-	Ø	Ø	Ø	/	-	ND
J17	Raw milk	PL3	Yes	5.1 et 7.5	Ø	Ø	Ø	Ø	/	-	3054	0.77	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PD

Seafood products - Listeria spp

CODE	MATRICES				NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON		
		Cat.	AC	CFU/2 5g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
G18	Salmon steak	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	-	NA
M18	Black tiger prawns	PP1	No	Ø	-LE	Ø	-LE	Ø	/	-	-2	0.00	-	19	0.00	-	/	/	/	/	-	NA
M19	Perch fillet	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	-	NA
M20	Pout fillet	PP1	No	Ø	Ø	Ø	-ME	Ø	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	-	NA
M21	Perch fillet	PP1	No	Ø	-ME	Ø	Ø	Ø	/	-	-2	0.00	-	28	0.01	-	/	/	/	/	-	NA
M22	Cod steak	PP1	No	Ø	-LE	Ø	-LE	Ø	/	-	-2	0.00	-	26	0.01	-	/	/	/	/	-	NA
M23	Shark steak	PP1	No	Ø	Ø	-LE	Ø	-LE	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	-	NA
M25	Scabbardfish fillet	PP1	No	Ø	-LE	Ø	Ø	Ø	/	-	-2	0.00	-	34	0.01	-	/	/	/	/	-	NA
Q2	Sea bream fillet	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA
Q3	Cod fillet	PP1	No	Ø	-LE	Ø	Ø	Ø	/	-	-5	0.00	-	26	0.01	-	/	/	/	/	-	NA
Q4	Scabbardfish fillet	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA
Q9	Mackerel fillets	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	33	0.01	-	/	/	/	/	-	NA
Q21	Frozen salmon steaks	PP1	No	Ø	Ø	Ø	-LE	Ø	/	-	-3	0.00	-	42	0.01	-	/	/	/	/	-	NA
Q22	Frozen salmon steaks	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	19	0.00	-	/	/	/	/	-	NA
R5	Herring fillets	PP1	No	Ø	-LE	Ø	Ø	Ø	/	-	-3	0.00	-	23	0.01	-	/	/	/	/	-	NA
R10	Prawns	PP1	No	Ø	-LE	Ø	-LE	Ø	/	-	-4	0.00	-	24	0.01	-	/	/	/	/	-	NA
R12	Cod fillet	PP1	Yes	0.3	Ø	-LE	Ø	-ME	/	-	-4	0.00	-	31	0.01	-	/	/	/	/	-	NA
S2	Prawns	PP1	Yes	1.6	Ø	Ø	Ø	-LE	/	-	-3	0.00	-	21	0.00	-	-LE	Ø	Ø	/	-	NA
G9	Salmon offcuts	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	33	0.01	-	/	/	/	/	-	NA
T8	Smoked Atlantic salmon	PP2	Yes	0.8	Ø	Ø	Ø	-ME	/	-	-3	0.00	-	20	0.00	-	Ø	Ø	-ME	/	-	NA
T9	Smoked halibut	PP2	Yes	0.4	Ø	-LE	-LE	-ME	/	-	-2	0.00	-	21	0.00	-	Ø	Ø	-ME	/	-	NA
U4	Smoked Alaskan pollock	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	-	NA
U5	Norwegian smoked salmon	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	18	0.00	-	/	/	/	/	-	NA
U6	Pyrenees smoked trout	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	25	0.01	-	/	/	/	/	-	NA
U7	Smoked salmon shreds	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	18	0.00	-	/	/	/	/	-	NA
R9	Kippers	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	22	0.00	-	/	/	/	/	-	NA
I41	Marinated herring fillets	PP3	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	24	0.00	-	/	/	/	/	-	NA
Q6	Taramasalata	PP3	No	Ø	Ø	-LE	Ø	Ø	/	-	-2	0.00	-	22	0.00	-	/	/	/	/	-	NA
Q7	Taramasalata	PP3	No	-LE	-LE	-LE	Ø	Ø	/	-	-3	0.00	-	24	0.01	-	/	/	/	/	-	NA
Q11	White fish kebabs	PP3	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA
Q23	Salt cod	PP3	No	Ø	-LE	Ø	Ø	Ø	/	-	-3	0.00	-	24	0.01	-	/	/	/	/	-	NA
G8	Salmon steak	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	7666	1.94	+	/	/	+ par défaut	+HB	+HA	+MA	<i>L.monocytogenes</i>	+	PD
I36	Tuna steak	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	10839	2.92	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PD
G5	Salmon steak	PP1	No	PP1	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	-	7909	2.00	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
I40	Roasted fresh salmon	PP1	No	PP1	+MA	+HA	+MB	<i>L.monocytogenes</i>	+	-	7132	1.92	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
M14	Panga fillet	PP1	No	PP1	+MB	+MB	+MB	<i>L.monocytogenes</i>	+	-	7718	1.94	+	/	/	+ par défaut	+HA	+HA	+HB	<i>L.monocytogenes</i>	+	PA
M17	Cod fillet	PP1	No	PP1	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	-	10072	2.54	+	/	/	+ par défaut	+HA	+HA*	+HB	<i>L.innocua</i>	+	PA
M24	Panga fillet	PP1	No	PP1	+MB	+MA	+LB	<i>L.monocytogenes</i>	+	-	7895	1.99	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	+	PA
M26	Cod fillet	PP1	No	PP2	+LA	Ø	+LA	<i>L.monocytogenes</i>	+	-	7587	1.91	+	/	/	+ par défaut	+MA	+MA	+HA	<i>L.monocytogenes</i>	+	PA
Q5	Cooked prawns	PP1	No	PP3	+LB*	+MA	+MA*	<i>L.innocua</i> <i>L.seeligeri</i>	+	6	0.00	-	8195	3.59	+	+MB	+MA	+MA	<i>L.innocua</i> <i>L.seeligeri</i>	+	PA	
R4	Frozen salmon steaks	PP1	No	PP3	+LA(1)	+MB	+MA	<i>L.monocytogenes</i>	+	7470	1.92	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	

Seafood products - Listeria spp

CODE	MATRICES	NF EN ISO 11290-1 METHOD				VIDAS LDUO METHOD								FINAL RESULT	COMPARISON							
		Cat.	AC	CFU/2 5g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO											
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
R6	Herring fillets	PP1	No		+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	9266	2.38	+	/	/	+ par défaut	+HA	+MA	+HA	<i>L.monocytogenes</i>	+	PA
R8	Prawns	PP1	No		+LA	+MB*	+HA	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7510	1.93	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
U1	Prawns	PP1	No		Ø	+LA	+MA	+HA	<i>L.seeligeri</i>	+	7478	1.91	+	/	/	+ par défaut	/	+HA	+HB	<i>L.monocytogenes</i> <i>L.seeligeri</i>	+	PA
R14	Salmon steak	PP1	Yes	0.1	Ø	Ø	+MA	+LA	<i>L.innocua</i>	+	1	0.00	-	9811	4.30	+	+HA	+MA	+MA	<i>L.innocua</i>	+	PA
R13	Coalfish fillet	PP1	Yes	0.2	Ø	-LE	+LA	+LA	<i>L.innocua</i>	+	-1	0.00	-	10622	4.66	+	+MA	+MA	+MB	<i>L.innocua</i>	+	PA
R15	Langoustines	PP1	Yes	0.3	Ø	Ø	+HA	+MA	<i>L.innocua</i>	+	5	0.00	-	8188	3.59	+	+HB	+HA	+MB	<i>L.innocua</i>	+	PA
S6	Coalfish fillet	PP1	Yes	1.64	Ø	Ø	+LA	+LB	<i>L.innocua</i>	+	-5	0.00	-	6045	2.69	+	+MA	+MA	+HB	<i>L.innocua</i>	+	PA
S5	Cod fillet	PP1	Yes	2.46	Ø	Ø	Ø	-LE	/	-	42	0.00	-	7984	3.55	+	+HA	+HA	+HB	<i>L.innocua</i>	+	PD
S4	Prawns	PP1	Yes	2.46	+MA	+MA	+MB	+MB	<i>L.innocua</i>	+	7	0.00	-	8144	3.62	+	+HB	+HB	+HA	<i>L.innocua</i>	+	PA
M13	Fish fillet	PP1	Yes	3.8	PP1	+LA(1)	+LA	+LA	<i>L.welshimeri</i>	+	-3	0.00	-	38	0.01	-	+HA	+MA	+MA	<i>L.welshimeri</i>	-	ND
U2	Prawns	PP1	Yes	4.4	+LA	+LA	Ø	Ø	<i>L.innocua</i>	+	7	0.00	-	7395	3.29	+	/	+HA	+MB	<i>L.innocua</i>	+	PA
M16	Scabbardfish fillet	PP1	Yes	4.8	PP1	+LA	+LA	+LA	<i>L.welshimeri</i>	+	-3	0.00	-	25	0.01	-	+MB	+MA	+MB	<i>L.welshimeri</i>	-	ND
M15	Dogfish	PP1	Yes	5.7	PP1	+LA	+MA	+MA	<i>L.welshimeri</i>	+	-2	0.00	-	22	0.00	-	Ø	Ø	Ø	/	-	ND
I37	Scottish smoked salmon	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	7678	2.06	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	+	PD
I39	Smoked trout	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	7340	1.97	+	/	/	+ par défaut	+HB	+HB	+HB	<i>L.monocytogenes</i>	+	PD
G6	Salmon offcuts	PP2	No	Ø	+LA	+LB	+LB	<i>L.monocytogenes</i>	+	7606	1.92	+	/	/	+ par défaut	+HA	+HA	+MA*	<i>L.monocytogenes</i>	+	PA	
G7	Salmon offcuts	PP2	No	+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i>	+	8013	2.03	+	/	/	+ par défaut	+HA	+HA	+MA*	<i>L.monocytogenes</i>	+	PA	
G14	Smoked salmon	PP2	No	+LA	+MB	+HA	+HA	<i>L.monocytogenes</i>	+	7384	1.87	+	/	/	+ par défaut	+HA	+HB	+HA	<i>L.monocytogenes</i>	+	PA	
G15	Smoked salmon	PP2	No	+MA	+MB	+HA	+HA	<i>L.monocytogenes</i>	+	7164	1.81	+	/	/	+ par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	+	PA	
G16	Smoked salmon	PP2	No	+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	7539	1.91	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
G17	Smoked salmon	PP2	No	+MA	+MA	+HA*	+MA	<i>L.monocytogenes</i>	+	7553	1.91	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
I33	Smoked trout	PP2	No	+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	7762	2.09	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
I34	Norwegian smoked salmon	PP2	No	+LB	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	7904	2.12	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
I35	Atlantic smoked salmon	PP2	No	+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	7286	1.96	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
I38	Scottish smoked salmon	PP2	No	+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	7831	2.11	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
R3	Salmon offcuts	PP2	No	Ø	+LA	Ø	+MA	<i>L.monocytogenes</i>	+	7336	1.89	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
R7	Smoked salmon	PP2	No	+LA	+LB	+HA	+MA	<i>L.monocytogenes</i>	+	7428	1.91	+	/	/	+ par défaut	+HA	+MA	+HA	<i>L.monocytogenes</i>	+	PA	
S1	Smoked haddock	PP2	No	Ø	+LA	+MA	+MB	<i>L.monocytogenes</i>	+	5740	1.46	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
U8	Aquitaine smoked trout	PP2	No	Ø	+LA(3)	+HA	+MA	<i>L.monocytogenes</i>	+	7289	1.86	+	/	/	+ par défaut	/	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
U3	Smoked trout	PP2	Yes	2.68	Ø	Ø	Ø	Ø	/	-	5	0.00	-	7665	3.41	+	/	+HA	+HA	<i>L.innocua</i>	+	PD
S3	Atlantic smoked salmon	PP2	Yes	2.46	+HB	+MA	+MB	<i>L.innocua</i>	+	-3	0.00	-	21	0.00	-	Ø	Ø	-LE	Ø	-	ND	
Q1	Salmon carpaccio	PP3	No	+LA	+LA	+HA	+HA*	<i>L.monocytogenes</i>	+	7644	1.96	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
G12	Salmon tartare	PP3	No	Ø	Ø	+HA	+HA	<i>L.monocytogenes</i>	+	8000	2.02	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
G13	Salmon tartare	PP3	No	+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	7278	1.84	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
I42	Fish à la bordelaise	PP3	No	+HA*	+MA*	+HA	+MA*	<i>L.monocytogenes</i>	+	6647	1.79	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
Q8	Marinated herring fillets	PP3	No	+LD	+MA	+HA	+MB	<i>L.monocytogenes</i>	+	7680	1.97	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
Q12	Salmon kebabs	PP3	No	+LB(1)	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	893	0.23	+	/	/	+ par défaut	+MA	+MB	+MA	<i>L.monocytogenes</i>	+	PA	
R11	Cod fritters	PP3	Yes	0.2	Ø	Ø	+MA	+MA	<i>L.innocua</i>	+	7	0.00	-	8064	3.53	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA

Vegetal products - Listeria spp

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON	
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION						
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.	
C4	Frozen broccoli	PV1	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	22	0.00	-	/	/	/	/	- NA
C6	Frozen potatoes and oignons	PV1	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	Ø	Ø	-ME	Ø	- NA
B26	Red cabbage	PV1	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	18	0.00	-	/	/	/	/	- NA
B27	Grated celery	PV1	No		Ø	Ø	Ø	Ø	/	-	-5	0.00	-	21	0.00	-	/	/	/	/	- NA
E13	Mixed raw vegetables	PV1	No		Ø	-LE	Ø	-ME	/	-	-2	0.00	-	23	0.00	-	/	/	/	/	- NA
E14	Grated celery	PV1	No		Ø	Ø	Ø	-LE	/	-	-3	0.00	-	18	0.00	-	/	/	/	/	- NA
E15	Grated carrots	PV1	No		Ø	Ø	Ø	Ø	/	-	-2	0.00	-	17	0.00	-	/	/	/	/	- NA
E16	Grated carrots	PV1	No		Ø	Ø	Ø	Ø	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	- NA
E17	Raw mushrooms	PV1	No		Ø	Ø	Ø	-ME	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	- NA
E18	Raw red cabbage	PV1	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	18	0.00	-	/	/	/	/	- NA
E19	Raw red cabbage	PV1	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	14	0.00	-	/	/	/	/	- NA
E20	Raw mushrooms	PV1	No		Ø	-LE	-LE	-ME	/	-	-1	0.00	-	23	0.00	-	/	/	/	/	- NA
S18	Mushrooms	PV1	No		Ø	-ME	Ø	-ME	/	-	-5	0.00	-	83	0.03	-	Ø	-ME	-HE	/	- NA
R16	Cucumbers	PV1	Yes	< 0,1	-LE	-ME	Ø	-ME	/	-	-4	0.00	-	23	0.01	-	/	/	/	/	- NA
R17	Broccoli	PV1	Yes	< 0,1	Ø	Ø	Ø	-LE	/	-	-3	0.00	-	20	0.00	-	/	/	/	/	- NA
R18	Carrots	PV1	Yes	< 0,1	Ø	-LE	Ø	-ME	/	-	-4	0.00	-	19	0.00	-	/	/	/	/	- NA
R20	White cabbage	PV1	Yes	< 0,1	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	/	/	/	/	- NA
L125-2	Red cabbage	PV1	Yes	2,7	Ø	Ø	Ø	-LE	/	-	-3	0.00	-	22	0.00	-	/	/	/	/	- NA
L125-3	Red cabbage	PV1	Yes	2,7	Ø	Ø	Ø	-LE	/	-	-2	0.00	-	26	0.01	-	/	/	/	/	- NA
L125-4	Red cabbage	PV1	Yes	2,7	Ø	-LE	Ø	-LE	/	-	-3	0.00	-	25	0.01	-	/	/	/	/	- NA
L125-5	Red cabbage	PV1	Yes	2,7	Ø	-LE	Ø	-LE	/	-	1	0.00	-	78	0.03	-	/	/	/	/	- NA
E1	Mixed salad	PV2	No		Ø	-LE	-LE	-LE	/	-	-4	0.00	-	19	0.00	-	/	/	/	/	- NA
F13	Oakleaf salad	PV2	No		-LE	Ø	-LE	Ø	/	-	-3	0.00	-	28	0.01	-	/	/	/	/	- NA

Vegetal products - Listeria spp

CODE	MATRICES	NF EN ISO 11290-1 METHOD			VIDAS LDUO METHOD										FINAL RESULT	COMPARISON							
		Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION								
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.			
F14	Mixed salad	PV2	No		-LE	-LE	-ME	-ME	/	-	-4	0.00	-	22	0.00	-	/	/	/	/	-	NA	
Q19	Salad	PV2	Yes	1.35	Ø	-LE	Ø	-LE	/	-	-4	0.00	-	21	0.00	-	-LE	-ME	-ME	/	-	NA	
R19	Lamb's lettuce	PV2	Yes	< 0,1	Ø	-ME	Ø	-ME	/	-	-2	0.00	-	25	0.00	-	/	/	/	/	-	NA	
C20	Frozen fries	PV2	No		-LE	-LE	Ø	-LE	/	-	-5	0.00	-	24	0.00	-	/	/	/	/	-	NA	
C21	Frozen fries	PV2	No		Ø	Ø	Ø	Ø	/	-	-5	0.00	-	22	0.00	-	/	/	/	/	-	NA	
F15	Frozen fries	PV2	No		Ø	-LE	Ø	-LE	/	-	-4	0.00	-	23	0.00	-	/	/	/	/	-	NA	
F16	Frozen fries	PV2	No		Ø	-LE	Ø	-ME	/	-	-6	0.00	-	20	0.00	-	/	/	/	/	-	NA	
T2	Frozen fries	PV2	No		Ø	Ø	Ø	Ø	/	-	-2	0.00	-	23	0.01	-	Ø	Ø	-ME	/	-	NA	
F17	Mixed grated vegetables	PV3	No		Ø	-LE	Ø	-LE	/	-	-4	0.00	-	23	0.00	-	/	/	/	/	-	NA	
B3	Fried vegetables	PV3	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	/	/	/	/	-	NA	
E22	Carrot puree	PV3	No		Ø	Ø	-ME	Ø	/	-	-2	0.00	-	31	0.01	-	/	/	/	/	-	NA	
F12	Cooked broccoli	PV3	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	23	0.00	-	/	/	/	/	-	NA	
U10	Southern style fried vegetables	PV3	Yes	0.4	Ø	-LE	-LE	-LE	/	-	-3	0.00	-	37	0.01	-	/	/	/	/	-	NA	
U11	Country-style fried vegetables	PV3	Yes	0.5	-LE	-ME	-HE	-HE	/	-	-3	0.00	-	25	0.01	-	/	/	/	/	-	NA	
B7	Frozen broccoli	PV1	No		+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	7495	2.00	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
E21	Green beans	PV1	No		+LA	+LA	+HA	+HA	<i>L.innocua</i>	+	5	0.00	-	8395	3.22	+	+HA	+MB	+HA	<i>L.innocua</i>	+	PA	
S17	Mushrooms	PV1	No		+LB(2)	-ME	+MA	+MA	<i>L.monocytogenes</i>	+	7210	1.84	+	/	/	+ par défaut	+HA	+HB	+HB	<i>L.monocytogenes</i>	+	PA	
Q18	Red cabbage	PV1	Yes	2.2	+LA	+LD	+HA	+MB	<i>L.monocytogenes</i>	+	-3	0.00	-	23	0.01	-	Ø	Ø	Ø	Ø	-	ND	
L125-1	Red cabbage	PV1	Yes	2.7	Ø	Ø	Ø	-LE	/	-	25	0.00	-	2001	0.89	+	/	+MA	+MB	<i>L.monocytogenes</i>	+	PD	
S8	Carrots	PV1	Yes	4.92	Ø	Ø	+MA	+MA	<i>L.monocytogenes</i>	+	-4	0.00	-	23	0.01	-	Ø	Ø	-HE	/	-	ND	
S9	Mushrooms	PV1	Yes	4.92	+LA(1)	Ø	+MA	+MA	<i>L.monocytogenes</i>	+	788	0.20	+	/	/	+ par défaut	+MA	+HB	+MB	<i>L.monocytogenes</i>	+	PA	
Q13	Green beans	PV1	Yes	6.6	+MA	+MA	+HA	+HA	<i>L.innocua</i>	+	7	0.00	-	7214	3.16	+	+HA	+HB	+HA	<i>L.innocua</i>	+	PA	
Q20	Mix carrots, celery, peppers	PV1	Yes	6.6 et 1,4	+LA	+LC	+HA	+MB	<i>L.innocua</i>	+	47	0.01	-	7316	3.21	+	+HA	+HA	+MB	<i>L.innocua</i>	+	PA	
Q24	Carrots & cabbage	PV1	Yes	10,6 et 2,2	+LA	+LB	+HA	+MB	<i>L.innocua</i>	+	10	0.00	-	7299	3.20	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA	
B25	Salad	PV2	No		+LA(1)	+LA(2)	+HB	+HA	<i>L.monocytogenes</i>	+	3340	0.89	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
B12	Frozen fries	PV2	No		+LA	+LB	+HA	+HA	<i>L.monocytogenes</i>	+	7984	2.13	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
B20	Frozen fried potatoes	PV2	No		+LB	+LA	+HB	+HA	<i>L.monocytogenes</i>	+	8906	2.38	+	/	/	+ par défaut	+HB	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
C1	Frozen fried potatoes	PV2	No		-LE	+LA	Ø	Ø	<i>L.grayi</i>	+	6710	1.79	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
C5	Frozen fries	PV2	No		+MA	+MB	+MB	+MB	<i>L.monocytogenes</i>	+	10757	2.88	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
P1	Pre-cooked frozen fries	PV2	No		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	8606	2.17	+	/	/	+ par défaut	+LA	+HB	+MA	<i>L.monocytogenes</i>	+	PA	
P2	Frozen fries	PV2	No		+HA	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	7388	1.86	+	/	/	+ par défaut	+LA*	+HA	+MA	<i>L.monocytogenes</i>	<i>L.innocua</i>	+	PA
P3	Traditional frozen fries	PV2	No		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	7314	1.84	+	/	/	+ par défaut	+HA	+HA*	+LA	<i>L.monocytogenes</i>	+	PA	
R1	Frozen fried potatoes	PV2	No		+MA	+MB	+HA	+MA	<i>L.monocytogenes</i>	+	7417	1.91	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	+	PA	
R2	Frozen fries	PV2	No		+MB	+MB*	+HB	+MB	<i>L.monocytogenes</i>	<i>L.innocua</i>	+	7667	1.97	+	/	/	+ par défaut	+HA	+HA	+MB*	<i>L.monocytogenes</i>	+	PA
S10	Frozen fries	PV2	No		+MA	+MB	+HA	+MA	<i>L.monocytogenes</i>	<i>L.innocua</i>	+	6742	1.72	+	/	/	+ par défaut	+HA	+MB	+HB	<i>L.monocytogenes</i>	+	PA

Vegetal products - Listeria spp

CODE	MATRICES				NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON		
		Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
S11	Frozen fried potatoes	PV2	No		+MA	+MB	+MA	+MA	<i>L.monocytogenes</i>	+	10144	2.59	+	/	/	+ par défaut	+HA	+HA	+HB	<i>L.monocytogenes</i>	+	PA
T1	Frozen fried potatoes	PV2	No		+MA	+MB*	+HA	+MB*	<i>L.monocytogenes</i>		4959	1.77	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>		PA
Q25	Lamb's lettuce	PV2	Yes	2.2	+LB	+LC	+MA	+MB	<i>L.monocytogenes</i>	+	6752	1.73	+	/	/	+ par défaut	+HA	+HA	+MB*	<i>L.monocytogenes</i>	+	PA
Q17	Spinach salad	PV2	Yes	6.6	+LA	+LC	+MA	+MB	<i>L.innocua</i>	+	11	0.00	-	7340	3.22	+	+HA	+HA	+MB	<i>L.innocua</i>	+	PA
Q16	Soya	PV2	Yes	10.6	+LA	+LC	+HA	+MB	<i>L.innocua</i>	+	45	0.01	-	6880	3.01	+	+HA	+HA	+HB	<i>L.innocua</i>	+	PA
C3	Spinach with cream	PV3	No		+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	8753	2.34	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	+	PA
T7	Southern style fried vegetables	PV3	No		+HB	+LB	+HB	+HB*	<i>L.monocytogenes</i>		10711	2.73	+	/	/	+ par défaut	+HB	+HB	+HB	<i>L.monocytogenes</i>		PA
U12	Cauliflower - broccoli puree	PV3	No		+MA*	+MB*	+HB	+HB	<i>L.monocytogenes</i>		8592	2.19	+	/	/	+ par défaut	/	+HB*	+MA*	<i>L.monocytogenes</i>		PA
V2	Catalan style fried vegetables	PV3	No		+LA	+LB	+HA	+HB	<i>L.innocua</i>	+	50	0.01	-	8213	2.87	+	+HA	+HA	+MA	<i>L.innocua</i>	+	PA
U9	Fried zucchini	PV3	Yes	0.3	-LE	+MB	-LE	+MC	<i>L.seeligeri</i>	+	-5	0.00	-	23	0.01	-	-ME	-LE	Ø		-	ND
V3	Southern style fried vegetables	PV3	Yes	4.2	+LA	+LB	+HA	+HB	<i>L.innocua</i>	+	0	0.00	-	8562	3.00	+	+HA	+HB	+HA	<i>L.innocua</i>	+	PA
V5	Fried vegetables	PV3	Yes	4.2	+MA	+LB	+HA	+MB	<i>L.innocua</i>	+	1	0.00	-	8721	3.05	+	+MA	+HB	+MB	<i>L.innocua</i>	+	PA
V6	Vegetables puree	PV3	Yes	5.6	+LA	+LA(3)	+HA	+HA	<i>L.innocua</i>	+	50	0.01	-	8290	2.90	+	+HA	+HA	+MA	<i>L.innocua</i>	+	PA
V4	Country-style fried vegetables	PV3	Yes	7.2	+LA	+LB	+HA	+HB	<i>L.innocua</i>	+	55	0.01	-	8414	2.94	+	+HA	+HB	+HB	<i>L.innocua</i>	+	PA
V7	Cooked carrots	PV3	Yes	7.2	+MA	+MA	+HA	+MA	<i>L.innocua</i>	+	-3	0.00	-	7743	2.71	+	+MA	+HA	+MA	<i>L.innocua</i>	+	PA
Q26	Vegetables kebabs	PV3	Yes	6.6 et 1,4	+LB	+LB	+HA	+MB	<i>L.innocua</i>	+	11	0.00	-	8013	3.51	+	+HA	+MA	+MB*	<i>L.innocua</i>	+	PA
S13	Vegetables soup	PV3	Yes	10	+LA(3)	+LA(1)	+HA	+MA	<i>L.monocytogenes</i>	+	7741	1.97	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
S15	Ratatouille	PV3	Yes	10	+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	6906	1.76	+	/	/	+ par défaut	+HA	+HB	+HA	<i>L.monocytogenes</i>	+	PA
S16	Potato flakes	PV3	Yes	10	+MB	+MB	+MA	+MA	<i>L.monocytogenes</i>	+	7061	1.80	+	/	/	+ par défaut	+HA	+HB	+HB	<i>L.monocytogenes</i>	+	PA
T3	Broccoli & cauliflower patties	PV3	No & Yes	21.5	+MA	+MB	+MB*	+MB	<i>L.monocytogenes</i>		2659	0.67	+	/	/	+ par défaut	+HB	+HB*	+HB	<i>L.monocytogenes</i>		PA

Composite foods - Listeria spp

CODE	MATRICES				NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON				
		Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION									
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.				
I9	Hot Dog	C2	No		Ø	-LE	-LE	Ø	/	-	0	0.00	-	61	0.02	-	/	/	/	/	-	NA		
I18	Chicken pie	C2	Yes	1.56	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	-	NA		
B11	Strawberry tart	C3	No		Ø	-LE	Ø	-LE	/	-	-4	0.00	-	25	0.00	-	/	/	/	/	-	NA		
B29	Strawberry tart	C3	No		Ø	Ø	-LE	-LE	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	-	NA		
B1	Rice salad	C1	No		+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	7692	2.06	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA		
B13	Tagliatelle	C2	No		+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	7664	2.05	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA		
B14	Tagliatelle	C2	No		+MA	+MA	+MA	+HA	<i>L.monocytogenes</i>	+	6953	1.86	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA		
C2	Farfale	C2	No		+LA	Ø	+MA*	+MA*	<i>L.monocytogenes</i>	<i>L.innocua</i>	+	6828	1.82	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
Q10	Salmon paupiette with vegetables	C2	No		PP1	-LE	Ø	-LE	/	-	-3	0.00	-	3233	1.41	+	+MA	+MA	+MA	<i>L.welshimeri</i>	+	PD		
S7	Cod fillet with vegetables	C2	Yes	1.64	Ø	Ø	+HA	+MA	<i>L.innocua</i>	+	6	0.00	-	7155	3.18	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA		
B5	Profiteroles	C3	No		+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	7825	2.09	+	/	/	+ par défaut	+HA*	+HA*	+MA*	<i>L.monocytogenes</i>	+	PA		
B9	Profiteroles	C3	No		+MA	+MA	+HA*	+HA*	<i>L.monocytogenes</i>	+	7370	1.97	+	/	/	+ par défaut	+HA*	+HA*	+HA*	<i>L.monocytogenes</i>	+	PA		
C12	Chantilly cream puff	C3	No		+MA	+HA	+MA*	+MA*	<i>L.monocytogenes</i>	<i>L.innocua</i>	+	7981	2.13	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i>	+	PA	
P5	Cream puff	C3	No		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	7382	1.86	+	/	/	+ par défaut	+MA*	+MA*	+MA	<i>L.monocytogenes</i>	+	PA		
C13	Cream cake	C3	No		+LA	+LB	Ø	-ME	<i>L.grayi</i>	+	-4	0.00	-	18	0.00	-	/	/	/	/	-	ND		
L11	Strawberry vanilla ice-cream	C3	Yes	4.5	+MA	+MA	+HA	+HA	<i>L.innocua</i>	+	37	0.00	-	7690	3.41	+	+HA	+HB	+MA	<i>L.welshimeri</i>	+	PA		
J28	Strawberry ice-cream	C3	Yes	5	Ø	Ø	Ø	Ø	/	-	6	0.00	-	7544	3.32	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PD		
J29	Vanilla ice-cream	C3	Yes	7.5	+LA	+LA	+HA	+HA	<i>L.innocua</i>	+	5	0.00	-	7311	3.12	+	+HA	+HB	+MA	<i>L.innocua</i>	+	PA		
L9	Normandy tart	C3	Yes	8.7	+HA	+HA	+HA	+HA	<i>L.innocua</i>	+	7	0.00	-	7718	3.42	+	+HA	+HA	+MA	<i>L.innocua</i>	+	PA		
J22	Strawberry melba	C3	Yes	10	+LA(1)	+LB(1)	+HA	+HB	<i>L.innocua</i>	+	46	0.01	-	6805	2.90	+	+HB	+HA	+MA	<i>L.innocua</i>	+	PA		
J21	Chantilly cream puff	C3	Yes	5.1 et 7.5	+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	<i>L.innocua</i>	+	6697	1.70	+	/	/	+ par défaut	+HB	+HA	+HA	<i>L.monocytogenes</i>	<i>L.innocua</i>	+	PA

Environmental samples - Listeria spp

				NF EN ISO 11290-1 METHOD							VIDAS LDUO METHOD								COMPARISON	
CODE	MATRICES	Cat.	AC	FRASER 1/2			FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION				FINAL RESULT	
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.	
G19	Waste waters	EN1	No	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	- NA
G20	Standing water	EN1	No	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	- NA
G22	Water from rinsing container	EN1	No	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	14	0.00	-	/	/	/	/	- NA
G23	Water	EN1	No	Ø	Ø	Ø	-LE	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	- NA
H9	Washing basin	EN1	Yes	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	18	0.00	-	/	/	/	/	- NA
H10	Residual water	EN1	Yes	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	20	0.00	-	/	/	/	/	- NA
H11	Doser rinsing water	EN1	Yes	Ø	Ø	Ø	-LE	/	-	-4	0.00	-	19	0.00	-	/	/	/	/	- NA
H12	Standing water from storage room	EN1	Yes	Ø	Ø	Ø	Ø	/	-	-5	0.00	-	23	0.00	-	/	/	/	/	- NA
J10	Residual water from facility	EN1	No	-LE	-LE	-ME	-ME	/	-	-3	0.00	-	29	0.01	-	/	/	/	/	- NA
J11	Residual water	EN1	No	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	21	0.00	-	/	/	/	/	- NA
J12	Washing machine water	EN1	No	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	- NA
J13	Washing machine water	EN1	No	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	25	0.00	-	/	/	/	/	- NA
M29	Puddle of water	EN1	No	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	34	0.01	-	/	/	/	/	- NA
M30	Residual water	EN1	No	Ø	Ø	Ø	-LE	/	-	-4	0.00	-	28	0.01	-	/	/	/	/	- NA
M31	Standing water from storage container	EN1	No	Ø	Ø	Ø	-LE	/	-	-2	0.00	-	22	0.00	-	/	/	/	/	- NA
M32	Water from rinsing container outlet	EN1	No	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	24	0.01	-	/	/	/	/	- NA
M33	Water on ground	EN1	No	Ø	Ø	-LE	Ø	/	-	-4	0.00	-	23	0.01	-	/	/	/	/	- NA
C16	Sponge from fish cutting	EN2	No	Ø	Ø	Ø	-LE	/	-	-5	0.00	-	34	0.01	-	/	/	/	/	- NA
C17	Slicer sponge	EN2	No	Ø	Ø	Ø	-LE	/	-	-4	0.00	-	25	0.00	-	/	/	/	/	- NA
D21	Wipe from cheese-slicing machine	EN2	No	Ø	Ø	Ø	Ø	/	-	-5	0.00	-	21	0.00	-	/	/	/	/	- NA
D22	Wipe from cheese knife	EN2	No	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	51	0.01	-	/	/	/	/	- NA
D24	Surface fish knife	EN2	No	-LE	-LE	-ME	-ME	/	-	-3	0.00	-	18	0.00	-	/	/	/	/	- NA
F19	Surface of serrated butcher's knife	EN2	No	Ø	Ø	Ø	-LE	/	-	-4	0.00	-	19	0.00	-	/	/	/	/	- NA
F20	Meat preparation board surface	EN2	No	Ø	Ø	Ø	-LE	/	-	-3	0.00	-	18	0.00	-	/	/	/	/	- NA
F21	Surface slicing machine	EN2	No	Ø	Ø	Ø	-LE	/	-	-3	0.00	-	27	0.00	-	/	/	/	/	- NA
F22	Surface of ham slicing machine	EN2	No	Ø	Ø	Ø	-LE	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	- NA

Environmental samples - Listeria spp

CODE	MATRICES	NF EN ISO 11290-1 METHOD										VIDAS LDUO METHOD										COMPARISON
		Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO					CONFIRMATION				FINAL RESULT		
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
F23	Surface of cold meats knife	EN2	No		Ø	Ø	Ø	-LE	/	-	-4	0.00	-	22	0.00	-	/	/	/	/	-	NA
F24	Surface of roasting spit	EN2	No		Ø	Ø	Ø	-LE	/	-	-4	0.00	-	21	0.00	-	/	/	/	/	-	NA
G24	Swab from ground drainage channel	EN2	No		Ø	Ø	Ø	-LE	/	-	-2	0.00	-	17	0.00	-	/	/	/	/	-	NA
G26	Cheese counter board surface	EN2	No		Ø	-LE	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	/	/	/	/	-	NA
J8	Ground surface in butcher's facility	EN2	Yes		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	25	0.01	-	/	/	/	/	-	NA
J9	Surface of butcher's cutting table	EN2	Yes		Ø	Ø	-LE	Ø	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	-	NA
J30	Surface of stainless steel table in butcher's facility	EN2	Yes		Ø	Ø	-LE	-ME	/	-	-4	0.00	-	18	0.00	-	/	/	/	/	-	NA
O16	Surface of slicer in cold meats facility	EN2	Yes		-LE	-LE	-LE	-LE	/	-	4	0.00	-	22	0.00	-	Ø	-LE	-LE	/	-	NA
O17	Surface in cold store for cheese	EN2	Yes		Ø	-LE	Ø	-ME	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA
I29	Residues from cheese counter	EN3	No		Ø	-LE	-LE	-ME	/	-	-4	0.00	-	19	0.00	-	/	/	/	/	-	NA
I30	Residues from cheese counter	EN3	No		Ø	Ø	Ø	Ø	/	-	-1	0.00	-	21	0.00	-	/	/	/	/	-	NA
I31	Residue from floor of production hall	EN3	No		Ø	Ø	-LE	Ø	/	-	-7	0.00	-	21	0.00	-	/	/	/	/	-	NA
O2	Residues from cheese counter	EN3	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	20	0.00	-	/	/	/	/	-	NA
P10	Residues from cold meats counter	EN3	No		-LE	-LE	-ME	-ME	/	-	-3	0.00	-	26	0.01	-	-LE	-ME	-ME	/	-	NA
P14	Residues from cheese facility	EN3	No		Ø	-LE	Ø	-LE	/	-	-3	0.00	-	26	0.01	-	Ø	-LE	Ø	/	-	NA
F18	Water from U-bend in butcher's facility	EN1	No		+LA	+LA	+HA	+MA*	<i>L.monocytogenes</i>	+	8612	2.30	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
G21	Washing machine water	EN1	No		+LA	+LA*	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	6190	1.57	+	/	/	+ par défaut	+MA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O20	Water from cooling tower	EN1	No		+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	6578	1.66	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	+	PA
H13	Water from light rinsing	EN1	Yes	4 et 0	Ø	Ø	Ø	-LE	/	-	5	0.00	-	7485	3.20	+	+LB	+HB	+HA	<i>L.innocua</i> <i>L.seeligeri</i>	+	PD
O18	Water from rinsing container filter outlet	EN1	Yes	6.5	+LA	+LA	+MA	+MB	<i>L.innocua</i>	+	7	0.00	-	7165	3.18	+	+MB	+MA	+HB	<i>L.innocua</i>	+	PA
H7	Water from final rinsing	EN1	Yes	8.0	Ø	Ø	Ø	Ø	/	-	8	0.00	-	7098	3.03	+	+HA	+HA	+HA	<i>L.seeligeri</i>	+	PD
M27	Rinsing water	EN1	Yes	7 et 3,8	+MA	+LA	+MA*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	8365	2.11	+	/	/	+ par défaut	+HA	+HB*	+HA*	<i>L.monocytogenes</i>	+	PA
G27	Surface of cold meats knife	EN2	No		Ø	-LE	-LE	-LE	/	-	20	0.00	-	7541	2.89	+	+HA	+HA	+HA	<i>L.welshimeri</i>	+	PD
O3	Cold meats counter knife	EN2	No		+LB	-ME	+HB	+MB	<i>L.monocytogenes</i>	+	-4	0.00	-	20	0.00	-	Ø	-LE	-ME	/	-	ND
B28	Sponge from top mat on scales	EN2	No		Ø	Ø	+HA	+HA	<i>L.monocytogenes</i>	+	7794	2.08	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
D23	Swab from sausage production line	EN2	No		+HA	+HA	+MA	+MA	<i>L.monocytogenes</i>	+	6829	1.73	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
F25	Surface of cold meat slicing machine	EN2	No		+HA	+MA	+MA*	+MA*	<i>L.innocua</i>	+	-2	0.00	-	9958	3.63	+	+LA	+LA	+LA	<i>L.innocua</i>	+	PA
G25	Surface of cheese knife	EN2	No		+LA	+LB	+HA	+HA	<i>L.monocytogenes</i>	+	7500	1.90	+	/	/	+ par défaut	+HA	+MB	+MA	<i>L.monocytogenes</i>	+	PA
G28	Ground surface in fish-cutting facility	EN2	No		+MA	+MB	+HA	+MB	<i>L.monocytogenes</i>	+	1974	0.50	+	/	/	+ par défaut	-ME	+MA	+LA	<i>L.monocytogenes</i>	+	PA
J7	Cheese counter knife	EN2	No		+HA*	+MA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	698	0.17	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O1	Sponge from surface of pastries stand	EN2	No		+LA	+LA*	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7370	1.86	+	/	/	+ par défaut	+MA*	+HA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O4	Surface in cold store for meats	EN2	No		+LA	+LA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7977	2.01	+	/	/	+ par défaut	+HA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O5	Swab from fries production line	EN2	No		+MA	+MA	+HA*	+MA*	<i>L.monocytogenes</i>	+	7329	1.85	+	/	/	+ par défaut	+MA	+MA	+MA*	<i>L.monocytogenes</i>	+	PA
P9	Sponge from transfer belt	EN2	No		+HA	+MB	+HB	+HB	<i>L.monocytogenes</i>	+	7155	1.80	+	/	/	+ par défaut	+MA	+MB	+HA	<i>L.monocytogenes</i>	+	PA
H16	Surface of dirty service lift	EN2	Yes	0.1	-LE	-LE	+HA	+HA	<i>L.innocua</i>	+	-3	0.00	-	7329	3.13	+	-LE	+HB	+MD	<i>L.innocua</i>	+	PA
J1	Surface of stainless steel table in pastries facility	EN2	Yes	0,2 et 0,4	Ø	Ø	-ME	-ME	/	-	14	0.00	-	8251	3.51	+	+HA	+HA	+HB	<i>L.innocua</i>	+	PD
J4	Cheese counter knife	EN2	Yes	0.8	+LA	+LA	+MA	+MA	<i>L.innocua</i>	+	23	0.00	-	7926	3.38	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA

Environmental samples - Listeria spp

CODE	MATRICES	NF EN ISO 11290-1 METHOD							VIDAS LDUO METHOD										COMPARISON			
		Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO					CONFIRMATION						
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
J5	Saw blade from butcher's stand	EN2	Yes	1.2	+LA(3)	+LA	+MA	+MA	<i>L.innocua</i>	+	9	0.00	-	8075	3.45	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA
J2	Surface of slicer in butcher's facility	EN2	Yes	0,4 et 0,8	Ø	Ø	+MA	+MA	<i>L.innocua</i>	+	12	0.00	-	7932	3.40	+	+HA	+HA	+HA	<i>L.innocua</i>	+	PA
J6	Surface of freezer in pastries facility	EN2	Yes	1.6	+LA(2)	-LE	+MA	+MA	<i>L.innocua</i>	+	13	0.00	-	7773	3.32	+	+HA	+HA	+MA	<i>L.innocua</i>	+	PA
J3	Cheese counter board surface	EN2	Yes	0,6 et 1,2	+LA	+LB	+MA*	+MB	<i>L.monocytogenes</i>	+	10732	2.73	+	/	/	+ par défaut	+HA*	+HA*	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O13	Stainless steel shelf surface in cold store	EN2	Yes	6.5	+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	7105	1.79	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	+	PA
I32	Bone dust	EN3	No		Ø	Ø	Ø	Ø	/	-	3	0.00	-	9928	3.89	+	+MA	+HA	+MA	<i>L.welshimeri</i> <i>L.innocua</i>	+	PD
I43	Residue from cutting counter	EN3	No		Ø	Ø	Ø	Ø	/	-	6691	1.80	+	/	/	+ par défaut	+MA	+MB	+MA	<i>L.monocytogenes</i>	+	PD
C14	Residue from production line	EN3	No		+MA	+MA	+MB	+MB	<i>L.monocytogenes</i>	+	9830	2.63	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
C15	Residue from dirty containers	EN3	No		+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	7455	1.99	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
O6	Residue from fries storage container	EN3	No		+MA	+MB	+HA*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7109	1.79	+	/	/	+ par défaut	+HA	+MA*	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O7	Residue from meat-cutting board	EN3	No		+MA	+MA	+MA*	+MA*	<i>L.monocytogenes</i>	+	7368	1.86	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i>	+	PA
O8	Residue from packaging facility	EN3	No		+MA	+MA	+MA	+MB	<i>L.monocytogenes</i>	+	7372	1.86	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
O9	Residue from meat-cutting facility	EN3	No		+MA	+MA	+MA	+MA	<i>L.monocytogenes</i>	+	7273	1.83	+	/	/	+ par défaut	+HA	+HA	+HB	<i>L.monocytogenes</i>	+	PA
P11	Residue from fish counter	EN3	No		Ø	+LB	Ø	Ø	<i>L.monocytogenes</i>	+	7353	1.85	+	/	/	+ par défaut	-LE	+HA	+MB	<i>L.monocytogenes</i>	+	PA
P12	Scales for fish	EN3	No		Ø	+LB	+MA	+MA*	<i>L.monocytogenes</i>	+	7188	1.81	+	/	/	+ par défaut	-LE	+MA	+MB	<i>L.monocytogenes</i>	+	PA
O15	Residue from packaging container	EN3	Yes	<1	+MA	+MB	+MA	+LB	<i>L.monocytogenes</i>	+	4128	1.04	+	/	/	+ par défaut	+MA	+MA	+MB	<i>L.monocytogenes</i>	+	PA
O14	Residue from sink in cutting facility	EN3	Yes	9.7	+MA	+MB	+MA	+LB	<i>L.monocytogenes</i>	+	47	0.01	-	1906	0.84	+	+LA	+LB	-LE	<i>L.monocytogenes</i>	+	PA
H14	Residue from machine filter	EN3	Yes	16.0	+LA	+LA	+HA	+HA	<i>L.seeligeri</i>	+	82	0.02	-	6872	2.93	+	+HA	+HB	+MB	<i>L.seeligeri</i>	+	PA

Meat products - Listeria monocytogenes

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON				
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION								
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.			
E12	Lamb kebab	PC1	No		Ø	Ø	Ø	-LE	/	-	-3	0.00	-	17	0.00	-	/	/	/	/	- NA		
F1	Tournedos	PC1	No		Ø	Ø	Ø	Ø	/	-	-5	0.00	-	22	0.00	-	/	/	/	/	- NA		
F3	Horse meat fillet	PC1	No		Ø	Ø	Ø	Ø	/	-	0	0.00	-	34	0.01	-	/	/	/	/	- NA		
F4	Pork chop	PC1	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	19	0.00	-	/	/	/	/	- NA		
F5	Rump steak	PC1	No		Ø	Ø	Ø	Ø	/	-	-5	0.00	-	22	0.00	-	/	/	/	/	- NA		
F6	Rib steak	PC1	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	24	0.00	-	/	/	/	/	- NA		
M1	Lamb kidneys	PC1	No		Ø	-ME	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	- NA		
M6	Chicken breasts	PC1	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	- NA		
M11	Kidneys	PC1	No		Ø	-LE	Ø	-LE	/	-	-3	0.00	-	25	0.01	-	/	/	/	/	- NA		
W14	Minced horse meat	PC1	No		Ø	Ø	Ø	-LE	/	-	22	0.00	-	24	0.00	-	/	/	/	/	- NA		
T15	Tomato burger	PC1	No		Ø	Ø	Ø	Ø	/	-	11	0.00	-	7048	3.13	+	+HA	+HA	+MB	<i>L.innocua</i>	- NA		
E10	Lean bourguignon beef	PC1	No	+LA	+LA	+MA	+MA	<i>L.welshimeri</i>	-	8	0.00	-	7812	3.00	+	+HA	+HA	+HA	<i>L.welshimeri</i>	- NA			
I21	Pork kidneys	PC1	No	+LA*	+LA*	+HA*	+LA*	<i>L.welshimeri</i>	<i>L.innocua</i>	-	26	0.00	-	6924	2.96	+	+MB	+MA*	+MA*	<i>L.welshimeri</i>	<i>L.innocua</i>	- NA	
T16	Veal	PC1	No	+LA(1)	-LE	+HB	+MB	<i>L.welshimeri</i>	-	9	0.00	-	8603	3.83	+	+MA	+MA*	+MD	<i>L.welshimeri</i>	-	NA		
T10	Minced beef burger with oignons	PC1	No	+LA(3)	+LB	+HB	+MA	<i>L.innocua</i>	-	9	0.00	-	8008	3.56	+	+HA	+HA	+MA	<i>L.innocua</i>	-	NA		
V16	Tomato burger	PC1	No	Ø	Ø	+HA	+MA	<i>L.welshimeri</i>	-	27	0.00	-	7573	2.65	+	+HA	+HA*	+MA	<i>L.welshimeri</i>	-	NA		
K1	Minced pork loin	PC1	Yes	4.11	+LA	+LA	+MA	+MA	<i>L.innocua</i>	-	27	0.00	-	7824	3.34	+	+HA	+HA	+HB	<i>L.innocua</i>	-	NA	
K2	Chicken gizzard	PC1	Yes	5.5	+HA	+MA	+HA	+MA	<i>L.innocua</i>	-	7	0.00	-	7930	3.39	+	+HA	+HA	+HA	<i>L.innocua</i>	-	NA	
M2	Minced meat	PC1	Yes	5.7	Ø	+LA	+MA	+LA	<i>L.innocua</i>	-	-3	0.00	-	4646	2.06	+	+MA	+LA	+MA	<i>L.innocua</i>	-	NA	
K6	Pork chop	PC1	Yes	12	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	-	169	0.04	-	6845	2.92	+	+HA	+HB	+HA	<i>L.welshimeri</i>	-	NA	
I19	Beef steak	PC1	Yes	<1	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	-	172	0.04	-	6293	2.69	+	+MA	+MA	+MA	<i>L.welshimeri</i>	-	NA	
F2	Tomato & basil chipolata sausages	PC2	No	-LE	Ø	-LE	Ø	/	-	-4	0.00	-	39	0.01	-	/	/	/	/	-	NA		
M3	Blood sausage	PC2	No	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	/	/	/	/	-	NA		
M12	Blood sausage	PC2	No	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	16	0.00	-	/	/	/	/	-	NA		
V12	Tomato stuffing	PC2	No	-LE	-LE	Ø	Ø	/	-	-5	0.00	-	16	0.00	-	/	/	/	/	-	NA		
V18	Bolognese minced meat	PC2	No	Ø	-LE	Ø	Ø	/	-	-5	0.00	-	33	0.01	-	/	/	/	/	-	NA		
M10	Pâté with pastry crust	PC2	No	Ø	Ø	-LE	Ø	/	-	-2	0.00	-	21	0.00	-	/	/	/	/	-	NA		
I14	Rabbit terrine	PC2	Yes	1.17	Ø	Ø	Ø	/	-	-2	0.00	-	30	0.01	-	/	/	/	/	-	NA		
L1	Tuscan minced pork	PC2	Yes	2.3	Ø	+LA	+HA	+MA	<i>L.welshimeri</i>	-	-3	0.00	-	21	0.00	-	Ø	Ø	-ME	/	-	NA	
K7	Jellied tongue	PC2	Yes	14.4	+MA	+MA	+HA	+HA	<i>L.welshimeri</i>	-	15	0.00	-	7794	3.33	+	+HA	+HA	+HA	<i>L.welshimeri</i>	-	NA	
K8	Potjevleesch potted meat	PC2	Yes	16.8	+HA	+HA	+HA	+MA	<i>L.welshimeri</i>	-	-2	0.00	-	7565	3.23	+	+MB	+MB	+MA	<i>L.welshimeri</i>	-	NA	
I17	Duck pâté	PC2	Yes	<1	-LE	Ø	-ME	Ø	/	-	-4	0.00	-	19	0.00	-	/	/	/	/	-	NA	
K10	Meat pâté	PC2	Yes	5.5 et 9.6	+HA*	+HA*	+HA	+MA*	<i>L.innocua</i>	<i>L.welshimeri</i>	-	5	0.00	-	7740	3.30	+	+HA	+HB	+HB*	<i>L.innocua</i>	<i>L.welshimeri</i>	- NA
F9	Country style pâté	PC3	No	I14	Ø	Ø	Ø	Ø	/	-	-5	0.00	-	50	0.01	-	/	/	/	/	-	NA	
F10	Cured ham	PC3	No	I17	Ø	Ø	Ø	-LE	/	-	-3	0.00	-	20	0.00	-	/	/	/	/	-	NA	
C26	Forestier pâté	PC3	No	Ø	Ø	Ø	Ø	/	-	-5	0.00	-	25	0.00	-	/	/	/	/	-	NA		
E5	Country style pâté	PC3	No	Ø	-LE	Ø	Ø	/	-	-4	0.00	-	38	0.01	-	/	/	/	/	-	NA		
E6	Strasbourg sausages	PC3	No	-LE	Ø	-LE	Ø	/	-	-3	0.00	-	18	0.00	-	/	/	/	/	-	NA		
E8	Country style pâté	PC3	No	Ø	-LE	Ø	-ME	/	-	-2	0.00	-	44	0.01	-	/	/	/	/	-	NA		
F11	Liver pâté	PC3	No	Ø	Ø	-ME	-LE	/	-	-4	0.00	-	54	0.01	-	/	/	/	/	-	NA		
I6	Garlic sausage	PC3	No	Ø	Ø	-ME	-LE	/	-	-2	0.00	-	19	0.00	-	/	/	/	/	-	NA		
I7	Pâté with shallots	PC3	No	Ø	Ø	-ME	Ø	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	-	NA		
M7	Cervelas sausage	PC3	No	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	23	0.01	-	/	/	/	/	-	NA		
M9	Ham	PC3	No	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA		
T14	Liver pâté	PC3	No	Ø	-LE	Ø	Ø	/	-	-4	0.00	-	28	0.01	-	Ø	Ø	-LE	/	-	NA		
D8	Cured ham	PC3	No	+MA	+MA	+MA	+MA	<i>L.welshimeri</i>	-	61	0.01	-	7666	2.94	+	+HA	+HA	+HA	<i>L.welshimeri</i>	-	NA		
T17	Spreadable sausage	PC3	No	+MA	+MA*	+HB	+MA	<i>L.innocua</i>	<i>L.welshimeri</i>	-	9	0.00	-	7075	3.15	+	+HA	+HA	+MA	<i>L.innocua</i>	-	NA	
X16	Lardons	PC3	No	+LA	+LA	+MA	+MA	<i>L.innocua</i>	-	1	0.00	-	7853	2.75	+	+MA	+HA	+HA	<i>L.innocua</i>	-	NA		
L3	Rillettes	PC3	Yes	0.3	+LA	+LA	+HA	+HA	<i>L.lavanovii</i>	-	-3	0.00	-	38	0.01	-	Ø	Ø	Ø	/	-	NA	
L4	Chicken rillettes	PC3	Yes	0.6	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	-	NA	
I15	Farmhouse liver pâté	PC3	Yes	0.78	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA	
L2	Strasbourg sausages	PC3	Yes	1.8	+LA	+LA	+HA	+HA	<i>L.welshimeri</i>	-	8	0.00	-	7975	3.54	+	+HA	+HA	+HA	<i>L.welshimeri</i>	-	NA	
K3	Mortadella sausage	PC3	Yes	6.8	+LA	+MB	+HA	+HA	<i>L.innocua</i>	-	29	0.00	-	7682	3.28	+	+HA	+HA	+HA	<i>L.innocua</i>	-	NA	
K5	Ham	PC3	Yes	9.6	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	-	8	0.00	-	7880	3.38	+	+HA	+HA	+HB	<i>L.welshimeri</i>	-	NA	
I20	Ham roulade	PC3	Yes	<1	Ø	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	/	/	/	/	-	NA		
I16	Country pâté	PC3	Yes	<1	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	-	6	0.00	-	7054	3.01	+	+MA	+HA	+MA	<i>L.welshimeri</i>	-	NA	
K9	Bayonne ham	PC3	Yes	6.8 et 12	+MA*	+MA	+HA	+MA*	<i>L.innocua</i>	<i>L.welshimeri</i>	-	7	0.00	-	7821	3.34	+	+HA	+HA	+HA*	<i>L.innocua</i>	<i>L.welshimeri</i>	- NA

Meat products - Listeria monocytogenes

CODE	MATRICES				NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON		
		Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
D7	Beef minced meat	PC1	No		Ø	Ø	Ø	Ø	/	-	199	0.05	+	/	/	+ par défaut	+LA	+LA	+LA	<i>L.monocytogenes</i>	+	PD
C23	Beef heart	PC1	No		+MA	+MB	+MA	+MA	<i>L.monocytogenes</i>	+	7363	1.97	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
D1	Turkey kebab	PC1	No		+LA*	+LA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	1474	0.37	+	/	/	+ par défaut	+HA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	PA
D2	Chicken wings	PC1	No		+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	10982	2.78	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
E2	Minced meat	PC1	No		+LA	+LA(2)	+MA	+MA	<i>L.monocytogenes</i>	+	7515	1.90	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	+	PA
E3	Minced meat	PC1	No		+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	8260	2.09	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
E7	Minced meat	PC1	No		Ø	Ø	+HA	+HA	<i>L.monocytogenes</i>	+	7980	2.02	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
M4	Chicken thighs	PC1	No		+LA	+LA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i> <i>L.innocua</i>	+	6	0.00	-	8155	3.62	+	+MA	+HA	+MA	<i>L.monocytogenes</i> <i>L.welshimeri</i> <i>L.innocua</i>	+	PA
T11	Fillet of duck breast	PC1	No		Ø	Ø	+HA	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	9390	2.39	+	/	/	+ par défaut	+HA	+MA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
T19	Turkey kebab	PC1	No		+LA(4)	+HD	+MA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	10155	2.59	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
V8	Frozen minced beef burger	PC1	No		+LB	+LB	+HA	+MA	<i>L.monocytogenes</i>	+	7871	2.03	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
V9	Fillet of duck breast	PC1	No		Ø	Ø	+MA	+MA	<i>L.monocytogenes</i>	+	9836	2.54	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
V14	Chicken fillet	PC1	No		Ø	Ø	+HA	+MA	<i>L.welshimeri</i>	+	1934	0.50	+	/	/	+ par défaut	+HA	+HA	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PD
K4	Bovine meat	PC1	No & Yes	NC mono 8,2 inno	+LA	+LA	+HA	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	252	0.06	+	/	/	+ par défaut	+HA	+HA	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
D10	Minced meat	PC1	No		+LA(4)	+LA*(2)	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	1339	0.33	+	/	/	+ par défaut	+HA	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
I13	Fillet of duck breast	PC1	No		+LA*	+LA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	9599	2.44	+	/	/	+ par défaut	+HA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
I8	Hamburger	PC1	No		+LA	+MA	+HB	+MA	<i>L.monocytogenes</i>	+	7818	1.99	+	/	/	+ par défaut	+MA	+HB	+MA	<i>L.monocytogenes</i>	+	PA
D9	Minced meat with herbs	PC2	No		+LA*	+LA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	5372	1.36	+	/	/	+ par défaut	+HA	+HA*	+HB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
G4	Texane barbecued pork	PC2	No		+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i>	+	9331	2.36	+	/	/	+ par défaut	+MA*	+MB	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
G10	Pork belly with herbs	PC2	No		+HA	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7937	2.01	+	/	/	+ par défaut	+MA*	+HA*	+MA*	<i>L.monocytogenes</i>	+	PA
G11	Spiced pork belly	PC2	No		+HA*	+HA*	+HA	+MA*	<i>L.monocytogenes</i>	+	9639	2.44	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
I10	Jellied tongue	PC2	No		+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	-3	0.00	-	23	0.00	-	Ø	Ø	Ø	/	-	ND
I11	Pig's head pâté	PC2	No		+MA	+MB*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	10504	2.67	+	/	/	+ par défaut	+HA*	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
T18	Jellied tongue	PC2	No		+LB	+LC	+MB	+MA*	<i>L.monocytogenes</i>	+	7159	1.82	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i>	+	PA
V13	Grilled ham	PC2	No		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	7299	1.88	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
M8	Merguez sausage	PC3	No		+HB	+HB	+MB	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	9253	2.33	+	/	/	+ par défaut	+HB	+HA*	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
D11	Andouillette sausage	PC3	No		+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	7809	1.98	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	+	PA
E9	Chipolata sausage with olives	PC3	No		+LA	+LB	+LB	+MA*	<i>L.welshimeri</i> <i>L.innocua</i>	+	452	0.11	+	/	/	+ par défaut	+MA*	+MA*	+MA*	<i>L.welshimeri</i> <i>L.innocua</i>	+	PA
E11	Toulouse sausage	PC3	No		+LA*	+LA*	+HA	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	3134	0.79	+	/	/	+ par défaut	+HA	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
F7	Chipolata sausage	PC3	No		+MA*	+MA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	10480	2.80	+	/	/	+ par défaut	+HA*	+MB*	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
F8	Merguez sausage	PC3	No		+MB	+LA	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	9529	2.54	+	/	/	+ par défaut	+HB	+HB	+HA	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	PA
C19	Chipolata sausage	PC3	No		-LE	-LE	Ø	Ø	/	-	8633	2.31	+	/	/	+ par défaut	+HA	+HB	+MB	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PD
B30	Sausage	PC3	No		+HA	+HA	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	8627	2.31	+	/	/	+ par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
D3	Merguez sausage	PC3	No		+MA*	+MB*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	10263	2.60	+	/	/	+ par défaut	+HA	+HA*	+HB	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	PA

Meat products - Listeria monocytogenes

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON			
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
D4	Merguez sausage	PC3	No		Ø	Ø	+MA	+MA	<i>L.monocytogenes</i>	+	592	0.15	+	/	/	+ par défaut	+HA*	+MA*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
D6	Chipolata sausage	PC3	No		Ø	Ø	+HC	+MB	<i>L.monocytogenes</i>	+	9036	2.29	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
V10	Strasbourg sausages	PC3	No		Ø	-LE	Ø	Ø	/	-	7711	1.99	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PD
D5	Lardons	PC3	No		+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	+	8706	2.20	+	/	/	+ par défaut	+HA	+HA*	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
G3	Paris style cooked ham	PC3	No		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	7946	2.01	+	/	/	+ par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	+	PA
I12	Knuckle of ham	PC3	No		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	8991	2.29	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
T12	Smoked lardons	PC3	No		+LA(2)	+MA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	10064	2.57	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PA
T13	Spreadable sausage	PC3	No		+MA*	+MA*	+HB	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	9739	2.48	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PA
V11	Smoked lardons	PC3	No		Ø	+LA	+HA	+HA	<i>L.welshimeri</i>	+	7529	1.94	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PD
V15	Smoked pork belly	PC3	No		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	6943	1.79	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	+	PA
V17	Lardons	PC3	No		+LA	+LB	+MA	+MA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	9735	2.52	+	/	/	+ par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	+	PA
W15	Lardons	PC3	No		+LA	+LA	+HA	+HB	<i>L.monocytogenes</i>	+	7707	1.99	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
X17	Smoked pork belly	PC3	No		+LA(2)	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	9129	2.36	+	/	/	+ par défaut	+MB	+HA	+HB	<i>L.monocytogenes</i>	+	PA
M5	Rosette dried sausage	PC3	Yes	7 mono 3,8 inno	+HA(2)	+MA	+MA	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	8149	2.05	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA

Dairy products - Listeria monocytogenes

CODE	MATRICES	NF EN ISO 11290-1 METHOD										VIDAS LDUO METHOD										COMPARISON		
		Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO					CONFIRMATION								
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.				
B17	Maroilles cheese	PL1	No		-LE	-LE	-ME	Ø	/	-	-2	0.00	-	31	0.01	-	/	/	/	/	/	-	NA	
C22	Epoisses cheese	PL1	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	32	0.01	-	/	/	/	/	/	-	NA	
C25	Maroilles cheese	PL1	No		Ø	-LE	Ø	Ø	/	-	-5	0.00	-	22	0.00	-	/	/	/	/	/	-	NA	
D12	Coulommiers cheese	PL1	No		Ø	Ø	Ø	Ø	/	-	-1	0.00	-	44	0.01	-	/	/	/	/	/	-	NA	
D13	Maroilles cheese	PL1	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	17	0.00	-	/	/	/	/	/	-	NA	
D15	Camembert cheese	PL1	No		Ø	-LE	Ø	-ME	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	/	-	NA	
D16	Reblochon cheese	PL1	No		Ø	-LE	Ø	Ø	/	-	-5	0.00	-	17	0.00	-	/	/	/	/	/	-	NA	
D17	Reblochon cheese	PL1	No		Ø	-ME	Ø	-ME	/	-	-2	0.00	-	19	0.00	-	/	/	/	/	/	-	NA	
D18	Neufchâtel cheese	PL1	No		-ME	-ME	-ME	Ø	/	-	-3	0.00	-	17	0.00	-	/	/	/	/	/	-	NA	
D19	Langres cheese	PL1	No		Ø	Ø	Ø	Ø	/	-	1	0.00	-	20	0.00	-	/	/	/	/	/	-	NA	
G2	Morbier cheese	PL1	No		Ø	-ME	Ø	Ø	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	/	-	NA	
I5	Brie cheese	PL1	No		Ø	-ME	-LE	-ME	/	-	6	0.00	-	230	0.09	-	/	/	/	/	/	-	NA	
C7	Cow raw milk cheese	PL1	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	9209	3.25	+	+HA	+LA	+LB	L.seeligeri	-	NA		
D14	Munster cheese	PL1	No		Ø	-ME	Ø	Ø	/	-	0	0.00	-	592	0.22	+	+MB	+MA	+MB	L.innocua	-	NA		
L6	Munster cheese	PL1	Yes	2.4	+LA	+LB	+HA	+HA	L.innocua	-	-3	0.00	-	37	0.01	-	Ø	Ø	Ø	/	/	-	NA	
L5	Camembert cheese	PL1	Yes	5	Ø	+LA	+HA	+HA	L.innocua	-	8	0.00	-	8002	3.55	+	+HA	+HB	+HA	L.innocua	-	NA		
L8	Leerdamer cheese	PL1	Yes	10	+HA	+MA	+HA	+HA	L.innocua	-	6	0.00	-	7833	3.47	+	+HA	+HA	+HA	L.innocua	-	NA		
H1	Grated Gruyère cheese	PL1	Yes	16.8	Ø	Ø	Ø	-ME	/	-	9	0.00	-	7931	3.39	+	+HA	+HA	+HA	L.innocua	-	NA		
H2	Vieux pâné cheese	PL1	Yes	33.6	Ø	+LA(1)	+MA	+MA	L.innocua	-	116	0.02	-	7460	3.18	+	+HB	+HB	+HB	L.innocua	-	NA		
I22	Brie cheese	PL1	Yes	34.5	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	27	0.01	-	/	/	/	/	/	-	NA	
H5	Reblochon cheese	PL1	Yes	50.4	+LA	+LB	+HA	+HA	L.innocua	-	14	0.00	-	7932	3.39	+	+HA	+HA	+HA	L.innocua	-	NA		
H4	Brie cheese	PL1	Yes	56	Ø	-ME	Ø	-LE	/	-	-3	0.00	-	26	0.01	-	/	/	/	/	/	-	NA	
H6	Reblochon cheese	PL1	Yes	84	Ø	-LE	Ø	-LE	/	-	-5	0.00	-	19	0.00	-	/	/	/	/	/	-	NA	
L7	Double cream cheese	PL1	Yes	10 et 8,7	+HA*	+HA*	+HA	+HA	L.innocua	-	8	0.00	-	7837	3.48	+	+HA	+HA	+HA	L.innocua	-	NA		
I3	Roquefort cheese	PL2	No		Ø	-LE	Ø	Ø	/	-	-2	0.00	-	22	0.00	-	/	/	/	/	/	-	NA	
B10	Roquefort creamy cheese	PL2	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	/	/	/	/	/	-	NA	
B15	Rond du vinage cheese	PL2	No		Ø	-LE	Ø	-LE	/	-	-4	0.00	-	27	0.00	-	/	/	/	/	/	-	NA	
C11	Carré du vinage cheese	PL2	No		-LE	-LE	Ø	Ø	/	-	0	0.00	-	103	0.03	-	/	/	/	/	/	-	NA	
C24	Picodon cheese	PL2	No		Ø	Ø	Ø	-LE	/	-	-4	0.00	-	22	0.00	-	/	/	/	/	/	-	NA	
D20	Goat cheese	PL2	No		Ø	-LE	Ø	-ME	/	-	-1	0.00	-	23	0.00	-	/	/	/	/	/	-	NA	
I4	Crottin goat cheese	PL2	No		Ø	Ø	Ø	-LE	/	-	103	0.02	-	99	0.04	-	/	/	/	/	/	-	NA	
P8	Farm made chevrotin cheese	PL2	No		Ø	-LE	-ME	-ME	/	-	-2	0.00	-	25	0.01	-	Ø	Ø	Ø	Ø	Ø	-	NA	
V1	Goat cheese log	PL2	No		Ø	-LE	Ø	-ME	/	-	-4	0.00	-	90	0.03	-	/	/	/	/	/	-	NA	
W16	Goat cheese	PL2	No		Ø	Ø	-ME	-ME	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	/	-	NA	
P13	Goat cheese	PL2	No		+HB	+MA	+HA	+MA	L.welshimeri	-	10	0.00	-	7057	3.13	+	+HA	+HA	+MA	L.welshimeri	-	NA		
H3	Ossau Iraty cheese	PL2	Yes	28	-LE	-LE	-LE	-ME	/	-	-3	0.00	-	24	0.01	-	/	/	/	/	/	-	NA	
J23	Raw milk	PL3	No		Ø	Ø	-LE	-LE	/	-	-2	0.00	-	23	0.00	-	/	/	/	/	/	-	NA	
J24	Raw milk	PL3	No		Ø	Ø	-LE	-ME	/	-	-3	0.00	-	27	0.01	-	/	/	/	/	/	-	NA	
J25	Raw milk	PL3	No		Ø	Ø	-Ø	-LE	/	-	-2	0.00	-	23	0.00	-	/	/	/	/	/	-	NA	
J26	Raw milk	PL3	No		Ø	Ø	-ME	-ME	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	/	-	NA	
J27	Raw milk	PL3	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	36	0.01	-	/	/	/	/	/	-	NA	
E4	Chocolate flavored fresh cheese	PL3	No		Ø	Ø	-ME	-LE	/	-	-3	0.00	-	14	0.00	-	/	/	/	/	/	-	NA	
I1	0% white cheese	PL3	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	/	-	NA	
I2	20% white cheese	PL3	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	/	-	NA	
N1	Raw milk	PL3	No		+LA	+LB	+MA	+MA	L.innocua	-	8	0.00	-	8082	3.59	+	+HA	+HB	+HB	L.innocua	-	NA		
I28	Raw milk	PL3	Yes	0.5	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	34	0.01	-	/	/	/	/	/	-	NA	
I24	Milk powder	PL3	Yes	0.66	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	29	0.01	-	/	/	/	/	/	-	NA	
I27	Raw milk	PL3	Yes	0.82	-LE	Ø	-LE	Ø	/	-	-3	0.00	-	19	0.00	-	/	/	/	/	/	-	NA	
L12	Raw milk	PL3	Yes	2.66	+MB	+MB	+HB	+HB	L.innocua	-	8	0.00	-	7722	3.43	+	+HA	+HB	+HB	L.innocua	-	NA		
J15	Raw milk	PL3	Yes	7.5	+LA(1)	+LA(2)	+MA	+MA	L.innocua	-	6	0.00	-	7033	3.00	+	+HA	+HA	+HA	L.innocua	-	NA		
J19	Milk powder	PL3	Yes	7.5	Ø	Ø	Ø	Ø	/	-	8	0.00	-	7246	3.09	+	+HA	+HA	+MA	L.innocua	-	NA		
J16	Raw milk	PL3	Yes	10	+LA	+MA	+MA	+MA	L.innocua	-	6	0.00	-	7156	3.05	+	+HA	+HA	+HA	L.innocua	-	NA		
J20	Milk powder	PL3	Yes	10	+LA	+LA	+HA	+HA	L.innocua	-	-3	0.00	-	23	0.00	-	Ø	Ø	Ø	/	/	-	NA	
I23	Milk powder	PL3	Yes	27.6	Ø	Ø	Ø	Ø	/	-	1	0.00	-	26	0.01	-	/	/	/	/	/	-	NA	
I26	Raw milk	PL3	Yes	34.5	Ø	Ø	Ø	Ø	/	-	-5	0.00	-	20	0.00	-	/	/	/	/	/	-	NA	
I25	Milk powder	PL3	Yes	0.5 mono 20.7 inno	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	20	0.00	-	/	/	/	/	/	-	NA	

Dairy products - Listeria monocytogenes

CODE	MATRICES	NF EN ISO 11290-1 METHOD					VIDAS LDUO METHOD										FINAL RESULT	COMPARISON				
		Cat.	AC	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO					CONFIRMATION							
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.			
B2	Maroilles cheese	PL1	No	+LB	+LA	+HB	+MA	<i>L.monocytogenes</i>	+	7049	1.88	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
B4	Farm made Maroilles cheese	PL1	No	+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	8091	2.16	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	+	PA	
B6	Maroilles cheese	PL1	No	+LB	+LB	+HA	+HA	<i>L.monocytogenes</i>	+	8772	2.35	+	/	/	+ par défaut	+HB	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
B18	Epoisses cheese	PL1	No	+MA	+MB	+HA	+HA	<i>L.monocytogenes</i>	+	8071	2.16	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
B19	Maroilles cheese	PL1	No	+LA	+LA	+HA	+HB	<i>L.monocytogenes</i>	+	8414	2.25	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
B23	Maroilles cheese	PL1	No	+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	9450	2.53	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
B24	St Germain cheese	PL1	No	+LB	+LA	+HB	+HA	<i>L.monocytogenes</i>	+	8512	2.28	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
C8	Epoisses cheese	PL1	No	+LA	+LA	+HA	+MB	<i>L.monocytogenes</i>	+	7015	1.87	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
C18	Cambray tomme cheese	PL1	No	+MA	+HA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	11453	3.06	+	/	/	+ par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA	
G1	Morbier cheese	PL1	No	+MA	+MB	+HB	+HB	<i>L.monocytogenes</i>	+	7924	2.01	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
P4	Epoises cheese	PL1	No	+HB	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	7342	1.85	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA	
P6	Maroilles cheese	PL1	No	+LA	+HC	+HB	+HA	<i>L.monocytogenes</i>	+	8008	2.02	+	/	/	+ par défaut	+MA	+MA	+HA	<i>L.monocytogenes</i>	+	PA	
P7	Maroilles cheese	PL1	No	+LB	+LB	+HB	+HB	<i>L.monocytogenes</i>	+	7557	1.90	+	/	/	+ par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	+	PA	
R21	Boule du vinage cheese	PL1	No	+LB	+MB	+MB	+MB	<i>L.monocytogenes</i>	+	10129	2.60	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
C10	Goat cheese	PL2	No	Ø	-LE	Ø	Ø	/	-	1710	0.45	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PD	
B8	Roquefort creamy cheese	PL2	No	+LA(4)	+LA	-ME	+LB(1)	<i>L.monocytogenes</i>	+	9049	2.42	+	/	/	+ par défaut	+HA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA	
B16	Ossau Iraty cheese	PL2	No	Ø	+LB	-LE	-LE	<i>L.seeligeri</i>	+	7636	2.04	+	/	/	+ par défaut	+HA	+MA	+HA	<i>L.monocytogenes</i>	+	PD	
B21	Raw milk goat cheese	PL2	No	+LA	+LB	+HA	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	11171	2.99	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
B22	Raw milk goat cheese	PL2	No	+LA	+MC	+HA	+HA	<i>L.monocytogenes</i>	+	7592	2.03	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.seeligeri</i>	+	PA	
C9	Petit vinageois Raw milk goat cheese	PL2	No	+MA	+MB	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7301	1.95	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	+	PA	
X18	Goat cheese	PL2	No	+LA(1)	+LA(1)	+HA	+MA	<i>L.monocytogenes</i>	+	412	0.10	+	/	/	+ par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	+	PA	
X19	Goat cheese	PL2	No	+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	9755	2.52	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA	
N2	Raw milk	PL3	No	+LA	+LA*	+MA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	8371	2.11	+	/	/	+ par défaut	+HA	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA	
J14	Raw milk	PL3	Yes	3,4 mono 5,0 inno	Ø	Ø	Ø	/	-	6926	1.76	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PD	
J17	Raw milk	PL3	Yes	5,1 mono 7,5 inno	Ø	Ø	Ø	/	-	3054	0.77	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PD	
J18	Milk powder	PL3	Yes	5,1 mono 7,5 inno	Ø	Ø	+MA	+MA	<i>L.monocytogenes</i>	+	6915	1.76	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA

Seafood products - Listeria monocytogenes

CODE	MATRICES	NF EN ISO 11290-1 METHOD				VIDAS LDUO METHOD								FINAL RESULT	COMPARISON							
		FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION										
		Cat.	AC	CFU/2 5g	P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
G18	Salmon steak	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	-	NA
M18	Black tiger prawns	PP1	No	Ø	-LE	Ø	-LE	Ø	/	-	-2	0.00	-	19	0.00	-	/	/	/	/	-	NA
M19	Perch fillet	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	-	NA
M20	Pout fillet	PP1	No	Ø	Ø	Ø	-ME	Ø	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	-	NA
M21	Perch fillet	PP1	No	Ø	-ME	Ø	Ø	Ø	/	-	-2	0.00	-	28	0.01	-	/	/	/	/	-	NA
M22	Cod steak	PP1	No	Ø	-LE	Ø	-LE	-ME	/	-	-2	0.00	-	26	0.01	-	/	/	/	/	-	NA
M23	Shark steak	PP1	No	Ø	Ø	-LE	Ø	-ME	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	-	NA
M25	Scabbardfish fillet	PP1	No	Ø	-LE	Ø	Ø	/	/	-	-2	0.00	-	34	0.01	-	/	/	/	/	-	NA
Q2	Sea bream fillet	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA
Q3	Cod fillet	PP1	No	Ø	-LE	Ø	Ø	Ø	/	-	-5	0.00	-	26	0.01	-	/	/	/	/	-	NA
Q4	Scabbardfish fillet	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA
Q9	Mackerel fillets	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	33	0.01	-	/	/	/	/	-	NA
Q21	Frozen salmon steaks	PP1	No	Ø	Ø	Ø	-LE	Ø	/	-	-3	0.00	-	42	0.01	-	/	/	/	/	-	NA
Q22	Frozen salmon steaks	PP1	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	19	0.00	-	/	/	/	/	-	NA
R5	Herring fillets	PP1	No	Ø	-LE	Ø	Ø	/	/	-	-3	0.00	-	23	0.01	-	/	/	/	/	-	NA
R10	Prawns	PP1	No	Ø	-LE	Ø	-LE	/	/	-	-4	0.00	-	24	0.01	-	/	/	/	/	-	NA
Q5	Cooked prawns	PP1	No	PP3	+LB*	+MA	+MA*	<i>L.innocua</i> <i>L.seeligeri</i>	-	6	0.00	-	8195	3.59	+	+MB	+MA	+MA	<i>L.innocua</i> <i>L.seeligeri</i>	-	NA	
R14	Salmon steak	PP1	Yes	0.1	Ø	Ø	+MA	+LA	<i>L.innocua</i>	-	1	0.00	-	9811	4.30	+	+HA	+MA	+MA	<i>L.innocua</i>	-	NA
R13	Coalfish fillet	PP1	Yes	0.2	Ø	-LE	+LA	+LA	<i>L.innocua</i>	-	-1	0.00	-	10622	4.66	+	+MA	+MA	+MB	<i>L.innocua</i>	-	NA
R15	Langoustines	PP1	Yes	0.3	Ø	Ø	+HA	+MA	<i>L.innocua</i>	-	5	0.00	-	8188	3.59	+	+HB	+HA	+MB	<i>L.innocua</i>	-	NA
S6	Coalfish fillet	PP1	Yes	1.64	Ø	Ø	+LA	+LB	<i>L.innocua</i>	-	-5	0.00	-	6045	2.69	+	+MA	+MA	+HB	<i>L.innocua</i>	-	NA
S5	Cod fillet	PP1	Yes	2.46	Ø	Ø	Ø	-LE	/	-	42	0.00	-	7984	3.55	+	+HA	+HA	+HB	<i>L.innocua</i>	-	NA
S4	Prawns	PP1	Yes	2.46	+MA	+MA	+MB	+MB	<i>L.innocua</i>	-	7	0.00	-	8144	3.62	+	+HB	+HB	+HA	<i>L.innocua</i>	-	NA
M13	Fish fillet	PP1	Yes	3.8	PP1	+LA(1)	+LA	+LA	<i>L.welshimeri</i>	-	-3	0.00	-	38	0.01	-	+HA	+MA	+MA	<i>L.welshimeri</i>	-	NA
U2	Prawns	PP1	Yes	4.4	+LA	+LA	Ø	Ø	<i>L.innocua</i>	-	7	0.00	-	7395	3.29	+	/	+HA	+MB	<i>L.innocua</i>	-	NA
M16	Scabbardfish fillet	PP1	Yes	4.8	PP1	+LA	+LA	+LA	<i>L.welshimeri</i>	-	-3	0.00	-	25	0.01	-	+MB	+MA	+MB	<i>L.welshimeri</i>	-	NA
M15	Dogfish	PP1	Yes	5.7	PP1	+LA	+MA	+MA	<i>L.welshimeri</i>	-	-2	0.00	-	22	0.00	-	Ø	Ø	Ø	/	-	NA
R12	Cod fillet	PP1	Yes	0.3	Ø	-LE	Ø	-ME	/	-	-4	0.00	-	31	0.01	-	/	/	/	/	-	NA
S2	Prawns	PP1	Yes	1.6	Ø	Ø	Ø	-LE	/	-	-3	0.00	-	21	0.00	-	-LE	Ø	Ø	/	-	NA
G9	Salmon offcuts	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-2	0.00	-	33	0.01	-	/	/	/	/	-	NA
U4	Smoked Alaskan pollock	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	-	NA
U5	Norwegian smoked salmon	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	18	0.00	-	/	/	/	/	-	NA
U6	Pyrenees smoked trout	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	25	0.01	-	/	/	/	/	-	NA
U7	Smoked salmon shreds	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	18	0.00	-	/	/	/	/	-	NA
S3	Atlantic smoked salmon	PP2	Yes	2.46	PP1	+MA	+MB	+MB	<i>L.innocua</i>	-	-3	0.00	-	21	0.00	-	Ø	Ø	-LE	Ø	-	NA
U3	Smoked trout	PP2	Yes	2.68	Ø	Ø	Ø	Ø	/	-	5	0.00	-	7665	3.41	+	/	+HA	+HA	<i>L.innocua</i>	-	NA
T9	Smoked halibut	PP2	Yes	0.4	Ø	-LE	-LE	-ME	/	-	-2	0.00	-	21	0.00	-	Ø	Ø	-ME	/	-	NA
T8	Smoked Atlantic salmon	PP2	Yes	0.8	Ø	Ø	Ø	-ME	/	-	-3	0.00	-	20	0.00	-	Ø	Ø	-ME	/	-	NA
R9	Kippers	PP2	No	Ø	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	22	0.00	-	/	/	/	/	-	NA
I41	Marinated herring fillets	PP3	No	Ø	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	24	0.00	-	/	/	/	/	-	NA
Q6	Taramosalata	PP3	No	Ø	Ø	-LE	Ø	Ø	/	-	-2	0.00	-	22	0.00	-	/	/	/	/	-	NA
Q7	Taramosalata	PP3	No	-LE	-LE	-LE	-LE	Ø	/	-	-3	0.00	-	24	0.01	-	/	/	/	/	-	NA
Q11	White fish kebabs	PP3	No	Ø	Ø	-LE	-LE	Ø	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA
Q23	Salt cod	PP3	No	Ø	-LE	-LE	-LE	Ø	/	-	-3	0.00	-	24	0.01	-	/	/	/	/	-	NA
R11	Cod fritters	PP3	Yes	0.2	Ø	Ø	+MA	+MA	<i>L.innocua</i>	-	7	0.00	-	8064	3.53	+	+HA	+HA	+HA	<i>L.innocua</i>	-	NA

Seafood products - Listeria monocytogenes

CODE	MATRICES	NF EN ISO 11290-1 METHOD				VIDAS LDUO METHOD								FINAL RESULT	COMPARISON						
		FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION									
		Cat.	AC	CFU/2 5g	P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.	
G8	Salmon steak	PP1	No	Ø	Ø	Ø	Ø	/	-	7666	1.94	+	/	/	+ par défaut	+HB	+HA	+MA	<i>L.monocytogenes</i>	+	PD
I36	Tuna steak	PP1	No	Ø	Ø	Ø	Ø	/	-	10839	2.92	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PD
G5	Salmon steak	PP1	No	PP1	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	7909	2.00	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
I40	Roasted fresh salmon	PP1	No	PP1	+MA	+HA	+MB	<i>L.monocytogenes</i>	+	7132	1.92	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
M14	Panga fillet	PP1	No	PP1	+MB	+MB	+MB	<i>L.monocytogenes</i>	+	7718	1.94	+	/	/	+ par défaut	+HA	+HA	+HB	<i>L.monocytogenes</i>	+	PA
M17	Cod fillet	PP1	No	PP1	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	10072	2.54	+	/	/	+ par défaut	+HA	+HA*	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
M24	Panga fillet	PP1	No	PP1	+MB	+MA	+LB	<i>L.monocytogenes</i>	+	7895	1.99	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	+	PA
M26	Cod fillet	PP1	No	PP2	+LA	Ø	+LA	<i>L.monocytogenes</i>	+	7587	1.91	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
R4	Frozen salmon steaks	PP1	No	PP3	+LA(1)	+MB	+MA	<i>L.monocytogenes</i>	+	7470	1.92	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
R6	Herring fillets	PP1	No	+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	9266	2.38	+	/	/	+ par défaut	+HA	+MA	+HA	<i>L.monocytogenes</i>	+	PA
R8	Prawns	PP1	No	+LA	+MB*	+HA	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7510	1.93	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
U1	Prawns	PP1	No	Ø	+LA	+MA	+HA	<i>L.seeligeri</i>	+	7478	1.91	+	/	/	+ par défaut	/	+HA	+HB	<i>L.monocytogenes</i> <i>L.seeligeri</i>	+	PD
I37	Scottish smoked salmon	PP2	No	Ø	Ø	Ø	Ø	/	-	7678	2.06	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	+	PD
I39	Smoked trout	PP2	No	Ø	Ø	Ø	Ø	/	-	7340	1.97	+	/	/	+ par défaut	+HB	+HB	+HB	<i>L.monocytogenes</i>	+	PD
G6	Salmon offcuts	PP2	No	Ø	+LA	+LB	+LB	<i>L.monocytogenes</i>	+	7606	1.92	+	/	/	+ par défaut	+HA	+HA	+MA*	<i>L.monocytogenes</i>	+	PA
G7	Salmon offcuts	PP2	No	+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i>	+	8013	2.03	+	/	/	+ par défaut	+HA	+HA	+MA*	<i>L.monocytogenes</i>	+	PA
G14	Smoked salmon	PP2	No	+LA	+MB	+HA	+HA	<i>L.monocytogenes</i>	+	7384	1.87	+	/	/	+ par défaut	+HA	+HB	+HA	<i>L.monocytogenes</i>	+	PA
G15	Smoked salmon	PP2	No	+MA	+MB	+HA	+HA	<i>L.monocytogenes</i>	+	7164	1.81	+	/	/	+ par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	+	PA
G16	Smoked salmon	PP2	No	+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	+	7539	1.91	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
G17	Smoked salmon	PP2	No	+MA	+MA*	+HA*	+MA	<i>L.monocytogenes</i>	+	7553	1.91	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
I33	Smoked trout	PP2	No	+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	7762	2.09	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
I34	Norwegian smoked salmon	PP2	No	+LB	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	7904	2.12	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
I35	Atlantic smoked salmon	PP2	No	+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	7286	1.96	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
I38	Scottish smoked salmon	PP2	No	+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	7831	2.11	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
R3	Salmon offcuts	PP2	No	Ø	+LA	Ø	+MA	<i>L.monocytogenes</i>	+	7336	1.89	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
R7	Smoked salmon	PP2	No	+LA	+LB	+HA	+MA	<i>L.monocytogenes</i>	+	7428	1.91	+	/	/	+ par défaut	+HA	+MA	+HA	<i>L.monocytogenes</i>	+	PA
S1	Smoked haddock	PP2	No	Ø	+LA	+MA	+MB	<i>L.monocytogenes</i>	+	5740	1.46	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
U8	Aquitaine smoked trout	PP2	No	Ø	+LA(3)	+HA	+MA	<i>L.monocytogenes</i>	+	7289	1.86	+	/	/	+ par défaut	/	+HA	+MA	<i>L.monocytogenes</i>	+	PA
Q1	Salmon carpaccio	PP3	No	PP2	+LA	+HA	+HA*	<i>L.monocytogenes</i>	+	7644	1.96	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
G12	Salmon tartare	PP3	No	Ø	Ø	+HA	+HA	<i>L.monocytogenes</i>	+	8000	2.02	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
G13	Salmon tartare	PP3	No	+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	+	7278	1.84	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
I42	Fish à la bordelaise	PP3	No	+HA*	+MA*	+HA	+MA*	<i>L.monocytogenes</i>	+	6647	1.79	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
Q8	Marinated herring fillets	PP3	No	+LD	+MA	+HA	+MB	<i>L.monocytogenes</i>	+	7680	1.97	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
Q12	Salmon kebabs	PP3	No	+LB(1)	+LA	+HA	+MA	<i>L.monocytogenes</i>	+	893	0.23	+	/	/	+ par défaut	+MA	+MB	+MA	<i>L.monocytogenes</i>	+	PA

Vegetal products - Listeria monocytogenes

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION				
P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.				
C4	Frozen broccoli	PV1	No		Ø Ø	Ø Ø	/	-	-4	0.00	-	22	0.00	-	/ / / /	/	-	NA	
C6	Frozen potatoes and oignons	PV1	No		Ø Ø	Ø Ø	/	-	-4	0.00	-	21	0.00	-	Ø Ø -ME	Ø	-	NA	
B26	Red cabbage	PV1	No		Ø Ø	Ø Ø	/	-	-4	0.00	-	18	0.00	-	/ / /	/	-	NA	
B27	Grated celery	PV1	No		Ø Ø	Ø Ø	/	-	-5	0.00	-	21	0.00	-	/ / /	/	-	NA	
E13	Mixed raw vegetables	PV1	No		Ø -LE	Ø -ME	/	-	-2	0.00	-	23	0.00	-	/ / /	/	-	NA	
E14	Grated celery	PV1	No		Ø Ø	Ø -LE	/	-	-3	0.00	-	18	0.00	-	/ / /	/	-	NA	
E15	Grated carrots	PV1	No		Ø Ø	Ø Ø	/	-	-2	0.00	-	17	0.00	-	/ / /	/	-	NA	
E16	Grated carrots	PV1	No		Ø Ø	Ø Ø	/	-	-2	0.00	-	20	0.00	-	/ / /	/	-	NA	
E17	Raw mushrooms	PV1	No		Ø Ø	Ø -ME	/	-	-2	0.00	-	18	0.00	-	/ / /	/	-	NA	
E18	Raw red cabbage	PV1	No		Ø Ø	Ø Ø	/	-	-3	0.00	-	18	0.00	-	/ / /	/	-	NA	
E19	Raw red cabbage	PV1	No		Ø Ø	Ø Ø	/	-	-3	0.00	-	14	0.00	-	/ / /	/	-	NA	
E20	Raw mushrooms	PV1	No		Ø -LE	-LE -ME	/	-	-1	0.00	-	23	0.00	-	/ / /	/	-	NA	
S18	Mushrooms	PV1	No		Ø -ME	Ø -ME	/	-	-5	0.00	-	83	0.03	-	Ø -HE	/	-	NA	
E21	Green beans	PV1	No	+LA	+LA	+HA +HA	Linnocua	-	5	0.00	-	8395	3.22	+	+HA +MB	+HA Linnocua	-	NA	
L125-2	Red cabbage	PV1	Yes	2.7	Ø Ø	Ø -LE	/	-	-3	0.00	-	22	0.00	-	/ / /	/	-	NA	
L125-3	Red cabbage	PV1	Yes	2.7	Ø Ø	Ø -LE	/	-	-2	0.00	-	26	0.01	-	/ / /	/	-	NA	
L125-4	Red cabbage	PV1	Yes	2.7	Ø -LE	Ø -LE	/	-	-3	0.00	-	25	0.01	-	/ / /	/	-	NA	
L125-5	Red cabbage	PV1	Yes	2.7	Ø -LE	Ø -LE	/	-	1	0.00	-	78	0.03	-	/ / /	/	-	NA	
Q13	Green beans	PV1	Yes	6.6	+MA +MA	+HA +HA	Linnocua	-	7	0.00	-	7214	3.16	+	+HA +HB	+HA Linnocua	-	NA	
Q14	Carots-oignons	PV1	Yes	13.2	+LA +MC	+HA +MB	Linnocua	-	3	0.00	-	8353	3.66	+	+HA +MA	+MB Linnocua	-	NA	
R16	Cucumbers	PV1	Yes	< 0,1	-LE -ME	Ø -ME	/	-	-4	0.00	-	23	0.01	-	/ / /	/	-	NA	
R17	Broccoli	PV1	Yes	< 0,1	Ø Ø	Ø -LE	/	-	-3	0.00	-	20	0.00	-	/ / /	/	-	NA	
R18	Carots	PV1	Yes	< 0,1	Ø -LE	Ø -ME	/	-	-4	0.00	-	19	0.00	-	/ / /	/	-	NA	
R20	White cabbage	PV1	Yes	< 0,1	Ø Ø	Ø Ø	/	-	-4	0.00	-	21	0.00	-	/ / /	/	-	NA	
Q24	Carots & cabbage	PV1	Yes	10,6 et 2,2	+LA +LB	+HA +MB	Linnocua	-	10	0.00	-	7299	3.20	+	+HA +HA	+HA Linnocua	-	NA	
Q20	Mix carots, celery, peppers	PV1	Yes	6,6 et 1,4	+LA +LC	+HA +MB	Linnocua	-	47	0.01	-	7316	3.21	+	+HA +HA	+MB Linnocua	-	NA	
T5	Frozen mushrooms	PV1	Yes	ND	+LA +LB	+LA +MA	L. seeligeri	-	6	0.00	-	8270	3.68	+	+MA +MA	+MB L. seeligeri	-	NA	
C20	Frozen fries	PV2	No		-LE -LE	Ø -LE	/	-	-5	0.00	-	24	0.00	-	/ / /	/	-	NA	
C21	Frozen fries	PV2	No		Ø Ø	Ø Ø	/	-	-5	0.00	-	22	0.00	-	/ / /	/	-	NA	
F15	Frozen fries	PV2	No		Ø -LE	Ø -LE	/	-	-4	0.00	-	23	0.00	-	/ / /	/	-	NA	
F16	Frozen fries	PV2	No		Ø -LE	Ø -ME	/	-	-6	0.00	-	20	0.00	-	/ / /	/	-	NA	
T2	Frozen fries	PV2	No		Ø Ø	Ø Ø	/	-	-2	0.00	-	23	0.01	-	Ø Ø -ME	/	-	NA	
E1	Mixed salad	PV2	No		Ø -LE	-LE -LE	/	-	-4	0.00	-	19	0.00	-	/ / /	/	-	NA	
F13	Oakleaf salad	PV2	No		-LE Ø	-LE Ø	/	-	-3	0.00	-	28	0.01	-	/ / /	/	-	NA	
F14	Mixed salad	PV2	No		-LE -LE	-ME -ME	/	-	-4	0.00	-	22	0.00	-	/ / /	/	-	NA	
Q19	Salad	PV2	Yes	1,35	Ø -LE	Ø -LE	/	-	-4	0.00	-	21	0.00	-	-LE -ME	-ME /	-	NA	
Q17	Spinach salad	PV2	Yes	6,6	+LA +LC	+MA +MB	Linnocua	-	11	0.00	-	7340	3.22	+	+HA +MB	+HA Linnocua	-	NA	
Q16	Soya	PV2	Yes	10,6	+LA +LC	+HA +MB	Linnocua	-	45	0.01	-	6880	3,01	+	+HA +HB	+HB Linnocua	-	NA	
Q15	Catalan salad mix	PV2	Yes	10,6	+LA +LC	+HA +MB	Linnocua	-	14	0.00	-	7276	3.19	+	+HA +MB	+MB Linnocua	-	NA	
R19	Lamb's lettuce	PV2	Yes	< 0,1	Ø -ME	Ø -ME	/	-	-2	0.00	-	25	0.00	-	/ / /	/	-	NA	
F17	Mixed grated vegetables	PV3	No		Ø -LE	Ø -LE	/	-	-4	0.00	-	23	0.00	-	/ / /	/	-	NA	
B3	Fried vegetables	PV3	No		Ø Ø	Ø Ø	/	-	-4	0.00	-	21	0.00	-	/ / /	/	-	NA	
E22	Carot puree	PV3	No		Ø Ø	-ME Ø	/	-	-2	0.00	-	31	0.01	-	/ / /	/	-	NA	
F12	Cooked broccoli	PV3	No		Ø Ø	Ø Ø	/	-	-4	0.00	-	23	0.00	-	/ / /	/	-	NA	
V2	Catalan style fried vegetables	PV3	No		+LA +LB	+HA +HB	Linnocua	-	50	0.01	-	8213	2.87	+	+HA +HA	+MA Linnocua	-	NA	
U9	Fried zucchini	PV3	Yes	0,3	-LE +MB	-LE +MC	L. seeligeri	-	-5	0.00	-	23	0.01	-	-ME -LE	-ME Ø	-	NA	
U11	Country-style fried vegetables	PV3	Yes	0,5	-LE -ME	-HE -HE	/	-	-3	0.00	-	25	0.01	-	/ / /	/	-	NA	
V3	Southern style fried vegetables	PV3	Yes	4,2	+LA +LB	+HA +HB	Linnocua	-	0	0.00	-	8562	3.00	+	+HA +HB	+HA Linnocua	-	NA	
V5	Fried vegetables	PV3	Yes	4,2	+MA +LB	+HA +MB	Linnocua	-	1	0.00	-	8721	3.05	+	+MA +HB	+MB Linnocua	-	NA	
V6	Vegetables puree	PV3	Yes	5,6	+LA +LA(3)	+HA +HB	Linnocua	-	50	0.01	-	8290	2.90	+	+HA +HA	+MA Linnocua	-	NA	
V4	Country-style fried vegetables	PV3	Yes	7,2	+LA +LB	+HA +HB	Linnocua	-	55	0.01	-	8414	2.94	+	+HA +HB	+HB Linnocua	-	NA	
V7	Cooked carrots	PV3	Yes	7,2	+MA +MA	+HA +MA	Linnocua	-	-3	0.00	-	7743	2.71	+	+MA +HA	+MA Linnocua	-	NA	
T4	Celery cake	PV3	Yes	30	+MA +MA	+LA +MA	L. seeligeri	-	6	0.00	-	8141	3.62	+	+HB +HA	+MA L. seeligeri	-	NA	
U10	Southern style fried vegetables	PV3	Yes	0,4	Ø -LE	-LE -LE	/	-	-3	0.00	-	37	0.01	-	/ / /	/	-	NA	
Q26	Vegetables kebabs	PV3	Yes	6,6 et 1,4	+LB +LB	+HA +MB	Linnocua	-	11	0.00	-	8013	3.51	+	+HA +MA	+MB* Linnocua	-	NA	

Vegetal products - Listeria monocytogenes

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION				
P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.				
B7	Frozen broccoli	PV1	No		+LA +LA	+HA +MA	L.monocytogenes	+	7495	2.00	+	/ /	+ par défaut	+HA +HA	+HA +MA	L.monocytogenes	+	PA	
S17	Mushrooms	PV1	No		+LB(2) -ME	+MA +MA	L.monocytogenes	+	7210	1.84	+	/ /	+ par défaut	+HA +HB	+HB +HB	L.monocytogenes	+	PA	
Q18	Red cabbage	PV1	Yes	2.2	+LA +LD	+HA +MB	L.monocytogenes	+	-3	0.00	-	23 0.01	-	Ø Ø	Ø Ø	L.monocytogenes	-	ND	
L125-1	Red cabbage	PV1	Yes	2.7	Ø Ø	Ø -LE	/	-	25	0.00	-	2001 0.89	+	/ +MA	+MB L.monocytogenes	+	PD		
S8	Carrots	PV1	Yes	4.92	Ø Ø	+MA +MA	L.monocytogenes	+	-4	0.00	-	23 0.01	-	Ø Ø	-HE /	L.monocytogenes	-	ND	
S9	Mushrooms	PV1	Yes	4.92	+LA(1) Ø	+MA +MA	L.monocytogenes	+	788	0.20	+	/ /	+ par défaut	+MA +HB	+HB +MB	L.monocytogenes	+	PA	
S12	Red cabbage	PV1	Yes	20	+LA(2) +LA(1)	+MA +MA	L.monocytogenes	+	-5	0.00	-	19 0.00	-	Ø Ø	-ME /	L.monocytogenes	-	ND	
B12	Frozen fries	PV2	No		+LA +LB	+HA +HA	L.monocytogenes	+	7984	2.13	+	/ /	+ par défaut	+HA +HA	+MA +MA	L.monocytogenes	+	PA	
B20	Frozen fried potatoes	PV2	No		+LB +LA	+HB +HA	L.monocytogenes	+	8906	2.38	+	/ /	+ par défaut	+HB +HA	+HA +HA	L.monocytogenes	+	PA	
C1	Frozen fried potatoes	PV2	No		-LE +LA	Ø Ø	L.grayi	+	6710	1.79	+	/ /	+ par défaut	+HA +HA	+HA +HA	L.monocytogenes	+	PD	
C5	Frozen fries	PV2	No		+MA +MB	+MB +MB	L.monocytogenes	+	10757	2.88	+	/ /	+ par défaut	+HA +HA	+MA +MA	L.monocytogenes	+	PA	
P1	Pre-cooked frozen fries	PV2	No		+MA +MA	+HA +HA	L.monocytogenes L.innocua	+	8606	2.17	+	/ /	+ par défaut	+LA +HB	+MA +MA	L.monocytogenes	+	PA	
P2	Frozen fries	PV2	No		+HA +HA	+HA +HA	L.monocytogenes L.innocua	+	7388	1.86	+	/ /	+ par défaut	+LA* +HA	+MA +MA	L.monocytogenes L.innocua	+	PA	
P3	Traditional frozen fries	PV2	No		+MA +MA	+HA +HA	L.monocytogenes	+	7314	1.84	+	/ /	+ par défaut	+HA +HA*	+LA +LA	L.monocytogenes	+	PA	
R1	Frozen fried potatoes	PV2	No		+MA +MB	+HA +MA	L.monocytogenes	+	7417	1.91	+	/ /	+ par défaut	+HA +HA	+MB +MB	L.monocytogenes	+	PA	
R2	Frozen fries	PV2	No		+MB +MB*	+HB +MB	L.monocytogenes L.innocua	+	7667	1.97	+	/ /	+ par défaut	+HA +HA	+MB* +MB*	L.monocytogenes	+	PA	
S10	Frozen fries	PV2	No		+MA +MB	+HA +MA	L.monocytogenes L.innocua	+	6742	1.72	+	/ /	+ par défaut	+HA +MB	+HB +HB	L.monocytogenes	+	PA	
S11	Frozen fried potatoes	PV2	No		+MA +MB	+MA +MA	L.monocytogenes	+	10144	2.59	+	/ /	+ par défaut	+HA +HA	+HB +HB	L.monocytogenes	+	PA	
T1	Frozen fried potatoes	PV2	No		+MA +MB*	+HA +MB*	L.monocytogenes L.innocua	+	4959	1.77	+	/ /	+ par défaut	+HA +HA	+HA +HA	L.monocytogenes L.innocua	+	PA	
B25	Salad	PV2	No		+LA(1) +LA(2)	+HB +HA	L.monocytogenes	+	3340	0.89	+	/ /	+ par défaut	+HA +HA	+MA +MA	L.monocytogenes	+	PA	
Q25	Lamb's lettuce	PV2	Yes	2.2	+LB +LC	+MA +MB	L.monocytogenes	+	6752	1.73	+	/ /	+ par défaut	+HA +HA	+MB* +MB*	L.monocytogenes	+	PA	
T6	Mixed salad	PV2	Yes	21.5	+LA +LB	+MA +MB	L.monocytogenes	+	10620	2.71	+	/ /	+ par défaut	+MA +HB	+HB +HB	L.monocytogenes	+	PA	
C3	Spinach with cream	PV3	No		+LA +LA	+MA +MA	L.monocytogenes	+	8753	2.34	+	/ /	+ par défaut	+HA +MA	+MA +MA	L.monocytogenes	+	PA	
T7	Southern style fried vegetables	PV3	No		+HB +LB	+HB +HB*	L.monocytogenes L.innocua	+	10711	2.73	+	/ /	+ par défaut	+HB +HB	+HB +HB	L.monocytogenes L.innocua	+	PA	
U12	Cauliflower - broccoli puree	PV3	No		+MA* +MB*	+HB +HB	L.monocytogenes L.welshimeri	+	8592	2.19	+	/ /	+ par défaut	/ +HB*	+MA* +MA*	L.monocytogenes L.welshimeri	+	PA	
S13	Vegetables soup	PV3	Yes	10	+LA(3) +LA(1)	+HA +MA	L.monocytogenes	+	7741	1.97	+	/ /	+ par défaut	+HA +HA	+MA +MA	L.monocytogenes	+	PA	
S15	Ratatouille	PV3	Yes	10	+LA +LA	+HA +MA	L.monocytogenes	+	6906	1.76	+	/ /	+ par défaut	+HA +HA	+HB +HB	L.monocytogenes	+	PA	
S16	Potato flakes	PV3	Yes	10	+MB +MB	+MA +MA	L.monocytogenes	+	7061	1.80	+	/ /	+ par défaut	+HA +HB	+HB +HB	L.monocytogenes	+	PA	
S14	Celery & beetroot salad	PV3	Yes	20	+LB +MC	+MA +MA	L.monocytogenes	+	6943	1.77	+	/ /	+ par défaut	+HB +HB	+HA +HA	L.monocytogenes	+	PA	

Composite foods - Listeria monocytogenes

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON			
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
I9	Hot Dog	C2	No		Ø	-LE	-LE	Ø	/	-	0	0.00	-	61	0.02	-	/	/	/	/	- NA	
Q10	Salmon paupiette with vegetables	C2	No		PP1	-LE	Ø	-LE	/	-	-3	0.00	-	3233	1.41	+	+MA	+MA	+MA	L.welshimeri	- NA	
I18	Chicken pie	C2	Yes	1.56	Ø	Ø	Ø	Ø	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	- NA	
S7	Cod fillet with vegetables	C2	Yes	1.64	Ø	Ø	+HA	+MA	L.innocua	-	6	0.00	-	7155	3.18	+	+HA	+HA	+HA	L.innocua	- NA	
B11	Strawberry tart	C3	No		Ø	-LE	Ø	-LE	/	-	-4	0.00	-	25	0.00	-	/	/	/	/	- NA	
B29	Strawberry tart	C3	No		Ø	Ø	-LE	-LE	/	-	-4	0.00	-	20	0.00	-	/	/	/	/	- NA	
C13	Cream cake	C3	No		+LA	+LB	Ø	-ME	L.grayi	-	-4	0.00	-	18	0.00	-	/	/	/	/	- NA	
L11	Strawberry vanilla ice-cream	C3	Yes	4.5	+MA	+MA	+HA	+HA	L.innocua	-	37	0.00	-	7690	3.41	+	+HA	+HB	+MA	L.welshimeri	- NA	
J28	Strawberry ice-cream	C3	Yes	5	Ø	Ø	Ø	Ø	/	-	6	0.00	-	7544	3.32	+	+HA	+HA	+HA	L.innocua	- NA	
J29	Vanilla ice-cream	C3	Yes	7.5	+LA	+LA	+HA	+HA	L.innocua	-	5	0.00	-	7311	3.12	+	+HA	+HB	+MA	L.innocua	- NA	
L9	Normandy tart	C3	Yes	8.7	+HA	+HA	+HA	+HA	L.innocua	-	7	0.00	-	7718	3.42	+	+HA	+HA	+MA	L.innocua	- NA	
J22	Strawberry melba	C3	Yes	10	+LA(1)	+LB(1)	+HA	+HB	L.innocua	-	46	0.01	-	6805	2.90	+	+HB	+HA	+MA	L.innocua	- NA	
L10	Pastry pudding	C3	Yes	15 et 8,7	+HA*	+HA	+HA	+HA	L.innocua	-	9	0.00	-	7719	3.42	+	+HA	+HA	+HA	L.innocua	- NA	
B1	Rice salad	C1	No		+MA	+MA	+HA	+MA	L.monocytogenes	+	7692	2.06	+	/	/	+ par défaut	+HA	+HA	+MA	L.monocytogenes	+	PA
B13	Tagliatelle	C2	No		+MA	+MA	+HA	+MA	L.monocytogenes	+	7664	2.05	+	/	/	+ par défaut	+HA	+HA	+MA	L.monocytogenes	+	PA
B14	Tagliatelle	C2	No		+MA	+MA	+MA	+HA	L.monocytogenes	+	6953	1.86	+	/	/	+ par défaut	+HA	+HA	+HA	L.monocytogenes	+	PA
C2	Farfale	C2	No		+LA	Ø	+MA*	+MA*	L.monocytogenes L.innocua	+	6828	1.82	+	/	/	+ par défaut	+HA	+HA	+MA	L.monocytogenes	+	PA
B5	Profiteroles	C3	No		+LA	+LA	+HA	+HA	L.monocytogenes	+	7825	2.09	+	/	/	+ par défaut	+HA*	+HA*	+MA*	L.monocytogenes	+	PA
B9	Profiteroles	C3	No		+MA	+MA	+HA*	+HA*	L.monocytogenes	+	7370	1.97	+	/	/	+ par défaut	+HA*	+HA*	+HA*	L.monocytogenes	+	PA
C12	Chantilly cream puff	C3	No		+MA	+HA	+MA*	+MA*	L.monocytogenes L.innocua	+	7981	2.13	+	/	/	+ par défaut	+HA	+HA*	+HA	L.monocytogenes L.innocua	+	PA
P5	Cream puff	C3	No		+MA	+MA	+HA	+HA	L.monocytogenes	+	7382	1.86	+	/	/	+ par défaut	+MA*	+MA*	+MA	L.monocytogenes	+	PA
J21	Chantilly cream puff	C3	Yes	5,1 mono 7,5 inno	+MA	+MA	+HA	+MA	L.monocytogenes L.innocua	+	6697	1.70	+	/	/	+ par défaut	+HB	+HA	+HA	L.monocytogenes L.innocua	+	PA

Environmental samples - Listeria monocytogenes

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON	
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION						
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.	
G19	Waste waters	EN1	No		Ø	Ø	Ø	Ø	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	- NA
G20	Standing water	EN1	No		Ø	Ø	Ø	Ø	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	- NA
G22	Water from rinsing container	EN1	No		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	14	0.00	-	/	/	/	/	- NA
G23	Water	EN1	No		Ø	Ø	Ø	-LE	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	- NA
J10	Residual water from facility	EN1	No		-LE	-LE	-ME	-ME	/	-	-3	0.00	-	29	0.01	-	/	/	/	/	- NA
J11	Residual water	EN1	No		Ø	Ø	Ø	Ø	/	-	-2	0.00	-	21	0.00	-	/	/	/	/	- NA
J12	Washing machine water	EN1	No		Ø	Ø	Ø	Ø	/	-	-2	0.00	-	18	0.00	-	/	/	/	/	- NA
J13	Washing machine water	EN1	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	25	0.00	-	/	/	/	/	- NA
M29	Puddle of water	EN1	No		Ø	Ø	Ø	Ø	/	-	-2	0.00	-	34	0.01	-	/	/	/	/	- NA
M30	Residual water	EN1	No		Ø	Ø	Ø	-LE	/	-	-4	0.00	-	28	0.01	-	/	/	/	/	- NA
M31	Standing water from storage container	EN1	No		Ø	Ø	Ø	-LE	/	-	-2	0.00	-	22	0.00	-	/	/	/	/	- NA
M32	Water from rinsing container outlet	EN1	No		Ø	Ø	Ø	Ø	/	-	-2	0.00	-	24	0.01	-	/	/	/	/	- NA
M33	Water on ground	EN1	No		Ø	Ø	-LE	Ø	/	-	-4	0.00	-	23	0.01	-	/	/	/	/	- NA
O18	Water from rinsing container filter outlet	EN1	Yes	6.5	+LA	+LA	+MA	+MB	<i>L.innocua</i>	-	7	0.00	-	7165	3.18	+	+MB	+MA	+HB	<i>L.innocua</i>	- NA
H7	Water from final rinsing	EN1	Yes	8.0	Ø	Ø	Ø	Ø	/	-	8	0.00	-	7098	3.03	+	+HA	+HA	+HA	<i>L.seeligeri</i>	- NA
H8	Rinsing bath	EN1	Yes	16.0	Ø	Ø	+LC	+MA	<i>L.seeligeri</i>	-	4	0.00	-	7477	3.19	+	+LB	+HC	+HA	<i>L.seeligeri</i>	- NA
H13	Water from light rinsing	EN1	Yes	4 et 0	Ø	Ø	Ø	-LE	/	-	5	0.00	-	7485	3.20	+	+LB	+HB	+HA	<i>L.innocua</i> <i>L.seeligeri</i>	- NA
H9	Washing basin	EN1	Yes		Ø	Ø	Ø	Ø	/	-	-4	0.00	-	18	0.00	-	/	/	/	/	- NA
H10	Residual water	EN1	Yes		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	20	0.00	-	/	/	/	/	- NA
H11	Doser rinsing water	EN1	Yes		Ø	Ø	Ø	-LE	/	-	-4	0.00	-	19	0.00	-	/	/	/	/	- NA
H12	Standing water from storage room	EN1	Yes		Ø	Ø	Ø	Ø	/	-	-5	0.00	-	23	0.00	-	/	/	/	/	- NA
C16	Sponge from fish cutting	EN2	No		Ø	Ø	Ø	-LE	/	-	-5	0.00	-	34	0.01	-	/	/	/	/	- NA
C17	Slicer sponge	EN2	No		Ø	Ø	Ø	-LE	/	-	-4	0.00	-	25	0.00	-	/	/	/	/	- NA
D21	Wipe from cheese-slicing machine	EN2	No		Ø	Ø	Ø	Ø	/	-	-5	0.00	-	21	0.00	-	/	/	/	/	- NA
D22	Wipe from cheese knife	EN2	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	51	0.01	-	/	/	/	/	- NA
D24	Surface fish knife	EN2	No		-LE	-LE	-ME	-ME	/	-	-3	0.00	-	18	0.00	-	/	/	/	/	- NA
F19	Surface of serrated butcher's knife	EN2	No		Ø	Ø	Ø	-LE	/	-	-4	0.00	-	19	0.00	-	/	/	/	/	- NA
F20	Meat preparation board surface	EN2	No		Ø	Ø	Ø	-LE	/	-	-3	0.00	-	18	0.00	-	/	/	/	/	- NA
F21	Surface slicing machine	EN2	No		Ø	Ø	Ø	-LE	/	-	-3	0.00	-	27	0.00	-	/	/	/	/	- NA
F22	Surface of ham slicing machine	EN2	No		Ø	Ø	Ø	-LE	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	- NA

Environmental samples - Listeria monocytogenes

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON			
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
F23	Surface of cold meats knife	EN2	No		Ø	Ø	Ø	-LE	/	-	-4	0.00	-	22	0.00	-	/	/	/	-	NA	
F24	Surface of roasting spit	EN2	No		Ø	Ø	Ø	-LE	/	-	-4	0.00	-	21	0.00	-	/	/	/	-	NA	
G24	Swab from ground drainage channel	EN2	No		Ø	Ø	Ø	-LE	/	-	-2	0.00	-	17	0.00	-	/	/	/	-	NA	
G26	Cheese counter board surface	EN2	No		Ø	-LE	Ø	Ø	/	-	-4	0.00	-	21	0.00	-	/	/	/	-	NA	
G27	Surface of cold meats knife	EN2	No		Ø	-LE	-LE	-LE	/	-	20	0.00	-	7541	2.89	+	+HA	+HA	+HA	L.welshimeri	-	NA
F25	Surface of cold meat slicing machine	EN2	No		+HA	+MA	+MA*	+MA*	L.innocua	-	-2	0.00	-	9958	3.63	+	+LA	+LA	+LA	L.innocua	-	NA
H16	Surface of dirty service lift	EN2	Yes	0.1	-LE	-LE	+HA	+HA	L.innocua	-	-3	0.00	-	7329	3.13	+	-LE	+HB	+MD	L.innocua	-	NA
J4	Cheese counter knife	EN2	Yes	0.8	+LA	+LA	+MA	+MA	L.innocua	-	23	0.00	-	7926	3.38	+	+HA	+HA	+HA	L.innocua	-	NA
J5	Saw blade from butcher's stand	EN2	Yes	1.2	+LA(3)	+LA	+MA	+MA	L.innocua	-	9	0.00	-	8075	3.45	+	+HA	+HA	+HA	L.innocua	-	NA
J6	Surface of freezer in pastries facility	EN2	Yes	1.6	+LA(2)	-LE	+MA	+MA	L.innocua	-	13	0.00	-	7773	3.32	+	+HA	+HA	+MA	L.innocua	-	NA
O19	Surface of transport trolley	EN2	Yes	13.0	+MA	+LA	+HA	+HA	L.innocua	-	14	0.00	-	7172	3.18	+	+MA	+MA	+MA	L.innocua	-	NA
H15	Ground surface in storage room	EN2	Yes	24.0	Ø	-LE	+LC	+MB	L.seeligeri	-	29	0.00	-	7120	3.04	+	+HA	+HB	+MB	L.seeligeri	-	NA
O16	Surface of slicer in cold meats facility	EN2	Yes	<1	-LE	-LE	-LE	-LE	/	-	4	0.00	-	22	0.00	-	Ø	-LE	-LE	/	-	NA
O17	Surface in cold store for cheese	EN2	Yes	<1	Ø	-LE	Ø	-ME	/	-	-3	0.00	-	21	0.00	-	/	/	/	/	-	NA
J1	Surface of stainless steel table in pastries facility	EN2	Yes	0,2 et 0,4	Ø	Ø	-ME	-ME	/	-	14	0.00	-	8251	3.51	+	+HA	+HA	+HB	L.innocua	-	NA
J2	Surface of slicer in butcher's facility	EN2	Yes	0,4 et 0,8	Ø	Ø	+MA	+MA	L.innocua	-	12	0.00	-	7932	3.40	+	+HA	+HA	+HA	L.innocua	-	NA
J30	Surface of stainless steel table in butcher's facility	EN2	Yes	0,3	Ø	Ø	-LE	-ME	/	-	-4	0.00	-	18	0.00	-	/	/	/	/	-	NA
J8	Ground surface in butcher's facility	EN2	Yes	0,4	Ø	Ø	Ø	Ø	/	-	-3	0.00	-	25	0.01	-	/	/	/	/	-	NA
J9	Surface of butcher's cutting table	EN2	Yes	0,7 mono 0,3 seel	Ø	Ø	-LE	Ø	/	-	-2	0.00	-	20	0.00	-	/	/	/	/	-	NA
P15	Stainless steel table - cold meats counter	EN2	Yes	ND	+HB	+MA	+HB	+MA	L.innocua	-	6	0.00	-	7257	3.22	+	+MA	+MA	+MA	L.innocua	-	NA
P16	Sink in production area	EN2	Yes	ND	+MA	+HB	+MA	+HB	L.innocua	-	11	0.00	-	7124	3.16	+	+MA	+MA	+MB	L.innocua	-	NA
P17	Swab from wall-floor join	EN2	Yes	ND	+HA	+MB*	+HA*	+MB*	L.innocua L.livanovii	-	6	0.00	-	7182	3.19	+	+MA	+MA*	+MB	L.innocua L.livanovii	-	NA
P18	Surface of trolley from manufacturing area	EN2	Yes	ND	+HA	+MB	+HA	+MB	L.livanovii	-	1	0.00	-	9721	4.31	+	+MA	+HA	+MB	L.livanovii	-	NA
I29	Residues from cheese counter	EN3	No		Ø	-LE	-LE	-ME	/	-	-4	0.00	-	19	0.00	-	/	/	/	/	-	NA
I30	Residues from cheese counter	EN3	No		Ø	Ø	Ø	Ø	/	-	-1	0.00	-	21	0.00	-	/	/	/	/	-	NA
I31	Residue from floor of production hall	EN3	No		Ø	Ø	-LE	Ø	/	-	-7	0.00	-	21	0.00	-	/	/	/	/	-	NA
O2	Residues from cheese counter	EN3	No		Ø	Ø	Ø	Ø	/	-	-3	0.00	-	20	0.00	-	/	/	/	/	-	NA
P10	Residues from cold meats counter	EN3	No		-LE	-LE	-ME	-ME	/	-	-3	0.00	-	26	0.01	-	-LE	-ME	-ME	/	-	NA
P14	Residues from cheese facility	EN3	No		Ø	-LE	Ø	-LE	/	-	-3	0.00	-	26	0.01	-	Ø	-LE	Ø	/	-	NA
I32	Bone dust	EN3	No		Ø	Ø	Ø	Ø	/	-	3	0.00	-	9928	3.89	+	+MA	+HA	+MA	L.welshimeri L.innocua	-	NA
H14	Residue from machine filter	EN3	Yes	16.0	+LA	+LA	+HA	+HA	L.seeligeri	-	82	0.02	-	6872	2.93	+	+HA	+HB	+MB	L.seeligeri	-	NA

Environmental samples - Listeria monocytogenes

CODE	MATRICES	Cat.	AC	CFU/25g	NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON			
					FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
					P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
F18	Water from U-bend in butcher's facility	EN1	No		+LA	+LA	+HA	+MA*	<i>L.monocytogenes</i>	+	8612	2.30	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
G21	Washing machine water	EN1	No		+LA	+LA*	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	6190	1.57	+	/	/	+ par défaut	+MA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O20	Water from cooling tower	EN1	No		+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	6578	1.66	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	+	PA
M27	Rinsing water	EN1	Yes	7 mono 3,8 inno	+MA	+LA	+MA*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	8365	2.11	+	/	/	+ par défaut	+HA	+HB*	+HA*	<i>L.monocytogenes</i>	+	PA
M28	Water from washing container	EN1	Yes	8,8 mono 3,8 inno	+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	8015	2.02	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i>	+	PA
O3	Cold meats counter knife	EN2	No		+LB	-ME	+HB	+MB	<i>L.monocytogenes</i>	+	-4	0.00	-	20	0.00	-	Ø	-LE	-ME	/	-	ND
B28	Sponge from top mat on scales	EN2	No		Ø	Ø	+HA	+HA	<i>L.monocytogenes</i>	+	7794	2.08	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
D23	Swab from sausage production line	EN2	No		+HA	+HA	+MA	+MA	<i>L.monocytogenes</i>	+	6829	1.73	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	+	PA
G25	Surface of cheese knife	EN2	No		+LA	+LB	+HA	+HA	<i>L.monocytogenes</i>	+	7500	1.90	+	/	/	+ par défaut	+HA	+MB	+MA	<i>L.monocytogenes</i>	+	PA
G28	Ground surface in fish-cutting facility	EN2	No		+MA	+MB	+HA	+MB	<i>L.monocytogenes</i>	+	1974	0.50	+	/	/	+ par défaut	-ME	+MA	+LA	<i>L.monocytogenes</i>	+	PA
J7	Cheese counter knife	EN2	No		+HA*	+MA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	698	0.17	+	/	/	+ par défaut	+HA	+HA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O1	Sponge from surface of pastries stand	EN2	No		+LA	+LA*	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7370	1.86	+	/	/	+ par défaut	+MA*	+HA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O4	Surface in cold store for meats	EN2	No		+LA	+LA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7977	2.01	+	/	/	+ par défaut	+HA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O5	Swab from fries production line	EN2	No		+MA	+MA	+HA*	+MA*	<i>L.monocytogenes</i>	+	7329	1.85	+	/	/	+ par défaut	+MA	+MA	+MA*	<i>L.monocytogenes</i>	+	PA
P9	Sponge from transfer belt	EN2	No		+HA	+MB	+HB	+HB	<i>L.monocytogenes</i>	+	7155	1.80	+	/	/	+ par défaut	+MA	+MB	+HA	<i>L.monocytogenes</i>	+	PA
J3	Cheese counter board surface	EN2	Yes	0,6 mono 1,2 inno	+LA	+LB	+MA*	+MB	<i>L.monocytogenes</i>	+	10732	2.73	+	/	/	+ par défaut	+HA*	+HA*	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O13	Stainless steel shelf surface in cold store	EN2	Yes	6,5	+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	+	7105	1.79	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	+	PA
O12	Floor of cold packaging room	EN2	Yes	9,7 mono 5 inno	+MA	+MA*	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	10279	2.59	+	/	/	+ par défaut	+HA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O11	Surface in cooling room	EN2	Yes	19,5 mono 7,5 inno	+MA	+MA*	+HB	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	8807	2.22	+	/	/	+ par défaut	+HA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
I43	Residue from cutting counter	EN3	No		Ø	Ø	Ø	/		-	6691	1.80	+	/	/	+ par défaut	+MA	+MB	+MA	<i>L.monocytogenes</i>	+	PD
C14	Residue from production line	EN3	No		+MA	+MA	+MB	+MB	<i>L.monocytogenes</i>	+	9830	2.63	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
C15	Residue from dirty containers	EN3	No		+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	+	7455	1.99	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
O6	Residue from fries storage container	EN3	No		+MA	+MB	+HA*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	7109	1.79	+	/	/	+ par défaut	+HA	+MA*	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA
O7	Residue from meat-cutting board	EN3	No		+MA	+MA	+MA*	+MA*	<i>L.monocytogenes</i>	+	7368	1.86	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i>	+	PA
O8	Residue from packaging facility	EN3	No		+MA	+MA	+MA	+MB	<i>L.monocytogenes</i>	+	7372	1.86	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	+	PA
O9	Residue from meat-cutting facility	EN3	No		+MA	+MA	+MA	+MA	<i>L.monocytogenes</i>	+	7273	1.83	+	/	/	+ par défaut	+HA	+HA	+HB	<i>L.monocytogenes</i>	+	PA
P11	Residue from fish counter	EN3	No		Ø	+LB	Ø	Ø	<i>L.monocytogenes</i>	+	7353	1.85	+	/	/	+ par défaut	-LE	+HA	+MB	<i>L.monocytogenes</i>	+	PA
P12	Scales for fish	EN3	No		Ø	+LB	+MA	+MA*	<i>L.monocytogenes</i>	+	7188	1.81	+	/	/	+ par défaut	-LE	+MA	+MB	<i>L.monocytogenes</i>	+	PA
O15	Residue from packaging container	EN3	Yes	<1	+MA	+MB	+MA	+LB	<i>L.monocytogenes</i>	+	4128	1.04	+	/	/	+ par défaut	+MA	+MA	+MB	<i>L.monocytogenes</i>	+	PA
O14	Residue from sink in cutting facility	EN3	Yes	9,7	+MA	+MB	+MA	+LB	<i>L.monocytogenes</i>	+	47	0.01	-	1906	0.84	+	+LA	+LB	-LE	<i>L.monocytogenes</i>	+	PA
O10	Residue from cutting facility stainless steel table	EN3	Yes	13 mono 10 inno	+MA	+MB*	+MB	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	2024	0.51	+	/	/	+ par défaut	+MB*	+HB*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	+	PA

APPENDIX D2

INITIAL VALIDATION STUDY

SENSITIVITY RAW RESULTS AFTER COLD STORAGE

Meat products

				NF EN ISO 11290-1 METHOD							VIDAS LDUO METHOD								COMPARISON		
CODE	Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION							
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
T15	PC1	Non		Ø	Ø	Ø	Ø	/	A	286	0.07	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.innocua</i>	P	PD
D7	PC1	Non		Ø	Ø	Ø	Ø	/	A	916	0.23	+	/	/	+ par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	P	PD
C23	PC1	Non		+MA	+MB	+MA	+MA	<i>L.monocytogenes</i>	P	7785	2.08	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
D1	PC1	Non		+LA*	+LA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	P	613	0.15	+	/	/	+ par défaut	+HA*	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	P	PA
D2	PC1	Non		+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	8682	2.00	+	/	/	+ par défaut	+HB	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
E2	PC1	Non		+LA	+LA(2)	+MA	+MA	<i>L.monocytogenes</i>	P	7358	1.86	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
E3	PC1	Non		+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	P	8165	2.07	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
E7	PC1	Non		Ø	Ø	+HA	+HA	<i>L.monocytogenes</i>	P	8349	2.11	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
E10	PC1	Non		+LA	+LA	+MA	+MA	<i>L.welshimeri</i>	P	14	0.00	-	7669	2.94	+	+HA	+HA	+MA	<i>L.welshimeri</i>	P	PA
I21	PC1	Non		+LA*	+LA*	+HA*	+LA*	<i>L.welshimeri</i> <i>L.innocua</i>	P	9	0.00	-	7802	3.05	+	+MB	+MA*	+MA*	<i>L.welshimeri</i> <i>L.innocua</i>	P	PA
M4	PC1	Non		+LA	+LA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i> <i>L.innocua</i>	P	7	0.00	-	8351	3.70	+	+MA	+HA	+MA	<i>L.monocytogenes</i> <i>L.welshimeri</i> <i>L.innocua</i>	P	PA
T11	PC1	Non		Ø	Ø	+HA	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	P	8321	2.12	+	/	/	+ par défaut	+HA	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
T16	PC1	Non		+LA(1)	-LE	+HB	+MB	<i>L.welshimeri</i>	P	12	0.00	-	8427	3.75	+	+MA	+MA*	+MD	<i>L.welshimeri</i>	P	PA
T19	PC1	Non		+LA(4)	+HD	+MA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	9896	2.52	+	/	/	+ par défaut	+HA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
V8	PC1	Non		+LB	+LB	+HA	+MA	<i>L.monocytogenes</i>	P	7613	1.97	+	/	/	+ par défaut	+HA	+MA*	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
V9	PC1	Non		Ø	Ø	+MA	+MA	<i>L.monocytogenes</i>	P	7734	2.00	+	/	/	+ par défaut	+MA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
V14	PC1	Non		Ø	Ø	+HA	+MA	<i>L.welshimeri</i>	P	2190	0.56	+	/	/	+ par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	P	PA
D10	PC1	Non		+LA(4)	+LA*(2)	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	1424	0.36	+	/	/	+ par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
I13	PC1	Non		+LA*	+LA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	10479	2.82	+	/	/	+ par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
T10	PC1	Non		+LA(3)	+LB	+HB	+MA	<i>L.innocua</i>	P	4	0.00	-	8894	3.95	+	+HA	+MA	+MA	<i>L.innocua</i>	P	PA
I8	PC1	Non		+LA	+MA	+HB	+MA	<i>L.monocytogenes</i>	P	9834	2.64	+	/	/	+ par défaut	+HA	+HB	+HA	<i>L.monocytogenes</i>	P	PA
V16	PC1	Non		Ø	Ø	+HA	+MA	<i>L.welshimeri</i>	P	245	0.06	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.welshimeri</i>	P	PA
										284	0.07	+	/	/	+ par défaut						
I19	PC1	Oui	<1	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	P	231	0.06	+	/	/	+ par défaut	+MA	+MA	+MB	<i>L.welshimeri</i>	P	PA
										21a	0.00	-	7244a	3.09	+						
										63b	0.00	-	7704b	3.42	+						
										5c	0.00	-	8705c	3.86	+						

Meat products

				NF EN ISO 11290-1 METHOD							VIDAS LDUO METHOD								COMPARISON		
CODE	Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION				FINAL RESULT			
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
K1	PC1	Oui	4.11	+LA	+LA	+MA	+MA	<i>L.innocua</i>	P	48	0.01	-	7602	3.37	+	+HA	+HA	+MB	<i>L.innocua</i>	P	PA
K2	PC1	Oui	5.5	+HA	+MA	+HA	+MA	<i>L.innocua</i>	P	6	0.00	-	7802	3.46	+	+HA	+HA	+HA	<i>L.innocua</i>	P	PA
M2	PC1	Oui	5.7	Ø	+LA	+MA	+LA	<i>L.innocua</i>	P	-1	0.00	-	8629	3.83	+	+MA	+LA	+MA	<i>L.innocua</i>	P	PA
K4	PC1	Non & Oui	8.2	+LA	+LA	+HA	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	263	0.06	+	/	/	+ par défaut	+MA	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
K6	PC1	Oui	12	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	P	541	0.13	+	/	/	+ par défaut	+HA	+HB	+MB	<i>L.welshimeri</i>	P	PA
										13a	0.00	-	8192a	3.63	+						
										1296b	0.32	+	/	/	+ par défaut						
										48c	0.01	-	9257c	4.11	+						
D9	PC2	Non		+LA*	+LA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	P	5394	1.36	+	/	/	+ par défaut	+MA	+HB	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
G4	PC2	Non		+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i>	P	7482	1.89	+	/	/	+ par défaut	+MA*	+HA	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
G10	PC2	Non		+HA	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	8065	2.04	+	/	/	+ par défaut	+MA*	+HA*	+MA*	<i>L.monocytogenes</i>	P	PA
G11	PC2	Non		+HA*	+HA*	+HA	+MA*	<i>L.monocytogenes</i>	P	9571	2.42	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
I10	PC2	Non		+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	P	-4	0.00	-	26	0.01	-	Ø	Ø	Ø	/	A	ND
I11	PC2	Non		+MA	+MB*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	11185	3.01	+	/	/	+ par défaut	+HA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
T18	PC2	Non		+LB	+LC	+MB	+MA*	<i>L.monocytogenes</i>	P	6899	1.76	+	/	/	+ par défaut	+HB	+HA	+MA	<i>L.monocytogenes</i>	P	PA
V13	PC2	Non		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	P	6981	1.80	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
L1	PC2	Oui	2.3	Ø	+LA	+HA	+MA	<i>L.welshimeri</i>	P	1	0.00	-	23	0.01	-	-LE	Ø	-HR	/	A	ND
K7	PC2	Oui	14.4	+MA	+MA	+HA	+HA	<i>L.welshimeri</i>	P	25	0.00	-	6980	3.10	+	+HA	+HB	+HA	<i>L.welshimeri</i>	P	PA
C19	PC3	Non		-LE	-LE	Ø	Ø	/	A	8186	2.19	+	/	/	+ par défaut	+HA	+MA	+MB	<i>L.monocytogenes</i> <i>L.welshimeri</i>	P	PD
B30	PC3	Non		+HA	+HA	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	8743	2.34	+	/	/	+ par défaut	+HA*	+HB*	+HB*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
D3	PC3	Non		+MA*	+MB*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	P	10258	2.60	+	/	/	+ par défaut	+MA	+MB*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	P	PA
D4	PC3	Non		Ø	Ø	+MA	+MA	<i>L.monocytogenes</i>	P	631	0.16	+	/	/	+ par défaut	+MA	+HB	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
D6	PC3	Non		Ø	Ø	+HC	+MB	<i>L.monocytogenes</i>	P	8608	2.18	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
D11	PC3	Non		+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	P	7888	2.00	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
E9	PC3	Non		+LA	+LB	+LB	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i> <i>L.innocua</i>	P	14	0.00	-	8967	3.44	+	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i> <i>L.innocua</i>	P	PA
										2a	0.00	-	9958a	3.63	+						
E11	PC3	Non		+LA*	+LA*	+HA	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	2847	0.72	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
F7	PC3	Non		+MA*	+MA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	7828	1.98	+	/	/	+ par défaut	+HA*	+MB*	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
F8	PC3	Non		+MB	+LA	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	P	7028	1.78	+	/	/	+ par défaut	+HB	+HB	+HA	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	P	PA
M8	PC3	Non		+HB	+HB	+MB	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	P	8985	2.26	+	/	/	+ par défaut	+HB	+HA*	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
V10	PC3	Non		Ø	-LE	Ø	Ø	/	A	7678	1.98	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PD

Meat products

				NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON			
CODE	Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION				FINAL RESULT	COMPARISON		
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
D5	PC3	Non		+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i> <i>L.welshimeri</i>	P	9569	2.42	+	/	/	+ par défaut	+HB	+HB	+HA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	P	PA
D8	PC3	Non		+MA	+MA	+MA	+MA	<i>L.welshimeri</i>	P	63	0.01	-	7694	2.95	+	+MA	+HA	+HA	<i>L.welshimeri</i>	P	PA
G3	PC3	Non		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	P	8026	2.03	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	P	PA
I12	PC3	Non		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	P	9765	2.63	+	/	/	+ par défaut	+MA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
T12	PC3	Non		+LA(2)	+MA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	P	10697	2.73	+	/	/	+ par défaut	+MA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	P	PA
T13	PC3	Non		+MA*	+MA*	+HB	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	P	9492	2.42	+	/	/	+ par défaut	+MA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.welshimeri</i>	P	PA
T17	PC3	Non		+MA	+MA*	+HB	+MA	<i>L.innocua</i> <i>L.welshimeri</i>	P	10	0.00	-	7187	3.19	+	+MA	+MA	+MA	<i>L.innocua</i>	P	PA
V11	PC3	Non		Ø	+LA	+HA	+HA	<i>L.welshimeri</i>	P	7469	1.93	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	P	PA
V15	PC3	Non		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	P	6774	1.75	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
V17	PC3	Non		+LA	+LB	+MA	+MA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	P	9616	2.48	+	/	/	+ par défaut	+HA	+MA*	+HA	<i>L.monocytogenes</i> <i>L.welshimeri</i>	P	PA
W15	PC3	Non		+LA	+LA	+HA	+HB	<i>L.monocytogenes</i>	P	9003	2.33	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
X16	PC3	Non		+LA	+LA	+MA	+MA	<i>L.innocua</i>	P	8	0.00	-	8437	2.95	+	+HA	+HA	+MA	<i>L.innocua</i>	P	PA
X17	PC3	Non		+LA(2)	+LA	+HA	+MA	<i>L.monocytogenes</i>	P	9117	2.36	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	P	PA
I16	PC3	Oui	<1	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	P	5	0.00	-	8166	3.19	+	+HA	+HA	+MA	<i>L.welshimeri</i>	P	PA
L3	PC3	Oui	0.3	+LA	+LA	+HA	+HA	<i>Livanovii</i>	P	-4	0.00	-	18	0.00	-	Ø	Ø	Ø	/	A	ND
L2	PC3	Oui	1.8	+LA	+LA	+HA	+HA	<i>L.welshimeri</i>	P	7	0.00	-	8168	3.62	+	+HA	+HA	+MA	<i>L.welshimeri</i>	P	PA
K3	PC3	Oui	6.8	+LA	+MB	+HA	+HA	<i>L.innocua</i>	P	112	0.02	-	7456	3.31	+	+HA	+HA	+HB	<i>L.innocua</i>	P	PA
K5	PC3	Oui	9.6	+MA	+MA	+HA	+MA	<i>L.welshimeri</i>	P	7	0.00	-	7922	3.51	+	+HA	+HB	+MB	<i>L.welshimeri</i>	P	PA
M5	PC3	Oui	7 et 3,8	+HA(2)	+MA	+MA	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	P	8040	2.02	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA

Dairy products

				NF EN ISO 11290-1 METHOD							VIDAS LDUO METHOD								COMPARISON		
CODE	Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION				FINAL RESULT			
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
C7	PL1	Non		Ø	Ø	Ø	Ø	/	A	5	0.00	-	8189	2.89	+	+MA	+MA	+MB	<i>L.seeligeri</i>	P	PD
D14	PL1	Non		Ø	-ME	Ø	Ø	/	A	0	0.00	-	2933	1.12	+	+MB	+MA	+MB	<i>L.innocua</i>	P	PD
B2	PL1	Non		+LB	+LA	+HB	+MA	<i>L.monocytogenes</i>	P	7264	1.94	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
B4	PL1	Non		+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	P	7897	2.11	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
B6	PL1	Non		+LB	+LB	+HA	+HA	<i>L.monocytogenes</i>	P	9077	2.43	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
B18	PL1	Non		+MA	+MB	+HA	+HA	<i>L.monocytogenes</i>	P	8026	2.15	+	/	/	+ par défaut	+HB	+HA	+MA	<i>L.monocytogenes</i>	P	PA
B19	PL1	Non		+LA	+LA	+HA	+HB	<i>L.monocytogenes</i>	P	8493	2.27	+	/	/	+ par défaut	+MB	+MB	+MB	<i>L.monocytogenes</i>	P	PA
B23	PL1	Non		+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	P	11015	2.95	+	/	/	+ par défaut	+HB	+HA	+MA	<i>L.monocytogenes</i>	P	PA
B24	PL1	Non		+LB	+LA	+HB	+HA	<i>L.monocytogenes</i>	P	8189	2.19	+	/	/	+ par défaut	+HB	+HA	+HA	<i>L.monocytogenes</i>	P	PA
C8	PL1	Non		+LA	+LA	+HA	+MB	<i>L.monocytogenes</i>	P	7272	1.94	+	/	/	+ par défaut	+MB	+MA	+MA	<i>L.monocytogenes</i>	P	PA
C18	PL1	Non		+MA	+HA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	11380	3.04	+	/	/	+ par défaut	+MB	+MA	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
G1	PL1	Non		+MA	+MB	+HB	+HB	<i>L.monocytogenes</i>	P	8361	2.12	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
P4	PL1	Non		+HB	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	7112	1.79	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
P6	PL1	Non		+LA	+HC	+HB	+HA	<i>L.monocytogenes</i>	P	8236	2.07	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
P7	PL1	Non		+LB	+LB	+HB	+HB	<i>L.monocytogenes</i>	P	7942	2.00	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	P	PA
R21	PL1	Non		+LB	+MB	+MB	+MB	<i>L.monocytogenes</i> <i>L.innocua</i>	P	10229	2.63	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
L6	PL1	Oui	2.4	+LA	+LB	+HA	+HA	<i>L.innocua</i>	P	-2	0.00	-	42	0.01	-	Ø	Ø	Ø	/	A	ND
L5	PL1	Oui	5	Ø	+LA	+HA	+HA	<i>L.innocua</i>	P	8	0.00	-	8098	3.59	+	+HA	+MA	+MA	<i>L.innocua</i>	P	PA
L8	PL1	Oui	10	+HA	+MA	+HA	+HA	<i>L.innocua</i>	P	6	0.00	-	7890	3.50	+	+HA	+HA	+HA	<i>L.innocua</i>	P	PA
H1	PL1	Oui	16.8	Ø	Ø	Ø	-ME	/	A	21	0.00	-	8237	3.52	+	+HA	+MA	+MA	<i>L.innocua</i>	P	PD
C10	PL2	Non		Ø	-LE	Ø	Ø	/	A	10098	2.70	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	P	PD
B8	PL2	Non		+LA(4)	+LA	-ME	+LB(1)	<i>L.monocytogenes</i>	P	10078	2.70	+	/	/	+ par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
B16	PL2	Non		Ø	+LB	-LE	-LE	<i>L.seeligeri</i>	P	7613	2.03	+	/	/	+ par défaut	+MA	+MA	+MB	<i>L.monocytogenes</i>	P	PA
B21	PL2	Non		+LA	+LB	+HA	+HB	<i>L.monocytogenes</i> <i>L.innocua</i>	P	11124	2.98	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
B22	PL2	Non		+LA	+MC	+HA	+HA	<i>L.monocytogenes</i>	P	7803	2.09	+	/	/	+ par défaut	+HB	+HA	+HA	<i>L.monocytogenes</i> <i>L.seeligeri</i>	P	PA
C9	PL2	Non		+MA	+MB	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	7318	1.96	+	/	/	+ par défaut	+HB	+MB	+MB	<i>L.monocytogenes</i>	P	PA
P13	PL2	Non		+HB	+MA	+HA	+MA	<i>L.welshimeri</i>	P	27	0.00	-	7109	3.15	+	+HA	+HA	+HB	<i>L.welshimeri</i>	P	PA
X18	PL2	Non		+LA(1)	+LA(1)	+HA	+MA	<i>L.monocytogenes</i>	P	628	0.16	+	/	/	+ par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	P	PA
X19	PL2	Non		+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	P	8780	2.27	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i>	P	PA
N1	PL3	Non		+LA	+LB	+MA	+MA	<i>L.innocua</i>	P	8	0.00	-	8082	3.59	+	+HA	+HB	+HB	<i>L.innocua</i>	P	PA
N2	PL3	Non		+LA	+LA*	+MA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	8371	2.11	+	/	/	+ par défaut	+HA	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
L12	PL3	Oui	2.66	+MB	+MB	+HB	+HB	<i>L.innocua</i>	P	11	0.00	-	7788	3.45	+	+HA	+HB	+MB	<i>L.innocua</i>	P	PA
J15	PL3	Oui	7.5	+LA(1)	+LA(2)	+MA	+MA	<i>L.innocua</i>	P	5	0.00	-	7208	3.08	+	+HA	+HA	+HA	<i>L.innocua</i>	P	PA
J19	PL3	Oui	7.5	Ø	Ø	Ø	Ø	/	A	7	0.00	-	7309	3.12	+	+HA	+HA	+HA	<i>L.innocua</i>	P	PD
J14	PL3	Oui	3,4 et 5,0	Ø	Ø	Ø	Ø	/	A	7021	1.79	+	/	/	+ par défaut	+HA	+HA*	+HA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PD
J16	PL3	Oui	10	+LA	+MA	+MA	+MA	<i>L.innocua</i>	P	6	0.00	-	7022	3.00	+	+HA	+HA	+HA	<i>L.innocua</i>	P	PA
J20	PL3	Oui	10	+LA	+LA	+HA	+HA	<i>L.innocua</i>	P	-4	0.00	-	21	0.00	-	Ø	Ø	Ø	/	A	ND
J17	PL3	Oui	5,1 et 7,5	Ø	Ø	Ø	Ø	/	A	2604	0.66	+	/	/	+ par défaut	+HA*	+HA*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PD

Seafood products

				NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								FINAL RESULT	COMPARISON			
CODE	Cat.	AC	CFU/2 5g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION								
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.			
G8	PP1	Non		Ø	Ø	Ø	Ø	/	A	7690	1.95	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PD	
I36	PP1	Non		Ø	Ø	Ø	Ø	/	A	9134	2.46	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PD	
G5	PP1	Non		PP1	+LA	+HA	+HA	<i>L.monocytogenes</i>	P	8041	2.03	+	/	/	+ par défaut	+HA*	+HA	+MA*	<i>L.monocytogenes</i>	P	PA	
I40	PP1	Non		PP1	+MA	+HA	+MB	<i>L.monocytogenes</i>	P	6881	1.85	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
M14	PP1	Non		PP1	+MB	+MB	+MB	<i>L.monocytogenes</i>	P	7145	1.80	+	/	/	+ par défaut	+HA	+HA	+HB	<i>L.monocytogenes</i>	P	PA	
M17	PP1	Non		PP1	+LA	+MA	+MA	<i>L.monocytogenes</i>	P	10019	2.52	+	/	/	+ par défaut	+HA	+HA*	+MB*	<i>L.monocytogenes</i>	P	PA	
M24	PP1	Non		PP1	+MB	+MA	+LB	<i>L.monocytogenes</i>	P	7526	1.90	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	P	PA	
M26	PP1	Non		PP2	+LA	Ø	+LA	<i>L.monocytogenes</i>	P	7304	1.84	+	/	/	+ par défaut	+MA	+MA	+HA	<i>L.monocytogenes</i>	P	PA	
Q5	PP1	Non		PP3	+LB*	+MA	+MA*	<i>L.innocua</i> <i>L.seeligeri</i>	P	8	0.00	-	8269	3.62	+	+LB	+LB	+MA	<i>L.innocua</i> <i>L.seeligeri</i>	P	PA	
R4	PP1	Non		PP3	+LA(1)	+MB	+MA	<i>L.monocytogenes</i>	P	7259	1.87	+	/	/	+ par défaut	+MA	+MA	+HA	<i>L.monocytogenes</i>	P	PA	
R6	PP1	Non		+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	P	8155	2.10	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
R8	PP1	Non		+LA	+MB*	+HA	+MA	<i>L.monocytogenes</i>	<i>L.innocua</i>	P	7176	1.84	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	P	PA
U1	PP1	Non		Ø	+LA	+MA	+HA	<i>L.seeligeri</i>	P	8237	2.10	+	/	/	+ par défaut	/	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.seeligeri</i>	P	PA	
R14	PP1	Oui	0.1	Ø	Ø	+MA	+LA	<i>L.innocua</i>	P	8	0.00	-	7477	3.28	+	+HA	+HA	+HA	<i>L.innocua</i>	P	PA	
R13	PP1	Oui	0.2	Ø	-LE	+LA	+LA	<i>L.innocua</i>	P	1	0.00	-	9679	4.24	+	+MA	+MA	+MB	<i>L.innocua</i>	P	PA	
R15	PP1	Oui	0.3	Ø	Ø	+HA	+MA	<i>L.innocua</i>	P	32	0.00	-	7172	3.14	+	+HB	+HA	+MA	<i>L.innocua</i>	P	PA	
S6	PP1	Oui	1.64	Ø	Ø	+LA	+LB	<i>L.innocua</i>	P	-4	0.00	-	8252	3.67	+	+MA	+MA	+MD	<i>L.innocua</i>	P	PA	
S5	PP1	Oui	2.46	Ø	Ø	Ø	-LE	/	A	32	0.00	-	8069	3.59	+	+MA	+HA	+MB	<i>L.innocua</i>	P	PD	
S4	PP1	Oui	2.46	+MA	+MA	+MB	+MB	<i>L.innocua</i>	P	9	0.00	-	8360	3.72	+	+HB	+MB	+MA	<i>L.innocua</i>	P	PA	
M13	PP1	Oui	3.8	PP1	+LA(1)	+LA	+LA	<i>L.welshimeri</i>	P	-3	0.00	-	1129	0.50	+	+HA	+MA	+MA	<i>L.welshimeri</i>	P	PA	
U2	PP1	Oui	4.4	+LA	+LA	Ø	Ø	<i>L.innocua</i>	P	7	0.00	-	8208	3.65	+	+HA	+MB	+MB	<i>L.innocua</i>	P	PA	
M16	PP1	Oui	4.8	PP1	+LA	+LA	+LA	<i>L.welshimeri</i>	P	-4	0.00	-	25	0.01	-	+MB	+MA	+MB	<i>L.welshimeri</i>	A	ND	
M15	PP1	Oui	5.7	PP1	+LA	+MA	+MA	<i>L.welshimeri</i>	P	-2	0.00	-	18	0.00	-	Ø	Ø	Ø	/	A	ND	
I37	PP2	Non		Ø	Ø	Ø	Ø	/	A	7575	2.04	+	/	/	+ par défaut	+HA	+HB	+HA	<i>L.monocytogenes</i>	P	PD	
I39	PP2	Non		Ø	Ø	Ø	Ø	/	A	7296	1.96	+	/	/	+ par défaut	+HA	+HB	+HB	<i>L.monocytogenes</i>	P	PD	
G6	PP2	Non		Ø	+LA	+LB	+LB	<i>L.monocytogenes</i>	P	7745	1.96	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
G7	PP2	Non		+MA*	+MA*	+HA*	+MA*	<i>L.monocytogenes</i>	P	7962	2.01	+	/	/	+ par défaut	+HA	+HA	+MA*	<i>L.monocytogenes</i>	P	PA	
G14	PP2	Non		+LA	+MB	+HA	+HA	<i>L.monocytogenes</i>	P	7587	1.92	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	P	PA	
G15	PP2	Non		+MA	+MB	+HA	+HA	<i>L.monocytogenes</i>	P	7082	1.79	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
G16	PP2	Non		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	P	7329	1.85	+	/	/	+ par défaut	+MA	+MB	+MA	<i>L.monocytogenes</i>	P	PA	
G17	PP2	Non		+MA	+MA*	+HA*	+MA	<i>L.monocytogenes</i>	P	7268	1.84	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
I33	PP2	Non		+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	P	7960	2.14	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA	
I34	PP2	Non		+LB	+LA	+HA	+HA	<i>L.monocytogenes</i>	P	7417	1.99	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
I35	PP2	Non		+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	P	7096	1.91	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA	
I38	PP2	Non		+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	P	7081	1.90	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
R3	PP2	Non		Ø	+LA	Ø	+MA	<i>L.monocytogenes</i>	P	7422	1.91	+	/	/	+ par défaut	+MA	+HA	+HA	<i>L.monocytogenes</i>	P	PA	
R7	PP2	Non		+LA	+LB	+HA	+MA	<i>L.monocytogenes</i>	P	7411	1.90	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	P	PA	
S1	PP2	Non		Ø	+LA	+MA	+MB	<i>L.monocytogenes</i>	P	5386	1.37	+	/	/	+ par défaut	+MA	+MB	+MA	<i>L.monocytogenes</i>	P	PA	
U8	PP2	Non		Ø	+LA(3)	+HA	+MA	<i>L.monocytogenes</i>	P	7581	1.93	+	/	/	+ par défaut	/	+MA	+MA	<i>L.monocytogenes</i>	P	PA	
U3	PP2	Oui	2.68	Ø	Ø	Ø	/	A	112	0.02	-	7812	3.47	+	/	+HA	+MA	<i>L.innocua</i>	P	PD		
S3	PP2	Oui	2.46	PP1	+MA	+MB	+MB	<i>L.innocua</i>	P	-4	0.00	-	26	0.01	-	Ø	Ø	-ME	Ø	A	ND	
Q1	PP3	Non		PP2	+LA	+HA	+HA*	<i>L.monocytogenes</i>	P	7294	1.87	+	/	/	+ par défaut	+MA	+HA	+MA*	<i>L.monocytogenes</i>	P	PA	
G12	PP3	Non		Ø	Ø	+HA	+HA	<i>L.monocytogenes</i>	P	8320	2.11	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
G13	PP3	Non		+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	P	7414	1.88	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
I42	PP3	Non		+HA*	+MA*	+HA	+MA*	<i>L.monocytogenes</i>	P	7533	2.02	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
Q8	PP3	Non		+LD	+MA	+HA	+MB	<i>L.monocytogenes</i>	P	7676	1.97	+	/	/	+ par défaut	+HB	+HA	+MA	<i>L.monocytogenes</i>	P	PA	
Q12	PP3	Non		+LB(1)	+LA	+HA	+MA	<i>L.monocytogenes</i>	P	1420	0.36	+	/	/	+ par défaut	+LA	+MB	+MA	<i>L.monocytogenes</i>	P	PA	
R11	PP3	Oui	0.2	Ø	Ø	+MA	+MA	<i>L.innocua</i>	P	14	0.00	-	7998	3.50	+	+HA	+HA	+MA	<i>L.innocua</i>	P	PA	

Vegetal products

				NF EN ISO 11290-1 METHOD							VIDAS LDUO METHOD								COMPARISON				
CODE	Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION				FINAL RESULT					
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.				
B7	PV1	Non		+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	P	7197	1.92	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	P	PA		
E21	PV1	Non		+LA	+LA	+HA	+HA	<i>L.innocua</i>	P	2	0.00	-	8501	3.26	+	+HA	+HA	+HA	<i>L.innocua</i>	P	PA		
S17	PV1	Non		+LB(2)	-ME	+MA	+MA	<i>L.monocytogenes</i>	P	6729	1.71	+	/	/	+ par défaut	+MA	+MB	+MB	<i>L.monocytogenes</i>	P	PA		
Q18	PV1	Oui	2.2	+LA	+LD	+HA	+MB	<i>L.monocytogenes</i>	P	-2	0.00	-	21	0.00	-	Ø	Ø	Ø	<i>Ø</i>	A	ND		
L125-1	PV1	Oui	2.7	Ø	Ø	Ø	-LE	/	A	25	0.00	-	2001	0.89	+	/	+MA	+MB	<i>L.monocytogenes</i>	P	PD		
S8	PV1	Oui	4.92	Ø	Ø	+MA	+MA	<i>L.monocytogenes</i>	P	-1	0.00	-	25	0.01	-	Ø	-ME	-HE	/	A	ND		
S9	PV1	Oui	4.92	+LA(1)	Ø	+MA	+MA	<i>L.monocytogenes</i>	P	4860	1.24	+	/	/	+ par défaut	+MA	+HA	+MB	<i>L.monocytogenes</i>	P	PA		
Q13	PV1	Oui	6.6	+MA	+MA	+HA	+HA	<i>L.innocua</i>	P	7	0.00	-	7310	3.20	+	+HA	+MA	+MA	<i>L.innocua</i>	P	PA		
Q20	PV1	Oui	6,6 et 1,4	+LA	+LC	+HA	+MB	<i>L.innocua</i>	P	66	0.01	-	7221	3.16	+	+HA	+HA	+MB	<i>L.innocua</i>	P	PA		
Q24	PV1	Oui	10,6 et 2,2	+LA	+LB	+HA	+MB	<i>L.innocua</i>	P	19	0.00	-	7463	3.27	+	+MA	+MA	+MB	<i>L.innocua</i>	P	PA		
B25	PV2	Non		+LA(1)	+LA(2)	+HB	+HA	<i>L.monocytogenes</i>	P	4519	1.21	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	P	PA		
B12	PV2	Non		+LA	+LB	+HA	+HA	<i>L.monocytogenes</i>	P	7950	2.13	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	P	PA		
B20	PV2	Non		+LB	+LA	+HB	+HA	<i>L.monocytogenes</i>	P	10765	2.88	+	/	/	+ par défaut	+HB	+HA	+MA	<i>L.monocytogenes</i>	P	PA		
C1	PV2	Non		-LE	+LA	Ø	<i>L.grayi</i>	P	7218	1.93	+	/	/	+ par défaut	+HB	+HA	+MA	<i>L.monocytogenes</i>	P	PA			
C5	PV2	Non		+MA	+MB	+MB	+MB	<i>L.monocytogenes</i>	P	8754	2.34	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA		
P1	PV2	Non		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	<i>L.innocua</i>	P	7991	2.01	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	P	PA	
P2	PV2	Non		+HA	+HA	+HA	+HA	<i>L.monocytogenes</i>	<i>L.innocua</i>	P	7264	1.83	+	/	/	+ par défaut	+HA	+HA*	+HA*	<i>L.monocytogenes</i>	P	PA	
P3	PV2	Non		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	P	7271	1.83	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i>	P	PA		
R1	PV2	Non		+MA	+MB	+HA	+MA	<i>L.monocytogenes</i>	P	7558	1.94	+	/	/	+ par défaut	+HA	+HA	+HB	<i>L.monocytogenes</i>	P	PA		
R2	PV2	Non		+MB	+MB*	+HB	+MB	<i>L.monocytogenes</i>	<i>L.innocua</i>	P	7450	1.91	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	P	PA	
S10	PV2	Non		+MA	+MB	+HA	+MA	<i>L.monocytogenes</i>	<i>L.innocua</i>	P	7200	1.83	+	/	/	+ par défaut	+MA	+MB	+MB	<i>L.monocytogenes</i>	P	PA	
S11	PV2	Non		+MA	+MB	+MA	+MA	<i>L.monocytogenes</i>	P	10774	2.75	+	/	/	+ par défaut	+MA	+MA	+MB	<i>L.monocytogenes</i>	P	PA		
T1	PV2	Non		+MA	+MB*	+HA	+MB*	<i>L.monocytogenes</i>	<i>L.innocua</i>	P	7668	1.95	+	/	/	+ par défaut	+MA	+HA*	+MB	<i>L.innocua</i>	P	PA	
Q25	PV2	Oui	2.2	+LB	+LC	+MA	+MB	<i>L.monocytogenes</i>	P	2649	0.68	+	/	/	+ par défaut	+LA	+MB	+MB*	<i>L.monocytogenes</i>	P	PA		
Q17	PV2	Oui	6.6	+LA	+LC	+MA	+MB	<i>L.innocua</i>	P	26	0.00	-	7258	3.18	+	+MA	+HA	+MB	<i>L.innocua</i>	P	PA		
Q16	PV2	Oui	10.6	+LA	+LC	+HA	+MB	<i>L.innocua</i>	P	148	0.03	-	7729	3.39	+	+MA	+MA	+MB	<i>L.innocua</i>	P	PA		
C3	PV3	Non		+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	P	8921	2.39	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA		
T7	PV3	Non		+HB	+LB	+HB	+HB*	<i>L.monocytogenes</i>	<i>L.innocua</i>	P	10588	2.70	+	/	/	+ par défaut	+HB	+HB	+MB*	<i>L.innocua</i>	P	PA	
U12	PV3	Non		+MA*	+MB*	+HB	+HB	<i>L.monocytogenes</i>	<i>L.welshimeri</i>	P	8785	2.24	+	/	/	+ par défaut	/	+MA*	+MB*	<i>L.monocytogenes</i>	<i>L.welshimeri</i>	P	PA
V2	PV3	Non		+LA	+LB	+HA	+HB	<i>L.innocua</i>	P	426	0.11	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.innocua</i>	P	PA		
U9	PV3	Oui	0.3	-LE	+MB	-LE	+MC	<i>L.seeligeri</i>	P	-2	0.00	-	47	0.02	-	-ME	-LE	+MC	Ø	A	ND		
V3	PV3	Oui	4.2	+LA	+LB	+HA	+HB	<i>L.innocua</i>	P	0	0.00	-	8653	3.03	+	+HA	+HA	+HB	<i>L.innocua</i>	P	PA		
V5	PV3	Oui	4.2	+MA	+LB	+HA	+MB	<i>L.innocua</i>	P	-2	0.00	-	8817	3.09	+	+HA	+HA	+MA	<i>L.innocua</i>	P	PA		
V6	PV3	Oui	5.6	+LA	+LA(3)	+HA	+HA	<i>L.innocua</i>	P	23	0.00	-	8537	2.99	+	+HA	+MA	+MA	<i>L.innocua</i>	P	PA		
V4	PV3	Oui	7.2	+LA	+LB	+HA	+HB	<i>L.innocua</i>	P	163	0.04	-	7981	2.79	+	+HA	+HB	+HB	<i>L.innocua</i>	P	PA		
V7	PV3	Oui	7.2	+MA	+MA	+HA	+MA	<i>L.innocua</i>	P	-1	0.00	-	8189	2.87	+	+HA	+HA	+MA	<i>L.innocua</i>	P	PA		
Q26	PV3	Oui	6,6 et 1,4	+LB	+LB	+HA	+MB	<i>L.innocua</i>	P	14	0.00	-	7899	3.46	+	+MA	+HA	+HB	<i>L.innocua</i>	P	PA		
S13	PV3	Oui	10	+LA(3)	+LA(1)	+HA	+MA	<i>L.monocytogenes</i>	P	6986	1.78	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA		
S15	PV3	Oui	10	+LA	+LA	+HA	+MA	<i>L.monocytogenes</i>	P	6872	1.75	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA		
S16	PV3	Oui	10	+MB	+MB	+MA	+MA	<i>L.monocytogenes</i>	P	6800	1.73	+	/	/	+ par défaut	+MA	+HB	+MA	<i>L.monocytogenes</i>	P	PA		
T3	PV3	Non & Oui	21.5	+MA	+MB	+MB*	+MB	<i>L.monocytogenes</i>	<i>L.innocua</i>	P	3647	0.93	+	/	/	+ par défaut	+HA	+HB*	+HB	<i>L.monocytogenes</i>	<i>L.innocua</i>	P	PA

Composite foods

				NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD										COMPARISON	
CODE	Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO					CONFIRMATION				FINAL RESULT		
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
B1	C1	Non		+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	P	7567	2.02	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
B13	C2	Non		+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	P	7421	1.98	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	P	PA
B14	C2	Non		+MA	+MA	+MA	+HA	<i>L.monocytogenes</i>	P	7191	1.92	+	/	/	+ par défaut	+MA	+MA	+MA	<i>L.monocytogenes</i>	P	PA
C2	C2	Non		+LA	Ø	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	7073	1.89	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
Q10	C2	Non		PP1	-LE	Ø	-LE	/	A	-1	0.00	-	3522	1.54	+	+MA	+LA	+LA	<i>L.welshimeri</i>	P	PD
S7	C2	Oui	1.64	Ø	Ø	+HA	+MA	<i>L.innocua</i>	P	8	0.00	-	7940	3.53	+	+MA	+MA	+MA	<i>L.innocua</i>	P	PA
B5	C3	Non		+LA	+LA	+HA	+HA	<i>L.monocytogenes</i>	P	8084	2.16	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
B9	C3	Non		+MA	+MA	+HA*	+HA*	<i>L.monocytogenes</i>	P	7509	2.01	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
C12	C3	Non		+MA	+HA	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	8050	2.15	+	/	/	+ par défaut	+HA	+MA	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
P5	C3	Non		+MA	+MA	+HA	+HA	<i>L.monocytogenes</i>	P	7402	1.86	+	/	/	+ par défaut	+HA	+HA*	+MA	<i>L.monocytogenes</i>	P	PA
C13	C3	Non		+LA	+LB	Ø	-ME	<i>L.grayi</i>	P	-5	0.00	-	25	0.00	-	/	/	/	/	A	ND
L11	C3	Oui	4.5	+MA	+MA	+HA	+HA	<i>L.innocua</i>	P	332	0.08	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.welshimeri</i>	P	PA
										1003a	0.25	+	/	/	+ par défaut						
										175b	0.04	-	7015b	3.11	+						
										1c	0.00	-	10331c	4.58	+						
J28	C3	Oui	5	Ø	Ø	Ø	Ø	/	A	8	0.00	-	7893	3.37	+	+HA	+HA	+HA	<i>L.innocua</i>	P	PD
J29	C3	Oui	7.5	+LA	+LA	+HA	+HA	<i>L.innocua</i>	P	7	0.00	-	8108	3.46	+	+HA	+HB	+HA	<i>L.innocua</i>	P	PA
L9	C3	Oui	8.7	+HA	+HA	+HA	+HA	<i>L.innocua</i>	P	22	0.00	-	7795	3.46	+	+HA	+HA	+HA	<i>L.innocua</i>	P	PA
J22	C3	Oui	10	+LA(1)	+LB(1)	+HA	+HB	<i>L.innocua</i>	P	112	0.02	-	6703	2.86	+	+HA	+HA	+HB	<i>L.innocua</i>	P	PA
J21	C3	Oui	5,1 et 7,5	+MA	+MA	+HA	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	6498	1.65	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA

Environmental samples

				NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON			
CODE	Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION				FINAL RESULT	COMPARISON		
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
F18	EN1	Non		+LA	+LA	+HA	+MA*	<i>L.monocytogenes</i>	P	8612	2.30	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
G21	EN1	Non		+LA	+LA*	+HA	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	6275	1.59	+	/	/	+ par défaut	+MA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
O20	EN1	Non		+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	P	6701	1.69	+	/	/	+ par défaut	/	+MA	+MA	<i>L.monocytogenes</i>	P	PA
H13	EN1	Oui	4 et 0	Ø	Ø	Ø	-LE	/	A	7	0.00	-	7594	3.24	+	+LA	+LA	+MA	<i>L.Innocua</i> <i>L.seeligeri</i>	P	PD
O18	EN1	Oui	6.5	+LA	+LA	+MA	+MB	<i>L.innocua</i>	P	8	0.00	-	7026	3.12	+	/	+HA	+MB	<i>L.innocua</i>	P	PA
H7	EN1	Oui	8.0	Ø	Ø	Ø	Ø	/	A	8	0.00	-	7920	3.38	+	+HA	+HA	+MA	<i>L.seeligeri</i>	P	PD
M27	EN1	Oui	7 et 3,8	+MA	+LA	+MA*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	8030	2.02	+	/	/	+ par défaut	+HA	+HB*	+HA*	<i>L.monocytogenes</i>	P	PA
G27	EN2	Non		Ø	-LE	-LE	-LE	/	A	26	0.00	-	7575	2.91	+	+HA	+HA	+HA	<i>L.welshimeri</i>	P	PD
O3	EN2	Non		+LB	-ME	+HB	+MB	<i>L.monocytogenes</i>	P	-4	0.00	-	25	0.01	-	/	-LE	-ME	/	A	ND
B28	EN2	Non		Ø	Ø	+HA	+HA	<i>L.monocytogenes</i>	P	7669	2.05	+	/	/	+ par défaut	+HA	+HA	+MB	<i>L.monocytogenes</i>	P	PA
D23	EN2	Non		+HA	+HA	+MA	+MA	<i>L.monocytogenes</i>	P	6778	1.71	+	/	/	+ par défaut	+HA	+HA	+HA	<i>L.monocytogenes</i>	P	PA
F25	EN2	Non		+HA	+MA	+MA*	+MA*	<i>L.innocua</i>	P	-1	0.00	-	19	0.00	-	Ø	Ø	Ø	/	A	ND
G25	EN2	Non		+LA	+LB	+HA	+HA	<i>L.monocytogenes</i>	P	7621	1.93	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	P	PA
G28	EN2	Non		+MA	+MB	+HA	+MB	<i>L.monocytogenes</i>	P	1171	0.29	+	/	/	+ par défaut	+HB	+MA	+MA	<i>L.monocytogenes</i>	P	PA
J7	EN2	Non		+HA*	+MA*	+MA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	212	0.05	+	/	/	+ par défaut	+HA	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
O1	EN2	Non		+LA	+LA*	+HA	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	7647	1.93	+	/	/	+ par défaut	/	+HA*	+MA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
O4	EN2	Non		+LA	+LA*	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	7969	2.01	+	/	/	+ par défaut	/	+HA*	+MA*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
O5	EN2	Non		+MA	+MA	+HA*	+MA*	<i>L.monocytogenes</i>	P	7273	1.83	+	/	/	+ par défaut	/	+MA	+MA	<i>L.monocytogenes</i>	P	PA
P9	EN2	Non		+HA	+MB	+HB	+HB	<i>L.monocytogenes</i>	P	7307	1.84	+	/	/	+ par défaut	+HA	+HB	+HB	<i>L.monocytogenes</i>	P	PA
H16	EN2	Oui	0.1	-LE	-LE	+HA	+HA	<i>L.innocua</i>	P	0	0.00	-	7085	3.02	+	-LE	-ME	-ME	Ø	P	PA
J1	EN2	Oui	0,2 et 0,4	Ø	Ø	-ME	-ME	/	A	48	0.01	-	7901	3.37	+	+HA	+HA	+HB	<i>L.innocua</i>	P	PD
J4	EN2	Oui	0.8	+LA	+LA	+MA	+MA	<i>L.innocua</i>	P	119	0.03	-	7426	3.17	+	+HA	+MA	+HB	<i>L.innocua</i>	P	PA

Environmental samples

				NF EN ISO 11290-1 METHOD						VIDAS LDUO METHOD								COMPARISON			
CODE	Cat.	AC	CFU/25g	FRASER 1/2		FRASER		CONFIRMATION		VIDAS LDUO				CONFIRMATION				FINAL RESULT			
				P1	OA1	P2	OA2	IDENTIF.	RESULT	RFV LMO	VT	RESULT TEST LMO	RFV LIS	VT	RESULT TEST LIS	PAL	RLM	OAA	IDENTIF.		
J5	EN2	Oui	1.2	+LA(3)	+LA	+MA	+MA	<i>L.innocua</i>	P	11	0.00	-	8106	3.46	+	+MA	+HA	+MA	<i>L.innocua</i>	P	PA
J2	EN2	Oui	0,4 et 0,8	Ø	Ø	+MA	+MA	<i>L.innocua</i>	P	51	0.01	-	7840	3.35	+	+HA	+HA	+HA	<i>L.innocua</i>	P	PA
J6	EN2	Oui	1.6	+LA(2)	-LE	+MA	+MA	<i>L.innocua</i>	P	54	0.01	-	7695	3.28	+	+HA	+HA	+HB	<i>L.innocua</i>	P	PA
J3	EN2	Oui	0,6 et 1,2	+LA	+LB	+MA*	+MB	<i>L.monocytogenes</i>	P	6823	1.73	+	/	/	+ par défaut	+HA*	+HB*	+HA	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
O13	EN2	Oui	6.5	+LA	+LA	+MA	+MA	<i>L.monocytogenes</i>	P	7157	1.80	+	/	/	+ par défaut	/	+HA	+MA	<i>L.monocytogenes</i>	P	PA
I32	EN3	Non		Ø	Ø	Ø	Ø	/	A	3	0.00	-	8672	3.39	+	+HA	+HA	+HA	<i>L.welshimeri</i> <i>L.innocua</i>	P	PD
I43	EN3	Non		Ø	Ø	Ø	Ø	/	A	6758	1.82	+	/	/	+ par défaut	+HA	+HB	+MA	<i>L.monocytogenes</i>	P	PD
C14	EN3	Non		+MA	+MA	+MB	+MB	<i>L.monocytogenes</i>	P	7527	2.01	+	/	/	+ par défaut	+HA	+HA	+HB	<i>L.monocytogenes</i>	P	PA
C15	EN3	Non		+MA	+MA	+HA	+MA	<i>L.monocytogenes</i>	P	7734	2.07	+	/	/	+ par défaut	+HA	+HA	+MA	<i>L.monocytogenes</i>	P	PA
O6	EN3	Non		+MA	+MB	+HA*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	7242	1.82	+	/	/	+ par défaut	/	+HA*	+MB*	<i>L.monocytogenes</i> <i>L.innocua</i>	P	PA
O7	EN3	Non		+MA	+MA	+MA*	+MA*	<i>L.monocytogenes</i>	P	7307	1.84	+	/	/	+ par défaut	/	+HA*	+MA	<i>L.monocytogenes</i>	P	PA
O8	EN3	Non		+MA	+MA	+MA	+MB	<i>L.monocytogenes</i>	P	7507	1.89	+	/	/	+ par défaut	/	+HA	+MA	<i>L.monocytogenes</i>	P	PA
O9	EN3	Non		+MA	+MA	+MA	+MA	<i>L.monocytogenes</i>	P	7358	1.85	+	/	/	+ par défaut	/	+HA*	+MB	<i>L.monocytogenes</i>	P	PA
P11	EN3	Non		Ø	+LB	Ø	Ø	<i>L.monocytogenes</i>	P	7239	1.82	+	/	/	+ par défaut	+MB	+LB*	+HB*	<i>L.monocytogenes</i>	P	PA
P12	EN3	Non		Ø	+LB	+MA	+MA*	<i>L.monocytogenes</i>	P	7154	1.80	+	/	/	+ par défaut	+LB	+LB	+MA*	<i>L.monocytogenes</i>	P	PA
O15	EN3	Oui	<1	+MA	+MB	+MA	+LB	<i>L.monocytogenes</i>	P	3533	0.89	+	/	/	+ par défaut	/	+MA	+MB	<i>L.monocytogenes</i>	P	PA
O14	EN3	Oui	9.7	+MA	+MB	+MA	+LB	<i>L.monocytogenes</i>	P	40	0.01	-	1914	0.85	+	/	+MA	-ME	<i>L.monocytogenes</i>	P	PA
										1423a	0.35	+	/	/	+ par défaut	/					FAUX

APPENDIX D3

THIRD RENEWAL STUDY

SENSITIVITY RAW RESULTS

Meat products

Code	Matrix	Category	Type	AC	CFU/25g	Reference method: EN ISO 11290-1:2017 (■)						Alternative method: VIDAS LDUO										Compa-	VIDAS LDUO D+3						Compa-				
						1/2 Fraser		Fraser		Confirmation		Final result	VIDAS LDUO			Alternative method confirmation			Conf. acc. ISO 11290-1		Final result	VIDAS LDUO			VIDAS LDUO			Compa-					
						O&A A	PALCAM	O&A A	PALCAM	Res.	Identification		RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	O&A A	PALCAM	API LIS gallery w/o purification	Res.	Identification	RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	Conf.			
1398360	Spiced cooked chicken wings	MP	b+	Yes	3.0	- ØE	- LE	+ HC	+ HC	pos.	L. monocytogenes	P	9321	2.50	pos.	/	/	pos.	+ HA	+ MC	L. monocytogenes	+ L. monocytogenes	P	PA	8008	1.99	pos.	/	/	pos.	pos.	P	PA
1398361	Bolognese escalope	MP	b+	Yes	3.0	+ LA	+ LA	+ HA	+ HA	pos.	L. monocytogenes	P	10528	2.83	pos.	/	/	pos.	+ HA	+ MC	L. monocytogenes	+ L. monocytogenes	P	PA	9323	2.32	pos.	/	/	pos.	pos.	P	PA
1420567	Ready-to-reheat cooked beef	MP	b-	No	/	- ØE	- ØE	- LE	- LE	/	A	-2	-0.00	neg.	12	0.00	neg.	- LE	- LE	/	/	/	A	NA	/	/	/	/	/	/	/	/	/
1420569	Blood sausage with onions	MP	b-	No	/	- ØE	- ØE	- ME	- ME	/	A	2	0.00	neg.	15	0.00	neg.	- ME	- ME	/	/	/	A	NA	/	/	/	/	/	/	/	/	/

Dairy products

Code	Matrix	Category	Type	AC	CFU/25g	Reference method: EN ISO 11290-1:2017 (■)						Alternative method: VIDAS LDUO										Compa-	VIDAS LDUO D+3						Compa-				
						1/2 Fraser		Fraser		Confirmation		Final result	VIDAS LDUO			Alternative method confirmation			Conf. acc. ISO 11290-1		Final result	VIDAS LDUO			VIDAS LDUO			Compa-					
						O&A A	PALCAM	O&A A	PALCAM	Res.	Identification		RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	O&A A	PALCAM	API LIS gallery w/o purification	Res.	Identification	RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	Conf.			
1370083	Sliced cheddar (pasteurized milk)	DP	c+	Yes	2.4	+ LA	+ LD	+ HA	+ HB	pos.	L. monocytogenes	P	8914	2.15	pos.	/	/	pos.	+ HB	+ MC	L. monocytogenes	+ L. monocytogenes	P	PA	9777	2.36	pos.	/	/	pos.	pos.	P	PA
1370089	Sliced cheddar (pasteurized milk)	DP	c-	No	/	- LE	- ME	- ØE	- LE	/	A	0	0.00	neg.	14	0.00	neg.	- LE	- ME	/	/	/	A	NA	/	/	/	/	/	/	/	/	/
1398363	Raw cow milk	DP	c+	Yes	2.2	+ LA	+ LC	+ HA	+ HB	pos.	L. monocytogenes	P	8706	2.34	pos.	/	/	pos.	+ HA	+ MC	L. monocytogenes	+ L. monocytogenes	P	PA	9112	2.26	pos.	/	/	pos.	pos.	P	PA
1398364	Slice fourme d'Ambert (pasteurized milk)	DP	c+	Yes	2.2	+ LA	+ LB	+ HA	+ HB	pos.	L. monocytogenes	P	8579	2.30	pos.	/	/	pos.	+ HA	+ HB	L. monocytogenes	+ L. monocytogenes	P	PA	9095	2.26	pos.	/	/	pos.	pos.	P	PA
1398365	Ewe soft cheese (pasteurized milk)	DP	c+	Yes	1.0	+ LA	+ LC	+ HB	+ HA	pos.	L. monocytogenes	P	8248	2.21	pos.	/	/	pos.	+ HA	+ HB	L. monocytogenes	+ L. monocytogenes	P	PA	9020	2.24	pos.	/	/	pos.	pos.	P	PA
1398366	Ewe cheese, pressed not-cooked (pasteurized milk)	DP	c+	Yes	1.0	+ LA	- LE	+ HA	+ HB	pos.	L. monocytogenes	P	10462	2.81	pos.	/	/	pos.	+ HA	+ HB	L. monocytogenes	+ L. monocytogenes	P	PA	7203	1.79	pos.	/	/	pos.	pos.	P	PA
1398367	Cheese product with garlic and herbs (pasteurized milk)	DP	c+	Yes	2.2	+ LB	+ LB	+ HA	+ HB	pos.	L. monocytogenes	P	9089	2.44	pos.	/	/	pos.	+ HA	+ HB	L. monocytogenes	+ L. monocytogenes	P	PA	9037	2.25	pos.	/	/	pos.	pos.	P	PA
1398371	Coffee ice-cream with hazelnut sauce	DP	c+	Yes	1.2	- LE	+ LC	+ HB	+ HC	pos.	L. ivanovii	P	1	0.00	neg.	451	0.16	pos.	+ MA	- ME	L. ivanovii	+ L. ivanovii	P	PA	2	0.00	neg.	447	0.14	pos.	pos.	P	PA
1420538	Goat raw milk cheese 1	DP	b+	Yes	2.6	+ LA	+ LA	+ HA	+ HA	pos.	L. monocytogenes	P	9631	2.32	pos.	/	/	pos.	+ MA	+ MA	L. monocytogenes	+ L. monocytogenes	P	PA	9631	2.32	pos.	/	/	pos.	pos.	P	PA

Seafood products

Code	Matrix	Category	Type	AC	CFU/25g	Reference method: EN ISO 11290-1:2017 (■)						Alternative method: VIDAS LDUO										Compa-	VIDAS LDUO D+3						Compa-				
						1/2 Fraser		Fraser		Confirmation		Final result	VIDAS LDUO			Alternative method confirmation			Conf. acc. ISO 11290-1		Final result	VIDAS LDUO			VIDAS LDUO			Compa-					
						O&A A	PALCAM	O&A A	PALCAM	Res.	Identification		RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	O&A A	PALCAM	API LIS gallery w/o purification	Res.	Identification	RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	Conf.			
1398351	Scallop terrine	SP	c+	Yes	3.0	+ LA	+ LB	+ HA	+ HB	pos.	L. monocytogenes	P	9104	2.44	pos.	/	/	pos.	+ HA	+ MC	L. monocytogenes	+ L. monocytogenes	P	PA	9164	2.28	pos.	/	/	pos.	pos.	P	PA
1398352	Mincé Alaska pollock with lemon and onion	SP	c+	Yes	3.0	+ LA	+ LC	+ HA	+ HB	pos.	L. monocytogenes	P	9014	2.42	pos.	/	/	pos.	+ HA	+ MC	L. monocytogenes	+ L. monocytogenes	P	PA	9294	2.31	pos.	/	/	pos.	pos.	P	PA
1398353	Tuna rillettes	SP	c+	Yes	2.6	+ LA	+ LB	+ HA	+ HB	pos.	L. monocytogenes	P	9233	2.48	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+ L. monocytogenes	P	PA	9369	2.33	pos.	/	/	pos.	pos.	P	PA
1398354	Surimi sticks	SP	c+	Yes	2.6	+ LA	+ LB	+ HA	+ HB	pos.	L. monocytogenes	P	9521	2.55	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+ L. monocytogenes	P	PA	9502	2.36	pos.	/	/	pos.	pos.	P	PA
1420556	Marinated anchovies	SP	b-	No	/	- LE	- ØE	- ME	- LE	/	A	-3	0.00	neg.	19	0.00	neg.	- ØE	- LE	/	/	A	NA	/	/	/	/	/	/	/	/	/	
1420557	Ready-to-cook smoked salmon offcuts	SP	b-	No	/	- ØE	- ØE	- LE	- LE	/	A	-3	0.00	neg.	23	0.01	neg.	- LE	- LE	/	/	A	NA	/	/	/	/	/	/	/	/	/	
1420558	Cooked crumbled cod	SP	c-	No	/	- ØE	- ØE	- ØE	- ØE	/	A	-4	0.00	neg.	24	0.01	neg.	- ØE	- ØE	/	/	A	NA	/	/	/	/	/	/	/	/	/	
1420559	Trout eggs	SP	c-	No	/	- ØE	- ØE	- ØE	- ØE	/	A	-4	0.00	neg.	31	0.01	neg.	- ØE	- ØE	/	/	A	NA	/	/	/	/	/	/	/	/	/	
1420560	Salmon preparation with chives	SP	c-	No	/	- ØE	- ØE	- ØE	- ØE	/	A	-3	0.00	neg.	21	0.00	neg.	- ØE	- ØE	/	/	A	NA	/	/	/	/	/	/	/	/	/	
1420561	Ready-to-eat cooked tuna slices with tomato	SP	c-	No	/	- ØE	- ØE	- LE	- LE	/	A	-2	0.00	neg.	33	0.01	neg.	- LE	- LE	/	/	A	NA	/	/	/	/	/	/	/	/	/	
1420567	Ready-to-reheat fish & shellfish meal	SP	c-	No	/	- ØE	- ØE	- ØE	- ØE	/	A	-3	0.00	neg.	20	0.00	neg.	- ME	- ME	/	/	A	NA	/	/	/	/	/	/	/	/	/	

Vegetal products

Code	Matrix	Category	Type	AC	CFU/25g	Reference method: EN ISO 11290-1:2017 (■)						Alternative method: VIDAS LDUO										Compa-	VIDAS LDUO D+3						Compa-
1/2 Fraser		Fraser		Confirmation		Final result	VIDAS LDUO			Alternative method confirmation			Conf. acc. ISO 11290-1		Final result	VIDAS LDUO			VIDAS LDUO			Compa-							
O&A A	PALCAM	O&A A	PALCAM	Res.	Identification	RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	O&A A	PALCAM	API LIS gallery w/o purification	Res.	Identification	RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	Conf.						

<tbl_r cells="10" ix="1" maxcspan="10" maxrspan="3" usedcols

Composite foods

Code	Matrix	Category	Type	AC	CFU/ 25g	Reference method: EN ISO 11290-1:2017 (■)						Alternative method: VIDAS LDUO						VIDAS LDUO D+3						VIDAS LDUO		VIDAS LDUO		Compa- rison						
						1/2 Fraser		Fraser		Confirmation		RFV LMO	Result LMO	RFV LIS	VT	Result LIS	VIDAS LDUO		Alternative method confirmation		Conf. acc. ISO 11290-1	Final Res.	Identification	RFV LMO	Result LMO	RFV LIS	VT	Result LIS	VIDAS LDUO		Conf. result	Compa- rison		
						OR&A	PALCAM	OR&A	PALCAM	Res.	Identification						OR&A	PALCAM	API LIS gallery w/o purification	OR&A	PALCAM	API LIS gallery w/o purification	OR&A	PALCAM	API LIS gallery w/o purification	OR&A	PALCAM	API LIS gallery w/o purification						
1370078	Gambas and scallop marinade with lemon	CF	a-	Yes	1.0	- ØE	- ØE	- ØE	- ØE	/	/	A	-1	-0.00	neg.	15	0.00	neg.	- ØE	- ØE	/	/	/	/	A	NA	/	/	/	/	/	/		
1370081	Sweetbread bouchée	CF	b+	Yes	0.2	- ØE	- ØE	- ØE	- ØE	/	/	A	8925	2.15	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PD	9864	2.38	pos.	/	/	pos.	pos.	P	PD
1370082	Goat cheese soufflé	CF	b-	Yes	1.2	- ØE	- ØE	- ØE	- ØE	/	/	A	1	0.00	neg.	55	0.01	neg.	- LE	- LE	/	/	/	/	A	NA	/	/	/	/	/	/		
1370085	Vegetables lasagna with pesto	CF	b+	No	/	+ LB	+ LB	+ HB	+ HB	pos.	L. monocytogenes	P	10280	2.61	pos.	/	/	pos.	+ HB	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	13288	3.21	pos.	/	/	pos.	pos.	P	PA
1370086	Rustic white pudding	CF	b+	No	/	+ LD (4)	- LE	+ MA	+ HA	pos.	L. monocytogenes	P	8949	2.16	pos.	/	/	pos.	+ HB	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	10126	2.45	pos.	/	/	pos.	pos.	P	PA
1370087	Sweetbread bouchée	CF	b-	No	/	- LE	- LE	- ØE	- ØE	/	/	A	1	0.00	neg.	13	0.00	neg.	- ØE	- ØE	/	/	/	/	A	NA	/	/	/	/	/	/		
1370088	Goat cheese soufflé	CF	b-	No	/	- LE	- LE	- ØE	- LE	/	/	A	0	0.00	neg.	13	0.00	neg.	- ØE	- LE	/	/	/	/	A	NA	/	/	/	/	/	/		
1372303	Mixed vegetables with mayonnaise	CF	a+	Yes	1.8	- LE	- LE	- LE	- LE	/	/	A	9813	2.37	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PD	9760	2.36	pos.	/	/	pos.	pos.	P	PD
1372304	Chorizo slices	CF	a-	Yes	2.4	- LE	- LE	- ØE	- ME	/	/	A	0	0.00	neg.	35	0.01	neg.	- LE	- ME	/	/	/	/	A	NA	/	/	/	/	/	/		
1372305	Coleslaw salad	CF	a+	Yes	3.8	+ LB	+ LB	+ HA	+ HA	pos.	L. monocytogenes	P	-1	-0.00	neg.	13	0.00	neg.	- ME	- ME	/	/	/	/	A	ND	0	0.00	neg.	14	0.00	neg.		
1372307	Cooked turkey aiguillettes	CF	b+	Yes	0.8	- LE	- LE	- ØE	- ØE	/	/	A	1583	0.38	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PD	997	0.24	pos.	/	/	pos.	pos.	P	PD
1372309	Mixed vegetables with mayonnaise	CF	a-	No	/	- LE	- LE	- LE	- LE	/	/	A	0	0.00	neg.	13	0.00	neg.	- LE	- LE	/	/	/	/	A	NA	/	/	/	/	/	/		
1372311	Coleslaw salad	CF	a-	No	/	- LE	- LE	- ØE	- LE	/	/	A	0	0.00	neg.	13	0.00	neg.	- LE	- LE	/	/	/	/	A	NA	/	/	/	/	/	/		
1372313	Cooked turkey aiguillettes	CF	b-	No	/	- ØE	- ØE	- LE	- LE	/	/	A	0	0.00	neg.	16	0.01	neg.	- ØE	- LE	/	/	/	/	A	NA	/	/	/	/	/	/		
1398355	Chocolate fondant	CF	c+	Yes	1.8	+ LD (2)	- LE	+ MB	+ HD	pos.	L. ivanovii	P	0	0.00	neg.	12758	4.65	pos.	+ MA	- ME	L. ivanovii	+	L. ivanovii	P	PA	1	0.00	neg.	13750	4.60	pos.	pos.	P	PA
1398356	Ricotta - spinach ravioli	CF	b+	Yes	1.4	+ LC	+ LC	+ HA	+ HC	pos.	L. welshimeri	P	0	0.00	neg.	10857	3.96	pos.	+ MA	+ HB	L. welshimeri	+	L. welshimeri	P	PA	1	0.00	neg.	12035	4.03	pos.	pos.	P	PA
1398357	Custard	CF	c+	Yes	1.8	+ LA	+ LA	+ HA	+ HA	pos.	L. ivanovii	P	-2	-0.00	neg.	11	0.00	neg.	- ØE	- ØE	/	/	/	/	A	ND	-1	-0.00	neg.	14	0.00	neg.	A	ND
1398358	Cheese pie	CF	b+	Yes	1.4	+ LA	+ LC	+ HA	+ HB	pos.	L. welshimeri	P	1	0.00	neg.	9263	3.38	pos.	+ HB	+ HB	L. welshimeri	+	L. welshimeri	P	PA	0	0.00	neg.	9608	3.21	pos.	pos.	P	PA
1398359	Tortilla with onions	CF	c+	Yes	1.4	+ LB	+ LC	+ HA	+ HB	pos.	L. welshimeri	P	3	0.00	neg.	9423	3.44	pos.	+ HA	+ HB	L. welshimeri	+	L. welshimeri	P	PA	1	0.00	neg.	9813	3.28	pos.	pos.	P	PA
1398362	Pork nems	CF	b+	Yes	0.6	+ LB	- LE	+ HA	+ HC	pos.	L. monocytogenes	P	0	0.00	neg.	17	0.00	neg.	- LE	- ME	/	/	/	/	A	ND	3	0.00	neg.	22	0.00	neg.	A	ND
1398368	Chocolate and coffee "religieuse" pastry	CF	c-	Yes	1.8	+ LB	- LE	- ME	- ME	neg.	/	A	4	0.00	neg.	223	0.08	neg.	- MB	- ME	L. ivanovii	+	L. ivanovii	A (FN)	NA	4	0.00	neg.	211	0.07	pos.	pos.	A (FN)	NA
1398369	Grilled chicken and mayonnaise sandwich	CF	a+	Yes	0.6	+ LB	+ MC	+ HA	+ HB	pos.	L. monocytogenes	P	8811	2.36	pos.	/	/	pos.	+ HA	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	9183	2.28	pos.	/	/	pos.	pos.	P	PA
1398370	Chicken cheddar hamburger with barbecue sauce	CF	b+	Yes	0.6	+ MA	+ LB	+ HA	+ HC	pos.	L. monocytogenes	P	8760	2.35	pos.	/	/	pos.	+ HA	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	9427	2.34	pos.	/	/	pos.	pos.	P	PA
1409264	Cocktail bites bacon/cheese	CF	a+	Yes	2.8	+ MB	+ LC	+ MA	+ MB	pos.	L. monocytogenes	P	8952	2.33	pos.	/	/	pos.	+ MA	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	9372	2.44	pos.	/	/	pos.	pos.	P	PA
1409265	Sandwich ham cheddar/salad	CF	a+	Yes	2.4	+ LA	+ LE	+ MA	+ ME	pos.	L. welshimeri	P	-2	-0.00	neg.	26	0.00	neg.	- LE	- ME	/	/	/	/	A	ND	-2	-0.00	neg.	19	0.00	neg.	/	/
1409266	Cheese bites with spices and herbs	CF	a+	Yes	1.0	+ MA	+ MB	+ MA	+ HB	pos.	L. monocytogenes	P	9165	2.39	pos.	/	/	pos.	+ MA	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	9566	2.49	pos.	/	/	pos.	pos.	P	PA
1409267	Wrap bacon, yoghurt sauce, egg, marinated tomatoes	CF	a+	Yes	2.4	+ LA	+ MA	+ MA	+ MA	pos.	L. innocua	P	-1	-0.00	neg.	11880	3.97	pos.	+ MC	+ HC	L. innocua	+	L. innocua	P	PA	-1	-0.00	neg.	12209	4.08	pos.	pos.	P	PA
1409268	Sandwich beef, cheese sauce and cheese	CF	b+	Yes	2.8	+ MC	+ MC	+ MC	+ MC	pos.	L. monocytogenes	P	9057	2.36	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PA	9460	2.47	pos.	/	/	pos.	pos.	P	PA
1409269	Rillauds (ready-to-eat cooked pork bites)	CF	a+	Yes	2.8	+ MA	+ MB	+ MA	+ MB	pos.	L. monocytogenes	P	11838	3.09	pos.	/	/	pos.	+ MA	+ MA	L. monocytogenes	+	L. monocytogenes	P	PA	12598	3.29	pos.	/	/	pos.	pos.	P	PA
1409270	Fusilli carbonara	CF	b+	Yes	1.0	+ MA	+ HA	+ MA	+ MA	pos.	L. monocytogenes	P	10936	2.85	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PA	10777	2.81	pos.	/	/	pos.	pos.	P	PA
1409271	Cucumber with cottage cheese and chives	CF	a+	Yes	0.8	+ MC	+ MA	+ MA	+ MB	pos.	L. innocua	P	10933	2.85	pos.	/	/	pos.	+ MA	+ MC	L. innocua	+	L. innocua	P	PA	8873	2.31	pos.	/	/	pos.	pos.	P	PA
1409274	Beef mousse à la lyonnaise	CF	a+	Yes	2.0	+ LA	+ LA	+ MA	+ MA	pos.	L. welshimeri	P	-1	-0.00	neg.	9152	3.05	pos.	+ MA	+ HA	L. welshimeri	+	L. welshimeri	P	PA	-2	-0.00	neg.	9293	3.10	pos.	pos.	P	PA
1409275	Savory salad with vinagrette	CF	a+	Yes	2.0	+ LA	+ LB	+ MA	+ MB	pos.	L. welshimeri	P	8449	2.20	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PA	8385	2.18	pos.	/	/	pos.	pos.	P	PA
1405533	Liquid pasteurized whole eggs	CF	c-	No	/	- ØE	- ØE	- ØE	- ØE	/	/	A	-2	-0.00	neg.	10	0.00	neg.	- ØE	- ØE	/	/	/	/	A	NA	/	/	/	/	/	/		
1405544	Béchamel sauce	CF	c-	No	/	- ØE	- ØE	- ØE	- ØE	/	/	A	-1	-0.00	neg.	12	0.00	neg.	- ØE	- ØE	/	/	/	/	A	NA	/	/	/	/	/	/		
1405555	Liquid pasteurized egg whites	CF	c-	No	/	- ØE	- ØE	- ØE	- ØE	/	/	A	-1	-0.00	neg.	11	0.00	neg.	- ØE	- ØE	/	/	/	/	A	NA	/	/	/	/	/	/		
1405600	Marinated cooked onions ready-to-eat	CF	a-	No	/	- LE	- LE	- ØE	- LE	/	/	A	-1	-0.00	neg.	11	0.00	neg.	- LE	- LE	/	/	/	/	A	NA	/	/	/	/	/	/		
1420561	Tomatoes baked in olive oil ready-to-eat	CF	a-	No	/	- ØE	- ØE	- LE	- LE	/	/	A	-1	-0.00	neg.	9	0.00	neg.	- ØE	- LE	/	/	/	/	A	NA	/	/	/	/	/	/		
1420563	Marinated grilled mushrooms ready-to-eat	CF	a-	No	/	- LE	- LE	- ØE	- LE	/	/	A	-1	-0.00	neg.	12	0.00	neg.	- ME	- LE	/	/	/	/	A	NA	/	/	/	/	/	/		
1420564	Salad tuna, vegetables, egg, rice, vinagrette	CF	a-	No	/	- ØE	- ØE	- ØE	- ØE	/	/	A	-2	-0.00	neg.	10	0.00	neg.	- ME	- ME	/	/												

Listeria monocytogenes

Meat products

Code	Matrix	Category	Type	AC	CFU/25g	Reference method: EN ISO 11290-1:2017 (#)						Alternative method: VIDAS LDUO										Compa-	VIDAS LDUO D+3											
						1/2 Fraser		Fraser		Confirmation		Final result	VIDAS LDUO			Alternative method confirmation			Conf. acc. ISO 11290-1		Final result	VIDAS LDUO			VIDAS LDUO			Compa-						
						O&A A	PALCAM	O&A A	PALCAM	Res.	Identification		RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	O&A A	PALCAM	API LIS gallery w/o purification	Res.	Identification	RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	Conf.				
1398360	Spiced cooked chicken wings	MP	b+	Yes	3.0	- ØE	- LE	+ HC	+ HC	pos.	<i>L. monocytogenes</i>	P	9321	2.50	pos.	/	/	pos.	+ HA	+ MC	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	8008	1.99	pos.	/	/	pos.	pos.	P	PA
1398361	Bolognese escalope	MP	b+	Yes	3.0	+ LA	+ LA	+ HA	+ HB	pos.	<i>L. monocytogenes</i>	P	10528	2.83	pos.	/	/	pos.	+ HA	+ MC	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9323	2.32	pos.	/	/	pos.	pos.	P	PA

Dairy products

Code	Matrix	Category	Type	AC	CFU/25g	Reference method: EN ISO 11290-1:2017 (#)						Alternative method: VIDAS LDUO										Compa-	VIDAS LDUO D+3											
						1/2 Fraser		Fraser		Confirmation		Final result	VIDAS LDUO			Alternative method confirmation			Conf. acc. ISO 11290-1		Final result	VIDAS LDUO			VIDAS LDUO			Compa-						
						O&A A	PALCAM	O&A A	PALCAM	Res.	Identification		RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	O&A A	PALCAM	API LIS gallery w/o purification	Res.	Identification	RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	Conf.				
1370083	Sliced cheddar (pasteurized milk)	DP	c+	Yes	2.4	+ LA	+ LD	+ HA	+ HB	pos.	<i>L. monocytogenes</i>	P	8914	2.15	pos.	/	/	pos.	+ HB	+ HC	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9777	2.36	pos.	/	/	pos.	pos.	P	PA
1370089	Sliced cheddar (pasteurized milk)	DP	c-	No	/	- LE	- ME	- ØE	- LE	/	/	A	0	0.00	neg.	14	0.00	neg.	- LE	- ME	/	/	/	A	NA	/	/	/	/	/	/	/	/	/
1398363	Raw cow milk	DP	c+	Yes	2.2	+ LA	+ LC	+ HA	+ HB	pos.	<i>L. monocytogenes</i>	P	8706	2.34	pos.	/	/	pos.	+ HA	+ MC	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9112	2.26	pos.	/	/	pos.	pos.	P	PA
1398364	Slice fourme d'Ambert (pasteurized milk)	DP	c+	Yes	2.2	+ LA	+ LB	+ HA	+ HB	pos.	<i>L. monocytogenes</i>	P	8579	2.30	pos.	/	/	pos.	+ HA	+ HB	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9095	2.26	pos.	/	/	pos.	pos.	P	PA
1398365	Ewe soft cheese (pasteurized milk)	DP	c+	Yes	1.0	+ LA	+ LC	+ HB	+ HA	pos.	<i>L. monocytogenes</i>	P	8248	2.21	pos.	/	/	pos.	+ HA	+ HB	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9020	2.24	pos.	/	/	pos.	pos.	P	PA
1398366	Ewe cheese, pressed not-cooked (pasteurized milk)	DP	c+	Yes	1.0	+ LA	- LE	+ HA	+ HB	pos.	<i>L. monocytogenes</i>	P	10462	2.81	pos.	/	/	pos.	+ HA	+ HB	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	7203	1.79	pos.	/	/	pos.	pos.	P	PA
1398367	Cheese product with garlic and herbs (pasteurized milk)	DP	c+	Yes	2.2	+ LB	+ LB	+ HA	+ HB	pos.	<i>L. monocytogenes</i>	P	9089	2.44	pos.	/	/	pos.	+ HA	+ HB	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9037	2.25	pos.	/	/	pos.	pos.	P	PA
1420538	Goat raw milk cheese 1	DP	b+	Yes	2.6	+ LA	+ LA	+ HA	+ HB	pos.	<i>L. monocytogenes</i>	P	9631	2.32	pos.	/	/	pos.	+ MA	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	10072	2.39	pos.	/	/	pos.	pos.	P	PA	
1420539	Goat raw milk cheese 2	DP	b+	Yes	2.6	+ LA	+ LB	+ MA	+ HB	pos.	<i>L. monocytogenes</i>	P	10021	2.49	pos.	/	/	pos.	+ HA	+ HB	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9620	2.39	pos.	/	/	pos.	pos.	P	PA

Seafood products

Code	Matrix	Category	Type	AC	CFU/25g	Reference method: EN ISO 11290-1:2017 (#)						Alternative method: VIDAS LDUO										Compa-	VIDAS LDUO D+3											
						1/2 Fraser		Fraser		Confirmation		Final result	VIDAS LDUO			Alternative method confirmation			Conf. acc. ISO 11290-1		Final result	VIDAS LDUO			VIDAS LDUO			Compa-						
						O&A A	PALCAM	O&A A	PALCAM	Res.	Identification		RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	O&A A	PALCAM	API LIS gallery w/o purification	Res.	Identification	RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	Conf.				
1398351	Scallop terrine	SP	c+	Yes	3.0	+ LA	+ LB	+ HA	+ HB	pos.	<i>L. monocytogenes</i>	P	9101	2.44	pos.	/	/	pos.	+ HA	+ HB	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9164	2.28	pos.	/	/	pos.	pos.	P	PA
1398352	Mincé Alaska pollock with lemon and onion	SP	c+	Yes	3.0	+ LA	+ LA	+ HA	+ HA	pos.	<i>L. monocytogenes</i>	P	9014	2.42	pos.	/	/	pos.	+ HA	+ HB	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9294	2.31	pos.	/	/	pos.	pos.	P	PA
1398353	Tuna rillettes	SP	c+	Yes	2.6	+ LA	+ LB	+ HA	+ HA	pos.	<i>L. monocytogenes</i>	P	9233	2.48	pos.	/	/	pos.	+ HA	+ HA	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9369	2.33	pos.	/	/	pos.	pos.	P	PA
1398354	Surimi sticks	SP	c+	Yes	2.6	+ LA	+ LB	+ HA	+ HA	pos.	<i>L. monocytogenes</i>	P	9521	2.55	pos.	/	/	pos.	+ HA	+ HA	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9502	2.36	pos.	/	/	pos.	pos.	P	PA
1420558	Cooked crumbled cod	SP	c-	No	/	- ØE	- ØE	- ØE	- ØE	/	A	-4	0.00	neg.	24	0.01	neg.	- ØE	- ØE	/	/	/	A	NA	/	/	/	/	/	/	/	/		
1420559	Trout eggs	SP	c-	No	/	- ØE	- ØE	- ØE	- ØE	/	A	-4	0.00	neg.	31	0.01	neg.	- ØE	- ØE	/	/	/	A	NA	/	/	/	/	/	/	/	/		
1420566	Salmon preparation with chives	SP	c-	No	/	- ØE	- ØE	- ØE	- ØE	/	A	-3	0.00	neg.	21	0.00	neg.	- ØE	- ØE	/	/	/	A	NA	/	/	/	/	/	/	/	/		
1420567	Frozen puree: carrot, sweet potato, pumpkin and potato	SP	c+	Yes	0.8	+ LD	+ LD	+ HA	+ HB	pos.	<i>L. monocytogenes</i>	P	4106	1.10	pos.	/	/	pos.	+ HA	- ME	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	9212	2.29	pos.	/	/	pos.	pos.	P	PA
1398374	Frozen stew: green beans, potatoes, mushrooms, carrots	VP	c+	Yes	0.8	+ LB	- LE	+ HA	+ HB	pos.	<i>L. monocytogenes</i>	P	2633	0.70	pos.	/	/	pos.	+ HA	- ME	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	1748	0.43	pos.	/	/	pos.	pos.	P	PA
1409272	Fruit salad	VP	c-	Yes	0.8	- ØE	- ØE	- ØE	- ØE	/	A	-2	-0.00	neg.	12	0.00	neg.	- ME	- ØE	/	/	/	A	NA	-2	-0.00	neg.	17	0.00	neg.	/	/	/	
1409273	Apple red berries compote with whipped cream	VP	c-	Yes	0.8	- ØE	- ØE	- ØE	- ØE	/	A	-3	-0.00	neg.	8	0.00	neg.	- ØE	- ØE	/	/	/	A	NA	-3	-0.00	neg.	15	0.00	neg.	/	/	/	
1420540	Strawberries	VP	a+	Yes	2.8	- ME	- LE	+ MB	+ MC	pos.	<i>L. monocytogenes</i>	P	9118	2.26	pos.	/	/	pos.	+ HB	+ MB	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	8491	2.11	pos.	/	/	pos.	pos.	P	PA
1420541	Fine beans (frozen)	VP	a+	Yes	2.8	+ LA	+ LA	+ HA	+ HA	pos.	<i>L. monocytogenes</i>	P	8519	2.11	pos.	/	/	pos.	+ HA	+ HA	<i>L. monocytogenes</i>	+	<i>L. monocytogenes</i>	P	PA	8739	2.17	pos.	/	/	pos.	pos.	P	PA

Environmental samples

Code	Matrix	Category	Type	AC	CFU/25g	Reference method: EN ISO 11290-1:2017 (#)						Alternative method: VIDAS LDUO</th									

Listeria monocytogenes

Composite foods

Code	Matrix	Category	Type	AC	CFU/ 25g	Reference method: EN ISO 11290-1:2017 (■)						Alternative method: VIDAS LDUO						VIDAS LDUO D+3																	
						1/2 Fraser		Fraser		Confirmation		RFV LMO	Result LMO	RFV LIS	Result LIS	VIDAS LDUO		Alternative method confirmation		Conf. acc. ISO 11290-1		Final result	Compa- rison	VIDAS LDUO		VIDAS LDUO D+3		Compa- rison							
						Q&A	PALCAM	Q&A	PALCAM	Res.	Identification					Q&A	PALCAM	API LIS gallery w/o purification	Res.	Identification	RFV LMO		Result LMO	RFV LIS	Result LIS	Conf.	Final result								
1370078	Gambas and scallop marinade with lemon	CF	a-	Yes	1.0	- ØE	- ØE	- ØE	- ØE	/	/	A	-1	-0.00	neg.	15	0.00	neg.	- ØE	- ØE	/	/	/	A	NA	/	/	/	/	/					
1370081	Sweetbread bouchée	CF	b+	Yes	0.2	- ØE	- ØE	- ØE	- ØE	/	/	A	8925	2.15	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PD	9864	2.38	pos.	/	/	pos.	pos.	P	PD	
1370082	Goat cheese soufflé	CF	b-	Yes	1.2	- ØE	- ØE	- ØE	- ØE	/	/	A	1	0.00	neg.	55	0.01	neg.	- LE	- LE	/	/	/	A	NA	/	/	/	/	/	/				
1370085	Vegetables lasagna with pesto	CF	b+	No	/	+ LB	+ LB	+ HB	+ HB	pos.	L. monocytogenes	P	10280	2.61	pos.	/	/	pos.	+ HB	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	13288	3.21	pos.	/	/	pos.	pos.	P	PA	
1370086	Rustic white pudding	CF	b+	No	/	+ LD (4)	- LE	+ MA	+ HA	pos.	L. monocytogenes	P	8949	2.16	pos.	/	/	pos.	+ HB	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	10126	2.45	pos.	/	/	pos.	pos.	P	PA	
1370087	Sweetbread bouchée	CF	b-	No	/	- LE	- LE	- ØE	- ØE	/	/	A	1	0.00	neg.	13	0.00	neg.	- ØE	- ØE	/	/	/	A	NA	/	/	/	/	/	/				
1370088	Goat cheese soufflé	CF	b-	No	/	- LE	- LE	- ØE	- LE	/	/	A	0	0.00	neg.	13	0.00	neg.	- ØE	- LE	/	/	/	A	NA	/	/	/	/	/	/				
1372303	Mixed vegetables with mayonnaise	CF	a+	Yes	1.8	- LE	- LE	- LE	- LE	/	/	A	9813	2.37	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PD	9760	2.36	pos.	/	/	pos.	pos.	P	PD	
1372304	Chorizo slices	CF	a-	Yes	2.4	- LE	- LE	- ØE	- ME	/	/	A	0	0.00	neg.	35	0.01	neg.	- LE	- ME	/	/	/	A	NA	/	/	/	/	/	/				
1372305	Coleslaw salad	CF	a+	Yes	3.8	+ LB	+ LB	+ HA	+ HA	pos.	L. monocytogenes	P	-1	-0.00	neg.	13	0.00	neg.	- ME	- ME	/	/	/	A	ND	0	0.00	neg.	14	0.00	neg.				
1372307	Cooked turkey aiguillettes	CF	b+	Yes	0.8	- LE	- LE	- ØE	- ØE	/	/	A	1583	0.38	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PD	997	0.24	pos.	/	/	pos.	pos.	P	PD	
1372309	Mixed vegetables with mayonnaise	CF	a-	No	/	- LE	- LE	- LE	- LE	/	/	A	0	0.00	neg.	13	0.00	neg.	- LE	- LE	/	/	/	A	NA	/	/	/	/	/	/				
1372311	Coleslaw salad	CF	a-	No	/	- LE	- LE	- ØE	- LE	/	/	A	0	0.00	neg.	13	0.00	neg.	- LE	- LE	/	/	/	A	NA	/	/	/	/	/	/				
1372313	Cooked turkey aiguillettes	CF	b-	No	/	- ØE	- ØE	- LE	- LE	/	/	A	0	0.00	neg.	16	0.01	neg.	- ØE	- LE	/	/	/	A	NA	/	/	/	/	/	/				
1398355	Chocolate fondant	CF	c-	(Yes)	1.8	+ LD (2)	- LE	+ MB	+ HD	neg.	L. ivanovii	A	0	0.00	neg.	12758	4.65	pos.	+ MA	- ME	L. ivanovii	+	L. ivanovii	A	NA	1	0.00	neg.	13750	4.60	pos.	pos.	A	NA	
1398356	Ricotta - spinach ravioli	CF	b-	(Yes)	1.4	+ LC	+ LC	+ HA	+ HC	neg.	L. welshimeri	A	0	0.00	neg.	10857	3.96	pos.	+ MA	+ HB	L. welshimeri	+	L. welshimeri	A	NA	1	0.00	neg.	12035	4.03	pos.	pos.	A	NA	
1398357	Custard	CF	c-	(Yes)	1.8	+ LA	+ LA	+ HA	+ HA	neg.	L. ivanovii	A	-2	-0.00	neg.	11	0.00	neg.	- ØE	- ØE	/	/	/	A	NA	-1	-0.00	neg.	14	0.00	neg.	neg.	A	NA	
1398358	Cheese pie	CF	b-	(Yes)	1.4	+ LA	+ LC	+ HA	+ HB	neg.	L. welshimeri	A	1	0.00	neg.	9263	3.38	pos.	+ HB	+ HB	L. welshimeri	+	L. welshimeri	A	NA	0	0.00	neg.	9608	3.21	pos.	pos.	A	NA	
1398359	Tortilla with onions	CF	c-	(Yes)	1.4	+ LB	+ LC	+ HA	+ HB	neg.	L. welshimeri	A	3	0.00	neg.	9423	3.44	pos.	+ HA	+ HB	L. welshimeri	+	L. welshimeri	A	NA	1	0.00	neg.	9813	3.28	pos.	pos.	A	NA	
1398362	Pork nems	CF	b+	Yes	0.6	+ LB	- LE	+ HA	+ HC	pos.	L. monocytogenes	P	0	0.00	neg.	17	0.00	neg.	- LE	- ME	/	/	/	A	ND	3	0.00	neg.	22	0.00	neg.	neg.	A	ND	
1398368	Chocolate and coffee "religieuse" pastry	CF	c-	Yes	1.8	+ LB	- LE	- ME	- ME	neg.	/	A	4	0.00	neg.	223	0.08	neg.	- MB	- ME	L. ivanovii	+	L. ivanovii	A	(FN)	NA	4	0.00	neg.	211	0.07	pos.	pos.	A(FN)	NA
1398369	Grilled chicken and mayonnaise sandwich	CF	a+	Yes	0.6	+ LB	+ MC	+ HA	+ HB	pos.	L. monocytogenes	P	8811	2.36	pos.	/	/	pos.	+ HA	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	9183	2.28	pos.	/	/	pos.	pos.	P	PA	
1398370	Chicken cheddar hamburger with barbecue sauce	CF	b+	Yes	0.6	+ MA	+ LB	+ HA	+ HC	pos.	L. monocytogenes	P	8760	2.35	pos.	/	/	pos.	+ HA	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	9427	2.34	pos.	/	/	pos.	pos.	P	PA	
1409264	Cocktail bites bacon/cheese	CF	a+	Yes	2.8	+ MB	+ LC	+ MA	+ MB	pos.	L. monocytogenes	P	8952	2.33	pos.	/	/	pos.	+ MA	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	9372	2.44	pos.	/	/	pos.	pos.	P	PA	
1409265	Sandwich ham cheddar/salad	CF	a-	(Yes)	2.4	+ LA	+ LE	+ MA	+ ME	neg.	L. welshimeri	A	-2	-0.00	neg.	26	0.00	neg.	- LE	- ME	/	/	/	A	NA	-2	-0.00	neg.	19	0.00	neg.	/	/	/	
1409266	Cheese bites with spices and herbs	CF	a+	Yes	1.0	+ MA	+ MB	+ MA	+ HB	pos.	L. monocytogenes	P	9165	2.39	pos.	/	/	pos.	+ MA	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	9566	2.49	pos.	/	/	pos.	pos.	P	PA	
1409267	Wrap bacon, yoghurt sauce, egg, marinated tomatoes	CF	a-	(Yes)	2.4	+ LA	+ MA	+ MA	+ MA	neg.	L. innocua	A	-1	-0.00	neg.	11880	3.97	pos.	+ MC	+ HC	L. innocua	+	L. innocua	A	NA	-1	-0.00	neg.	12209	4.08	pos.	pos.	A	NA	
1409268	Sandwich beef, cheese sauce and cheese	CF	b+	Yes	2.8	+ MC	+ MC	+ MC	+ MC	pos.	L. monocytogenes	P	9057	2.36	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PA	9460	2.47	pos.	/	/	pos.	pos.	P	PA	
1409269	Rillauds (ready-to-eat cooked pork bites)	CF	a+	Yes	2.8	+ MA	+ MB	+ MA	+ MB	pos.	L. monocytogenes	P	11838	3.09	pos.	/	/	pos.	+ MA	+ MA	L. monocytogenes	+	L. monocytogenes	P	PA	12598	3.29	pos.	/	/	pos.	pos.	P	PA	
1409270	Fusilli carbonara	CF	b+	Yes	1.0	+ MA	+ HA	+ MA	+ MA	pos.	L. monocytogenes	P	10936	2.85	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PA	10777	2.81	pos.	/	/	pos.	pos.	P	PA	
1409271	Cucumber with cottage cheese and chives	CF	a+	Yes	0.8	+ MC	+ MA	+ MA	+ MB	neg.	L. innocua	A	10933	2.85	pos.	/	/	pos.	+ MA	+ MC	L. innocua	+	L. innocua	P	PD	8873	2.31	pos.	/	/	pos.	pos.	P	PD	
1409274	Beef mousse à la lyonnaise	CF	a-	(Yes)	2.0	+ LA	+ LA	+ MA	+ MA	neg.	L. welshimeri	A	-1	-0.00	neg.	9152	3.05	pos.	+ MA	+ HA	L. welshimeri	+	L. welshimeri	A	NA	-2	-0.00	neg.	9293	3.10	pos.	pos.	A	NA	
1409275	Savory salad with vinaigrette	CF	a+	Yes	2.0	+ LA	+ LB	+ MA	+ MB	neg.	L. welshimeri	A	8449	2.20	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PD	8385	2.18	pos.	/	/	pos.	pos.	P	PD	
1420542	Salad bulgur, quinoa, cranberries	CF	a+	Yes	1.2	+ LB	+ LA	+ MB	+ HA	pos.	L. monocytogenes	P	8564	2.12	pos.	/	/	pos.	+ HB	+ HB	L. monocytogenes	+	L. monocytogenes	P	PA	8526	2.11	pos.	/	/	pos.	pos.	P	PA	
1420543	Liquid pasteurized whole eggs	CF	c+	Yes	2.2	+ LA	+ LA	+ HA	+ HA	pos.	L. monocytogenes	P	11029	2.74	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PA	10940	2.71	pos.	/	/	pos.	pos.	P	PA	
1420544	Béchamel sauce	CF	c+	Yes	2.2	+ LA	+ LA	+ HA	+ HA	pos.	L. monocytogenes	P	8798	2.18	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PA	8394	2.08	pos.	/	/	pos.	pos.	P	PA	
1420545	Liquid pasteurized egg whites	CF	c+	Yes	2.2	+ LA	+ LA	+ HA	+ HA	pos.	L. monocytogenes	P	8564	2.12	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PA	8460	2.10	pos.	/	/	pos.	pos.	P	PA	
1420546	Praline-flavoured cream pastry	CF	c+	Yes	2.4	+ LA	+ LA	+ MA	+ MB	pos.	L. monocytogenes	P	8968	2.22	pos.	/	/	pos.	+ MB	+ MB	L. monocytogenes	+	L. monocytogenes	P	PA	8709	2.16	pos.	/	/	pos.	pos.	P	PA	
1420547	Fraisier (strawberry-flavoured cream pastry)	CF	c+	Yes	2.4	+ LA	+ LC	+ HA	+ HB	pos.	L. monocytogenes	P	9432	2.34	pos.	/	/	pos.	+ HA	+ HA	L. monocytogenes	+	L. monocytogenes	P	PA	8768	2.17	pos.	/	/	pos.	pos.	P	PA	
1420560	Marinated cooked onions ready-to-eat	CF	a-	No	/	- LE	- ØE	- LE	- ME	/	/	A	-1	-0.00	neg.	11	0.00	neg.	- LE	- LE	/	/	/	A	NA	/	/	/	/	/	/				
1420561	Tomatoes baked in olive oil ready-to-e																																		

APPENDIX D4

EXTENSION STUDY

SENSITIVITY RAW RESULTS

Study	Type	Code	Sample	Reference method ISO 11290-1 #										Alternative method VIDAS Listeria DUO 22-25h										Alternative method VIDAS Listeria DUO 22-25h - 4°C																
				Contamination				Fraser 1/2				Fraser				Identification	Final result	DLMO		DUS		Alternative method confirmation		Confirmation according ISO 11290-1		Final result	Agreement	DLMO		DUS		Confirmation		Final result						
				Strain	Type	Stress	Level	ALOA	Palcam	ALOA	Palcam	ALOA	Palcam	ALOA	Palcam			RFV	VT	Test result	RFV	VT	Test result	Palcam	ALOA	Identification w/o purification	RFV	VT	Test result	RFV	VT	Test result	Palcam	AL	Identification					
c+	1977584	Powdered buttermilk	<i>Lmono</i> LAS822	ac	Spiking	4.4	EM	EM	EM	EL	EL	EL	EL	/	A	6106	1,55	POSITIF	/	/	POSITIF	BM	AM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	P	PD	4193	1,06	POSITIF	/	/	POSITIF	BM	AM halo	<i>L.monocytogenes</i>	P	PD		
c+	1977585	Semi-skimmed milk powder	<i>Lmono</i> LAS822	ac	Spiking	4.4	BM halo	BM halo	EM	EM	AM halo	AM halo	BM	BM	<i>L.monocytogenes</i>	P	1500	0,38	POSITIF	/	/	POSITIF	EM	AM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	P	PA	233	0,05	POSITIF	/	/	POSITIF	EM	AM halo	<i>L.monocytogenes</i>	P	PA	
c+	1977588	Goat milk powder	<i>L mono</i> FLD375	ac	Spiking	4.6	EM	EM	EM	BM halo	BM halo	DM	DM	<i>L.monocytogenes</i>	P	6716	1,72	POSITIF	/	/	POSITIF	DM	BM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	P	PA	1816	0,46	POSITIF	/	/	POSITIF	DM	AM halo	<i>L.monocytogenes</i>	P	PA		
c+	1977559	Powdered caseinate	<i>L mono</i> FLD375	ac	Spiking	4.6	Ø	AL halo	EL	AL	AM halo	AM halo	DM	DM	<i>L.monocytogenes</i>	P	10400	2,66	POSITIF	/	/	POSITIF	DM	BM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	P	PA	7314	1,87	POSITIF	/	/	POSITIF	DM	AM halo	<i>L.monocytogenes</i>	P	PA	
c+	1978383	Skimmed milk powder	<i>L mono</i> GND673	ac	Spiking	3.8	EL	EL	EL	EL	EL	EL	EM	EM	/	A	3083	0,78	POSITIF	/	/	POSITIF	CM	AM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	P	PD	2866	0,71	POSITIF	/	/	POSITIF	CM	AM halo	<i>L.monocytogenes</i>	P	PD	
c+	1978386	Skimmed milk	<i>Linnocua</i> QHW317	ac	Spiking	1.6	EL	EL	EL	EL	BM sans halo	BM sans halo	BM	BM	<i>Linnocua</i>	P	0	0,00	NEGATIF	10204	3,78	POSITIF	BM	AM sans halo	<i>Linnocua</i>	<i>Linnocua</i>	P	PA	0	0,00	NEGATIF	10170	3,69	POSITIF	EM	AL sans halo	<i>Linnocua</i>	P	PA	
c+	1978387	Organic skimmed milk powder	<i>Linnocua</i> BVG975	ac	Spiking	4.6	DL	DL	EL	EL	BM sans halo	BM sans halo	BM	BM	<i>Linnocua</i>	P	0	0,01	NEGATIF	10262	3,80	POSITIF	AM	AM sans halo	<i>Linnocua</i>	<i>Linnocua</i>	P	PA	0	0,01	NEGATIF	10321	3,81	POSITIF	BM	BM sans halo	<i>Linnocua</i>	P	PA	
c+	1977554	Powdered whole milk	<i>Linnocua</i> GPQ140	ac	Spiking	4.0	EM	EM	DM	EM	BM sans halo	BM sans halo	DM	DM	<i>Linnocua</i>	P	-2	-0,00	NEGATIF	11057	4,03	POSITIF	DM	BM sans halo	<i>Linnocua</i>	<i>Linnocua</i>	P	PA	-2,0	-0,00	NEGATIF	10830	3,95	POSITIF	BM	BM sans halo	<i>Linnocua</i>	P	PA	
c+	1977555	Powdered whey	<i>L mono</i> HBP652	ac	Spiking	4,8/4,0	Ø	EL	EL	EL	AM sans halo	AM sans halo	DM	DM	<i>Linnocua</i>	P	671	0,17	POSITIF	/	/	POSITIF	CM	halo+ halo- halo++ halo--	<i>Linnocua</i>	<i>L.monocytogenes</i>	P	PA	643	0,16	POSITIF	/	/	POSITIF	AM	halo++	<i>Linnocua</i>	<i>L.monocytogenes</i>	P	PA
c-	1977577	Whey permeate	<i>L mono</i> GND673	ac	Spiking	4.4	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	-2	-0,00	NEGATIF	16	0,00	NEGATIF	EM	Ø	/	/	A	NA	0	0,00	NEGATIF	17	0,00	NEGATIF	EM	Ø	/	/	/	
c-	1977578	Organic skimmed milk powder	<i>L mono</i> GND673	ac	Spiking	4,4	EL	EL	EL	EL	Ø	EL	EL	EL	/	A	1	0,00	NEGATIF	50	0,01	NEGATIF	EM	EL	/	/	A	NA	1	0,00	NEGATIF	52	0,01	NEGATIF	EM	EL	/	/	/	
c-	1977579	Skimmed milk powder LOT1	<i>Lwelshimeri</i> GLX736	ac	Spiking	3,2	EL	EL	EM	EM	Ø	EL	EL	EM	/	A	5	0,00	NEGATIF	43	0,01	NEGATIF	EM	EM	/	/	A	NA	0	0,00	NEGATIF	260	0,09	NEGATIF	EM	DL sans halo	<i>Lwelshimeri</i>	A[IFN] NA		
c+	1977580	Skimmed milk powder LOT2	<i>Lwelshimeri</i> GLX736	ac	Spiking	3,2	DM sans halo	DM sans halo	EM	EM	Ø	EL	EL	EL	<i>Lwelshimeri</i>	P	-1	-0,00	NEGATIF	10722	3,72	POSITIF	EM	BM sans halo	<i>Lwelshimeri</i>	<i>Lwelshimeri</i>	P	PA	0	0,00	NEGATIF	10942	3,89	POSITIF	EM	AM sans halo	<i>Lwelshimeri</i>	P	PA	
c-	1977583	Whey permeate	<i>L mono</i> IAR249	ac	Spiking	4	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	-2	-0,00	NEGATIF	20	0,00	NEGATIF	EM	EL	/	/	A	NA	-1	-0,00	NEGATIF	22	0,00	NEGATIF	EM	Ø	/	/	/	
c-	1977732	Powdered whole milk	/	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	/	A	0	0,00	NEGATIF	38,00	0,01	NEGATIF	EM	EL	/	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
c-	1977733	Powdered whey	/	/	/	/	/	Ø	Ø	EM	Ø	EM	EM	EM	/	A	0	0,00	NEGATIF	19,00	0,00	NEGATIF	EL	Ø	/	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
c-	1977734	Semi-skimmed milk powder batch 1	/	/	/	/	/	Ø	EL	EL	EL	EL	EM	EM	/	A	0	0,00	NEGATIF	30,00	0,01	NEGATIF	EM	EM	/	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
c-	1977735	Skimmed milk	/	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	/	A	0	0,00	NEGATIF	17,00	0,00	NEGATIF	EM	EM	/	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
c-	1977736	Goat milk powder	/	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	/	A	3	0,00	NEGATIF	22,00	0,00	NEGATIF	EM	EM	/	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
c-	1977738	Skimmed milk	/	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	/	A	0	0,00	NEGATIF	19,00	0,00	NEGATIF	EL	Ø	/	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
c-	1977739	Powdered buttermilk	/	/	/	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	1	0,00	NEGATIF	20,00	0,00	NEGATIF	EM	EM	/	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
c-	1977739	Whey permeate	/	/	/	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	-1	-0,00	NEGATIF	17,00	0,00	NEGATIF	EL	Ø	/	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
c-	1977740	Organic skimmed milk powder	/	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	/	A	-1	-0,00	NEGATIF	16,00	0,00	NEGATIF	EM	EM	/	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
c-	1977741	Semi-skimmed milk powder batch 2	/	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	/	A	2	0,00	NEGATIF	28,00	0,01	NEGATIF	EM	EM	/	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	

Study	Type	Code	Sample	Contamination				Reference method ISO 11290-1 #								Alternative method VIDAS Listeria DUO 26-30h								Alternative method VIDAS Listeria DUO 26-30h + 4°C															
								Fraser 1/2				Fraser				Identification		DLMO		DLS		Confirmation		Confirmation according ISO 11290-1		Final result		Agreement		DLMO		DLS		Confirmation		Final result			
				Strain	Type	Stress	Level	ALOA	BM halo + sans	ALOA	BM halo + sans	ALOA	BM halo + sans	ALOA	BM halo + sans	RFV	VT	Test result	RFV	VT	Test result	Palcam	ALOA	Identification	P	PA	RFV	VT	Test result	RFV	VT	Test result	Palcam	AL	Identification	P	PA		
a+	1977560	Baby milk powder 0-6 months	Linnocua GR943 Linnocua BMU793	ac	Spiking	2/8,3		BM halo + sans	BM halo + sans	DM	DM	AM halo + sans	AM halo + sans	BM	BM	P	869	0,21	POSITIF	/	/	POSITIF	DM	BM halo + sans	L.monocytogenes	P	PA	277	0,06	POSITIF	/	/	POSITIF	DM	BM halo + sans	L.monocytogenes	P	PA	
a+	1977561	Baby milk powder 0-12 months LOT 1	Linnocua GR943 Linnocua BMU793	ac	Spiking	2/8,3		BM halo + sans	BM halo + sans	DM	DM	AM halo + sans	AM halo + sans	BM	BM	P	104	0,02	NEGATIF	9205	3,27	POSITIF	DM	BM halo + sans	L.innocua	P	PA	20	0	NEGATIF	10042	3,57	POSITIF	DM	AM halo + sans	L.innocua	P	PA	
a+	1977562	Baby milk powder 1-3 years LOT 1	Linnocua GR943 Linnocua BMU793	ac	Spiking	2,8/3		AM halo + BM halo + sans	AM halo + BM halo + sans	DM	DM	AM halo + sans	AM halo + sans	BM	BM	P	8637	2,13	POSITIF	/	/	POSITIF	DM	AM halo + sans	L.monocytogenes	P	PA	8522	2,12	POSITIF	/	/	POSITIF	DM	AM halo + sans	L.monocytogenes	P	PA	
a+	1977563	Baby growth milk powder 1-3 years	Linnocua GE063 Linnocua BMU793	ac	Spiking	3,0/A,0		BM halo + sans	BM halo + sans	EM	EM	AM halo + sans	AM halo + sans	BM	BM	P	8438	2,12	POSITIF	/	/	POSITIF	EM	AM halo + sans	L.monocytogenes	P	PA	8380	2,1	POSITIF	/	/	POSITIF	EM	AM halo + sans	L.monocytogenes	P	PA	
a+	1977564	Baby goat milk powder 1- 3 years	Linnocua GE063 Linnocua BLV059	ac	Spiking	3,0/A,0		BM halo + sans	BM halo + sans	EM	EM	AM halo + sans	AM halo + sans	BM	BM	P	556	0,13	POSITIF	/	/	POSITIF	DM	AM halo + sans	L.monocytogenes	P	PA	1605	0,40	POSITIF	/	/	POSITIF	DM	AM halo + sans	L.monocytogenes	P	PA	
a+	1977567	Baby milk powder thickened formula 6-12 months	Lmono BVG975	ac	Spiking	4,0	Ø	Ø	Ø	EL	EL	Ø	Ø	Ø	Ø	/	A	8386	2,11	POSITIF	/	/	POSITIF	DM	AM avec halo	L.monocytogenes	P	PD	8891	2,23	POSITIF	/	/	POSITIF	DM	AM avec halo	L.monocytogenes	P	PD
a+	1977568	Junior baby milk powder + 18 months	Lmono BVG975	ac	Spiking	4,0	Ø	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	8648	2,17	POSITIF	/	/	POSITIF	BM	AM avec halo	L.monocytogenes	P	PD	8918	2,24	POSITIF	/	/	POSITIF	BM	AM avec halo	L.monocytogenes	P	PD
a+	1977569	Baby milk powder 6-12 months LOT 2	Lmono BVG975	ac	Spiking	4	Ø	DL avec halo	EL	EL	AL avec halo	AL avec halo	DL	DL	L.monocytogenes	P	1871	0,47	POSITIF	/	/	POSITIF	BM	AM avec halo	L.monocytogenes	P	PA	604	0,15	POSITIF	/	/	POSITIF	BM	AM avec halo	L.monocytogenes	P	PA	
a+	1977570	Baby milk powder 1-3 years LOT 1	Linnocua QHW317	ac	Spiking	4,6	Al sans halo	Al sans halo	EM	AM sans halo	AM sans halo	BM	BM	L.innocua	P	-1	-0,00	NEGATIF	9363	3,33	POSTIF	BM	AM sans halo	L.innocua	P	PA	-1	-0,00	NEGATIF	1186	4,22	POSTIF	BM	AM sans halo	L.innocua	P	PA		
a+	1977571	Baby milk powder 1-3 years LOT 2	Linnocua QHW317	ac	Spiking	4,6	Al sans halo	Al sans halo	EM	DM	AM sans halo	AM sans halo	BM	BM	L.innocua	P	-1	-0,00	NEGATIF	9200	3,27	POSTIF	BM	AM sans halo	L.innocua	P	PA	-3	-0,01	NEGATIF	9924	3,33	POSTIF	BM	AM sans halo	L.innocua	P	PA	
a-	1977566	Baby growth milk powder 1-3 years	Lmono BVG975	ac	Spiking	4	Ø	Ø	Ø	EM	EM	Ø	Ø	EL	EL	/	A	0	0,00	NEGATIF	17	0,00	NEGATIF	EM	Ø	/	A	NA	1	0,00	NEGATIF	19	0,00	NEGATIF	EM	Ø	/	/	/
a-	1977568	Baby milk powder 6-12 months	/	/	/	/	/	/	Ø	Ø	Ø	Ø	Ø	Ø	/	A	-3	-0,00	NEGATIF	30,00	0,01	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
a-	1977569	Baby milk powder 6-12 months LOT 1	/	/	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	/	A	-2	-0,00	NEGATIF	16,00	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
a-	1977569	Baby milk powder 1-3 years LOT 1	/	/	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	/	A	-1	-0,00	NEGATIF	16,00	0,00	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
a-	1977569	Baby growth milk powder 1-3 years	/	/	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	/	A	0	0,00	NEGATIF	16,00	0,00	NEGATIF	EM	EL	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
a-	1977600	Baby growth milk powder 1-3 years	/	/	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	/	A	-3	-0,00	NEGATIF	35,00	0,01	NEGATIF	EM	EL	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
a-	1977601	Baby milk powder 1-3 years LOT 2	/	/	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	/	A	0	0,00	NEGATIF	16,00	0,00	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
a-	1977602	Baby milk powder 1-3 years	/	/	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	/	A	1	0,00	NEGATIF	19,00	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
a-	1977603	Baby milk powder thickened formula 6-12 months	/	/	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	/	A	-1	-0,00	NEGATIF	17,00	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
a-	1977604	Junior baby milk powder + 18 months	/	/	/	/	/	/	Ø	Ø	Ø	Ø	Ø	Ø	/	A	-1	-0,00	NEGATIF	19,00	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
a-	1977605	Baby milk powder 6-12 months LOT 2	/	/	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	/	A	-3	-0,00	NEGATIF	18,00	0,00	NEGATIF	EM	EL	/	A	NA	/	/	/	/	/	/	/	/	/	/	/	
b+	1977589	Infant milk 1-3 years	Lmono JA249	ac	Spiking	4,0	AL halo	AL halo	EL	EL	AM halo	AM halo	BM	BM	L.monocytogenes	P	3364	0,85	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PA	571	0,14	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PA	
b+	1977590	Organic infant milk 0-12 months	Lactobacillus fermentum hereditum CECT5716 - 500000UFc/g	ac	Spiking	4,0	AL halo	AL halo	EL	EL	AM halo	AM halo	EM	EM	L.monocytogenes	P	1	0	NEGATIF	21	0,00	NEGATIF	EM	Ø	/	A	ND	1	0,00	NEGATIF	20	0,00	NEGATIF	EM	Ø	/	A	ND	
b+	1977591	Organic infant milk 1-3 years	Lmono PCA920	ac	Spiking	4,0	EM	EM	EM	EM	AM halo	AM halo	BM	BM	L.monocytogenes	P	7615	1,93	POSITIF	/	/	POSITIF	EM	AL halo	L.monocytogenes	P	PA	210	0,05	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PA	
b+	1977592	Infant milk 6-12 months greedy baby	B.Lacis - 450000UFc/g	ac	Spiking	4,6	Ø	EL	EL	Ø	EL	EM	EM	/	A	11219	2,84	POSITIF	/	/	POSITIF	AM	AM halo	L.monocytogenes	P	PD	5397	1,37	POSITIF	/	/	POSITIF	DM	AM halo	L.monocytogenes	P	PD		
b+	1977593	Infant milk 6-12 months	Lactobacillus reuteri DSM 1938 - 610000UFc/g	ac	Spiking	4,6	AL halo	AL halo	EL	EL	AM halo	AM halo	DM	EM	L.monocytogenes	P	10060	2,55	POSITIF	/	/	POSITIF	BM	AM halo	L.monocytogenes	P	PA	11166	2,83	POSITIF	/	/	POSITIF	BM	AM halo	L.monocytogenes	P	PA	
b+	1977594	Infant milk 6-12 months thickened formula	Lmono HB652	ac	Spiking	4,6	AL halo	AL halo	EL	EL	Ø	Ø	EM	EM	L.monocytogenes	P	7433	1,88	POSITIF	/	/	POSITIF	BM	AM halo	L.monocytogenes	P	PA	10543	2,67	POSITIF	/	/	POSITIF	BM	AM halo	L.monocytogenes	P	PA	
b+	1977595	Infant milk 6-12 months thickened formula	B.Lacis - 1700000UFc/g	ac	Spiking	4,6	Ø	EL	EM	Ø	Ø	EM	EM	/	A	6295	1,59	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PD	1584	0,40	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PD		
b+	1977594	Infant milk 6-12 months thickened formula	Livanovii GQD028	ac	Spiking	4,4	Ø	AL halo	EL	EL	Ø	AM halo	/	EM	Livanovii	P	2	0,00	NEGATIF	6932	2,56	POSTIF	EM	AM halo	Livanovii	P	PA	-1	-0,00	NEGATIF	5827	2,15	POSTIF	EM	AM halo	Livanovii	P	PA	
b+	1977596	Organic infant milk 0-12 months	Lactobacillus fermentum hereditum CECT5716 - 1000000UFc/g	ac	Spiking	2,6	EL	EL	EL	EL	/	Ø	Ø	Ø	L.monocytogenes	P	9400	2,38	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PD	9317	2,36	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PD	
b+	1977597	Infant milk 6-12 months thickened formula	Linnocua GPQ140	ac	Spiking	5	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	AM sans halo	P	1	0,00	NEGATIF	9615	3,56	POSTIF	BM	AM sans halo	L.innocua	P	PA	1	0,00	NEGATIF	9215	3,46	POSTIF	BM	AM sans halo	L.innocua	P	PA	
b+	1977598	Infant milk 6-12 months	Linnocua GPQ140	ac	Spiking	5	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	AM sans halo	P	0	0,00	NEGATIF	9150	3,39	POSTIF	AM	AM sans halo	L.innocua	P	PA	0	0,00	NEGATIF	9167	3,40	POSTIF	AM	AM sans halo	L.innocua	P	PA	
b+	1977598	Infant milk 6-12 months thickened formula	Linnocua GPQ140	ac	Spiking	5	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	AL sans halo	P	2	0,00	NEGATIF	6932	2,56	POSTIF	AM	AM sans halo	L.innocua	P	PA	2	0,00	NEGATIF	6922	2,54	POSTIF	AM	AM sans halo	L.innocua	P	PA	
b+	1977598	Infant milk 6-1																																					

Study	Type	Code	Sample	Contamination				Reference method ISO 11290-1 #										Alternative method VIDAS Listeria DUO 26-30h										Alternative method VIDAS Listeria DUO 26-30h - 4°C															
								Fraser 1/2					Fraser					Identification	DLMO			DUS			Confirmation			Confirmation according ISO 11290-1			Final result	Agreement	DLMO			DUS			Confirmation			Final result	Agreement
				Strain	Type	Stress	Level	ALOA	Palcam	ALOA	Palcam	ALOA	Palcam	RFV	VT	Test result	RFV	VT	Test result	Palcam	ALOA	Identification	RFV	VT	Test result	RFV	VT	Test result	Palcam	AL	Identification												
b-	197770		Infant milk 0-12 months S thermophilus - 550000UFC/g	/	/	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	1	0.00	NEGATIF	21	0.00	NEGATIF	Ø	EL	/	/	A	NA	/	/	/	/	/	/	/	/	/				
b-	197771		Organic infant milk 1-3 years - Lactobacillus fermentum hereditum GECT5716 - 58000000UFC/g	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-1	-0.00	NEGATIF	19	0.00	NEGATIF	EL	Ø	/	/	A	NA	/	/	/	/	/	/	/	/	/					
c+	197772		B. lactis quinoo banana plum	Lmono RCJ280	ac	Spiking	4.0	AL halo	AL halo	BM	BM	AM halo	AM halo	BM	BM	L. monocytogenes	P	8941	2.26	POSITIF	/	/	POSITIF	BM	AM halo	L. monocytogenes	P	PA	8370	2.12	POSITIF	/	/	POSITIF	BM	AM halo	L. monocytogenes	P	PA				
c+	197773		Infant cereals with honey	Lmono RCJ280	ac	Spiking	4.0	AL halo	AL halo	BM	BM	AM halo	AM halo	BM	BM	L. monocytogenes	P	9040	2.29	POSITIF	/	/	POSITIF	BM	AM halo	L. monocytogenes	P	PA	8407	2.13	POSITIF	/	/	POSITIF	BM	AM halo	L. monocytogenes	P	PA				
c+	197774		B. lactis 3.4 UCF/g	Lmono RCJ280	ac	Spiking	4.0	AL halo	AL halo	EL	EL	AM halo	AM halo	EM	EM	L. monocytogenes	P	10818	2.74	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA	8804	2.23	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA				
c+	197745		Infant cereals with 5 cereals	Lmono RCJ280	ac	Spiking	4.0	AL halo	AL halo	EM	EM	AM halo	AM halo	EM	EM	L. monocytogenes	P	9033	2.29	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA	8325	2.11	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA				
c+	197746		Whole oat and wheat infant cereals	Lmono BNX114	ac	Spiking	3.4	AL halo	AL halo	EL	EL	AM halo	AM halo	EM	EM	L. monocytogenes	P	1	0.00	NEGATIF	24	0.00	NEGATIF	EL	Ø	/	/	A	ND	1	0.00	NEGATIF	30	0.01	NEGATIF	EL	Ø	/	A	ND			
c+	197747		Infant multi-cereals with exotic fruits	Lmono BNX114	ac	Spiking	3.4	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	9017	2.28	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PD	8258	2.09	POSITIVE	/	/	POSITIVE	EM	AM halo	L. monocytogenes	P	PD				
c+	197748		Brioche flavored infant cereals	Lmono RCJ280	ac	Spiking	4.0	AL halo	AL halo	EM	EM	AM halo	AM halo	EM	EM	L. monocytogenes	P	8291	2.10	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA	8971	2.27	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA				
c-	197749		Infant vanilla cereals	Lmono LAS822	ac	Spiking	2.8	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-1	-0.00	NEGATIF	16	0.00	NEGATIF	EL	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c+	197750		Infant chocolate cereals	Lmono LAS822	ac	Spiking	2.8	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	9269	2.35	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PD	9080	2.20	POSITIVE	/	/	POSITIVE	EM	AM halo	L. monocytogenes	P	PD				
c+	197751		Infant caramel cereals	Lmono JAR249	ac	Spiking	2.6	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	8338	2.13	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PD	8856	2.24	POSITIVE	/	/	POSITIVE	EM	AM halo	L. monocytogenes	P	PD				
c+	197772		Infant cereal quinoo banana plum	Lmono QBB281	ac	Spiking	4.2	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-1	-0.00	NEGATIF	16	0.00	NEGATIF	EL	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c+	197773		Infant cereals with honey	Lmono QBB281	ac	Spiking	4.2	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	0	0.00	NEGATIF	9150	3.39	POSITIF	EL	AM sans halo	L. monocytogenes	P	PD	8258	2.09	POSITIVE	/	/	POSITIVE	EM	AM halo	L. monocytogenes	P	PD				
c+	197774		Biscuit flavored infant cereals	Lmono PC4920	ac	Spiking	5.0	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	8364	2.12	POSITIF	/	/	POSITIF	EL	AM halo	L. monocytogenes	P	PD	8096	2.05	POSITIVE	/	/	POSITIVE	EL	AM halo	L. monocytogenes	P	PD				
c+	197775		Infant cereals with 5 cereals	Lmono PC4920	ac	Spiking	5.0	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	8378	2.12	POSITIF	/	/	POSITIF	EL	AM halo	L. monocytogenes	P	PD	79997	2.03	POSITIVE	/	/	POSITIVE	EL	AM halo	L. monocytogenes	P	PD				
c+	197776		Whole oat and wheat infant cereals	Livanovi GDQ028	ac	Spiking	4.8	AM halo	AM halo	EM	EM	AM halo	AM halo	EM	EM	L. monocytogenes	P	-1	-0.00	NEGATIF	9946	3.68	POSITIF	EM	AM halo	L. monocytogenes	P	PA	9718	3.60	POSITIVE	/	/	POSITIVE	EM	AM halo	L. monocytogenes	P	PA				
c+	197777		Infant multi-cereals with exotic fruits	Livanovi GDQ028	ac	Spiking	4.8	AL halo	AL halo	EM	EM	AM halo	AM halo	EM	EM	L. monocytogenes	P	1	0.00	NEGATIF	9615	3.56	POSITIF	EM	AM halo	L. monocytogenes	P	PA	0	0.00	NEGATIF	9540	3.53	POSITIF	EM	AM halo	L. monocytogenes	P	PA				
c-	197778		Brioche flavored infant cereals	Lmono CLM641	ac	Spiking	4.0	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	0	0.00	NEGATIF	18	0.00	NEGATIF	Ø	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197779		Infant vanilla cereals	Lmono CLM641	ac	Spiking	4.0	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	0	0.00	NEGATIF	18	0.00	NEGATIF	EL	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c+	197780		Infant chocolate cereals	Lmono GND673	ac	Spiking	5.0	AM halo	AM halo	EM	EM	AM halo	AM halo	EM	EM	L. monocytogenes	P	8498	2.15	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA	8122	2.06	POSITIVE	/	/	POSITIVE	EM	AM halo	L. monocytogenes	P	PA				
c+	197781		Infant caramel cereals	Lmono GND673	ac	Spiking	5.0	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	8486	2.15	POSITIF	/	/	POSITIF	Ø	AM halo	L. monocytogenes	P	PD	8333	2.11	POSITIVE	/	/	POSITIVE	Ø	AM halo	L. monocytogenes	P	PD				
c-	197782		Infant cereal quinoo banana plum	/	/	/	/	EL	EL	EL	EL	Ø	Ø	Ø	Ø	/	A	-2	-0.00	NEGATIF	16	0.00	NEGATIF	EM	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197783		Infant cereals with honey	/	/	/	/	EL	EL	EL	EL	Ø	Ø	EM	EM	/	A	3	0.00	NEGATIF	18	0.00	NEGATIF	EM	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197784		Brioche flavored infant cereals	/	/	/	/	EL	EL	EL	EL	Ø	Ø	EL	EL	/	A	-1	-0.00	NEGATIF	18	0.00	NEGATIF	EM	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197785		Infant multi-cereals with exotic fruits	/	/	/	/	EL	EL	EL	EL	Ø	Ø	Ø	Ø	/	A	-2	-0.00	NEGATIF	17	0.00	NEGATIF	EM	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197786		Infant cereals with 5 cereals	/	/	/	/	EL	EL	EL	EL	Ø	Ø	EM	EM	/	A	133	0.03	NEGATIF	57	0.02	NEGATIF	EM	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197787		Whole oat and wheat infant cereals	/	/	/	/	EL	EL	EL	EL	Ø	Ø	EM	EM	/	A	12	0.00	NEGATIF	64	0.02	NEGATIF	EM	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197788		B. lactis 6.8 UCF/g	/	/	/	/	EL	EL	EL	EL	Ø	Ø	EM	EM	/	A	-1	-0.00	NEGATIF	17	0.00	NEGATIF	EM	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197789		Brioche flavored infant cereals	/	/	/	/	Ø	Ø	EL	EL	/	/	Ø	Ø	/	A	31	0.00	NEGATIF	27	0.00	NEGATIF	EM	EL	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197790		Infant vanilla cereals	/	/	/	/	EL	EL	EL	EL	/	/	Ø	Ø	/	A	-1	-0.00	NEGATIF	14	0.00	NEGATIF	Ø	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197791		Infant chocolate cereals	/	/	/	/	EL	EL	EL	EL	/	/	Ø	Ø	/	A	2	0.00	NEGATIF	16	0.00	NEGATIF	EM	Ø	/	/	A	NA	/	/	/	/	/	/	/	A	NA					
c-	197792		Infant caramel cereals	/	/	/	/	EL	EL	EL	EL	/	/	Ø	Ø	/	A	NA								A	NA	/	/							A	NA						

Study	Type	Code	Sample	Contamination				Reference method ISO 11290-1 #						Alternative method VIDAS Listeria DUO 22-25h						Alternative method VIDAS Listeria DUO 22-26h - 4°C																			
				Fraser 1/2			Fraser			Identification	Final result	DLMO		DUS		Confirmation			Final result	Agreement	DLMO		DUS		Confirmation			Final result											
				Strain	Type	Stress	Level	ALDA	Palcam			RFV	VT	Test result	RFV	VT	Test result	Palcam	ALDA	Identification			RFV	VT	Test result	RFV	VT	Test result	Palcam	AL	Identification								
b-	1977552	Pasteurized cow cheese (Emmental)	<i>L. ivanovii</i> GGD028	ac	Seeding	2.4	EL	DL	EM	EM	AM	CM	EM	EM	<i>L. ivanovii</i>	A	0	0.00	NEGATIF	12300	4.48	POSTIF	EM	AM halo	<i>L. ivanovii</i>	A	NA	1	0.00	NEGATIF	10962	3.99	POSTIF	EM	AM halo	<i>L. ivanovii</i>	A	NA	
b-	1977553	Pasteurized cow cheese (Camembert)	<i>L. ivanovii</i> GGD038	ac	Seeding	2.4	EL	DL	EM	EM	AM	BM	EM	EM	<i>L. ivanovii</i>	A	54	0.01	NEGATIF	2374	0.82	POSTIF	EM	AM halo	<i>L. ivanovii</i>	A	NA	55	0.01	NEGATIF	2159	0.78	POSTIF	EM	AM halo	<i>L. ivanovii</i>	A	NA	
b-	1977600	Pasteurized cow cheese (Emmental)	/	/	/	/	Ø	EL	EL	EL	/	EM	/	EM	/	A	-1	0.00	NEGATIF	21	0.00	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	A	NA		
b-	1977607	Pasteurized cow cheese (Le Pâillé)	/	/	/	/	Ø	EL	EL	EL	/	Ø	/	EL	/	A	11	0.00	NEGATIF	28	0.01	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	A	NA		
c+	1977582	Skimmed milk powder	Lmono JAR249	ac	Spiking	4	EM	EM	EM	EM	Ø	EL	EM	EM	/	A	686	0.17	POSITIF	/	/	POSITIF	EM	BM halo	<i>L.monocytogenes</i>	P	PD	241	0.06	POSITIF	/	/	POSITIF	EM	BM halo	<i>L.monocytogenes</i>	P	PD	
c+	1977558	Goat milk powder	<i>L. mono</i> FLD375	ac	Spiking	4.6	EM	EM	EM	EM	BM halo	BM halo	DM	DM	<i>L.monocytogenes</i>	P	6716	1.72	POSITIF	/	/	POSITIF	DM	BM halo	<i>L.monocytogenes</i>	P	PA	1816	0.46	POSITIF	/	/	POSITIF	DM	AM halo	<i>L.monocytogenes</i>	P	PA	
c+	1977559	Powdered caseinate	<i>L. mono</i> FLD375	ac	Spiking	4.6	Ø	AL halo	EL	AL	AM halo	AM halo	DM	DM	<i>L.monocytogenes</i>	P	10400	2.66	POSITIF	/	/	POSITIF	DM	BM halo	<i>L.monocytogenes</i>	P	PA	7314	1.87	POSITIF	/	/	POSITIF	DM	AM halo	<i>L.monocytogenes</i>	P	PA	
c+	1977584	Powdered buttermilk	Lmono LAS822	ac	Spiking	4.4	EM	EM	EM	EM	EL	EL	EL	EL	/	A	6106	1.55	POSITIF	/	/	POSITIF	BM	AM halo	<i>L.monocytogenes</i>	P	PD	4193	1.06	POSITIF	/	/	POSITIF	BM	AM halo	<i>L.monocytogenes</i>	P	PD	
c+	1977585	Semi-skimmed milk powder	Lmono LAS822	ac	Spiking	4.4	BM halo	BM halo	EM	EM	AM halo	AM halo	BM	BM	<i>L.monocytogenes</i>	P	1500	0.38	POSITIF	/	/	POSITIF	EM	AM halo	<i>L.monocytogenes</i>	P	PA	233	0.05	POSITIF	/	/	POSITIF	EM	AM halo	<i>L.monocytogenes</i>	P	PA	
c+	1978383	Skimmed milk powder	<i>L. mono</i> GND673	ac	Spiking	3.8	EL	EL	EL	EL	EL	EM	EM	/	A	3083	0.78	POSITIF	/	/	POSITIF	CM	AM halo	<i>L.monocytogenes</i>	P	PD	2866	0.71	POSITIF	/	/	POSITIF	CM	AM halo	<i>L.monocytogenes</i>	P	PD		
c+	1978386	Skimmed milk powder	<i>L. innocua</i> QHN317	ac	Spiking	3.6	EL	EL	EL	EL	BM sans halo	BM sans halo	BM	BM	<i>L.innocua</i>	A	0	0.00	NEGATIF	10204	3.78	POSTIF	BM	AM sans halo	<i>L.innocua</i>	A	NA	0	0.00	NEGATIF	10170	3.69	POSTIF	EM	AL sans halo	<i>L.innocua</i>	A	NA	
c+	1978387	Organic skimmed milk powder	<i>L. innocua</i> BVG975	ac	Spiking	4.6	DL	DL	EL	EL	BM sans halo	BM sans halo	BM	BM	<i>L.innocua</i>	A	0	0.01	NEGATIF	10262	3.80	POSTIF	AM	AM sans halo	<i>L.innocua</i>	A	NA	0	0.00	NEGATIF	10321	3.81	POSTIF	BM	AM sans halo	<i>L.innocua</i>	A	NA	
c+	1977554	Powdered whole milk	<i>L. innocua</i> GPQ140	ac	Spiking	4.0	EM	EM	DM	EM	BM sans halo	BM sans halo	DM	DM	<i>L.innocua</i>	A	-2	-0.00	NEGATIF	11057	4.03	POSTIF	DM	BM sans halo	<i>L.innocua</i>	A	NA	-2.0	-0.00	NEGATIF	10830	3.95	POSTIF	BM	BM sans halo	<i>L.innocua</i>	A	NA	
c+	1977555	Powdered whey	<i>L. mono</i> HB9552	ac	Spiking	4.8/4.0	Ø	EL	EL	EL	AM halo	AM halo	DM	DM	<i>L.innocua</i>	A	671	0.17	POSITIF	/	/	POSITIF	CM	AM halo	<i>L.innocua</i>	P	PD	643	0.16	POSITIF	/	/	POSITIF	AM	AM halo	<i>L.innocua</i>	P	PD	
c+	2067971	Whey permeate	<i>Lmono FK2497</i>	ac	Spiking	4.2	EL	AL	halo	EM	AM halo	AM halo	EM	EM	<i>L.monocytogenes</i>	P	9134	2.30	POSITIF	/	/	POSITIF	CM	AM halo	<i>L.monocytogenes</i>	P	PA	8992	2.27	POSITIF	/	/	POSITIF	CM	AM halo	<i>L.monocytogenes</i>	P	PA	
c+	2067972	Powdered buttermilk	<i>Lmono FK2497</i>	ac	Spiking	4.2	Ø	AL	halo	EM	AM halo	AM halo	BM	BM	<i>L.monocytogenes</i>	P	11462	2.89	POSITIF	/	/	POSITIF	DM	BM halo	<i>L.monocytogenes</i>	P	PA	7832	1.98	POSITIF	/	/	POSITIF	DM	AM halo	<i>L.monocytogenes</i>	P	PA	
c+	2067973	Ewe	whole milk powder	<i>Lmono FK2497</i>	ac	Spiking	4.2	EM	EM	EM	EM	BM halo	BM halo	DM	DM	<i>L.monocytogenes</i>	P	8887	2.24	POSITIF	/	/	POSITIF	DM	AM halo	<i>L.monocytogenes</i>	P	PA	7951	2.01	POSITIF	/	/	POSITIF	DM	AM halo	<i>L.monocytogenes</i>	P	PA
c+	1977577	Whey permeate	<i>Lmono GND673</i>	ac	Spiking	4.4	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	-2	-0.00	NEGATIF	16	0.00	NEGATIF	EM	Ø	/	A	NA	0	0.00	NEGATIF	17	0.00	NEGATIF	EM	Ø	/	A	NA		
c+	1977578	Organic skimmed milk powder	<i>Lmono GND673</i>	ac	Spiking	4.4	EL	EL	EL	EL	EL	EL	EL	/	A	1	0.00	NEGATIF	50	0.01	NEGATIF	EM	EL	/	A	NA	1	0.00	NEGATIF	52	0.01	NEGATIF	EM	EL	/	A	NA		
c+	1977579	Skimmed milk powder LOT1	<i>L.welshimeri</i> GLX736	ac	Spiking	3.2	EL	EL	EM	EM	Ø	EL	EL	/	A	5	0.00	NEGATIF	43	0.01	NEGATIF	EM	EM	/	A	NA	0	0.00	NEGATIF	260	0.09	NEGATIF	EM	DL sans halo	<i>L.welshimeri</i>	A	NA		
c+	1977580	Skimmed milk powder LOT2	<i>L.welshimeri</i> GLX736	ac	Spiking	3.2	DM	sans halo	DM	sans halo	EM	EM	Ø	EL	EL	<i>L.welshimeri</i>	A	-1	-0.00	NEGATIF	122	0.04	NEGATIF	EM	BM sans halo	<i>L.welshimeri</i>	A	NA	0	0.00	NEGATIF	10942	3.89	POSTIF	EM	AM sans halo	<i>L.welshimeri</i>	A	NA
c+	1977583	Whey permeate	<i>Lmono JAR249</i>	ac	Spiking	4	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	-2	-0.00	NEGATIF	20	0.00	NEGATIF	EM	EL	/	A	NA	-1	-0.00	NEGATIF	22	0.00	NEGATIF	EM	Ø	/	A	NA		
c+	1977732	Powdered whole milk	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	EM	/	A	0	0.00	NEGATIF	38.00	0.01	NEGATIF	EM	EL	/	A	NA	/	/	/	/	/	/	/	/	A	NA		
c+	1977734	Powdered whey	/	/	/	/	Ø	Ø	EM	EM	Ø	Ø	EM	/	A	0	0.00	NEGATIF	19.00	0.00	NEGATIF	EL	Ø	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
c+	1977734	Semi-skimmed milk powder batch 1	/	/	/	/	Ø	EL	EL	EL	EL	EM	EM	/	A	0	0.00	NEGATIF	30.00	0.01	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
c+	1977735	Skimmed milk powder	/	/	/	/	EL	EL	EM	EM	EL	EM	EM	/	A	0	0.00	NEGATIF	17.00	0.00	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
c+	1977736	Goat milk powder	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	EM	/	A	3	0.00	NEGATIF	22.00	0.00	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	A	NA		
c+	1977737	Skimmed milk	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	EM	/	A	0	0.00	NEGATIF	19.00	0.00	NEGATIF	EL	Ø	/	A	NA	/	/	/	/	/	/	/	/	A	NA		
c+	1977738	Powdered buttermilk	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	EM	/	A	1	0.00	NEGATIF	20.00	0.00	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	A	NA		
c+	1977739	Whey permeate	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EM	/	A	-1	-0.00	NEGATIF	17.00	0.00	NEGATIF	EL	Ø	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
c+	1977740	Organic skimmed milk powder	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	EM	/	A	-1	-0.00	NEGATIF	16.00	0.00	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	A	NA		
c+	1977741	Semi-skimmed milk powder batch 2	/	/	/	/	EL	EL	EM	EM	EL	EL	EM	EM	/	A	2	0.00	NEGATIF	28.00	0.01	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	A	NA		

Study	Type	Code	Sample	Contamination				Reference method ISO 11290-1 #								Alternative method VIDAS Listeria DUO 26-30h								Alternative method VIDAS Listeria DUO 26-30h -4°C								Agreement							
				Fraser 1/2				Fraser				Identification		Final result	DLMO		DUS		Confirmation		Final result	DLMO		DUS		Confirmation		Final result	Agreement										
				Strain	Type	Stress	Level	ALOA	Palcam	ALOA	Palcam	ALOA	Palcam		RFV	VT	Test result	RFV	VT	Test result	Palcam	ALOA	Identification	RFV	VT	Test result	RFV	VT	Test result	Palcam	All	Identification							
b+	1977560	Baby milk powder 0-6 months	L.mono GR9484	ac	Spiking	2,6/3	BM halo + sans	DM	DM	AM halo + sans	BM	BM	BM	BM	P	869	0,21	POSITIF	/	/	POSITIF	DM	BM halo + sans	L.monocytogenes	P	PA	277	0,06	POSITIF	/	/	POSITIF	DM	Baby + sans	L.monocytogenes	P	PA		
b+	1977561	Baby milk powder 6-12 months LOT 1	L.mono BMU793	ac	Spiking	2,6/3	BM halo + sans	DM	DM	AM halo + sans	BM	BM	BM	BM	P	104	0,02	NEGATIF	9205	3,27	POSITIF	DM	AM halo + sans	L.monocytogenes	A(FN)	ND	20	0	NEGATIF	10042	3,57	POSITIF	DM	AM halo + sans	L.innocua	A(FN)	ND		
b+	1977562	Baby milk powder 1-3 years LOT 1	L.mono BMU793	ac	Spiking	2,6/3	AM halo + BM halo + sans	DM	DM	AM halo + sans	BM	BM	BM	BM	P	8637	2,13	POSITIF	/	/	POSITIF	DM	AM halo + sans	L.monocytogenes	P	PA	8522	2,12	POSITIF	/	/	POSITIF	DM	AM halo + sans	L.monocytogenes	P	PA		
b+	1977563	Baby growth milk powder 1-3 years	L.mono GLE603	ac	Spiking	3,0/4,0	BM halo + sans	EM	EM	AM halo + sans	BM	BM	BM	BM	P	8438	2,12	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PA	8380	2,1	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PA		
b+	1977564	Baby goat milk powder 1- 3 years	L.mono GL603	ac	Spiking	3,0/4,0	BM halo + sans	EM	EM	AM halo + sans	BM	BM	BM	BM	P	556	0,13	POSITIF	/	/	POSITIF	DM	AM halo + sans	L.monocytogenes	A(FN)	ND	1605	0,40	POSITIF	/	/	POSITIF	DM	AM halo + sans	L.innocua	P	PA		
b+	1977567	Baby milk powder thickened formula 6-12 months	L.mono BV975	ac	Spiking	4	Ø	Ø	EL	EL	Ø	Ø	Ø	Ø	A	8386	2,11	POSITIF	/	/	POSITIF	DM	AM avec halo	L.monocytogenes	P	PD	8891	2,23	POSITIF	/	/	POSITIF	DM	AM avec halo	L.monocytogenes	P	PD		
b+	1977568	Junior baby milk powder > 18 months	L.mono BV975	ac	Spiking	4	Ø	Ø	EL	EL	Ø	Ø	EL	EL	A	8648	2,17	POSITIF	/	/	POSITIF	BM	AM avec halo	L.monocytogenes	P	PD	8918	2,24	POSITIF	/	/	POSITIF	BM	AM avec halo	L.monocytogenes	P	PD		
b+	1977569	Baby milk powder 6-12 months LOT 2	L.mono BV975	ac	Spiking	4	Ø	DL avec halo	EL	EL	AL avec halo	DL	DL	L.monocytogenes	P	1871	0,47	POSITIF	/	/	POSITIF	DM	AM avec halo	L.monocytogenes	P	PA	804	0,15	POSITIF	/	/	POSITIF	BM	AM avec halo	L.monocytogenes	P	PA		
a-	1977566	Baby growth milk powder 1-3 years	L.mono BV975	ac	Spiking	4	Ø	Ø	EM	EM	Ø	Ø	EL	EL	A	0	0,00	NEGATIF	17	0,00	NEGATIF	EM	Ø	/	A	NA	1	0,00	NEGATIF	19	0,00	NEGATIF	EM	Ø	/	A	NA		
b-	1977570	Baby milk powder 1-3 years LOT 1	L.mono QHW317	ac	Spiking	4,6	AL sans halo	AL sans halo	EM	EM	AM sans halo	BM	BM	L.innocua	A	-1	-0,00	NEGATIF	9363	3,33	POSITIF	BM	AM sans halo	L.innocua	A	NA	-1	-0,00	NEGATIF	11868	4,22	POSITIF	BM	AM sans halo	L.innocua	A	NA		
b-	1977571	Baby milk powder 1-3 years LOT 2	L.mono QHW317	ac	Spiking	4,6	AL sans halo	EM	DM	AM sans halo	AM sans halo	BM	BM	L.innocua	A	-1	-0,00	NEGATIF	9200	3,27	POSITIF	BM	AM sans halo	L.innocua	A	NA	-3	-0,01	NEGATIF	9924	3,53	POSITIF	BM	AM sans halo	L.innocua	A	NA		
b-	1977575	Baby milk powder 0-6 months	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-3	-0,00	NEGATIF	30	0,01	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
b-	1977597	Baby milk powder 6-12 months LOT 1	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-2	-0,00	NEGATIF	16	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
b-	1977598	Baby milk powder 1-3 years LOT 1	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-1	-0,00	NEGATIF	16	0,00	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
b-	1977599	Baby growth milk powder 1-3 years	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	0	0,00	NEGATIF	16	0,00	NEGATIF	EM	EL	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
b-	1977600	Baby growth milk powder 1-3 years	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-3	-0,00	NEGATIF	35	0,01	NEGATIF	EM	EL	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
b-	1977601	Baby milk powder 1-3 years LOT 2	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	0	0,00	NEGATIF	16	0,00	NEGATIF	EM	EM	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
b-	1977602	Baby milk powder 1-3 years	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	1	0,00	NEGATIF	19	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
b-	1977603	Baby milk powder thickened formula 6-12 months	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-1	-0,00	NEGATIF	17	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
b-	1977604	Junior baby milk powder > 18 months	/	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	-1	-0,00	NEGATIF	19	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
b-	1977605	Baby milk powder 6-12 months LOT 2	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-3	-0,00	NEGATIF	18	0,00	NEGATIF	EM	EL	/	A	NA	/	/	/	/	/	/	/	/	A	NA			
b+	1977591	Organic infant milk 1-3 years	L.mono PCA920	ac	Spiking	4,0	EM	EM	EM	EM	AM halo	AM halo	BM	BM	L.monocytogenes	P	7615	1,93	POSITIF	/	/	POSITIF	EM	AL halo	L.monocytogenes	P	PA	210	0,05	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PA	
b+	1977592	Infant milk 0-6 months greedy baby B.Lacts+ 450000 UFC/g	L.mono HBP62	ac	Spiking	4,6	Ø	EL	EL	Ø	EL	EM	EM	/	A	11219	2,84	POSITIF	/	/	POSITIF	AM	AM halo	L.monocytogenes	P	PD	5397	1,37	POSITIF	/	/	POSITIF	DM	AM halo	L.monocytogenes	P	PD		
b+	1977593	Infant milk 6-12 months B.Lacts+ 6100000 UFC/g	L.mono HBP62	ac	Spiking	4,6	AL halo	AL halo	EL	EL	AM halo	AM halo	DM	EM	L.monocytogenes	P	10060	2,55	POSITIF	/	/	POSITIF	BM	AM halo	L.monocytogenes	P	PA	11166	2,83	POSITIF	/	/	POSITIF	BM	AM halo	L.monocytogenes	P	PA	
b+	1977594	Infant milk 6-12 months S.thermophilus - 700000 UFC/g	L.mono HBP62	ac	Spiking	4,6	AL halo	AL halo	EL	Ø	EM	EM	L.monocytogenes	P	7433	1,88	POSITIF	/	/	POSITIF	BM	AM halo	L.monocytogenes	P	PA	10543	2,67	POSITIF	/	/	POSITIF	BM	AM halo	L.monocytogenes	P	PA			
b+	1977595	Infant milk 6-12 months thickened formula B.Lacts+ 1600000 UFC/g	L.mono HBP62	ac	Spiking	4,6	Ø	EL	EM	Ø	EM	EM	/	A	6299	1,59	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PD	1584	0,4	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PD			
b+	1977598	Infant milk 1-3 years	L.mono JAR249	ac	Spiking	4,0	AL halo	AL halo	EL	EL	AM halo	AM halo	AM halo	BM	L.monocytogenes	P	3364	0,85	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PA	571	0,14	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PA	
b+	1977599	Organic infant milk 6-12 months	L.mono PCA920	ac	Spiking	4,0	AL halo	AL halo	EL	EL	AM halo	AM halo	EM	EM	L.monocytogenes	P	1	0,00	NEGATIF	21	0,00	NEGATIF	EM	Ø	/	A	ND	1	0,00	NEGATIF	20	0,00	NEGATIF	/	/	/	A	ND	
b+	1977754	Infant milk 6-12 month thickened formula	L.mono GPO208	ac	Spiking	4,4	Ø	AL halo	EL	EL	/	AM halo	/	EM	Livanovii	A	2	0,00	NEGATIF	6932	2,56	POSITIF	EM	AM halo	Livanovii	A	NA	-1	-0,00	NEGATIF	5827	2,15	POSITIF	EM	AM halo	Livanovii	A	NA	
b+	1977755	Organic infant milk 6-12 months	L.mono GPO208	ac	Spiking	4,4	Ø	AL halo	EL	EL	/	AM halo	/	EM	Livanovii	A	1	0,00	NEGATIF	21	0,00	NEGATIF	EM	Ø	/	A	NA	1	0,00	NEGATIF	25	0,00	NEGATIF	EM	Ø	/	A	NA	
b+	1977760	Infant milk 6-12 months (breastfeeding relay)	L.mono LAS822	ac	Spiking	4,4	Ø	Ø	EL	EL	Ø	Ø	EM	EM	/	A	8153	2,06	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PD	11251	2,85	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PD	
b+	1977761	Infant milk 6-12 months thickened formula B.Lacts+ 1600000 UFC/g	L.mono LAS822	ac	Spiking	4,4	Ø	Ø	EL	EL	Ø	Ø	Ø	EM	/	A	9400	2,38	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PD	9317	2,36	POSITIF	/	/	POSITIF	EM	AM halo	L.monocytogenes	P	PD	
b+	1978389	Infant milk 6-12 months thickened formula 3,4x10 ⁶ UFC/g	L.mono GP0140	ac	Spiking	5	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	AM	Linnocua	A	1	0,00	NEGATIF	9615	3,56	POSITIF	BM	AM sans halo	Linnocua	A	NA	1	0,00	NEGATIF	9215	3,46	POSITIF	BM	AM sans halo	Linnocua	A	NA
b+	1977586	Infant milk 6-12 months greedy baby B.Lacts+ 4700000 UFC/g	L.mono GP0140	ac	Spiking	5	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	EM	Linnocua	A	0	0,00	NEGATIF	9150	3,39	POSITIF	AM	AM sans halo	Linnocua	A	NA	0	0,00	NEGATIF	9167	3,40	POSITIF	AM	AM sans halo	Linnocua	A	NA
b-	1977585	Infant milk 6-12 months thickened formula B.Lacts+ 4700000 UFC/g	L.mono JAR249	ac	Spiking	4,0	EL	EL	EM	EL	Ø	EM	EM	/	A</																								

Study	Type	Code	Sample	Contamination				Reference method ISO 11290-1 #						Alternative method VIDAS Listeria DUO 26-30h						Alternative method VIDAS Listeria DUO 26-30h - 4°C						Agreement												
								Fraser 1/2			Fraser			Identification	Final result	DILMO			DUS			Confirmation			Final result	DILMO			DUS			Final result						
				Strain	Type	Stress	Level	ALOA	Palcam	ALOA	Palcam	ALOA	Palcam			RFV	VT	Test result	RFV	VT	Test result	Palcam	ALOA	Identification		RFV	VT	Test result	RFV	VT	Test result							
b-	1977771	Organic infant milk 1-3 years Lactobacillus fermentum hereditum CECT5716 - 5800000 UFC/g	/	/	/	/	/	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-1	0.00	NEGATIF	19	0.00	NEGATIF	EL	Ø	/	A	NA	/	/	/	/	/	/	A	NA		
c+	1977742	Infant cereal quinoa banana plum B. lactic 1,10 ³ CFU/g	L.mono RCJ280	ac	Spiking	4	AL halo	Al halo	BM	BM	AM halo	AM halo	BM	BM	L. monocytogenes	P	8941	2,26	POSITIF	/	/	POSITIF	BM	AM halo	L. monocytogenes	P	PA	8370	2,12	POSITIF	/	/	POSITIF	BM	AM halo	L. monocytogenes	P	PA
c+	1977743	Infant cereals with honey B. lactic 3,41 ³ CFU/g	L.mono RCJ280	ac	Spiking	4	AL halo	Al halo	BM	BM	AM halo	AM halo	BM	BM	L. monocytogenes	P	9040	2,29	POSITIF	/	/	POSITIF	BM	AM halo	L. monocytogenes	P	PA	8407	2,13	POSITIF	/	/	POSITIF	BM	AM halo	L. monocytogenes	P	PA
c+	1977744	Biscuit flavored infant cereals B. lactic 7 10 ² CFU/g	L.mono RCJ280	ac	Spiking	4	AL halo	Al halo	EL	EL	AM halo	AM halo	EM	EM	L. monocytogenes	P	10818	2,74	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA	8804	2,23	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA
c+	1977745	Infant multi-cereals B. lactic 5 10 ² CFU/g	L.mono RCJ280	ac	Spiking	4	AL halo	AL halo	EM	EM	AM halo	AM halo	EM	EM	L. monocytogenes	P	9033	2,29	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA	8325	2,11	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA
c+	1977746	Whole oat and wheat infant cereals B. lactic 6,8 10 ² CFU/g	L.mono BNX114	ac	Spiking	3,4	AL halo	AL halo	EL	EL	AM halo	AM halo	EM	EM	L. monocytogenes	P	1	0,00	NEGATIF	24	0,00	NEGATIF	EL	Ø	/	A	ND	1	0,00	NEGATIF	30	0,01	NEGATIF	EL	Ø	/	A	ND
c+	1977747	Infant multi-cereals with exotic fruits	L.mono BNX114	ac	Spiking	3,4	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	9017	2,28	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PD	8258	2,09	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PD
c+	1977748	Brioche flavored infant cereals	L.mono RCJ280	ac	Spiking	4	AL halo	AL halo	EM	EM	AM halo	AM halo	EM	EM	L. monocytogenes	P	8291	2,10	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA	8971	2,27	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA
c-	1977749	Infant vanilla cereals	L.mono LAS822	ac	Spiking	2,8	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-1	0,00	NEGATIF	16	0,00	NEGATIF	EL	Ø	/	A	NA	/	/	/	/	/	/	A	NA			
c+	1977750	Infant chocolate cereals	L.mono LAS822	ac	Spiking	2,8	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	9269	2,35	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PD	9080	2,30	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PD
c+	1977751	Infant caramel cereals	L.mono JAR249	ac	Spiking	2,6	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	8338	2,11	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PD	8956	2,24	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PD
c-	1977752	Infant cereal quinoa banana plum B. lactic 1,1 10 ³ CFU/g	Linnocua QBB281	ac	Spiking	4,2	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	-1	0,00	NEGATIF	16,00	0,00	NEGATIF	EL	Ø	/	A	NA	/	/	/	/	/	/	EL	Ø	/	A	NA
c+	1977753	Infant cereals with honey B. lactic 3,1 10 ² CFU/g	Linnocua QBB281	ac	Spiking	4,2	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	0	0,00	NEGATIF	9150,00	3,39	POSITIF	EL	AM sans halo	Linnocua	A	NA	0	0,00	NEGATIF	8942	3,31	POSITIF	EL	AM sans halo	Linnocua	A	NA
c+	1977754	Biscuit flavored infant cereals B. lactic 7 10 ² CFU/g	L.mono PCA920	ac	Spiking	5	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	8364	2,12	POSITIF	/	/	POSITIF	EL	AM halo	L. monocytogenes	P	PD	8096	2,05	POSITIF	/	/	POSITIF	EL	AM halo	L. monocytogenes	P	PD
c+	1977755	Infant cereals with 5 cereals B. lactic 5 10 ² CFU/g	L.mono PCA920	ac	Spiking	5	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	8378	2,12	POSITIF	/	/	POSITIF	EL	AM halo	L. monocytogenes	P	PD	79997	2,03	POSITIF	/	/	POSITIF	EL	AM halo	L. monocytogenes	P	PD
c+	1977756	Whole oat and wheat infant cereals B. lactic 6,8 10 ² CFU/g	Livanovii GQD028	ac	Spiking	4,8	AM halo	AM halo	EM	EM	AM halo	AM halo	EM	EM	Livanovii	A	-1	0,00	NEGATIF	9946,00	3,68	POSITIF	EM	AM halo	Livanovii	A	NA	-2	-0,00	NEGATIF	9718	3,60	POSITIF	EM	AM halo	Livanovii	A	NA
c+	1977757	Infant multi-cereals with exotic fruits	Livanovii GQD028	ac	Spiking	4,8	AL halo	AL halo	EM	EM	AM halo	AM halo	EM	EM	Livanovii	A	1	0,00	NEGATIF	9615,00	3,56	POSITIF	EM	AM halo	Livanovii	A	NA	0	0,00	NEGATIF	9540	3,53	POSITIF	EM	AM halo	Livanovii	A	NA
c-	1977758	Brioche flavored infant cereals	L.mono CLM641	ac	Spiking	4	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	0	0,00	NEGATIF	18,00	0,00	NEGATIF	Ø	Ø	/	A	NA	/	/	/	/	/	/	Ø	Ø	/	A	NA
c-	1977759	Infant vanilla cereals	L.mono CLM641	ac	Spiking	4	Ø	Ø	EL	EL	Ø	Ø	EL	EL	/	A	0	0,00	NEGATIF	18,00	0,00	NEGATIF	EL	Ø	/	A	NA	/	/	/	/	/	/	EL	Ø	/	A	NA
c+	1977760	Infant chocolate cereals	L.mono GND673	ac	Spiking	5	AM halo	AM halo	EM	EM	AM halo	AM halo	EM	EM	L.monoctogenes	P	8495	2,15	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA	8122	2,05	POSITIF	/	/	POSITIF	EM	AM halo	L. monocytogenes	P	PA
c+	1977761	Infant caramel cereals	L.mono GND673	ac	Spiking	5	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	8486	2,15	POSITIF	/	/	POSITIF	Ø	AM halo	L. monocytogenes	P	PD	8333	2,11	POSITIF	/	/	POSITIF	Ø	AM halo	L. monocytogenes	P	PD
c-	1977762	Infant cereals with banana plum B. lactic 1,1 10 ³ CFU/g	/	/	/	/	EL	EL	EL	EL	Ø	Ø	Ø	Ø	/	A	-2	-0,00	NEGATIF	16	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	/	A	NA
c-	1977763	Infant cereals with honey B. lactic 3,1 10 ² CFU/g	/	/	/	/	EL	EL	EL	EL	Ø	Ø	EM	EM	/	A	3	0,00	NEGATIF	18,00	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	/	A	NA	
c-	1977764	Biscuit flavored infant cereals B. lactic 7 10 ² CFU/g	/	/	/	/	EL	EL	EL	EL	Ø	Ø	EL	EL	/	A	-1	-0,00	NEGATIF	16	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	A	NA		
c-	1977765	Infant multi-cereals with exotic fruits	/	/	/	/	EL	EL	EL	EL	Ø	Ø	Ø	Ø	/	A	-2	-0,00	NEGATIF	17	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	A	NA		
c-	1977766	Infant cereals with 5 cereals B. lactic 5 10 ² CFU/g	/	/	/	/	EL	EL	EM	EM	Ø	Ø	EM	EM	/	A	133	0,03	NEGATIF	57	0,02	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	A	NA		
c-	1977767	Whole oat and wheat infant cereals B. lactic 6,8 10 ² CFU/g	/	/	/	/	EL	EL	EL	EL	EM	EM	EM	EM	/	A	12	0,00	NEGATIF	64	0,02	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	A	NA		
c-	1977768	Brioche flavored infant cereals	/	/	/	/	Ø	Ø	Ø	Ø	EM	EM	EM	EM	/	A	-1	-0,00	NEGATIF	17	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	A	NA		
c-	1977769	Infant vanilla cereals	/	/	/	/	Ø	Ø	Ø	Ø	EM	EM	EM	EM	/	A	31	0,00	NEGATIF	27	0,00	NEGATIF	EM	EL	/	A	NA	/	/	/	/	/	/	/	A	NA		
c-	1977770	Infant chocolate cereals	/	/	/	/	EL	EL	EL	EL	Ø	Ø	Ø	Ø	/	A	-1	-0,00	NEGATIF	14	0,00	NEGATIF	Ø	Ø	/	A	NA	/	/	/	/	/	/	/	A	NA		
c-	1977741	Infant caramel cereals	/	/	/	/	EL	EL	EL	EL	Ø	Ø	EM	EM	/	A	2	0,00	NEGATIF	16	0,00	NEGATIF	EM	Ø	/	A	NA	/	/	/	/	/	/	/	A	NA		

Appendix E1

Relative level of detection

Initial validation study - Raw results

Key

Bacterial load

L = low
M = medium
H = high
 \emptyset = absence

Distribution of the microflora

A = pure culture of typical colonies
B = mix with a majority of typical colonies
C = mix with a minority of typical colonies
D = mix with rare typical colonies
E = absence of typical colonies

Rillettes - ***L.welshimeri***
 1 000 000 CFU/g , *400 CFU/g et **80 CFU/g, ***430 CFU/g

Contamination level	Real level (b/25g)	Reference method						Alternative method VIDAS LDUO										
		1/2 Fraser (10µl)		Fraser		Result	Conclusion	RFV LMO	VT	Result Test LMO	RFV LIS	VT	Result Test LIS	Streakings on			Result	Conclusion
		P1	OAA1	P2	OAA2									PAL	OAA	RLM		
1	0	Ø	Ø	Ø	Ø	-	0/6	-3	0.00	-	21	0.00	-	/	/	/	-	0/6
		Ø	Ø	Ø	Ø	-		-4	0.00	-	17	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-4	0.00	-	20	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-5	0.00	-	24	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		26	0.00	-	25	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		30	0.00	-	28	0.01	-	/	/	/	-	
2**	0.56	+MA	+MA	+HA	+HA	+	3/6	-4	0.00	-	24	0.01	-	/	/	/	-	3/6
		Ø	-LE	Ø	Ø	-		128	0.03	-	6505	2.89	+	+HA	+HA	+HA	+	
		Ø	Ø	Ø	Ø	-		78	0.01	-	6783	3.02	+	+HA	+HA	+HA	+	
		+LA	+LA	+HA	+HA	+		-3	0.00	-	22	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-3	0.00	-	21	0.00	-	/	/	/	-	
		+LA	+LA	+HA	+HA	+		70	0.01	-	6893	3.06	+	+HA	+HA	+HA	+	
3*	0.74	+LA	+LA	+HA	+HA	+	4/6	71	0.01	-	7010	2.99	+	+HA	+MA	+HA	+	3/6
		+LA	+LA	+HA	+HA	+		65	0.01	-	7083	3.02	+	+HA	+HA	+HB	+	
		+LA	+LA	+HA	+MA	+		-4	0.00	-	57	0.02	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-4	0.00	-	26	0.01	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-3	0.00	-	19	0.00	-	/	/	/	-	
		+LA	+LA	+HA	+MA	+		37	0.00	-	7069	3.02	+	+HA	+MA	+HA	+	
4***	1.68	+MA	+MA	+HA	+HA	+	5/6	60	0.01	-	6774	2.97	+	+HA	+HA	+HA	+	5/6
		+MA	+MA	+HA	+HA	+		30	0.00	-	7004	3.07	+	+HA	+HA	+HA	+	
		Ø	Ø	Ø	Ø	-		38	0.00	-	6965	3.05	+	+HA	+HB	+HA	+	
		+MA	+MA	+HA	+HA	+		-3	0.00	-	19	0.00	-	/	/	/	-	
		+MA	+MA	+MA	+MA	+		46	0.01	-	6968	3.05	+	+HA	+HA	+HA	+	
		+MA	+MA	+HA	+HA	+		55	0.01	-	6873	3.01	+	+HA	+HA	+HA	+	
5*	2.22	Ø	Ø	Ø	Ø	-	5/6	17	0.00	-	7638	3.26	+	+HA	+HB	+HA	+	6/6
		+LA	+LA	+HA	+MA	+		63	0.01	-	7721	3.30	+	+HA	+MA	+HA	+	
		+LA	+MA	+HA	+MA	+		78	0.01	-	7607	3.25	+	+HA	+MA	+HA	+	
		+MA	+MA	+HA	+HA	+		23	0.00	-	7736	3.30	+	+HA	+MA	+HB	+	
		+MA	+MA	+MA	+HA	+		25	0.00	-	7808	3.33	+	+MA	+MA	+MB	+	
		+MA	+MA	+HA	+HA	+		116	0.02	-	7287	3.11	+	+HA	+HA	+HA	+	
6**	2.24	+MA	+MA	+HA	+HA	+	6/6	68	0.01	-	7090	3.15	+	+HA	+HA	+HA	+	6/6
		+MA	+MA	+HA	+HA	+		11	0.00	-	7230	3.21	+	+HA	+HA	+HA	+	
		+HA	+HA	+HA	+HA	+		62	0.01	-	7082	3.15	+	+HA	+HA	+HA	+	
		+MA	+MA	+HA	+HA	+		27	0.00	-	7838	3.48	+	+HA	+HA	+HA	+	
		+MA	+MA	+HA	+HA	+		43	0.01	-	7830	3.48	+	+HA	+HA	+HA	+	
		+MA	+MA	+HA	+HA	+		49	0.01	-	7593	3.38	+	+HA	+HA	+HA	+	

Raw milk
72 000 CFU/ml

***Listeria monocytogenes* 1/2b**

Contamination level	Real level (b/25g)	Reference method								Alternative method VIDAS LDUO									
		1/2 Fraser (10µl)		Fraser		Result	Conclusion	RFV LMO	VT	Result Test LMO	RFV LIS	VT	Result Test LIS	Streakings on			Result	Conclusion	
		P1	OAA1	P2	OAA2									PAL	OAA	RLM			
1	0	Ø	-LE	Ø	-LE	-	0/6	-5	0.00	15	0	0.01	-	/	/	/	-	0/6	
		Ø	-LE	Ø	-LE	-		-2	0.00	15	0	0.01	-	/	/	/	-		
		Ø	-LE	Ø	-LE	-		-4	0.00	15	0	0.01	-	/	/	/	-		
		Ø	-LE	Ø	-LE	-		1	0.00	-	28	0.01	-	/	/	/	-		
		Ø	Ø	Ø	-ME	-		-1	0.00	-	39	0.01	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		-3	0.00	-	25	0.01	-	/	/	/	-		
2	0.41	Ø	-LE	Ø	-ME	-	2/6	-4	0.00	-	17	0.00	+ by default	/	/	/	-	1/6	
		+LA	+LB	+HA	+HB	+		-5	0.00	-	14	0.00	+ by default	/	/	/	-		
		Ø	-LE	Ø	-LE	-		-6	0.00	-	13	0.00	+ by default	/	/	/	-		
		+LA	+LB	+HA	+HB	+		7466	1.93	+	/	/	+ by default	+HA	+HB	+HA	+		
		Ø	-LE	Ø	-ME	-		-5	0.00	-	12	0.00	+ by default	/	/	/	-		
		Ø	-LE	Ø	-LE	-		-9	0.00	-	12	0.00	+ by default	/	/	/	-		
3	0.68	+LA	+LB	+HA	+HB	+	3/6	-3	0.00	-	16	0.00	-	/	/	/	-	3/6	
		Ø	-LE	Ø	-ME	-		7778	2.01	+	/	/	+ by default	+HA	+HB	+HA	+		
		+LA	+LB	+HA	+HB	+		10113	2.61	+	/	/	+ by default	+HA	+HB	+HB	+		
		Ø	-LE	Ø	-ME	-		-5	0.00	-	17	0.00	-	/	/	/	-		
		+LA	+LB	+HA	+HB	+		6930	1.79	+	/	/	+ by default	+HA	+HB	+HA	+		
		Ø	-LE	Ø	-HE	-		-6	0.00	-	22	0.00	-	/	/	/	-		
4	0.95	+LA	+LB	+HA	+HB	+	6/6	9168	2.37	+	/	/	+ by default	+HA	+HB	+HA	+	5/6	
		+LA	+MB	+HA	+HB	+		6926	1.79	+	/	/	+ by default	+HA	+HB	+HA	+		
		+MA	+MB	+HA	+HB	+		6780	1.75	+	/	/	+ by default	+HA	+HB	HA	+		
		+LA	+MB	+HA	+HB	+		-7	0.00	-	13	0.00	-	/	/	/	-		
		+MA	+MB	+HA	+HB	+		6869	1.77	+	/	/	+ by default	+HA	+HB	+HA	+		
		+MA	+MB	+HA	+HB	+		7017	1.81	+	/	/	+ by default	+HA	+HB	+HB	+		
5	1.12	+LA	+MB	+HA	+HB	+	6/6	6803	1.76	+	/	/	+ by default	+HA	+HB	+HA	+	6/6	
		+LA	+MB	+HB	+HB	+		7367	1.90	+	/	/	+ by default	+HA	+HB	+HA	+		
		+MA	+MB	+HA	+HB	+		7699	1.99	+	/	/	+ by default	+HA	+HB	+HA	+		
		+LA	+MB	+HB	+HB	+		6989	1.80	+	/	/	+ by default	+HA	+HB	+HA	+		
		+MA	+MB	+HB	+HB	+		6595	1.70	+	/	/	+ by default	+HA	+HB	+HA	+		
		+LA	+MB	+HB	+HB	+		6435	1.66	+	/	/	+ by default	+HA	+HB	+HA	+		

Raw milk - ***Listeria innocua***
 5 800 000 CFU/ml et *280 000 CFU/ml

Contamination level	Real level (b/25g)	Reference method								Alternative method VIDAS LDUO									
		1/2 Fraser (10µl)		Fraser		Result	Conclusion	RFV LMO	VT	Result Test LMO	RFV LIS	VT	Result Test LIS	Streakings on			Result	Conclusion	
		P1	OAA1	P2	OAA2									PAL	OAA	RLM			
1	0	Ø	-LE	Ø	-LE	-	0/6	-2	0.00	-	36	0.01	-	/	/	/	-	0/6	
		Ø	-LE	Ø	-LE	-		-2	0.00	-	45	0.02	-	/	/	/	-		
		Ø	-LE	Ø	-LE	-		-1	0.00	-	29	0.01	-	/	/	/	-		
		-LE	-LE	Ø	-ME	-		-2	0.00	-	28	0.01	-	/	/	/	-		
		-LE	-LE	Ø	-LE	-		-3	0.00	-	23	0.01	-	/	/	/	-		
2	0.54	Ø	-LE	-LE	-LE	-	1/6	-2	0.00	-	29	0.01	-	/	/	/	-	1/6	
		Ø	-LE	Ø	-LE	-		-3	0.00	-	27	0.01	-	/	/	/	-		
		Ø	-ME	Ø	-	-		17	0.00	-	7852	3.49	+	+HA	+HA	+HA	+		
		+MB	+MB	+HA	+HB	+		-2	0.00	-	30	0.01	-	/	/	/	-		
		-LE	-LE	-ME	-LE	-		-1	0.00	-	31	0.01	-	/	/	/	-		
		-LE	-LE	Ø	-LE	-		0	0.00	-	34	0.01	-	/	/	/	-		
3	1.44	Ø	-LE	Ø	-LE	-	3/6	7	0.00	-	7178	3.19	+	+HB	+HA	+HA	+	2/6	
		Ø	-LE	-ME	-ME	-		-4	0.00	-	26	0.01	-	/	/	/	-		
		+MB	+MB	+HA	+HB	+		-3	0.00	-	36	0.01	-	/	/	/	-		
		+MB	+MB	+HA	+HB	+		7	0.00	-	7073	3.14	+	+HA	+HA	+HA	+		
		+MB	+MB	+HA	+HB	+		-2	0.00	-	29	0.01	-	/	/	/	-		
		Ø	Ø	-LE	-LE	-		-3	0.00	-	24	0.01	-	/	/	/	-		
4	2.52	Ø	+MB	+MB	Ø	-LE	2/6	6	0.00	-	7428	3.30	+	+HB	+HA	+HA	+	3/6	
		+MB	+MB	+HB	+MB	+		7	0.00	-	7345	3.27	+	+HB	+HA	+HA	+		
		Ø	-ME	-LE	-	-		6	0.00	-	7487	3.33	+	+HA	+HA	+HA	+		
		Ø	Ø	-LE	-	-		-2	0.00	-	25	0.01	-	/	/	/	-		
		+MB	+MB	+HA	+HB	+		-2	0.00	-	29	0.01	-	/	/	/	-		
		Ø	-LE	-	-	-		0	0.00	-	30	0.01	-	/	/	/	-		
5*	2.9	+MA	+MA	+HA	+MA	+	6/6	92	0.02	-	7940	2.65	+	+HA	+HA	+HA	+	6/6	
		+MA	+MA	+HA	+MA	+		52	0.01	-	8456	2.82	+	+HA	+HA	+HA	+		
		+MA	+MA	+HA	+MA	+		87	0.02	-	8242	2.75	+	+HA	+HA	+HA	+		
		+MA	+MA	+MA	+MA	+		84	0.02	-	7722	2.57	+	+HA	+HA	+HA	+		
		+MA	+MA	+HA	+MA	+		112	0.03	-	7621	2.54	+	+HA	+MA	+HA	+		
		+MA	+MA	+HA	+HA	+		36	0.01	-	8078	2.69	+	+HA	+HA	+HA	+		

Smoked salmon - *Listeria monocytogenes* 1/2a
8 500 UFC/g

Contamination level	Real level (b/25g)	Reference method								Alternative method VIDAS LDUO									
		1/2 Fraser (10µl)		Fraser		Result	Conclusion	RFV LMO	VT	Result Test LMO	RFV LIS	VT	Result Test LIS	Streakings on			Result	Conclusion	
		P1	OAA1	P2	OAA2									PAL	OAA	RLM			
1	0	Ø	Ø	Ø	Ø	-	0/6	-6	0.00	-	13	0.00	-	/	/	/	-	0/6	
		Ø	Ø	Ø	Ø	-		2	0.00	-	16	0.00	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		-6	0.00	-	13	0.00	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		-3	0.00	-	15	0.00	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		-7	0.00	-	14	0.00	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		-6	0.00	-	12	0.00	-	/	/	/	-		
2	0.3	Ø	Ø	Ø	-LE	-	1/6	7127	1.84	-	13	0.00	-	/	/	/	-	1/6	
		+LA	+LB	+HA	+HA	+		-6	0.00	-	12	0.00	-	/	/	+HA	+HA	+HA	
		Ø	Ø	Ø	Ø	-		-4	0.00	-	14	0.00	-	/	/	/	-		
		Ø	Ø	Ø	-ME	-		-7	0.00	-	17	0.00	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		-5	0.00	-	10	0.00	-	/	/	/	-		
		+LA	+LA	+HA	+HA	+		8035	2.08	+	/	/	-	+ by default	+HA	+HA	+HA	+	4/6
4	1.24	+LA	+LA	+HA	+HA	+	4/6	8007	2.07	+	/	/	-	+ by default	+HA	+HA	+HA	+	
		+LA	+LA	+HA	+HA	+		-4	0.00	-	14	0.00	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		7536	1.95	+	/	/	-	+ by default	+HA	+HA	+HA	+	
		+LA	+LA	+HA	+HA	+		-5	0.00	-	13	0.00	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		7909	2.04	+	/	/	-	+ by default	+HA	+HA	+HA	+	
		+MA	+MA	+HA	+HA	+		7420	1.92	+	/	/	-	+ by default	+HA	+HA	+HA	+	6/6
6	2.63	+MA	+MA	+HA	+HA	+	6/6	7847	2.03	+	/	/	-	+ by default	+HA	+HA	+HA	+	
		+LA	+LA	+HA	+HA	+		7515	1.94	+	/	/	-	+ by default	+HA	+HA	+HA	+	
		+MA	+MA	+HA	+HA	+		6838	1.77	+	/	/	-	+ by default	+HA	+HA	+HA	+	
		+MA	+MA	+HA	+HA	+		6999	1.81	+	/	/	-	+ by default	+HA	+HA	+HA	+	
		+MA	+MA	+HA	+HA	+		6977	1.80	+	/	/	-	+ by default	+HA	+HA	+HA	+	

Red cabbage - *Listeria monocytogenes* 4b
40 000 000 UFC/g

Contamination level	Real level (b/25g)	Reference method								Alternative method VIDAS LDUO									
		1/2 Fraser (10µl)		Fraser		Result	Conclusion	RFV LMO	VT	Result Test LMO	RFV LIS	VT	Result Test LIS	Streakings on			Result	Conclusion	
		P1	OAA1	P2	OAA2									PAL	OAA	RLM			
1	0	Ø	Ø	Ø	Ø	-	0/6	-3	0.00	-	23	0.00	-	/	/	/	-	0/6	
		Ø	Ø	Ø	Ø	-		-2	0.00	-	19	0.00	-	/	/	/	-		
		Ø	-LE	Ø	-LE	-		-3	0.00	-	19	0.00	-	/	/	/	-		
		-LE	Ø	Ø	Ø	-		-3	0.00	-	22	0.00	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		-3	0.00	-	21	0.00	-	/	/	/	-		
		Ø	Ø	Ø	-LE	-		-4	0.00	-	17	0.00	-	/	/	/	-		
2	0.26	+LA	+LA	+MA	+MA	+	3/6	-4	0.00	-	19	0.00	-	/	/	/	-	2/6	
		+LA	+LA	+HA	+MA	+		-3	0.00	-	16	0.00	-	/	/	/	-		
		+LA	+LA	+HA	+MA	+		2602	0.66	+	/	/	+ by default	+MA	+HA	+MA	+		
		Ø	Ø	Ø	-LE	-		2759	0.69	+	/	/	+ by default	+HA	+MA	+HA	+		
		Ø	Ø	Ø	Ø	-		-3	0.00	-	23	0.00	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		-3	0.00	-	22	0.00	-	/	/	/	-		
3	0.52	Ø	Ø	Ø	Ø	-	2/6	-4	0.00	-	19	0.00	-	/	/	/	-	4/6	
		+LA	+LA	+HA	+MA	+		-4	0.00	-	19	0.00	-	/	/	/	-		
		Ø	Ø	Ø	Ø	-		5711	1.44	+	/	/	+ by default	+HA	+HA	+HA	+		
		+LA	+LA	+HA	+MA	+		3599	0.91	+	/	/	+ by default	+HA	+HA	+HA	+		
		Ø	Ø	Ø	Ø	-		6368	1.61	+	/	/	+ by default	+MA	+MA	+HA	+		
		Ø	Ø	Ø	Ø	-		3228	0.81	+	/	/	+ by default	+HA	+MB	+HA	+		
4	1.01	+LA	-LE	+HA	+HA	+	4/6	9274	2.38	+	/	/	+ by default	+HA	+HA	+HA	+	4/6	
		-LE	Ø	Ø	Ø	-		9009	2.32	+	/	/	+ by default	+HA	+HB	+HA	+		
		Ø	+LA	+HA	+MA	+		10136	2.61	+	/	/	+ by default	+HA	+HB	+HB	+		
		Ø	+LB	+HA	+MA	+		9538	2.45	+	/	/	+ by default	+HA	+HA	+HA	+		
		Ø	Ø	Ø	Ø	-		-3	0.00	-	21	0.00	-	/	/	/	-		
		Ø	Ø	+MA	+MA	+		-3	0.00	-	23	0.01	-	/	/	/	-		
5	1.52	+LA	+LB	+MA	+MA	+	4/6	9893	2.54	+	/	/	+ by default	+HB	+HA	+HA	+	6/6	
		+LA	+LB	+MA	+MA	+		8776	2.26	+	/	/	+ by default	+HB	+HB	+HB	+		
		+LA	-LE	+MA	+MA	+		8344	2.14	+	/	/	+ by default	+HA	+HA	+HB	+		
		Ø	Ø	Ø	Ø	-		9033	2.32	+	/	/	+ by default	+HB	+HA	+HA	+		
		Ø	-LE	Ø	Ø	-		8527	2.19	+	/	/	+ by default	+HA	+HA	+HB	+		
		+LA	+LB	+HA	+MA	+		8384	2.16	+	/	/	+ by default	+HA	+HA	+HA	+		
6	3.04	+LA	+LB	+HA	+MA	+	6/6	7592	1.95	+	/	/	+ by default	+HA	+HA	+HB	+	6/6	
		+LA	+LB	+MA	+MA	+		7524	1.93	+	/	/	+ by default	+HA	+HA	+HA	+		
		+LA	+LB	+HA	+MA	+		8323	2.14	+	/	/	+ by default	+HA	+HB	+HA	+		
		+LA	+LA	+MA	+HA	+		7898	2.03	+	/	/	+ by default	+HA	+HA	+HA	+		
		Ø	+LB	+HA	+MA	+		9279	2.39	+	/	/	+ by default	+HB	+HA	+HB	+		
		+LA	+LB	+HA	+HA	+		7684	1.97	+	/	/	+ by default	+HA	+HA	+HA	+		

Process water
1 100 UFC/ml et *1 300 UFC/ml

***Listeria monocytogenes* 1/2c**

Contamination level	Real level (b/25g)	Reference method						Alternative method VIDAS LDUO										
		1/2 Fraser (10µl)		Fraser		Result	Conclusion	RFV LMO	VT	Result Test LMO	RFV LIS	VT	Result Test LIS	Streakings on			Result	Conclusion
		P1	OAA1	P2	OAA2									PAL	OAA	RLM		
1	0	Ø	Ø	Ø	Ø	-	0/6	-3	0.00	-	22	0.00	-	/	/	/	-	0/6
		Ø	Ø	Ø	Ø	-		-3	0.00	-	20	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-3	0.00	-	20	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-4	0.00	-	19	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-2	0.00	-	22	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-4	0.00	-	19	0.00	-	/	/	/	-	
2*	0.46	Ø	Ø	Ø	Ø	-	0/6	-3	0.00	-	23	0.01	-	/	/	/	-	1/6
		Ø	Ø	Ø	Ø	-		-3	0.00	-	23	0.01	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-3	0.00	-	20	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		7504	1.91	+	/	/	+ by default	/	+HA	+HA	+	
		Ø	Ø	Ø	Ø	-		-5	0.00	-	32	0.01	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-5	0.00	-	20	0.00	-	/	/	/	-	
3	0.57	+LA	+LA	+HA	+HA	+	4/6	7517	1.92	+	/	/	+ by default	+HA	+HA	+HA	+	3/6
		Ø	Ø	Ø	Ø	-		-4	0.00	-	21	0.00	-	/	/	/	-	
		Ø	Ø	Ø	Ø	-		-5	0.00	-	21	0.00	-	/	/	/	-	
		+LA	+LA	+MA	+HA	+		7452	1.90	+	/	/	+ by default	+HA	+HA	+HA	+	
		+LA	+LA	+HA	+MA	+		-5	0.00	-	23	0.00	-	/	/	/	-	
		+LA	+LA	+HA	+MA	+		7441	1.90	+	/	/	+ by default	+HA	+HA	+HA	+	
4	1.52	+LA	+LA	+HA	+HA	+	6/6	6849	1.74	+	/	/	+ by default	+HA	+HA	+HA	+	4/6
		+LA	+LA	+HA	+MA	+		6713	1.71	+	/	/	+ by default	+HA	+HA	+HA	+	
		+MA	+MA	+HA	+MA	+		6685	1.71	+	/	/	+ by default	+HA	+HA	+HA	+	
		+LA	+LA	+HA	+MA	+		-4	0.00	-	21	0.00	-	/	/	/	-	
		+LA	+LA	+HA	+HA	+		6576	1.68	+	/	/	+ by default	+HA	+HA	+HA	+	
		+LA	+LA	+HA	+HA	+		-4	0.00	-	22	0.00	-	/	/	/	-	
5	2.66	+LA	+LA	+HA	+HA	+	6/6	6713	1.71	+	/	/	+ by default	+HA	+HA	+HA	+	6/6
		+MA	+MA	+HA	+HA	+		6835	1.74	+	/	/	+ by default	+HA	+HA	+HA	+	
		+LA	+LA	+HA	+HA	+		6686	1.70	+	/	/	+ by default	+HA	+HA	+HA	+	
		+MA	+MA	+HA	+MA	+		6780	1.73	+	/	/	+ by default	+HA	+HA	+HA	+	
		+LA	+LA	+HA	+MA	+		6876	1.75	+	/	/	+ by default	+HA	+HA	+HA	+	
		+LA	+LA	+HA	+MA	+		6762	1.72	+	/	/	+ by default	+HA	+HA	+HA	+	

Appendix E2

Relative level of detection

Third renewal study - Raw results

Key

Bacterial load

L = low
M = medium
H = high
Ø = absence

Distribution of the microflora

A = pure culture of typical colonies
B = mix with a majority of typical colonies
C = mix with a minority of typical colonies
D = mix with rare typical colonies
E = absence of typical colonies

Matrix: pastry cream

Bacterial strain: *Listeria seeligeri*

Enumeration of the microorganisms: $3,2 \times 10^3$ CFU/g

Code	CFU/ 25g	Reference method: EN ISO 11290-1:2017 (*)						Alternative method: VIDAS LDUO										Number of positive results / method		
		1/2 Fraser		Fraser		Confirmation		Final result	VIDAS LDUO			Alternative method confirmation			Conf. acc. ISO 11290-1		Final result			
		O&A A	PALCAM	O&A A	PALCAM	Res.	Identification		RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	O&A A	PALCAM	API LIS gallery w/o purification	Res.	Identification	
1398010	0	- ØE	- ØE	- ØE	- ØE	/	/	A	-1	-0.00	neg.	13	0.00	neg.	- ØE	- ØE	/	/	/	A
1398011		- ØE	- ØE	- ØE	- ØE	/	/	A	-1	-0.00	neg.	15	0.00	neg.	- ØE	- ØE	/	/	/	A
1398012		- ØE	- ØE	- ØE	- LE	/	/	A	0	0.00	neg.	14	0.00	neg.	- ØE	- LE	/	/	/	A
1398013		- ØE	- ØE	- ØE	- ØE	/	/	A	-1	-0.00	neg.	14	0.00	neg.	- LE	- LE	/	/	/	A
1398014		- ØE	- ØE	- ØE	- ØE	/	/	A	0	0.00	neg.	15	0.00	neg.	- ØE	- ØE	/	/	/	A
1398015	0.8	+ LA	+ LA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	0	0.00	neg.	11758	3.94	pos.	+ MA	+ MA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398016		+ LA	+ MA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	1	0.00	neg.	9739	3.26	pos.	+ HA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398017		- ØE	- ØE	- ØE	- ØE	/	/	A	-1	-0.00	neg.	15	0.00	neg.	- ØE	- ØE	/	/	/	A
1398018		- ØE	- ØE	- ØE	- LE	/	/	A	0	0.00	neg.	15	0.00	neg.	- ØE	- ØE	/	/	/	A
1398019		- ØE	- ØE	- ØE	- ØE	/	/	A	27	0.00	neg.	9551	3.20	pos.	+ HA	+ LA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398020		+ LA	+ MA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	0	0.00	neg.	9581	3.21	pos.	+ MA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398021		+ LA	+ LA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	-1	-0.00	neg.	19	0.00	neg.	- ØE	- ØE	/	/	/	A
1398022		+ LA	+ LA	+ HA	+ HB	pos.	<i>L. seeligeri</i>	P	0	0.00	neg.	9722	3.25	pos.	+ HB	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398023		+ LA	+ LA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	-1	-0.00	neg.	133	0.04	neg.	- LE	- ØE	/	/	/	A
1398024		- ØE	- ØE	- ØE	- ØE	/	/	A	-1	-0.00	neg.	14	0.00	neg.	- LE	- ØE	/	/	/	A
1398025		- LE	- ØE	- ØE	- ØE	/	/	A	0	0.00	neg.	14	0.01	neg.	- ØE	- ØE	/	/	/	A
1398026		+ LA	+ LA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	0	0.01	neg.	9849	3.30	pos.	+ LA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398027		- ØE	- ØE	- ØE	- ØE	/	/	A	0	0.00	neg.	9720	3.25	pos.	+ HB	+ MA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398028		- ØE	- ØE	- ØE	- ØE	/	/	A	0	0.00	neg.	10213	3.42	pos.	+ HA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398029		- ØE	- ØE	- ØE	- ØE	/	/	A	-1	-0.00	neg.	17	0,00	neg.	- ØE	- ØE	/	/	/	A
1398030		- ØE	- ØE	- ØE	- ØE	/	/	A	0	0.00	neg.	10157	3.40	pos.	+ LA	+ MA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398031		+ LA	+ LA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	2	0.00	neg.	10237	3.43	pos.	+ LA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398032		+ MA	+ MB	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	-2	-0.00	neg.	14	0.00	neg.	- ØE	- LE	/	/	/	A
1398033		+ LA	+ LA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	-1	-0.00	neg.	16	0.00	neg.	- ØE	- LE	/	/	/	A
1398034		- ØE	- LE	- ØE	- LE	/	/	A	0	0.00	neg.	9493	3.18	pos.	+ HA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398035	3.2	+ MA	+ MB	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	5	0.00	neg.	9620	3.22	pos.	+ MA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398036		+ LB	+ LA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	4	0.00	neg.	9658	3.23	pos.	+ HA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398037		+ LA	+ MA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	0	0.00	neg.	9742	3.26	pos.	+ MA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398038		+ LA	+ LA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	1	0.00	neg.	9763	3.27	pos.	+ HA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P
1398039		+ LA	+ MA	+ HA	+ HA	pos.	<i>L. seeligeri</i>	P	0	0.00	neg.	9828	3.29	pos.	+ HA	+ HA	<i>L. seeligeri</i>	pos.	<i>L. seeligeri</i>	P

Appendix E3

Relative level of detection

Extension study - Raw results

Key

Bacterial load

L = low
M = medium
H = high
Ø = absence

Distribution of the microflora

A = pure culture of typical colonies
B = mix with a majority of typical colonies
C = mix with a minority of typical colonies
D = mix with rare typical colonies
E = absence of typical colonies

Matrix: cottage cheese with raw milk

Bacterial strain: *Listeria ivanovii* GQD028

Enumeration of the microorganisms: 1000000000 CFU/g

Code	CFU/ 125g	Reference method: EN ISO 11290-1:2017 (*)							Alternative method: VIDAS LDUO										Number of positive results / method	
		1/2 Fraser		Fraser		Confirmation		Final result	VIDAS LDUO					Alternative method confirmation			Conf. acc. ISO 11290-1			
		ALOA	PALCAM	ALOA	PALCAM	Res.	Identification		RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	ALOA	PALCAM	API LIS gallery w/o purification	Res.	Identification	
1978433	0	Ø	Ø	Ø	Ø	-	/	A	2	0,00	NEGATIF	22	0,00	NEGATIF	Ø	EL	/	-	/	A
1978434		Ø	Ø	Ø	Ø	-	/	A	2	0,00	NEGATIF	18	0,00	NEGATIF	Ø	EL	/	-	/	A
1978435		Ø	Ø	Ø	Ø	-	/	A	5	0,00	NEGATIF	18	0,00	NEGATIF	Ø	EL	/	-	/	A
1978436		Ø	Ø	Ø	Ø	-	/	A	3	0,00	NEGATIF	18	0,00	NEGATIF	Ø	EL	/	-	/	A
1978437		Ø	Ø	EM	EM	-	/	A	10	0,00	NEGATIF	18	0,00	NEGATIF	Ø	EL	/	-	/	A
2034864	1.2	BM	CM	AM	AM	+	<i>L. ivanovii</i>	P	2	0,00	NEGATIF	8014	2062	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034865		BM	BM	AM	AM	+	<i>L. ivanovii</i>	P	1	0,00	NEGATIF	12168	3098	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034866		EM	EM	EM	EM	-	/	A	0	0,00	NEGATIF	14	0,00	NEGATIF	Ø	Ø	/	-	/	A
2034867		EM	EM	EL	EL	-	/	A	2	0,00	NEGATIF	11800	3.86	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034868		BM	BM	AM	AM	+	<i>L. ivanovii</i>	P	0	0,00	NEGATIF	12	0,00	NEGATIF	EL	EL	/	-	/	A
2034869		EL	EM	EL	EL	-	/	A	10	0,00	NEGATIF	11606	3.80	POSITIF	AM	AL	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034870		BM	BM	AM	AL	+	<i>L. ivanovii</i>	P	0	0,00	NEGATIF	13	0,00	NEGATIF	Ø	EL	/	-	/	A
2034871		BM	BM	AM	AL	+	<i>L. ivanovii</i>	P	-1	-0,00	NEGATIF	12	0,00	NEGATIF	EL	EL	/	-	/	A
2034872		EM	EM	EM	EM	-	/	A	0	0,00	NEGATIF	12	0,00	NEGATIF	Ø	Ø	/	-	/	A
2034873		BM	BM	AM	AM	+	<i>L. ivanovii</i>	P	0	0,00	NEGATIF	11	0,00	NEGATIF	Ø	Ø	/	-	/	A
2034874		CM	CL	BM	BL	+	<i>L. ivanovii</i>	P	2	0,00	NEGATIF	12906	4.23	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034875		BM	EL	AM	AM	+	<i>L. ivanovii</i>	P	10	0,00	NEGATIF	2450	0.80	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034876		EL	EL	EL	EL	-	/	A	0	0,00	NEGATIF	6645	2.17	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034877		BM	CM	AM	AL	+	<i>L. ivanovii</i>	P	7	0,00	NEGATIF	12211	4.00	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034878		BM	CM	AM	AM	+	<i>L. ivanovii</i>	P	1	0,00	NEGATIF	12203	4.00	POSITIF	AL	AL	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034879		EM	EM	EM	EL	-	/	A	3	0,00	NEGATIF	12743	4.17	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034880		EL	EL	Ø	Ø	-	/	A	2	0,00	NEGATIF	12482	4.09	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034881		CM	CM	AM	AM	+	<i>L. ivanovii</i>	P	1	0,00	NEGATIF	12874	4.22	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
2034882		CL	CL	AL	AL	+	<i>L. ivanovii</i>	P	-1	-0,00	NEGATIF	13	0,00	NEGATIF	Ø	Ø	/	-	/	A
2034883		BM	BM	AM	AL	+	<i>L. ivanovii</i>	P	-1	-0,00	NEGATIF	12	0,00	NEGATIF	Ø	EL	/	-	/	A
1978438	3.3	Ø	Ø	AM	AM	+	<i>L. ivanovii</i>	P	1	0,00	NEGATIF	10127	3.32	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
1978439		Ø	Ø	AM	AM	+	<i>L. ivanovii</i>	P	-1	-0,00	NEGATIF	6501	2.13	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
1978440		Ø	Ø	AM	AM	+	<i>L. ivanovii</i>	P	3	0,00	NEGATIF	2315	0.75	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
1978441		Ø	Ø	AM	AM	+	<i>L. ivanovii</i>	P	14	0,00	NEGATIF	9246	3.03	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P
1978442		Ø	Ø	AM	AM	+	<i>L. ivanovii</i>	P	11	0,00	NEGATIF	7958	2.60	POSITIF	AM	AM	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P

Matrix: Infant milk powder with probiotics

Bacterial strain: *Listeria monocytogenes* JAR249

Enumeration of the microorganisms: 160 CFU/g

Enumeration of the probiotics *Lactobacillus reuteri* DSM 17938: 5400000 CFU/g

Code	CFU/ 125g	Reference method: EN ISO 11290-1:2017 (*)							Alternative method: VIDAS LDUO										Number of positive results / method		
		1/2 Fraser		Fraser		Confirmation		Final result	VIDAS LDUO					Alternative method confirmation			Conf. acc. ISO 11290-1				
		ALOA	PALCAM	ALOA	PALCAM	Res.	Identification		RFV LMO	VT	Result LMO	RFV LIS	VT	Result LIS	ALOA	PALCAM	API LIS gallery w/o purification	Res.	Identification		
1978428	0	Ø	Ø	Ø	Ø	-	/	A	0	0,00	NEGATIF	14	0,00	NEGATIF	Ø	Ø	/	A	/	A	RM:0/5 AM:0/5
1978429		Ø	Ø	Ø	Ø	-	/	A	0	0,00	NEGATIF	17	0,00	NEGATIF	Ø	Ø	/	A	/	A	
1978430		Ø	Ø	Ø	Ø	-	/	A	0	0,00	NEGATIF	22	0,00	NEGATIF	Ø	Ø	/	A	/	A	
1978431		Ø	Ø	Ø	Ø	-	/	A	-1	-0,00	NEGATIF	13	0,00	NEGATIF	Ø	Ø	/	A	/	A	
1978432		Ø	Ø	Ø	Ø	-	/	A	2	0,00	NEGATIF	18	0,00	NEGATIF	Ø	Ø	/	A	/	A	
2045368	1.00	AL	Ø	AM	BM	+	<i>L.monocytogenes</i>	P	3	0,00	NEGATIF	16	0,00	NEGATIF	Ø	Ø	/	A	/	A	RM:13/20 AM:12/20
2045369		AL	Ø	AM	BM	+	<i>L.monocytogenes</i>	P	1	0,00	NEGATIF	23	0,00	NEGATIF	Ø	Ø	/	A	/	A	
2045370		Ø	Ø	AM	BM	+	<i>L.monocytogenes</i>	P	5731	1,45	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045371		Ø	Ø	Ø	EM	-	/	A	11180	2,83	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045372		AL	Ø	AM	BM	+	<i>L.monocytogenes</i>	P	2	0,00	NEGATIF	21	0,00	NEGATIF	Ø	Ø	/	A	/	A	
2045373		EL	EL	AM	EM	+	<i>L.monocytogenes</i>	P	1353	0,34	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045374		Ø	EL	Ø	EM	-	/	A	387	0,09	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045375		AL	AL	AM	BM	+	<i>L.monocytogenes</i>	P	7992	2,02	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045376		Ø	EL	Ø	EM	-	/	A	12888	3,27	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045377		Ø	EL	Ø	EM	-	/	A	0	0,00	NEGATIF	11	0,00	NEGATIF	Ø	EM	/	A	/	A	
2045378		Ø	EL	AM	BM	+	<i>L.monocytogenes</i>	P	10959	2,78	POSITIF	/	/	POSITIF	AM	AM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045379		Ø	EL	Ø	EM	-	/	A	9151	2,32	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045380		AL	AL	AM	BM	+	<i>L.monocytogenes</i>	P	10126	2,57	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045381		Ø	EL	Ø	EM	-	/	A	380	0,09	POSITIF	/	/	POSITIF	AM	EM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045382		AL	EL	AM	BM	+	<i>L.monocytogenes</i>	P	3	0,00	NEGATIF	21	0,00	NEGATIF	EL	EM	/	A	/	A	
2045383		AL	AL	AM	BM	+	<i>L.monocytogenes</i>	P	9023	2,29	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045384		Ø	Ø	AM	BM	+	<i>L.monocytogenes</i>	P	11224	2,85	POSITIF	/	/	POSITIF	AM	AM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045385		Ø	Ø	Ø	EM	-	/	A	0	0,00	NEGATIF	34	0,01	NEGATIF	Ø	EM	/	A	/	A	
2045386		AL	EL	AM	BM	+	<i>L.monocytogenes</i>	P	-1	-0,00	NEGATIF	12	0,00	NEGATIF	Ø	EM	/	A	/	A	
2045387		AL	EL	AM	BM	+	<i>L.monocytogenes</i>	P	0	0,00	NEGATIF	12	0,00	NEGATIF	Ø	EM	/	A	/	A	
2045393	2.00	AL	BL	AM	BM	+	<i>L.monocytogenes</i>	P	8788	2,23	POSITIF	/	/	POSITIF	AM	AM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	RM:5/5 AM:5/5
2045394		AL	EL	AM	BM	+	<i>L.monocytogenes</i>	P	9464	2,40	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045395		BL	BL	AM	BM	+	<i>L.monocytogenes</i>	P	614	0,15	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045396		AL	AL	AM	BM	+	<i>L.monocytogenes</i>	P	11012	2,79	POSITIF	/	/	POSITIF	AM	AM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	
2045397		Ø	EL	AM	BM	+	<i>L.monocytogenes</i>	P	415	0,10	POSITIF	/	/	POSITIF	AM	DM	<i>L.monocytogenes</i>	P	<i>L.monocytogenes</i>	P	

APPENDIX F

INCLUSIVITY – EXCLUSIVITY STUDY RAW RESULTS

Inclusivity - *Listeria monocytogenes*

#	Reference	Strain	Origin	Inoculation level in 225 ml of LX broth	RFV LMO	VT	LMO test results	RFV LIS	VT	LIS test results	Isolation on		
											PALCAM	OAA	RLM
1	L4	<i>Listeria monocytogenes</i> 1/2a	ATCC 35152	3.6	7818	1.97	+	/	/	+ by default	+HA	+HA	+HA
2	L5	<i>Listeria monocytogenes</i> 1/2a	Smoked salmon lardons	3.6	8122	2.05	+	/	/	+ by default	+HA	+HA	+HA
3	L6	<i>Listeria monocytogenes</i> 1/2a	Pizza	4.4	7908	1.99	+	/	/	+ by default	+HA	+HA	+HA
4	L7	<i>Listeria monocytogenes</i> 1/2a	Munster cheese	5.0	7533	1.90	+	/	/	+ by default	+HA	+HA	+HA
5	L10	<i>Listeria monocytogenes</i> 1/2a	Rillettes	3.7	7707	1.94	+	/	/	+ by default	+HA	+HA	+HA
6	L11	<i>Listeria monocytogenes</i> 1/2a	Munster cheese	4.6	7594	1.91	+	/	/	+ by default	+HA	+HA	+HA
7	L12	<i>Listeria monocytogenes</i> 1/2a	Smoked salmon	5.0	7746	1.95	+	/	/	+ by default	+HA	+HA	+HA
8	L40	<i>Listeria monocytogenes</i> 1/2a	Munster cheese	3.8	7496	1.89	+	/	/	+ by default	+HA	+MA	+HA
9	L42	<i>Listeria monocytogenes</i> 1/2a	Chicken cutlet	4.2	7765	1.96	+	/	/	+ by default	+HA	+HA	+HA
10	L43	<i>Listeria monocytogenes</i> 1/2a	Minced meat	5.0	7674	1.93	+	/	/	+ by default	+HA	+HA	+HA
11	L44	<i>Listeria monocytogenes</i> 1/2a	Dried sausage	0.9	7659	1.93	+	/	/	+ by default	+HA	+HA	+HA
12	L45	<i>Listeria monocytogenes</i> 1/2a	Rabbit terrine	1.1	8004	2.02	+	/	/	+ by default	+HA	+HA	+HA
13	L47	<i>Listeria monocytogenes</i> 1/2a	Fried potatoes	5.5	7355	1.85	+	/	/	+ by default	+HA	+HA	+HA
14	L116	<i>Listeria monocytogenes</i> 1/2a	Fish in cream sauce	3.6	7431	1.87	+	/	/	+ by default	+MA	+MA	+MA
15	L128	<i>Listeria monocytogenes</i> 1/2a	Soy cake	5.7	7534	1.94	+	/	/	+ by default	+HA	+HA	+HA
16	L129	<i>Listeria monocytogenes</i> 1/2a	Fried potatoes	6.0	7660	1.97	+	/	/	+ by default	+HA	+MA	+MA
17	L37	<i>Listeria monocytogenes</i> 1/2b	Maroilles cheese made with raw milk	3.8	7780	1.96	+	/	/	+ by default	+HA	+HA	+HA
18	L49	<i>Listeria monocytogenes</i> 1/2b	Chicken liver mousse	3.8	6823	1.72	+	/	/	+ by default	+HA	+HA	+HA
19	L51	<i>Listeria monocytogenes</i> 1/2b	Matured cheese	3.0	6665	1.68	+	/	/	+ by default	+HA	+HA	+HA
20	L14	<i>Listeria monocytogenes</i> 1/2c	Minced meat	4.4	7986	2.01	+	/	/	+ by default	+HA	+HA	+HA
21	L15	<i>Listeria monocytogenes</i> 1/2c	Beef	4.0	7634	1.92	+	/	/	+ by default	+MA	+MA	+HA
22	L16	<i>Listeria monocytogenes</i> 1/2c	Minced meat	4.5	7496	1.89	+	/	/	+ by default	+MA	+MA	+HA
23	L17	<i>Listeria monocytogenes</i> 1/2c	Pork belly	5.6	7432	1.87	+	/	/	+ by default	+HA	+HA	+HA
24	L18	<i>Listeria monocytogenes</i> 1/2c	Munster cheese	6.1	7561	1.90	+	/	/	+ by default	+HA	+HA	+HA
25	L53	<i>Listeria monocytogenes</i> 1/2c	Minced beef burger	3.9	7730	1.95	+	/	/	+ by default	+HA	+MA	+HA
26	L54	<i>Listeria monocytogenes</i> 1/2c	Beef bourguignon	5.6	7579	1.91	+	/	/	+ by default	+HA	+HA	+HA
27	L117	<i>Listeria monocytogenes</i> 1/2c	Montbéliard sausage	3.8	7490	1.89	+	/	/	+ by default	+HA	+HA	+HA
28	L20	<i>Listeria monocytogenes</i> 1/2	Salmon offcuts	4.4	7489	1.89	+	/	/	+ by default	+MA	+MA	+MA
29	L55	<i>Listeria monocytogenes</i> 3b	SLCC 2540	6.2	7418	1.87	+	/	/	+ by default	+HA	+HA	+HA
30	L56	<i>Listeria monocytogenes</i> 3c	SLCC 2479	6.2	7396	1.86	+	/	/	+ by default	+HA	+HA	+HA
31	L57	<i>Listeria monocytogenes</i> 4a	ATCC 19114	5.4	5423	1.36	+	/	/	+ by default	+HA	+HA	+HA
32	L32	<i>Listeria monocytogenes</i> 4b	Munster cheese	5.2	7784	1.96	+	/	/	+ by default	+HA	+HA	+HA
33	L33	<i>Listeria monocytogenes</i> 4b	ATCC 19115	3.4	9504	2.39	+	/	/	+ by default	+HA	+HA	+HA
34	L58	<i>Listeria monocytogenes</i> 4b	Salad	5.5	7916	1.99	+	/	/	+ by default	+HA	+HA	+HA
35	L138	<i>Listeria monocytogenes</i> 4b	Collection	5.0	7823	2.01	+	/	/	+ by default	+HA	+MA	+MA
36	L60	<i>Listeria monocytogenes</i> 4d	ATCC	4.3	9104	2.29	+	/	/	+ by default	+HA	+HA	+HA
37	L61	<i>Listeria monocytogenes</i> 4e	ATCC 19118	5.2	5964	1.50	+	/	/	+ by default	+HA	+HA	+HA
38	L62	<i>Listeria monocytogenes</i> 4e	Reblochon cheese	4.2	7649	1.93	+	/	/	+ by default	+HA	+HA	+HA
39	L63	<i>Listeria monocytogenes</i> 4e	Munster cheese	4.0	7647	1.93	+	/	/	+ by default	+HA	+HA	+HA
40	L67	<i>Listeria monocytogenes</i> 7	SLCC 2482	3.0	9822	2.47	+	/	/	+ by default	+HA	+HA	+HA
41	L119	<i>Listeria monocytogenes</i>	Spinach	4.2	7228	1.82	+	/	/	+ by default	+HA	+HA	+HA
42	L123	<i>Listeria monocytogenes</i>	Mozzarella	3.1	7587	1.91	+	/	/	+ by default	+HA	+HA	+HA
43	L124	<i>Listeria monocytogenes</i>	Fillet of perch	2.9	7404	1.86	+	/	/	+ by default	+HA	+HA	+HA
44	L125	<i>Listeria monocytogenes</i>	Pan-fried vegetables	4.4	7557	1.90	+	/	/	+ by default	+HA	+HA	+HA
45	L137	<i>Listeria monocytogenes</i>	Coulommiers cheese made with raw milk	8.5	7641	1.96	+	/	/	+ by default	+HA	+HA	+HA
46	L141	<i>Listeria monocytogenes</i>	Environmental sample	5.5	7703	1.98	+	/	/	+ by default	+HA	+MA	+MA
47	L149	<i>Listeria monocytogenes</i>	Environmental sample	0.9	9351	2.36	+	/	/	+ by default	+MA	+MA	+MA
48	L152	<i>Listeria monocytogenes</i>	Environmental sample	4.0	7737	1.95	+	/	/	+ by default	+MA	+MA	+MA
49	L69	<i>Listeria monocytogenes</i>	Dried sausage	3.3	7756	1.95	+	/	/	+ by default	+HA	+MA	+MA
50	L70	<i>Listeria monocytogenes</i>	Smoked salmon	3.7	7775	1.96	+	/	/	+ by default	+MA	+MA	+HA

Inclusivity - *Listeria* spp other than *Listeria monocytogenes*

#	Reference	Strain	Origin	Inoculation rate in 225 ml of LX broth	RFV LMO	VT	LMO test results	RFV LIS	VT	LIS test results	Isolation on				
											PALCAM	OAA	RLM		
1	L3	<i>Listeria innocua</i>	Heifer's liver	20.0	7	0.00	-	8106	3.55	+	+HA	+HA	+HA		
2	L1	<i>Listeria innocua</i>	ATCC 33090	9.0	6	0.00	-	7354	3.27	+	+HA	+HA	+HA		
3	L64	<i>Listeria innocua</i>	Époisses cheese	3.5	8	0.00	-	7742	3.43	+	+HA	+MA	+HA		
4	L66	<i>Listeria innocua</i>	Spinach	4.1	10	0.00	-	7998	3.50	+	+MA	+MA	+MA		
5	L71	<i>Listeria innocua</i>	Munster cheese	4.0	9	0.00	-	7934	3.48	+	+HA	+MA	+HA		
6	L72	<i>Listeria innocua</i>	Boulette d'Avesnes cheese	4.3	6	0.00	-	7681	3.41	+	+HA	+MA	+HA		
7	L76	<i>Listeria innocua</i> 6b	Minced beef burger	2.9	9	0.00	-	7737	3.39	+	+MA	+MA	+MA		
8	L77	<i>Listeria innocua</i> 6a	Toulouse sausage	2.5	6	0.00	-	7747	3.44	+	+HA	+HA	+HA		
9	L78	<i>Listeria innocua</i>	Rooster	3.5	8	0.00	-	7657	3.40	+	+HA	+MA	+MA		
10	L108	<i>Listeria innocua</i>	Gorgonzola	3.0	8	0.00	-	7921	3.47	+	+HA	+HA	+HA		
11	L110	<i>Listeria innocua</i>	Époisses cheese	4.0	5	0.00	-	7532	3.23	+	+HA	+HA	+HA		
12	L113	<i>Listeria innocua</i>	Smoked halibut	6.6	4	0.00	-	7857	3.37	+	+HA	+HA	+HA		
13	L80	<i>Listeria ivanovii</i>	ATCC Collection	21.0	-3	0.00	-	101461	4.49	+	+HA	+HA	+HA		
14	L133	<i>Listeria ivanovii</i>	Roquefort cheese	3.5	9	0.00	-	8675	3.80	+	+HA	+MA	+MA		
15	L151	<i>Listeria ivanovii</i>	Minced beef burger	2.9	4	0.00	-	9565	4.19	+	+HA	+MA	+HA		
16	L153	<i>Listeria ivanovii</i>	Environmental sample	4.0	6	0.00	-	8672	3.80	+	+HA	+MA	+HA		
17	L86	<i>Listeria welshimeri</i> 6b	ATCC 35897 Collection	5.0	2	0.00	-	10712	4.70	+	+HA	+MA	+MA		
18	L87	<i>Listeria welshimeri</i>	Minced beef burger	6.5	13	0.00	-	7050	3.09	+	+HA	+MA	+HA		
19	L89	<i>Listeria welshimeri</i> 6a	Minced beef burger	7.4	5	0.00	-	7511	3.22	+	+HA	+HA	+HA		
20	L91	<i>Listeria welshimeri</i>	Rosette dried sausage	5.0	8	0.00	-	8180	3.58	+	+HA	+MA	+MA		
21	L100	<i>Listeria welshimeri</i>	Spread	10.0	6	0.00	-	8452	3.63	+	+HA	+HA	+HA		
22	L101	<i>Listeria welshimeri</i>	Traditional ham	6.6	5	0.00	-	7439	3.19	+	+HA	+HA	+HA		
23	L83	<i>Listeria seeligeri</i> 1/2b	Jellied pork tongue	4.4	7	0.00	-	7811	3.42	+	+HA	+MA	+HA		
24	L84	<i>Listeria seeligeri</i>	Minced beef burger	2.6	8	0.00	-	7720	3.38	+	+MA	+MA	+HA		
25	L85	<i>Listeria seeligeri</i>	Collection	1.5	7	0.00	-	8195	3.59	+	+HA	+HA	+HA		
26	L115	<i>Listeria seeligeri</i>	Dirty water	5.0	7	0.00	-	8163	3.58	+	+HA	+MA	+MA		
27	L142	<i>Listeria seeligeri</i>	Cheese made with raw milk (Vinage)	2.5	6	0.00	-	7696	3.37	+	Ø	+LA	+LA		
28	L81	<i>Listeria grayi</i>	ATCC 19120 Collection	8.0	-4	0.00	-	7129	3.17	+	+HA	+LA	+LA		
				2.7	14	0.00	-	75	0.03	-	Ø	Ø	Ø		
29	L146	<i>Listeria grayi</i>	ATCC 25401 Collection	6.0	-5	0.00	-	25	0.01	-	Ø	Ø	Ø		
				1.0×10^5	6	0.00	-	7400	3.18	+	+HA	+HA	+HA		
30	L147	<i>Listeria grayi</i>	CIP 103213 Collection	6.0	-6	0.00	-	21	0.00	-	Ø	Ø	Ø		
				1.0×10^5	5	0.00	-	7637	3.28	+	+HA	+HA	+HA		
											Reference method		Isolation LX broth		
											1/2 Fraser	Fraser			
											P1	OA1	P2	OA2	
											Ø	Ø	Ø	Ø	
											+LA	+LA	+HA	+HA	+MA
											Ø	Ø	Ø	Ø	
											Ø	+MA	+HA	+HA	+LA

Exclusivity - Non-target strains

#	Reference	Strain	Origin	Inoculation rate in 225 ml of nutrient broth (CFU)	RFV LMO	VT	LMO test results	RFV LIS	VT	LIS test results
1	BA5	<i>Bacillus sphaericus</i>	Meat product	6.7×10^5	-4	0.00	-	26	0.01	-
2	BA2	<i>Bacillus cereus</i>	Beetroot	7.2×10^5	-5	0.00	-	39	0.01	-
3	BA4	<i>Bacillus stearothermophilus</i>	Dairy product	2.4×10^5	-5	0.00	-	29	0.01	-
4	BA7	<i>Bacillus coagulans</i>	Collection	2.4×10^5	-5	0.00	-	35	0.01	-
5	15	<i>Brochotrix thermosphacta</i>	Minced meat	6.0×10^3	-4	0.00	-	26	0.01	-
6	Le1	<i>Rhodotorula rubra</i>	Pastries	3.0×10^5	-5	0.00	-	32	0.01	-
7	Le3	<i>Candida albicans</i>	Collection	3.0×10^5	-7	0.00	-	25	0.01	-
8	Le5	<i>Saccharomyces cerevisiae</i>	Coffee extract	3.0×10^5	-4	0.00	-	22	0.00	-
9	E1	<i>Enterococcus faecalis</i>	Egg-based product	4.8×10^5	-4	0.00	-	31	0.01	-
10	E6	<i>Enterococcus faecalis</i>	ATCC 19433 Collection	5.4×10^5	-3	0.00	-	24	0.01	-
11	E2	<i>Enterococcus faecium</i>	ATCC 3286 Collection	3.0×10^5	-6	0.00	-	28	0.01	-
12	E7	<i>Enterococcus faecium</i>	CIP 5433 Collection	2.0×10^5	-4	0.00	-	26	0.01	-
13	EN18	<i>Enterobacter cloacae</i>	Collection	2.0×10^5	-6	0.00	-	27	0.01	-
14	EN63	<i>Klebsiella pneumoniae</i>	Celery	2.0×10^5	-4	0.00	-	29	0.01	-
15	EN71	<i>Klebsiella oxytoca</i>	Milk	2.6×10^5	-5	0.00	-	30	0.01	-
16	EN49	<i>Serratia marcescens</i>	Raw milk	3.0×10^5	-5	0.00	-	34	0.01	-
17	L139	<i>Jonesia denitrificans</i>	Collection	4.0×10^5	-5	0.00	-	30	0.01	-
18	Lb1	<i>Lactobacillus acidophilus</i>	Dairy product	4.0×10^5	-2	0.00	-	26	0.01	-
19	Lb2	<i>Lactobacillus casei</i>	Dairy product	6.0×10^4	-5	0.00	-	20	0.00	-
20	Lb3	<i>Lactobacillus plantarum</i>	Dairy product	5.0×10^5	-5	0.00	-	24	0.01	-
21	Lb4	<i>Lactobacillus paracasei</i>	Dairy product	2.0×10^5	-4	0.00	-	27	0.01	-
22	M1	<i>Micrococcus</i> spp	Environment	3.0×10^5	-5	0.00	-	29	0.01	-
23	PP17	<i>Pseudomonas putida</i>	Mushrooms	5.6×10^5	-4	0.00	-	26	0.01	-
24	PP8	<i>Pseudomonas putida</i>	Fish	6.0×10^5	4	0.00	-	57	0.02	-
25	32	<i>Rhodococcus equi</i>	Meat product	2.0×10^5	-5	0.00	-	29	0.01	-
26	E3	<i>Streptococcus bovis</i>	Collection	3.0×10^5	-4	0.00	-	29	0.01	-
27	E10	<i>Streptococcus bovis</i>	Collection	2.5×10^5	-5	0.00	-	22	0.00	-
28	ST12	<i>Staphylococcus hyicus</i>	Meat product	6.0×10^5	-5	0.00	-	25	0.01	-
29	ST3	<i>Staphylococcus epidermidis</i>	Yogurt	6.0×10^5	-5	0.00	-	26	0.01	-
30	ST15	<i>Staphylococcus epidermidis</i>	ATCC 12228 Collection	2.4×10^5	-4	0.00	-	22	0.00	-
31	ST17	<i>Staphylococcus aureus</i>	Yogurt	5.8×10^5	8	0.00	-	42	0.01	-

APPENDIX G

INTERLABORATORY STUDY RESULTS

Expert laboratory

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results			
	Half-Fraser		Fraser			DLMO test		DLIS test		Test results		Confirmation					
	OAA	PALCAM	OAA	PALCAM		RFV	VT	RFV	VT	Test results	Test results	Confirmation	Result				
1	Ø	Ø	Ø	Ø	-	=	-6	0.00	-	13	0.00	-	/	+	=		
2	Ø	Ø	Ø	Ø	-	=	-5	0.00	-	17	0.00	-	/	+	=		
3	Ø	Ø	Ø	Ø	-	=	4	0.00	-	175	0.06	-	/	-	=		
4	Ø	Ø	Ø	Ø	-	=	-5	0.00	-	15	0.00	-	/	-	=		
13	Ø	Ø	Ø	Ø	-	=	-6	0.00	-	10	0.00	-	/	-	=		
14	Ø	Ø	Ø	Ø	-	=	-5	0.00	-	13	0.00	-	/	-	=		
15	Ø	Ø	Ø	Ø	-	=	-4	0.00	-	13	0.00	-	/	-	=		
16	Ø	Ø	Ø	Ø	-	=	-5	0.00	-	12	0.00	-	/	-	=		
5	+MA	+MA	+MA	+HA	+	=	6717	1.71	+	/	/	+ by default	+	+	=		
6	+LA	+MA	+MA	+HA	+	=	6711	1.71	+	/	/	+ by default	+	+	=		
7	+MA	+MA	+MA	+HA	+	=	6592	1.68	+	/	/	+ by default	+	+	=		
8	+LA	+LA	+HA	+HA	+	=	-6	0.00	-	15	0.00	-	Ø	-	#		
17	+LA	+MA	+MA	+HA	+	=	6915	1.76	+	/	/	+ by default	+	+	=		
18	+LA	+LA	+MA	+HA	+	=	6696	1.70	+	/	/	+ by default	+	+	=		
19	+LA	+MA	+MA	+HA	+	=	7093	1.80	+	/	/	+ by default	+	+	=		
20	+MA	+MA	+MA	+HA	+	=	6811	1.73	+	/	/	+ by default	+	+	=		
9	+MA	+HA	+MA	+HA	+	=	7818	1.99	+	/	/	+ by default	+	+	=		
10	+HA	+HA	+HA	+HA	+	=	7714	1.96	+	/	/	+ by default	+	+	=		
11	+MA	+HA	+MA	+HA	+	=	7818	1.99	+	/	/	+ by default	+	+	=		
12	+MA	+HA	+MA	+HA	+	=	7731	1.97	+	/	/	+ by default	+	+	=		
21	+MA	+HA	+HA	+HA	+	=	7722	1.96	+	/	/	+ by default	+	+	=		
22	+MA	+HA	+MA	+HA	+	=	7557	1.92	+	/	/	+ by default	+	+	=		
23	+MA	+HA	+MA	+HA	+	=	7465	1.90	+	/	/	+ by default	+	+	=		
24	+MA	+HA	+MA	+HA	+	=	7646	1.94	+	/	/	+ by default	+	+	=		

Total viable count: <1 CFU/ml

Laboratory A

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results			
	Half-Fraser		Fraser			DLMO test		DLIS test		Test results		Confirmation					
	OAA	RLM	OAA	RLM		RFV	VT	RFV	VT	Test results	Test results	Confirmation	Result				
1	-	-	-	-	-	=	-2	0.00	-	12	0.00	-	/	-	=		
2	-	-	-	-	-	=	-3	0.00	-	10	0.00	-	/	-	=		
3	-	-	-	-	-	=	-2	0.00	-	12	0.00	-	/	-	=		
4	-	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	=		
13	-	-	-	-	-	=	-2	0.00	-	14	0.00	-	/	-	=		
14	-	-	-	-	-	=	-4	0.00	-	14	0.00	-	/	-	=		
15	-	-	-	-	-	=	-2	0.00	-	13	0.00	-	/	-	=		
16	-	-	-	-	-	=	-2	0.00	-	11	0.00	-	/	-	=		
5	+	+	+	+	+	=	10136	2.34	+	/	/	+ by default	+	+	=		
6	+	+	+	+	+	=	12508	2.89	+	/	/	+ by default	+	+	=		
7	-	-	-	-	-	=	#	12157	2.81	+	/	/	+ by default	+	+	=	
8	+	+	+	+	+	=	12497	2.89	+	/	/	+ by default	+	+	=		
17	+	+	+	+	+	=	12347	2.85	+	/	/	+ by default	+	+	=		
18	+	+	+	+	+	=	11725	2.71	+	/	/	+ by default	+	+	=		
19	+	+	+	+	+	=	11484	2.65	+	/	/	+ by default	+	+	=		
20	+	+	+	+	+	=	11373	2.63	+	/	/	+ by default	+	+	=		
9	+	+	+	+	+	=	12732	2.94	+	/	/	+ by default	+	+	=		
10	+	+	+	+	+	=	12654	2.92	+	/	/	+ by default	+	+	=		
11	+	+	+	+	+	=	12909	2.98	+	/	/	+ by default	+	+	=		
12	+	+	+	+	+	=	11839	2.73	+	/	/	+ by default	+	+	=		
21	+	+	+	+	+	=	11119	2.57	+	/	/	+ by default	+	+	=		
22	+	+	+	+	+	=	11393	2.63	+	/	/	+ by default	+	+	=		
23	+	+	+	+	+	=	11432	2.64	+	/	/	+ by default	+	+	=		
24	+	+	+	+	+	=	7574	1.93	+	/	/	+ by default	+	+	=		

Total viable count: 1 CFU/ml

Laboratory B

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results			
	Half-Fraser		Fraser			DLMO test		DLIS test		Test results		Confirmation					
	OAA	PALCAM	OAA	PALCAM		RFV	VT	RFV	VT	Test results	Test results	Confirmation	Result				
1	-	-	-	-	-	=	-4	0.00	-	11	0.00	-	/	-	=		
2	-	-	-	-	-	=	-3	0.00	-	11	0.00	-	/	-	=		
3	-	-	-	-	-	=	-4	0.00	-	11	0.00	-	/	-	=		
4	-	-	-	-	-	=	-3	0.00	-	12	0.00	-	/	-	=		
13	-	-	-	-	-	=	-2	0.00	-	11	0.00	-	/	-	=		
14	-	-	-	-	-	=	-3	0.00	-	11	0.00	-	/	-	=		
15	-	-	-	-	-	=	-4	0.00	-	9	0.00	-	/	-	=		
16	-	-	-	-	-	=	-2	0.00	-	10	0.00	-	/	-	=		
5	+	+	+	+	+	=	8276	1.92	+	/	/	+ by default	+	+	=		
6	+	+	+	+	+	=	8289	1.91	+	/	/	+ by default	+	+	=		
7	+	+	+	+	+	=	7693	1.79	+	/	/	+ by default	+	+	=		
8	+	+	+	+	+	=	7596	1.76	+	/	/	+ by default	+	+	=		
17	+	+	+	+	+	=	7773	1.83	+	/	/	+ by default	+	+	=		
18	+	+	+	+	+	=	7719	1.81	+	/	/	+ by default	+	+	=		
19	+	+	+	+	+	=	8315	1.95	+	/	/	+ by default	+	+	=		
20	+	+	+	+	+	=	8391	1.97	+	/	/	+ by default	+	+	=		
9	+	+	+	+	+	=	7410	1.72	+	/	/	+ by default	+	+	=		
10	+	+	+	+	+	=	7821	1.81	+	/	/	+ by default	+	+	=		
11	+	+	+	+	+	=	7687	1.78	+	/	/	+ by default	+	+	=		
12	+	+	+	+	+	=	7849	1.82	+	/	/	+ by default	+	+	=		
21	+	+	+	+	+	=	8241	1.94	+	/	/	+ by default	+	+	=		
22	+	+	+	+	+	=	7982	1.88	+	/	/	+ by default	+	+	=		
23	+	+	+	+	+	=	8124	1.91	+	/	/	+ by default	+	+	=		
24	+	+	+	+	+	=	8334	1.96	+	/	/	+ by default	+	+	=		

Total viable count: <1 CFU/ml

Laboratory C

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results	
	Half-Fraser		Fraser			DLMO test		Test results		DLIS test		Test results		Confirmation	
	OAA	PALCAM	OAA	PALCAM		RFV	VT	-	-	RFV	VT	-	-	/	=
1	-	-	-	-	=	-3	0.00	-	-	8	0.00	-	-	/	-
2	-	-	-	-	=	2	0.00	-	-	24	0.00	-	-	/	=
3	-	-	-	-	=	1	0.00	-	-	12	0.00	-	-	/	=
4	-	-	-	-	=	-3	0.00	-	-	14	0.00	-	-	/	=
13	-	-	-	-	=	-3	0.00	-	-	11	0.00	-	-	/	=
14	-	-	-	-	=	-3	0.00	-	-	11	0.00	-	-	/	=
15	-	-	-	-	=	-3	0.00	-	-	9	0.00	-	-	/	=
16	-	-	-	-	=	-2	0.00	-	-	10	0.00	-	-	/	=
5	+	+	+	+	=	8071	1.99	+	/	/	+ by default	+	+	=	=
6	-	-	-	-	=	8154	2.01	+	/	/	+ by default	+	+	=	=
7	+	+	+	+	=	8472	2.09	+	/	/	+ by default	+	+	=	=
8	+	+	+	+	=	8266	2.04	+	/	/	+ by default	+	+	=	=
17	+	+	+	+	=	7780	1.92	+	/	/	+ by default	+	+	=	=
18	+	+	+	+	=	7699	1.90	+	/	/	+ by default	+	+	=	=
19	+	+	+	+	=	7640	1.88	+	/	/	+ by default	+	+	=	=
20	+	+	+	+	=	7508	1.85	+	/	/	+ by default	+	+	=	=
9	+	+	+	+	=	8562	2.11	+	/	/	+ by default	+	+	=	=
10	+	+	+	+	=	8066	1.99	+	/	/	+ by default	+	+	=	=
11	+	+	+	+	=	8142	2.01	+	/	/	+ by default	+	+	=	=
12	+	+	+	+	=	7966	1.97	+	/	/	+ by default	+	+	=	=
21	+	+	+	+	=	7398	1.82	+	/	/	+ by default	+	+	=	=
22	+	+	+	+	=	7549	1.86	+	/	/	+ by default	+	+	=	=
23	+	+	+	+	=	7565	1.87	+	/	/	+ by default	+	+	=	=
24	+	+	+	+	=	7674	1.89	+	/	/	+ by default	+	+	=	=

Total viable count: <1 CFU/ml

Laboratory E

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results	
	Half-Fraser		Fraser			DLMO test		Test results		DLIS test		Test results		Confirmation	
	OAA	PALCAM	OAA	PALCAM		RFV	VT	-	-	RFV	VT	-	-	/	=
1	-	-	-	-	=	-4	0.00	-	-	8	0.00	-	-	/	-
2	-	-	-	-	=	-3	0.00	-	-	8	0.00	-	-	/	=
3	-	-	-	-	=	-3	0.00	-	-	8	0.00	-	-	/	=
4	-	-	-	-	=	-3	0.00	-	-	12	0.00	-	-	/	=
13	-	-	-	-	=	-2	0.00	-	-	8	0.00	-	-	/	=
14	-	-	-	-	=	-2	0.00	-	-	8	0.00	-	-	/	=
15	-	-	-	-	=	-3	0.00	-	-	8	0.00	-	-	/	=
16	-	-	-	-	=	-3	0.00	-	-	8	0.00	-	-	/	=
5	+	+	+	+	=	9815	2.25	+	/	/	+ by default	+	+	=	=
6	+	+	+	+	=	9383	2.15	+	/	/	+ by default	+	+	=	=
7	+	+	+	+	=	-1	0.00	-	-	9	0.00	-	-	-	#
8	+	+	+	+	=	11134	2.55	+	/	/	+ by default	+	+	=	=
17	+	+	+	+	=	9420	2.15	+	/	/	+ by default	+	+	=	=
18	+	+	+	+	=	9306	2.13	+	/	/	+ by default	+	+	=	=
19	+	+	+	+	=	8992	2.15	+	/	/	+ by default	+	+	=	=
20	+	+	+	+	=	8880	2.12	+	/	/	+ by default	+	+	=	=
9	+	+	+	+	=	11894	2.72	+	/	/	+ by default	+	+	=	=
10	+	+	+	+	=	11431	2.62	+	/	/	+ by default	+	+	=	=
11	+	+	+	+	=	11657	2.67	+	/	/	+ by default	+	+	=	=
12	+	+	+	+	=	10679	2.44	+	/	/	+ by default	+	+	=	=
21	+	+	+	+	=	9175	2.19	+	/	/	+ by default	+	+	=	=
22	+	+	+	+	=	9046	2.16	+	/	/	+ by default	+	+	=	=
23	+	+	+	+	=	9124	2.18	+	/	/	+ by default	+	+	=	=
24	+	+	+	+	=	8322	1.99	+	/	/	+ by default	+	+	=	=

Total viable count: nr

Laboratory F

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results	
	Half-Fraser		Fraser			DLMO test		Test results		DLIS test		Test results		Confirmation	
	OAA	PALCAM	OAA	PALCAM		RFV	VT	-	-	RFV	VT	-	-	/	=
1	-	-	-	-	=	-3	0.00	-	-	9	0.00	-	-	/	=
2	-	-	-	-	=	-4	0.00	-	-	10	0.00	-	-	/	=
3	-	-	-	-	=	-2	0.00	-	-	11	0.00	-	-	/	=
4	-	-	-	-	=	-1	0.00	-	-	14	0.00	-	-	/	=
13	-	-	-	-	=	-4	0.00	-	-	22	0.00	-	-	/	=
14	-	-	-	-	=	-3	0.00	-	-	14	0.00	-	-	/	=
15	-	-	-	-	=	-3	0.00	-	-	14	0.00	-	-	/	=
16	-	-	-	-	=	0	0.00	-	-	308	0.10	+	∅	-	=
5	+	+	+	+	=	8204	1.75	+	/	/	+ by default	+	+	=	=
6	+	+	+	+	=	7481	1.60	+	/	/	+ by default	+	+	=	=
7	+	+	+	+	=	7861	1.68	+	/	/	+ by default	+	+	=	=
8	+	+	+	+	=	7959	1.70	+	/	/	+ by default	+	+	=	=
17	+	+	+	+	=	7773	1.83	+	/	/	+ by default	+	+	=	=
18	+	+	+	+	=	7719	1.81	+	/	/	+ by default	+	+	=	=
19	+	+	+	+	=	8315	1.95	+	/	/	+ by default	+	+	=	=
20	+	+	+	+	=	8391	1.97	+	/	/	+ by default	+	+	=	=
9	+	+	+	+	=	8143	1.74	+	/	/	+ by default	+	+	=	=
10	+	+	+	+	=	8037	1.72	+	/	/	+ by default	+	+	=	=
11	+	+	+	+	=	8031	1.71	+	/	/	+ by default	+	+	=	=
12	+	+	+	+	=	7265	1.55	+	/	/	+ by default	+	+	=	=
21	+	+	+	+	=	8241	1.94	+	/	/	+ by default	+	+	=	=
22	+	+	+	+	=	7982	1.88	+	/	/	+ by default	+	+	=	=
23	+	+	+	+	=	8124	1.91	+	/	/	+ by default	+	+	=	=
24	+	+	+	+	=	8334	1.96	+	/	/	+ by default	+	+	=	=

Total viable count: <1 CFU/ml

Laboratory G

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results			
	Half-Fraser		Fraser			DLMO test		Test results		DULS test		Test results		Confirmation	Result		
	OAA	PALCAM	OAA	PALCAM		RFV	VT	RFV	VT	RFV	VT	RFV	VT				
1	-	-	-	-	=	-1	0.00	-	13	0.00	-	/	-	-	=		
2	-	-	-	-	=	-2	0.00	-	9	0.00	-	/	-	-	=		
3	-	-	-	-	=	-4	0.00	-	9	0.00	-	/	-	-	=		
4	-	-	-	-	=	-2	0.00	-	10	0.00	-	/	-	-	=		
13	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	-	=		
14	-	-	-	-	=	-2	0.00	-	11	0.00	-	/	-	-	=		
15	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	-	=		
16	-	-	-	-	=	0	0.00	-	11	0.00	-	/	-	-	=		
5	+	+	+	+	=	8887	2.53	+	/	/	+ by default	+	+	=	=		
6	+	+	+	+	=	8992	2.56	+	/	/	+ by default	+	+	=	=		
7	+	+	+	+	=	8574	2.44	+	/	/	+ by default	+	+	=	=		
8	+	+	+	+	=	8458	2.40	+	/	/	+ by default	+	+	=	=		
17	+	+	+	+	=	8795	2.50	+	/	/	+ by default	+	+	=	=		
18	+	+	+	+	=	9070	2.58	+	/	/	+ by default	+	+	=	=		
19	+	+	+	+	=	8497	2.42	+	/	/	+ by default	+	+	=	=		
20	+	+	+	+	=	8498	2.42	+	/	/	+ by default	+	+	=	=		
9	+	+	+	+	=	8385	2.38	+	/	/	+ by default	+	+	=	=		
10	+	+	+	+	=	8758	2.49	+	/	/	+ by default	+	+	=	=		
11	+	+	+	+	=	8718	2.48	+	/	/	+ by default	+	+	=	=		
12	+	+	+	+	=	8606	2.45	+	/	/	+ by default	+	+	=	=		
21	+	+	+	+	=	8714	2.48	+	/	/	+ by default	+	+	=	=		
22	+	+	+	+	=	9183	2.61	+	/	/	+ by default	+	+	=	=		
23	+	+	+	+	=	8919	2.54	+	/	/	+ by default	+	+	=	=		
24	+	+	+	+	=	8918	2.54	+	/	/	+ by default	+	+	=	=		
Total viable count: 1 CFU/ml																	

Laboratory H

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results			
	Half-Fraser		Fraser			DLMO test		Test results		DULS test		Test results		Confirmation	Result		
	OAA	PALCAM	OAA	PALCAM		RFV	VT	RFV	VT	RFV	VT	RFV	VT				
1	-	-	-	-	-	-1	0.00	-	10	0.00	-	/	-	-	=		
2	-	-	-	-	-	-2	0.00	-	10	0.00	-	/	-	-	=		
3	-	-	-	-	-	0	0.00	-	10	0.00	-	/	-	-	=		
4	-	-	-	-	-	-2	0.00	-	12	0.00	-	/	-	-	=		
13	-	-	-	-	-	-3	0.00	-	7	0.00	-	/	-	-	=		
14	-	-	-	-	-	-3	0.00	-	10	0.00	-	/	-	-	=		
15	-	-	-	-	-	-3	0.00	-	8	0.00	-	/	-	-	=		
16	-	-	-	-	-	-2	0.00	-	13	0.00	-	/	-	-	=		
17	+	+	+	+	=	10147	2.32	+	/	/	+ by default	+	+	=	=		
18	+	+	+	+	=	-2	0.00	-	12	0.00	-	/	-	#	#		
19	+	+	+	+	=	9547	2.18	+	/	/	+ by default	+	+	=	=		
20	+	+	+	+	=	10058	2.30	+	/	/	+ by default	+	+	=	=		
5	+	+	+	+	=	10996	2.51	+	/	/	+ by default	+	+	=	=		
6	+	+	+	+	=	11002	2.51	+	/	/	+ by default	+	+	=	=		
7	+	+	+	+	=	9339	2.13	+	/	/	+ by default	+	+	=	=		
8	+	+	+	+	=	9681	2.21	+	/	/	+ by default	+	+	=	=		
9	+	+	+	+	=	9850	2.25	+	/	/	+ by default	+	+	=	=		
10	+	+	+	+	=	10040	2.29	+	/	/	+ by default	+	+	=	=		
11	+	+	+	+	=	9974	2.28	+	/	/	+ by default	+	+	=	=		
12	+	+	+	+	=	10149	2.32	+	/	/	+ by default	+	+	=	=		
21	+	+	+	+	=	10175	2.32	+	/	/	+ by default	+	+	=	=		
22	+	+	+	+	=	10154	2.32	+	/	/	+ by default	+	+	=	=		
23	+	+	+	+	=	10274	2.34	+	/	/	+ by default	+	+	=	=		
24	+	+	+	+	=	10118	2.31	+	/	/	+ by default	+	+	=	=		
Total viable count: <1 CFU/ml																	

Laboratory J

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results			
	Half-Fraser		Fraser			DLMO test		Test results		DULS test		Test results		Confirmation	Result		
	OAA	PALCAM	OAA	PALCAM		RFV	VT	RFV	VT	RFV	VT	RFV	VT				
1	-	-	-	-	=	-2	0.00	-	11	0.00	-	/	-	-	=		
2	-	-	-	-	=	-2	0.00	-	9	0.00	-	/	-	-	=		
3	-	-	-	-	=	-3	0.00	-	10	0.00	-	/	-	-	=		
4	-	-	-	-	=	-2	0.00	-	12	0.00	-	/	-	-	=		
13	-	-	-	-	=	-2	0.00	-	11	0.00	-	/	-	-	=		
14	-	-	-	-	=	-3	0.00	-	11	0.00	-	/	-	-	=		
15	-	-	-	-	=	-2	0.00	-	9	0.00	-	/	-	-	=		
16	-	-	-	-	=	-4	0.00	-	10	0.00	-	/	-	-	=		
5	+	+	+	+	=	9012	2.01	+	/	/	+ by default	+	+	=	=		
6	-	-	-	-	#	9041	2.01	+	/	/	+ by default	+	+	=	=		
7	+	+	+	+	=	9113	2.03	+	/	/	+ by default	+	+	=	=		
8	+	+	+	+	=	9002	2.00	+	/	/	+ by default	+	+	=	=		
17	+	+	+	+	=	9874	2.20	+	/	/	+ by default	+	+	=	=		
18	+	+	+	+	=	8744	1.95	+	/	/	+ by default	+	+	=	=		
19	+	+	+	+	=	8727	1.94	+	/	/	+ by default	+	+	=	=		
20	+	+	+	+	=	8754	1.95	+	/	/	+ by default	+	+	=	=		
9	+	+	+	+	=	9091	2.02	+	/	/	+ by default	+	+	=	=		
10	+	+	+	+	=	9145	2.04	+	/	/	+ by default	+	+	=	=		
11	+	+	+	+	=	9248	2.06	+	/	/	+ by default	+	+	=	=		
12	+	+	+	+	=	8852	1.97	+	/	/	+ by default	+	+	=	=		
21	+	+	+	+	=	8565	1.91	+	/	/	+ by default	+	+	=	=		
22	+	+	+	+	=	8638	1.92	+	/	/	+ by default	+	+	=	=		
23	+	+	+	+	=	8268	1.84	+	/	/	+ by default	+	+	=	=		
24	+	+	+	+	=	7690	1.71	+	/	/	+ by default	+	+	=	=		
Total viable count: 1 CFU/ml																	

Laboratory K

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results			
	Half-Fraser		Fraser			DLMO test		Test results		DULS test		Test results		Confirmation	Result		
	OAA	PALCAM	OAA	PALCAM		Result	RFV	VT	-	RFV	VT	-	-				
1	-	-	-	-	=	-2	0.00	-	8	0.00	-	/	-	=			
2	-	-	-	-	=	-3	0.00	-	8	0.00	-	/	-	=			
3	-	-	-	-	=	-2	0.00	-	8	0.00	-	/	-	=			
4	-	-	-	-	=	-3	0.00	-	12	0.00	-	/	-	=			
13	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	=			
14	-	-	-	-	=	-2	0.00	-	10	0.00	-	/	-	=			
15	-	-	-	-	=	-2	0.00	-	10	0.00	-	/	-	=			
16	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	=			
5	+	+	+	+	=	8079	1.74	+	/	/	+ by default	+	+	=			
6	+	+	+	+	=	7598	1.63	+	/	/	+ by default	+	+	=			
7	+	+	+	+	=	8112	1.74	+	/	/	+ by default	+	+	=			
8	+	+	+	+	=	7850	1.69	+	/	/	+ by default	+	+	=			
17	+	+	+	+	=	8497	1.83	+	/	/	+ by default	+	+	=			
18	+	+	+	+	=	7042	1.51	+	/	/	+ by default	+	+	=			
19	+	+	+	+	=	6953	1.49	+	/	/	+ by default	+	+	=			
20	+	+	+	+	=	7117	1.53	+	/	/	+ by default	+	+	=			
9	+	+	+	+	=	8247	1.77	+	/	/	+ by default	+	+	=			
10	+	+	+	+	=	7569	1.63	+	/	/	+ by default	+	+	=			
11	+	+	+	+	=	7594	1.63	+	/	/	+ by default	+	+	=			
12	+	+	+	+	=	7933	1.70	+	/	/	+ by default	+	+	=			
21	+	+	+	+	=	7495	1.61	+	/	/	+ by default	+	+	=			
22	+	+	+	+	=	7515	1.61	+	/	/	+ by default	+	+	=			
23	+	+	+	+	=	7379	1.58	+	/	/	+ by default	+	+	=			
24	+	+	+	+	=	7445	1.60	+	/	/	+ by default	+	+	=			

Total viable count: <1 CFU/ml

Laboratory L

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results		
	Half-Fraser		Fraser			DLMO test		Test results	DULS test		Test results	Confirmation	Result			
	OAA	PALCAM & RLM	OAA	PALCAM & RLM		Result	RFV		RFV	VT						
1	-	-	-	-	=	-2	0.00	-	8	0.00	-	/	-	=		
2	-	-	-	-	=	-3	0.00	-	8	0.00	-	/	-	=		
3	-	-	-	-	=	-3	0.00	-	8	0.00	-	/	-	=		
4	-	-	-	-	=	-3	0.00	-	8	0.00	-	/	-	=		
13	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	=		
14	-	-	-	-	=	-2	0.00	-	10	0.00	-	/	-	=		
15	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	=		
16	-	-	-	-	=	-3	0.00	-	6	0.00	-	/	-	=		
5	-	-	-	-	#	10092	2.65	+	/	/	+ by default	+	+	=		
6	+	+	+	+	=	10020	2.63	+	/	/	+ by default	+	+	=		
7	+	+	+	+	=	9490	2.49	+	/	/	+ by default	+	+	=		
8	+	+	+	+	=	9607	2.53	+	/	/	+ by default	+	+	=		
17	+	+	+	+	=	9776	2.57	+	/	/	+ by default	+	+	=		
18	+	+	+	+	=	9862	2.59	+	/	/	+ by default	+	+	=		
19	+	+	+	+	=	9447	2.48	+	/	/	+ by default	+	+	=		
20	+	+	+	+	=	9631	2.53	+	/	/	+ by default	+	+	=		
9	+	+	+	+	=	9236	2.43	+	/	/	+ by default	+	+	=		
10	+	+	+	+	=	9798	2.58	+	/	/	+ by default	+	+	=		
11	+	+	+	+	=	9459	2.49	+	/	/	+ by default	+	+	=		
12	+	+	+	+	=	9481	2.49	+	/	/	+ by default	+	+	=		
21	+	+	+	+	=	9459	2.49	+	/	/	+ by default	+	+	=		
22	+	+	+	+	=	9642	2.53	+	/	/	+ by default	+	+	=		
23	+	+	+	+	=	9497	2.50	+	/	/	+ by default	+	+	=		
24	+	+	+	+	=	9546	2.51	+	/	/	+ by default	+	+	=		

Total viable count: <1 CFU/ml

Laboratory M

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results		
	Half-Fraser		Fraser			DLMO test		Test results	DULS test		Test results	Confirmation	Result			
	OAA	PALCAM	OAA	PALCAM		Result	RFV		RFV	VT						
1	-	-	-	-	=	-4	0.00	-	6	0.00	-	/	-	=		
2	-	-	-	-	=	-4	0.00	-	8	0.00	-	/	-	=		
3	-	-	-	-	=	-4	0.00	-	8	0.00	-	/	-	=		
4	-	-	-	-	=	-3	0.00	-	8	0.00	-	/	-	=		
13	-	-	-	-	=	-3	0.00	-	6	0.00	-	/	-	=		
14	-	-	-	-	=	-3	0.00	-	5	0.00	-	/	-	=		
15	-	-	-	-	=	-4	0.00	-	6	0.00	-	/	-	=		
16	-	-	-	-	=	-3	0.00	-	6	0.00	-	/	-	=		
5	+	+	+	+	=	7756	1.89	+	/	/	+ by default	+	+	=		
6	+	+	+	+	=	7814	1.90	+	/	/	+ by default	+	+	=		
7	+	+	+	+	=	8982	2.18	+	/	/	+ by default	+	+	=		
8	+	+	+	+	=	8770	2.13	+	/	/	+ by default	+	+	=		
17	+	+	+	+	=	-2	0.00	-	7	0.00	-	-	-	#		
18	+	+	+	+	=	8847	2.15	+	/	/	+ by default	+	+	=		
19	+	+	+	+	=	6154	1.50	+	/	/	+ by default	+	+	=		
20	+	+	+	+	=	8640	2.10	+	/	/	+ by default	+	+	=		
9	+	+	+	+	=	9001	2.19	+	/	/	+ by default	+	+	=		
10	+	+	+	+	=	8903	2.17	+	/	/	+ by default	+	+	=		
11	+	+	+	+	=	8904	2.17	+	/	/	+ by default	+	+	=		
12	+	+	+	+	=	8624	2.10	+	/	/	+ by default	+	+	=		
21	+	+	+	+	=	8621	2.10	+	/	/	+ by default	+	+	=		
22	+	+	+	+	=	8586	2.09	+	/	/	+ by default	+	+	=		
23	+	+	+	+	=	8223	2.00	+	/	/	+ by default	+	+	=		
24	+	+	+	+	=	8201	1.99	+	/	/	+ by default	+	+	=		

Total viable count: 20 CFU/ml

Laboratory N

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results			
	Half-Fraser		Fraser			DLMO test		DULS test		Test results		Confirmation					
	OAA	PALCAM	OAA	PALCAM		RFV	VT	RFV	VT	RFV	VT	RFV	VT				
1	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	=			
2	-	-	-	-	=	-2	0.00	-	11	0.00	-	/	-	=			
3	-	-	-	-	=	-3	0.00	-	10	0.00	-	/	-	=			
4	-	-	-	-	=	-3	0.00	-	12	0.00	-	/	-	=			
13	-	-	-	-	=	-2	0.00	-	11	0.00	-	/	-	=			
14	-	-	-	-	=	-4	0.00	-	9	0.00	-	/	-	=			
15	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	=			
16	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	=			
5	+	+	+	+	=	9584	2.55	+	/	/	+ by default	+	+	=			
6	+	+	+	+	=	9837	2.62	+	/	/	+ by default	+	+	=			
7	+	+	+	+	=	10295	2.74	+	/	/	+ by default	+	+	=			
8	-	-	-	-	#	10545	2.81	+	/	/	+ by default	+	+	=			
17	+	+	+	+	=	9559	2.54	+	/	/	+ by default	+	+	=			
18	+	+	+	+	=	9649	2.57	+	/	/	+ by default	+	+	=			
19	+	+	+	+	=	10255	2.73	+	/	/	+ by default	+	+	=			
20	+	+	+	+	=	10421	2.77	+	/	/	+ by default	+	+	=			
9	+	+	+	+	=	10380	2.77	+	/	/	+ by default	+	+	=			
10	+	+	+	+	=	10409	2.77	+	/	/	+ by default	+	+	=			
11	+	+	+	+	=	10546	2.81	+	/	/	+ by default	+	+	=			
12	+	+	+	+	=	10622	2.83	+	/	/	+ by default	+	+	=			
21	+	+	+	+	=	10365	2.76	+	/	/	+ by default	+	+	=			
22	+	+	+	+	=	10321	2.75	+	/	/	+ by default	+	+	=			
23	+	+	+	+	=	10266	2.79	+	/	/	+ by default	+	+	=			
24	+	+	+	+	=	10456	2.78	+	/	/	+ by default	+	+	=			
Total viable count: <1 CFU/ml																	

Laboratory O

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results			
	Half-Fraser		Fraser			DLMO test		DULS test		Test results		Confirmation					
	OAA	PALCAM	OAA	PALCAM		RFV	VT	RFV	VT	RFV	VT	RFV	VT				
1	-	-	-	-	-	-1	0.00	-	6	0.00	-	/	-	=			
2	-	-	-	-	-	-3	0.00	-	7	0.00	-	/	-	=			
3	-	-	-	-	-	0	0.00	-	9	0.00	-	/	-	=			
4	-	-	-	-	-	-2	0.00	-	12	0.00	-	/	-	=			
13	-	-	-	-	-	-3	0.00	-	11	0.00	-	/	-	=			
14	-	-	-	-	-	-2	0.00	-	11	0.00	-	/	-	=			
15	-	-	-	-	-	0	0.00	-	9	0.00	-	/	-	=			
16	-	-	-	-	-	-2	0.00	-	10	0.00	-	/	-	=			
5	-	-	+	+	=	8764	2.15	+	/	/	+ by default	+	+	=			
6	-	+	+	+	=	8837	2.17	+	/	/	+ by default	+	+	=			
7	+	-	+	+	=	8993	2.21	+	/	/	+ by default	+	+	=			
8	+	+	+	+	=	9164	2.25	+	/	/	+ by default	+	+	=			
17	-	+	+	+	=	-3	0.00	-	25	0.00	-	/	-	#			
18	-	+	+	+	=	8130	2.00	+	/	/	+ by default	+	+	=			
19	-	-	+	+	=	8281	2.03	+	/	/	+ by default	+	+	=			
20	+	+	+	+	=	8485	2.08	+	/	/	+ by default	+	+	=			
9	+	+	+	+	=	9181	2.25	+	/	/	+ by default	+	+	=			
10	+	+	+	+	=	9446	2.32	+	/	/	+ by default	+	+	=			
11	+	+	+	+	=	9350	2.30	+	/	/	+ by default	+	+	=			
12	+	+	+	+	=	8488	2.08	+	/	/	+ by default	+	+	=			
21	+	+	+	+	=	8136	2.00	+	/	/	+ by default	+	+	=			
22	+	+	+	+	=	8356	2.05	+	/	/	+ by default	+	+	=			
23	+	+	+	+	=	8476	2.08	+	/	/	+ by default	+	+	=			
24	+	+	+	+	=	7969	1.96	+	/	/	+ by default	+	+	=			
Total viable count: <1 CFU/ml																	

Laboratory P

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results			
	Half-Fraser		Fraser			DLMO test		DULS test		Test results		Confirmation					
	OAA	PALCAM	OAA	PALCAM		RFV	VT	RFV	VT	RFV	VT	RFV	VT				
1	-	-	-	-	=	-3	0.00	-	11	0.00	-	/	-	=			
2	-	-	-	-	=	-4	0.00	-	11	0.00	-	/	-	=			
3	-	-	-	-	=	0	0.00	-	11	0.00	-	/	-	=			
4	-	-	-	-	=	-4	0.00	-	12	0.00	-	/	-	=			
13	-	-	-	-	=	-3	0.00	-	16	0.00	-	/	-	=			
14	-	-	-	-	=	-4	0.00	-	10	0.00	-	/	-	=			
15	-	-	-	-	=	-2	0.00	-	11	0.00	-	/	-	=			
16	-	-	-	-	=	-3	0.00	-	17	0.00	-	/	-	=			
5	+	+	+	+	=	9461	2.30	+	/	/	+ by default	+	+	=			
6	+	+	+	+	=	9549	2.32	+	/	/	+ by default	+	+	=			
7	+	+	+	+	=	10024	2.43	+	/	/	+ by default	+	+	=			
8	+	+	+	+	=	9990	2.43	+	/	/	+ by default	+	+	=			
17	+	+	+	+	=	9421	2.29	+	/	/	+ by default	+	+	=			
18	+	+	+	+	=	9328	2.26	+	/	/	+ by default	+	+	=			
19	+	+	+	+	=	9481	2.30	+	/	/	+ by default	+	+	=			
20	+	+	+	+	=	9562	2.32	+	/	/	+ by default	+	+	=			
9	+	+	+	+	=	9347	2.27	+	/	/	+ by default	+	+	=			
10	+	+	+	+	=	9347	2.27	+	/	/	+ by default	+	+	=			
11	+	+	+	+	=	9256	2.25	+	/	/	+ by default	+	+	=			
12	+	+	+	+	=	9588	2.33	+	/	/	+ by default	+	+	=			
21	+	+	+	+	=	9500	2.31	+	/	/	+ by default	+	+	=			
22	+	+	+	+	=	9769	2.37	+	/	/	+ by default	+	+	=			
23	+	+	+	+	=	9344	2.27	+	/	/	+ by default	+	+	=			
24	+	+	+	+	=	9560	2.32	+	/	/	+ by default	+	+	=			
Total viable count: <1 CFU/ml																	

Laboratory Q

Reference	Reference method				Comparison / expected results	VIDAS Listeria Duo alternative method								Comparison / expected results		
	Half-Fraser		Fraser			DLMO test		Test results		DILS test		Test results	Confirmation	Result		
	OAA	PALCAM	OAA	PALCAM		RFV	VT	RFV	VT	RFV	VT					
1	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	-	=	
2	-	-	-	-	=	-5	0.00	-	7	0.00	-	/	-	-	=	
3	-	-	-	-	=	-3	0.00	-	9	0.00	-	/	-	-	=	
4	-	-	-	-	=	-3	0.00	-	8	0.00	-	/	-	-	=	
13	-	-	-	-	=	-2	0.00	-	7	0.00	-	/	-	-	=	
14	-	-	-	-	=	-4	0.00	-	7	0.00	-	/	-	-	=	
15	-	-	-	-	=	-4	0.00	-	7	0.00	-	/	-	-	=	
16	-	-	-	-	=	-4	0.00	-	5	0.00	-	/	-	-	=	
5	+	+	+	+	=	8800	2.09	+	/	/	+ by default	+	+	=		
6	+	+	+	+	=	8493	2.02	+	/	/	+ by default	+	+	=		
7	+	+	+	+	=	8655	2.05	+	/	/	+ by default	+	+	=		
8	+	+	+	+	=	8703	2.07	+	/	/	+ by default	+	+	=		
17	+	+	+	+	=	8141	1.93	+	/	/	+ by default	+	+	=		
18	+	+	+	+	=	8255	1.96	+	/	/	+ by default	+	+	=		
19	+	+	+	+	=	8371	1.99	+	/	/	+ by default	+	+	=		
20	+	+	+	+	=	8306	1.97	+	/	/	+ by default	+	+	=		
9	+	+	+	+	=	8830	2.10	+	/	/	+ by default	+	+	=		
10	+	+	+	+	=	8677	2.06	+	/	/	+ by default	+	+	=		
11	+	+	+	+	=	8558	2.03	+	/	/	+ by default	+	+	=		
12	+	+	+	+	=	8290	1.97	+	/	/	+ by default	+	+	=		
21	+	+	+	+	=	8371	1.99	+	/	/	+ by default	+	+	=		
22	+	+	+	+	=	8062	1.91	+	/	/	+ by default	+	+	=		
23	+	+	+	+	=	9013	1.90	+	/	/	+ by default	+	+	=		
24	+	+	+	+	=	9526	2.26	+	/	/	+ by default	+	+	=		
Total viable count: <10 CFU/ml																