

Validation of alternative analysis methods

NF102 - Application to the food industry

Certificate

Certificate No.: BRD 07/12-12/06 Renewal decision dated: 20-10-2023

Expiry date: 15-12-2027

The Company:

BIO-RAD

3 Boulevard Raymond Poincaré 92430 Marnes La Coquette - France

Is authorized to affix the NF VALIDATION mark on the alternative analysis method cited below, in accordance with the NF VALIDATION general rules and the certification rules NF102 - Validation of alternative analysis methods (Application to the food industry):

RAPID'Listeria spp.

Validated for the detection of *Listeria* spp.

Technical sheet reference's

Cat. 10000127437 Ver B

This decision attests that the alternative analysis method has been assessed by AFNOR Certification and found to conform to the standards cited in page 2/2 and complementary requirements, as specified in the certification reference document. The principal certified characteristics are the "analytical performances" as defined in the associated validation study summarized report (sensitivity, relative detection level...), available on the certification dedicated website http://nf-validation.afnor.org/en.

This certificate supersedes all previous certificates (last version dated 21-09-2020). This NF VALIDATION certificate, included 2 pages, is valid until 15th December 2027. It is subject to the results obtained upon regular controls carried out by AFNOR Certification. Appropriate decision is made by AFNOR Certification in accordance with the NF VALIDATION general rules and certification rules NF102 - Validation of alternative analysis methods (Application to the food industry).



Managing Director Julien NIZRI

Issue dated 23-10-2023



analysis methods

NF102 - Application to the food industry



Certificate No.: BRD 07/12-12/06 Renewal decision dated: 20-10-2023

Expiry date: 15-12-2027

The alternative analysis method:

RAPID'Listeria spp.

Validated for the detection of *Listeria* spp.

Manufactured by:

BIO-RAD

Route de Cassel 59114 STEENVOORDE **FRANCE**

Has been certified according to the reference documents and for the application scope specified here after:

Validation protocol NF EN ISO 16140-2 (September 2016): Microbiology of the food chain. Method validation - Part 2: Protocol for the validation of alternative (proprietary) methods against a reference method.

NF EN ISO 11290-1 (July 2017): Microbiology of the food chain - Horizontal method for the Reference method(s) detection and enumeration of Listeria monocytogenes and Listeria spp.- Part 1: detection method.

All human products (by performing validation assays on a broad range of foods) and industrial

production environmental samples.

Restriction(s) None.

Scope

Warning None.

Other information(s) No applicable.

Please send any queries concerning the performances of the certified alternative method to AFNOR Certification.

You may download the validation study **summarized report** on http://nf-validation.afnor.org/en.

