

NF VALIDATION
Validation of alternative analytical methods
Application in food microbiology

Summary report

Validation study according to the ISO 16140-2

Solus *Listeria monocytogenes* ELISA

(Certificate number: SOL 37/05-10/22)
for detection of *Listeria monocytogenes*
in food and environmental samples

Qualitative method

> Expert Laboratory:	ADRIA ZA Creac'h Gwen 29196 Quimper Cedex (France)
> For:	SOLUS SCIENTIFIC SOLUTIONS Ltd 9 Mansfield Networkcentre, Millennium Business Park, Concorde Way, Mansfield, Nottinghamshire NG19 7JZ

This report consists of 87 pages, including 7 appendices.
Only copies including the totality of this report are authorised.

The results in this report relate only to the item(s) submitted for testing.
Competencies of the laboratory are certified by COFRAC accreditation for the analyses marked with the symbol♦.

Version 0
August 17, 2026



ADRIA Développement > ZA Créac'h Gwen > 29000 Quimper > +33(0)2 98 10 18 18

adria.fr > adria-formationagroalimentaire.fr

Association loi de 1901 > N° existence 53290006329

N° Siret 306 964 271 00036 > N° TVA FR45306964271

List of abbreviations	4
1 AIM OF THE STUDY	6
2 METHOD PROTOCOLS	6
2.1 Alternative method	6
2.1.1 Principle	6
2.1.2 Protocol	6
2.1.3 Restrictions	7
2.2 Reference method♦	7
2.3 Study design	7
3 METHOD COMPARISON STUDY	7
3.1 Sensitivity study	7
3.1.1 Number and nature of samples	7
3.1.2 Artificial contamination of samples	8
3.1.3 Protocols applied during the validation study	9
3.1.4 Test results	10
3.1.5 Calculation of relative trueness (RT), sensitivity (SE), false positive ratio (FPR) and false negative ratio (FNR) for the alternative method	10
3.1.6 Analysis of discordant results	12
3.1.7 Enrichment broth storage at 5 ± 3 °C for 72 h	16
3.1.8 Confirmation	16
3.2 Relative level of detection	18
3.2.1 Experimental design	18
3.2.2 Calculation and interpretation of the RLOD	19
3.2.3 Conclusion	20
3.3 Inclusivity / exclusivity	20
3.3.1 Test protocols	20
3.3.2 Results	21
3.4 Practicability	22

4	INTER-LABORATORY STUDY	23
4.1	Study organisation	23
4.2	Experimental parameters controls	24
4.2.1	Strain stability and background microflora stability	24
4.2.2	Contamination levels	25
4.2.3	Logistic conditions	25
4.3	Results analysis	26
4.3.1	Expert laboratory results	26
4.3.2	Results observed by the collaborative laboratories	26
4.3.3	Results of the collaborators retained for interpretation	30
4.4	Calculation and interpretation	31
4.4.1	Calculation of the specificity percentage (SP)	31
4.4.2	Calculation of the sensitivity of the alternative method (SE_{alt}), the sensitivity for the reference method (SE_{ref}), the relative trueness (RT) and the false positive ratio for the alternative method (FPR)	32
4.4.3	Interpretation of data	33
4.4.4	Evaluation of the LOD _{50%} and RLOD between laboratories	33
5	CONCLUSION	34
>	Appendix 1 – Flow diagram of the alternative method: Solus <i>Listeria monocytogenes</i> ELISA	35
>	Appendix 2 – Flow diagram of the reference method: ISO 11290-1 (2017) Microbiology of the food chain - Horizontal method for the detection and enumeration of <i>Listeria monocytogenes</i> and of <i>Listeria</i> spp.- Part 1: detection method	36
>	Appendix 3 – Artificial contamination of samples	37
>	Appendix 4 – Sensitivity study: raw data	41
>	Appendix 5 – Relative level of detection study: raw data	65
>	Appendix 6 – Inclusivity and exclusivity study: raw data	71
>	Appendix 7 - Results obtained by the collaborative laboratories and the expert laboratory	75

LIST OF ABBREVIATIONS

Method & protocol

CFU	Colony Forming Units
ILS	Interlaboratory Study
MCS	Method Comparison Study
RLOD	Relative Level of Detection
RT	Relative Trueness
RTC	Ready to cook
RTE	Ready to eat
RTRH	Ready to reheat
SE	Relative Sensitivity
SP	Relative Specificity
IC	Internal Control

Interpretation

AL	Acceptability Limit
alt	Alternative method
$\bar{D}$	Average difference
FN	False Negative results
FNR	False Negative Ratio
FP	False Positive results
FPR	False Positive Ratio
LOD	Limit of Detection
NA	Negative agreement
NA _{FN (alt)}	Negative Agreement due to false negative alternative-method results
ND	Negative Deviation
ND _{FN (alt)}	Negative Deviation due to false negative alternative-method results
PA	Positive Agreement
PA _{FP (alt)}	Positive Agreement due to false positive alternative-method results
PD	Positive deviation
PD _{FP (alt)}	Positive Deviation due to false positive alternative-method results
ref	Reference method
TNA	Total Negative Agreement
TND	Total Negative Deviation

Raw data

-	No typical colonies but presence of background microflora
-A	No typical colonies but presence of high level of background microflora
-B	No typical colonies but presence of medium level of background microflora
-C	No typical colonies but presence of low level of background microflora
(x)	Number of colonies in the plate
*	Dilution of the extract in case of inhibition according to the alternative protocol (1/10)
1/2	50% level of target analyte
d	Doubtful result
H+	Characteristic <i>Listeria</i> colonies with halo
H-	Characteristic <i>Listeria</i> without halo
i	Inhibition
<i>L. mono</i>	<i>L. monocytogenes</i>
<i>L. innoc</i>	<i>L. innocua</i>
<i>L. welsh</i>	<i>L. welshimeri</i>
<i>L. seeli</i>	<i>L. seeligeri</i>
ne	New DNA extraction
NC	Non-characteristic colony
NI	No identification
ni	Not isolated colony
No amp	Non characteristic PCR curve
m	Minority level of target analyte
M	Majority level of target analyte
p	Pure culture level of target analyte
st	Plate without any colony
w	Weak reaction

Bold typing **Artificially inoculated samples**

Quality Assurance documents related to this study can be consulted upon request from **SOLUS SCIENTIFIC SOLUTIONS Ltd**.

The technical protocol and the result interpretation were carried out according to the ISO 16140-2:2016, ISO 16140-2/A1:2024) and the AFNOR technical rules (Revision 13).

Validation protocols	- ISO 16140-1:2016 - Microbiology of the food chain - Method validation — <i>Part 1: Vocabulary</i> - ISO 16140-2:2016 & ISO 16140-2/A1:2024 - Microbiology of the food chain - Method validation — <i>Part 2: Protocol for the validation of alternative (proprietary) methods against a reference method</i> - AFNOR technical rules (Revision 13)
Reference method[♦]	ISO 11290-1:2017 - Microbiology of the food chain - Horizontal method for the detection and enumeration of <i>Listeria monocytogenes</i> and of <i>Listeria</i> spp.- Part 1: detection method
Alternative method	Solus <i>Listeria monocytogenes</i> ELISA
Scope	> Food products > Environmental samples
Certification organism	AFNOR Certification (http://nf-validation.afnor.org/)

♦ Analyses performed according to the COFRAC accreditation (Accreditation Testing n°1-0144, scope available on www.cofrac.fr)

1 AIM OF THE STUDY

The **Solus *Listeria monocytogenes* ELISA** for detection of *Listeria monocytogenes* in food and environmental samples was validated on 7th of October 2022 (certificate number: SOL 37/05-10/22).

In 2026, the certificate was renewed with an update of the interpretation according to ISO 16140-2/A1:2024.

2 METHOD PROTOCOLS

2.1 Alternative method

The flow diagram of the alternative method is provided in **Appendix 1**.

2.1.1 Principle

The Solus *Listeria monocytogenes* ELISA is based on an ELISA principle. The test provides a negative or a presumptive positive result from a two enrichment steps.

2.1.2 Protocol

The protocol is the following:

- Pre-enrichment step (25 g + 225 ml) in Half Fraser broth for 24 - 28 h at 30°C ± 1°C.
- Subculture in PAC supplemented Solus Palcam broth (0.2 ml + 10 ml) incubated for 24 - 28 h at 37°C ± 1°C.
- Heat treatment of an aliquot of the enrichment broth (15 - 20 min at 85 - 100°C).
- ELISA test using either the manual protocol or the DS2 automate.
- Confirmation of the positive results by:
 - Streaking 100 µl of the non-heated enriched PAC onto O&A plates. The only presence of typical colonies allows to confirm the positive ELISA tests.
 - Following ISO 11290-1 from the pre-enrichment in Half-Fraser.

It is possible to store the PAC supplemented Solus Palcam broth for 72 h at 5°C ± 3°C before proceeding to ELISA test and confirmations.

2.1.3 Restrictions

There is no restriction for use.

2.2 Reference method♦

The reference method is the ISO 11290-1:2017 - Microbiology of the food chain - Horizontal method for the detection and enumeration of *Listeria monocytogenes* and of *Listeria* spp. - Part 1: detection method (See **Appendix 2**).

2.3 Study design

The study is a **paired study design** as the reference and alternative method have a common enrichment step (Half-Fraser).

3 METHOD COMPARISON STUDY

The method comparison study is a study performed by the expert laboratory to compare the alternative method with the reference method.

The study was carried out on a diversity of samples and strains representative of agri-food products. This does not constitute an exhaustive list of the different matrices included in the scope.

For any comment on the alternative method, please contact AFNOR Certification at <http://nf-validation.afnor.org/contact-2/>.

3.1 Sensitivity study

The sensitivity (SE) is the ability of the method to detect the analyte by either the reference or alternative method.

3.1.1 Number and nature of samples

413 samples were analysed providing 187 positive and 226 negative results. The distribution per tested category and type is given in Table 1.

Table 1 – Distribution per tested category and type

Category		Type		Positive	Negative	Total
1	Composite foods / Ready-to-eat and ready-to-reheat	a	Ready-to-eat	12	9	21
		b	Ready-to-reheat	9	11	20
		c	Confectionaries, pastries and egg products	10	10	20
		Total		31	30	61
2	Meat products	a	Raw products (frozen or fresh)	10	22	32
		b	Meat based products ready to reheat	8	19	27
		c	Raw and cooked delicatessen	12	13	25
		Total		30	54	84
3	Milk & dairy products	a	Raw milk cheeses	8	12	20
		b	Other products based on raw milk	15	10	25
		c	Heat treated products	12	10	22
		Total		35	32	67
4	Vegetables	a	Raw products (fresh and frozen)	9	12	21
		b	Pre-cooked vegetables, vegetables under modified atmosphere	12	20	32
		c	Ready to eat	9	11	20
		Total		30	43	73
5	Seafood and fishery products	a	Raw products (fresh and frozen)	9	11	20
		b	Cured & smoked	10	11	21
		c	Ready to eat, ready to reheat	12	14	26
		Total		31	36	67
6	Environmental Samples	a	Dusts and Residues	8	13	21
		b	Cleaning and Process Waters	10	10	20
		c	Surface samples	12	8	20
		Total		30	31	61
All categories				187	226	413

3.1.2 Artificial contamination of samples

Artificial contaminations were done by seeding (storage for 48 h or 72 h at 3°C ± 2°C) or spiking protocol (heat treatment for 8 min at 56°C). The artificial contaminations are presented in **Appendix 3**.

106 samples were artificially contaminated, using 34 different strains. 76 gave a positive result. 74 samples were inoculated using the seeding protocol. 33.2 % of samples were inoculated at level ≤ 3 CFU and 6.4 % were inoculated between 3 and 10 CFU.

Two positive samples were inoculated using the spiking protocol; they were inoculated between 5 and 10 CFU.

The repartition of the positive samples per inoculation protocol and inoculation level is given in Table 2.

Table 2 - Repartition of the positive samples per inoculation protocol and inoculation level

	Naturally contaminated	Artificially contaminate						Total
		Seeding protocol			Spiking protocol			
		≤ 3 CFU	3 < x ≤ 10 CFU	10<x <30 CFU	≤ 5 CFU	5 < x ≤ 10 CFU	10<x <30 CFU	
Number of samples	111	62	12	0	0	2	0	187
%	59.4	33.2	6.4	0,0	0,0	1,1	0,0	100,0

59.4 % of the samples were naturally contaminated.

3.1.3 Protocols applied during the validation study

> **Enrichment broth incubation time**

The Half Fraser broths were incubated for 24 h at 30°C and the PAC supplemented Solus Palcam broth for 24h at 37°C.

> **ELISA test protocol**

Automatic equipment ELISA was used: the Dynex DS2 with the software DS-Matrix 1.34.1.

> **Confirmation protocols**

For all the samples, positive and negative, the PAC supplemented Solus Palcam broth (100 µl) was streaked onto O&A plates. The only presence of typical colonies on the plates allows to confirm the positive ELISA tests but during the validation, the typical colonies were confirmed by haemolysis and biochemical tests (MICROGEN Listeria-ID) on isolated colonies without purification step.

The ISO 11290-1 was also run in parallel from Half-Fraser pre-enrichment step.

Note that for the negative samples, as the incubation time for the alternative method is equivalent to the incubation time for the reference method, no additional subculture was required to be in agreement with the ISO 16140-2 requirements.

> **Enrichment broth storage 72 h at 5°C ± 3°C**

The enrichment broths (PAC supplemented Solus Palcam broth) from positive and discordant samples were stored for 72 h at 5°C ± 3°C and tested again (ELISA and confirmatory tests).

3.1.4 Test results

Raw data per category are given in **Appendix 4**. The results are given in Table 3.

Table 3 - Summary of results obtained with the reference and alternative methods (after confirmation) of all samples for each category.

Category		PA	PD	TND	TNA	Total
1	Composite foods / Ready-to-eat and ready-to-reheat	26	1	4	30	61
2	Meat products	25	1	4	54	84
3	Milk and dairy products	34	0	1	32	67
4	Vegetables	28	2	0	43	73
5	Seafood and fishery products	30	1	0	36	67
6	Environmental samples	28	1	1	31	61
All categories		Ok	6	10	226	242

Paired evaluation: $TND = ND_{FN(alt)}$ $TNA = NA + PD_{FP(alt)}$

3.1.5 Calculation of relative trueness (RT), sensitivity (SE), false positive ratio (FPR) and false negative ratio (FNR) for the alternative method

The calculations are presented in Table 4.

Table 4 – Calculation of relative trueness (RT), sensitivity (SE), false positive ratio (FPR) and false negative ratio (FNR) for the alternative method

Category		Type	PA	NA	PD	ND _{FN(alt)}	PD _{FP(alt)}	TND	TNA	SE _{alt} %	SE _{ref} %	RT %	FPR %	FNR%
1	Composite foods / Ready-to-eat and ready-to-reheat	a Ready-to-eat	12	9	0	0	0	0	9	100.0	100.0	100.0	0.0	0.0
		b Ready-to-reheat	5	11	0	4	0	4	11	55.6	100.0	80.0	0.0	44.4
		c Confectionaries, pastries and egg products	9	9	1	0	1	0	10	100.0	90.0	95.0	10.0	0.0
		Total	26	29	1	4	1	4	30	87.1	96.8	91.8	3.3	12.9
2	Meat products	a Raw products (frozen or fresh)	10	22	0	0	0	0	22	100.0	100.0	100.0	0.0	0.0
		b Meat based products ready to reheat	6	18	0	2	1	2	19	75.0	100.0	92.6	5.3	25.0
		c Raw and cooked delicatessen	9	13	1	2	0	2	13	83.3	91.7	88.0	0.0	16.7
		Total	25	53	1	4	1	4	54	86.7	96.7	94.0	1.9	13.3
3	Milk & dairy products	a Raw milk cheeses	7	11	0	1	1	1	12	87.5	100.0	95.0	8.3	12.5
		b Other products based on raw milk	15	10	0	0	0	0	10	100.0	100.0	100.0	0.0	0.0
		c Heat treated products	12	10	0	0	0	0	10	100.0	100.0	100.0	0.0	0.0
		Total	34	31	0	1	1	1	32	97.1	100.0	98.5	3.1	2.9
4	Vegetables	a Raw products (fresh and frozen)	9	12	0	0	0	0	12	100.0	100.0	100.0	0.0	0.0
		b Pre-cooked vegetables, vegetables under modified atmosphere	11	20	1	0	0	0	20	100.0	91.7	96.9	0.0	0.0
		c RTE	8	11	1	0	0	0	11	100.0	88.9	95.0	0.0	0.0
		Total	28	43	2	0	0	0	43	100.0	93.3	97.3	0.0	0.0
5	Seafood and fishery products	a Raw products (fresh and frozen)	9	11	0	0	0	0	11	100.0	100.0	100.0	0.0	0.0
		b Cured & smoked	9	11	1	0	0	0	11	100.0	90.0	95.2	0.0	0.0
		c RTE, Ready to reheat	12	14	0	0	0	0	14	100.0	100.0	100.0	0.0	0.0
		Total	30	36	1	0	0	0	36	100.0	96.8	98.5	0.0	0.0
6	Production environmental Samples	a Dusts and Residues	7	13	0	1	0	1	13	87.5	100.0	95.2	0.0	12.5
		b Cleaning and Process Waters	9	10	1	0	0	0	10	100.0	90.0	95.0	0.0	0.0
		c Surface samples	12	8	0	0	0	0	8	100.0	100.0	100.0	0.0	0.0
		Total	28	31	1	1	0	1	31	96.7	96.7	96.7	0.0	3.3
All categories			171	223	6	10	3	10	226	94.7	96.8	96.1	1.3	5.3

A summary of the results is given in Table 5.

Table 5 - Summary of results

Sensitivity for the alternative method	$SE_{alt} = \frac{(PA + PD)}{(PA + TND + PD)} \times 100 \%$	94.7 %
Sensitivity for the reference method	$SE_{ref} = \frac{(PA + TND)}{(PA + TND + PD)} \times 100 \%$	96.8 %
Relative trueness	$RT = \frac{(PA + TNA)}{N} \times 100 \%$	96.1 %
False positive ratio for the alternative method (paired evaluation)	$FPR = \frac{PD_{FP(alt)}}{TNA} \times 100 \%$	1.3 %
False negative ratio for the alternative method (paired evaluation)	$FNR = \frac{ND_{FN(alt)}}{PA + TND + PD} \times 100 \%$	5.3 %

3.1.6 Analysis of discordant results

The negative deviations are given in Table 6 and the positive deviations in Table 7.

> Negative deviations

Ten negative deviations were observed for the overall categories. All the samples were naturally contaminated and come mainly from category 1 and 2 (composite food and meat products).

For Sample No 7080, the alternative confirmatory tests concluded to the presence of *Listeria monocytogenes* in the PAC supplemented Solus PALCAM broth. The ELISA test was repeated twice with the same heat treated aliquot and a new heat-treated aliquot. All the ELISA tests were negative.

The strain recovered in the enriched broth was grown in BHI medium and tested with the Solus ELISA *L. monocytogenes* kit. Positive ELISA result was obtained. The detection level of the alternative method was probably not reached for this sample.

For all other samples, the alternative confirmatory tests did not allow to recover *Listeria monocytogenes* strains in the enriched broths, with a majority of O&A plates showing typical *Listeria* colonies but without halo.

However, the reference method detected *Listeria monocytogenes* after streaking from Half Fraser broth in 9 of the 10 samples showing negative deviations. Fraser subculture was required to confirm one additional sample, 6609: raw cow milk cheese. Therefore, the subculture in PAC-supplemented Solus Palcam broth may not have been sufficient to ensure adequate recovery of *L. monocytogenes* under certain conditions.

> **Positive deviations**

Six positive deviations were observed, all involving naturally contaminated samples.

For these samples, in contrast to the negative deviations, subculture in PAC-supplemented Solus Palcam broth allowed recovery of the strain, whereas no recovery was obtained from the Half Fraser and Fraser broths prepared from the same test portion. Most categories were represented, except category 3, suggesting that these observations were not associated with a specific food category and may also reflect a random sampling effect during subculture.

Table 6 - Negative deviations

Year of analysis	N°Sample	Product (French name)	Product	Global result	Reference method: ISO 11290-1♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA						Agreement Ref/Alt	Category	Type
					Half Fraser		Fraser 1		Identification	Final result	O.D.	Result	O&A (100µl)	All confirmatory tests	Final result				
					O&A	Palcam	O&A	Palcam											
2021	6229	Nuggets avec Emmental	Nuggets with cheese	+	H+	-	H-	+(2)	<i>L. monocytogenes</i>	+	0.052	-	H-	- (+ref)	-	ND _{FN(alt)}	1	b	
2021	6466	Feuilleté chèvre et pesto	RTRH food with goat milk cheese and pesto	+	H+d/H-	+	H-	+	<i>L. monocytogenes</i>	+	0.027	-	H-	- (+ref)	-	ND _{FN(alt)}	1	b	
2021	6474	Feuilleté saumon-épinard	RTRH food with salmon and spinach	+	H+/H-	+d	H+/H-	+	<i>L. monocytogenes</i>	+	0.110	-	H-	- (+ref)	-	ND _{FN(alt)}	1	b	
2021	7080	Kiev provençal	RTRH food	+	H+(2)	-	H+	-	<i>L. monocytogenes</i>	+	0.091/0.093/0.100/ 0.035*/0.098*/0.051*/ 3.000 (BHI)	-/-/-*/*/- */+(BHI)	H+ (x5:H+)	+ <i>L. monocytogenes</i>	-	ND _{FN(alt)}	1	b	
2021	5346	Emincés kebab rôti dinde/poulet	Roasted poultry and chicken	+	H+d/H-	+	H+d/H-	+	<i>L. monocytogenes</i>	+	0.096	-	H-	- (+ref)	-	ND _{FN(alt)}	2	b	
2021	5702	Sauté de dinde	Poultry meat	+	H+/H-	+	H+/H-	+	<i>L. monocytogenes</i>	+	0.115	-	H-	- (+ref)	-	ND _{FN(alt)}	2	b	
2021	5528	Rillettes du Mans pur porc	Rillettes (pork meat)	+	H+/H-	+	H-	+	<i>L. monocytogenes</i>	+	0.198	-	H-	- (+ref)	-	ND _{FN(alt)}	2	c	
2021	5851	Saucisson sec	Sausage	+	H+(1)	-	H+	-	<i>L. monocytogenes</i>	+	0.026	-	-	- (+ref)	-	ND _{FN(alt)}	2	c	
2021	6609	Fromage non affiné, lait cru de vache	Raw cow milk cheese	+	-	-	H+	+d	<i>L. monocytogenes</i>	+	0.106	-	-	- (+ref)	-	ND _{FN(alt)}	3	a	
2021	5960	Déchet viande de bœuf ramassée au sol (industrie de produits carnés)	Residues (meat products industry)	+	H+	+	H+	+	<i>L. monocytogenes</i>	+	0.041	-	H-	- (+ref)	-	ND _{FN(alt)}	6	a	

RTRH: Ready to reheat

Table 7 - Positive deviations

Year of analysis	N° Sample	Product (French name)	Product	Global result	Reference method: ISO 11290-1♦	Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA					Agreement Ref/Alt PAC 37°C	Category	Type
					Final result	O.D.	Result	O&A (100 µl)	All confirmatory tests	Final result 37°C			
2021	5345	Truite de mer fumée Norvege	Smoked trout	+	-	0.220	+	H+d/H-	+ <i>L. monocytogenes</i>	+	PD	5	b
2021	5359	Houmous	Hummus	+	-	3.000	+	H+d	+ <i>L. monocytogenes</i>	+	PD	4	c
2021	5516	Saucisse Muscadet vrac	Sausage	+	-	3.000	+	H+	+ <i>L. monocytogenes</i>	+	PD	2	c
2021	5540	Croissant cru	Croissant	+	-	1.378	+	H+	+ <i>L. monocytogenes</i>	+	PD	1	c
2021	5856	Eau de process	Process water	+	-	3.000	+	H+	+ <i>L. monocytogenes</i>	+	PD	6	b
2021	6467	Jeunes carottes	Baby carrots	+	-	3.000	+	H+	+ <i>L. monocytogenes</i>	+	PD	4	b

The analyses of discordant results according to the ISO 16140-2 is the following (See Table 8):

Table 8 - Analyses of discordant results

						Paired				
Category		Type	N+	TND	PD	TND-PD	AL	TND+PD	AL	
1	Composite foods / Ready-to-eat and ready-to-reheat	a	Ready-to-eat	12	0	0				
		b	Ready-to-reheat	9	4	0				
		c	Confectionaries, pastries and egg products	10	0	1				
		Total			31	4				1
2	Meat products	a	Raw products (frozen or fresh)	10	0	0				
		b	Meat based products ready to reheat	8	2	0				
		c	Raw and cooked delicatessen	12	2	1				
		Total			30	4				1
3	Milk & dairy products	a	Raw milk cheeses	8	1	0				
		b	Other products based on raw milk	15	0	0				
		c	Heat treated products	12	0	0				
		Total			35	1				0
4	Vegetables	a	Raw products (fresh and frozen)	9	0	0				
		b	Pre-cooked vegetables, vegetables under modified atmosphere	12	0	1				
		c	RTE	9	0	1				
		Total			30	0				2
5	Seafood and fishery products	a	Raw products (fresh and frozen)	9	0	0				
		b	Cured & smoked	10	0	1				
		c	RTE, Ready to reheat	12	0	0				
		Total			31	0				1
6	Production environmental Samples	a	Dusts and Residues	8	1	0				
		b	Cleaning and Process Waters	10	0	1				
		c	Surface samples	12	0	0				
		Total			30	1				1
All categories				187	10	6	4	6	16	16

The observed values for TND - PD and TND + PD meet the acceptability limit for each individual category and for all the combined categories (calculated values ≤ AL).

3.1.7 *Enrichment broth storage at 5 ± 3 °C for 72 h*

221 samples were tested again after storage of the PAC supplemented Solus PALCAM broth for 72 h at $5^{\circ}\text{C} \pm 3^{\circ}\text{C}$. No change was observed.

The analyses of discordant results are therefore identical to the one before storage (See Table 8).

The observed values for TND - PD and TND + PD meet the acceptability limit for each individual category and for all the combined categories (calculated values $\leq$ AL).

3.1.8 *Confirmation*

confirmatory tests were performed by streaking 0.1 mL of the PAC-supplemented PALCAM broth onto O&A agar plates. All ELISA-positive samples were confirmed by plating, except for three samples: No. 5164, No. 5360 and No. 6617.

For each of these samples, the ELISA assay was repeated three times. All replicates gave positive results, although the measured optical density values were low (see Table 9).

Two of these samples, No. 5164 and No. 6617, also gave positive ELISA results after storage for 72 h at $5^{\circ}\text{C} \pm 3^{\circ}\text{C}$, but these results could not be confirmed by plating.

For all three samples, the reference method also failed to recover the contamination from the same test portion.

For all the confirmed positive samples, the haemolysis test and biochemical tests gave positive results.

Table 9 – PD_{FP(alt)} samples

Year of analysis	N° Sample	Product (French name)	Product	Global result	ISO 11290-1♦	SOLUS <i>Listeria monocytogenes</i> ELISA					Agreement Ref/Alt PAC 37°C	SOLUS <i>Listeria monocytogenes</i> ELISA after storage 72h at 5±3°C					Agreement Ref/Alt PAC 37°C	Category	Type
					Final result	O.D	Result	O&A (100 µl)	All confirmatory tests	Final result 37°C		O.D	Result	O&A (100 µl)	All confirmatory tests	Final result 37°C			
2021	5360	Croissant	Croissant	-	-	0.221/ 0.276/ 0.397	+ / + / +	- (Palcam plate x5: -. Palcam broth x5: -)	-	-	PD _{FP(alt)}	0.090	-	-	-	-	NA	1	c
2021	6617	Emincés poulet mariné au citron, cuits	Seasoned and cooked chicken meat	-	-	0.367/ 0.374/ 0.362	+ / + / +	st (Palcam plate x5: st. Palcam broth x5: -)	-	-	PD _{FP(alt)}	0.345/ 0.306/ 0.281	+ / + / +	st (x5: st, Palcam broth x5: -)	-	-	PD _{FP(alt)}	2	b
2021	5164	Fromage non affiné au lait cru de vache	Raw cow milk cheese	-	-	1.704/ 0.648/ 0.779	+ / + / +	- (Palcam plate x5: -. Palcam broth x5: -)	-	-	PD _{FP(alt)}	0.227/ 0.377/ 0.350	+ / + / +	- (Palcam plate x5: -. Palcam broth x5: -)	-	-	PD _{FP(alt)}	3	a

3.2 Relative level of detection

The relative level of detection is the level of detection at $P = 0.50$ (LOD_{50}) of the alternative (proprietary) method divided by the level of detection at $P = 0.50$ (LOD_{50}) of the reference method.

The RLOD is defined as the ratio of the alternative and reference methods:

$$RLOD = \frac{LOD_{Alt.}}{LOD_{Ref.}}$$

The relative detection level is the smallest number of culturable micro-organisms that can be detected in the sample in 50% of occasions by the alternative and reference methods.

3.2.1 Experimental design

Six (matrix/strain) pairs were analysed by the reference method and by the alternative method (See Table 10).

The following protocol was applied:

- A negative control: 5 samples,
- A low contamination level providing fractional recovery data, with 20 replicates,
- A high contamination level, with 5 replicates.

A total plate count determination on each matrix was performed to estimate the total microbial load on the day of analysis.

Table 10 - Defined (matrix/strain) pairs for the RLOD determination.

Category		Matrix	Inoculated strain	Origin	Storage conditions before analysis
1	Composite foods	Deli salad: piémontaise	<i>Listeria monocytogenes</i> Ad494	Piémontaise	Seeding 3°C ± 2°C for 48 h
2	Meat products	Rillettes	<i>Listeria monocytogenes</i> Ad669	Rillettes	
3	Milk and dairy products	Raw milk	<i>Listeria monocytogenes</i> 153	Cheese	
4	Seafood and fishery products	Smoked salmon	<i>Listeria monocytogenes</i> Ad670	Smoked salmon	
5	Vegetables	Ready-to-cook vegetables	<i>Listeria monocytogenes</i> Ad279	Ready-to-cook vegetables	
6	Production environmental samples	Process water	<i>Listeria monocytogenes</i> Ad551	Environment	

3.2.2 Calculation and interpretation of the RLOD

The raw data are given in **Appendix 5**.

The RLOD calculations were performed using the Excel spreadsheet available at <http://standards.iso.org/iso/16140> - RLOD version 4 (2024-01-10). The RLOD are given in Table 11.

Table 11 – Presentation of RLOD before and after confirmation of the alternative method results

Category	Matrix / strain	AL	RLOD [95% confidence limit]
1	Piemontaise / <i>L. monocytogenes</i> Ad494	1.5	1.0 [0.5; 2.1]
2	Rillettes / <i>L. monocytogenes</i> Ad669		1.0 [0.4; 2.5]
3	Raw milk / <i>L. monocytogenes</i> 153		1.0 [0.5; 2.1]
4	Smoked salmon / <i>L. monocytogenes</i> Ad670		1.0 [0.4; 2.5]
5	Ready to cook vegetables / <i>L. monocytogenes</i> Ad279		0.8 [0.3; 2.1]
6	Process water / <i>L. monocytogenes</i> Ad551		1.0 [0.5; 2.1]
Combined			1.0 [0.7; 1.4]

The LOD₅₀ calculations were done using the Excel spreadsheet available at <http://standards.iso.org/iso/16140> POD-LOD calculation program - version 12, 2024-03-05. The tests are given in Table 12.

Table 12 - LOD₅₀ results

Category	(Strain / matrix) pair	Level of detection at 50% (CFU / test portion)		Level of detection at 95% (CFU / test portion)	
		Reference method	Alternative method	Reference method	Alternative method
1	Piemontaise / <i>L. monocytogenes</i> Ad494	0.7 [0.4; 1.2]	0.7 [0.4; 1.2]	2.9 [1.6; 5.1]	2.9 [1.6; 5.1]
2	Rillettes / <i>L. monocytogenes</i> Ad669	1.4 [0.7; 2.7]	1.4 [0.7; 2.7]	5.9 [3.0; 11.9]	5.9 [3.0; 11.9]
3	Raw milk / <i>L. monocytogenes</i> 153	0.3 [0.2; 0.5]	0.3 [0.2; 0.5]	1.3 [0.7; 2.2]	1.3 [0.7; 2.2]
4	Smoked salmon / <i>L. monocytogenes</i> Ad670	1.0 [0.5; 1.9]	1.0 [0.5; 1.9]	4.2 [2.2; 8.2]	4.2 [2.2; 8.2]
5	Ready to cook vegetables / <i>L. monocytogenes</i> Ad279	1.4 [0.7; 2.9]	1.1 [0.6; 2.2]	6.1 [3.0; 12.3]	5.0 [2.6; 9.6]
6	Process water / <i>L. monocytogenes</i> Ad551	0.6 [0.3; 0.9]	0.6 [0.3; 1.0]	2.4 [1.4; 4.1]	2.4 [1.4; 4.1]
Combined results		0.8 [0.6; 1.0]	0.7 [0.6; 1.0]	3.4 [2.6; 4.3]	3.2 [2.5; 4.1]

3.2.3 Conclusion

The RLOD values (using the confirmed alternative method results) meet the acceptability limit of 1.5 for paired studies, for all matrix/strain pairs tested.

The LOD₅₀ varies from 0.3 to 1.4 CFU/test portion for both the reference and the alternative methods.

3.3 Inclusivity / exclusivity

The inclusivity is the ability of the alternative method to detect the target analyte from a wide range of strains. The exclusivity is the lack of interference from a relevant range of non-target strains of the alternative method.

3.3.1 Test protocols

> Inclusivity

Listeria monocytogenes strain cultures were performed in BHI medium at 37°C. Dilutions were done in order to inoculate 10 - 100 cells/225 ml of Half Fraser broth. The broths were incubated for 24 h at 30°C and sub-cultured in PAC supplemented Solus Palcam broth (0.2 ml + 10 ml) incubated for 24 h at 37°C ± 1°C before performing the alternative method protocol (test ELISA and confirmation).

> Exclusivity

Negative strains cultures were performed in BHI at 37°C. Dilutions were done in order to inoculate 10^5 cells/ml BPW. The BPW was incubated for 24h at 37°C $\pm$ 1°C. The alternative method was then performed (ELISA test).

3.3.2 Results

Raw data are given in **Appendix 6**.

> Inclusivity

The 50 *Listeria monocytogenes* strains tested gave positive results.

> Exclusivity

No cross reaction was observed among the 30 negative strains tested.

3.4 Practicability

The alternative method practicability was evaluated according to the AFNOR criteria relative to method comparison study.

Storage conditions, shelf-life and modalities of utilisation after first use	The storage temperature is 2-8°C. The shelf-life is given on the package. All the reagents shall be stored at the temperature mentioned on the package.		
Time to result	Steps	Reference method	Alternative method
	Negative samples		
	Sample enrichment	Day 0	Day 0
	Subculture in Fraser 1 or PAC supplemented Solus PALCAM broth	Day 1	Day 1
	ELISA test	/	Day 2
	Streaking onto plates (O1/P1)	Day 1	/
	Second streaking (O2/P2)	Day 2	/
	Reading plates (O1/P1)	Day 2 - Day 3	/
	Reading plates (O2/P2)	Day 3 - Day 4	/
	Result	Day 4	Day 2
	Presumptive positive or positive results		
	Subculture of typical colonies	Day 3 - Day 4	/
	Streaking onto plates	/	Day 2
	Reading plates	/	Day 3 - Day 4
	Confirmatory test	Day 3 - Day 5	Day 3 - Day 4
	Result	Day 4 - Day 6	Day 3 - Day 4
Common step with the reference method	Primary enrichment step		

The negative results are available in 2 days and the positive results in 3 or 4 days.

4 INTER-LABORATORY STUDY

The inter-laboratory study is a study performed by multiple laboratories testing identical samples at the same time, the results of which are used to estimate alternative-method performance parameters.

4.1 Study organisation

> Participants

Samples were sent to 15 laboratories in seven different countries. Only one participant was recruited per laboratory.

> Matrix and strain used.

A fresh goat cheese was inoculated by *Listeria monocytogenes* 153 isolated from a raw milk cheese.

> Samples

Samples were prepared and inoculated on Monday 20th of June 2022 as described below:

- 24 blind coded samples (25 g) for detection of *Listeria monocytogenes* by the **Solus *Listeria monocytogenes* ELISA method** and by the **ISO 11290-1 reference method**.
- 1 sample (labelled “Sample for Total Count enumeration”) for aerobic mesophilic flora enumeration by the ISO 4833-1 method.
- 1 water flask labelled “Temperature Control” with a temperature probe.

> Inoculation

The targeted inoculation levels were the following:

- Level 0: CFU/25 g,
- Level 1: 1.5 CFU/25 g, inoculation level providing fractional positive results,
- Level 2: 6 CFU/25 g.

> Labelling and shipping

Blind coded samples were placed in isothermal boxes, which contained cooling blocks, and express-shipped to the different laboratories.

A temperature control flask containing a sensor was added to the package to register the temperature profiles of the samples during the transport, the package delivery and storage until analyses.

Samples were supposed to be shipped in 24 h to 48 h to the involved laboratories. The temperature conditions had to stay lower or equal to 8°C during transport, and between 0°C – 8°C in the labs.

> Analyses

Collaborative study laboratories and the expert laboratory carried out the analyses on Tuesday 21st June or Wednesday 22nd June with the alternative and reference method (ISO 11290-1:2017).

4.2 Experimental parameters controls

4.2.1 Strain stability and background microflora stability.

Strain stability was checked by inoculating the matrix at 1.5 CFU/g (detection) and 1.10^3 CFU/g (enumeration). Enumerations were performed for the high contamination level, and detection analyses were performed for the low contamination level after 24 h and 48 h storage at $3 \pm 2^\circ\text{C}$. *Triplicate* samples were analysed. The aerobic mesophilic flora was also enumerated; the results are given in Table 13.

Table 13 - Sample stability

Day	Reference method (detection)			Enumeration (CFU/g)			Aerobic mesophilic flora (CFU/g)
	Sample 1	Sample 2	Sample 3	Sample 1	Sample 2	Sample 3	
Day 0	+	+	+	8.0×10^2	8.0×10^2	8.2×10^2	6.0×10^5
Day 1	-	+	+	8.0×10^2	7.0×10^2	1.5×10^3	1.2×10^5
Day 2	+	+	+	6.7×10^2	8.3×10^2	7.9×10^2	1.4×10^5
Day 3	-	+	+	1.1×10^3	9.8×10^2	9.5×10^2	1.8×10^5

No evolution was observed during storage at $3^\circ\text{C} \pm 2^\circ\text{C}$ for both *Listeria monocytogenes* enumeration and detection and as well as for the mesophilic flora enumeration.

4.2.2 Contamination levels

The contamination levels and the sample codification were the following (see Table 14).

Table 14 - Contamination levels

Level	Samples	Theoretical target level (CFU/test portion)	True level (CFU/test portion)	Low limit (CFU/test portion)	High limit (CFU/test portion)
0	3-7-8-11-14-18-19-24	0	0	/	/
1	1-6-10-13-16-17-21-23	1.5	1.3	1.0	1.7
2	2-4-5-9-12-15-20-22	6	4.5	3.3	6.0

4.2.3 Logistic conditions

Temperature conditions are given in Table 15.

Table 15 - Sample temperatures at receipt

Collaborators	Temperature measured		Receipt		Analysis	
	By the probe (°C)	At receipt (°C)	Date	Time	Date	Time
A	3.5	5.4	22/06/2022	1:00 PM	22/06/2022	2:00 PM
B	16.5	14°C	23/06/2022	11:00 AM	23/06/2022	1:00 PM
C	Samples not received					
D	3.5	6.2	21/06/2022	11:30 AM	22/06/2022	2:00 PM
F	3.0	10.0	21/06/2022	11:00 AM	22/06/2022	10:00 AM
G	4.0	5.6	21/06/2022	09:30 AM	21/06/2022	10:00 AM
H	5.0	5.3	22/06/2022	12:30 AM	22/06/2022	1:30 PM
I	2.0	5.7	22/06/2022	11:30 AM	22/06/2022	4:00 PM
J	Analyses not performed					
L	2.5	6.2	22/06/2022	12:30 AM	22/06/2022	1:30 PM
M	2.0	3.1	21/06/2022	09:30 AM	21/06/2022	01:00 PM
N	3.0	5.8	22/06/2022	09:00 AM	22/06/2022	10:30 AM
O	Samples not received					
P	1.5	3.9	21/06/2022	10:30 AM	21/06/2022	11:30 AM
Q	5.0	15	22/06/2022	10:45 AM	22/06/2022	10:30 AM
ADRIA	2.5	3.6	21/06/2022	08:30 AM	22/06/2022	08:30 AM

For 9 collaborators (A, D, G, H, I, L, M, N and P) no problem was encountered during the transport or at samples receipt. All the samples were delivered on time and in appropriate conditions. The temperatures during transport and at receipt were correct.

For two collaborators (F and Q), no problem was encountered during the transport or receipt of samples. However, the collaborators have measured high temperature at receipt (10.0°C for collaborator F and 15.0°C for Q) but the temperature probe indicated a correct temperature (3.0°C for F and 5.0°C for Q).

For one collaborator (B), the samples arrived at day 3 (Thursday 23rd June) with high temperature at receipt (14.0°C) which was confirmed by the temperature probe (16.5°C). According to the ISO16140-2:2016, if transit conditions and times fall outside the specified acceptable tolerances, the data are disregarded for interpretation. Data set from collaborator B will not be considered.

Two collaborators (C and O) did not receive the samples on time (2 weeks after) caused by delivery destination error by the carrier.

One collaborator (J) had received the samples in appropriate conditions, but they could not proceed to the analyses (lack of personnel related to COVID).

4.3 Results analysis

The raw data are given in **Appendix 7**.

4.3.1 Expert laboratory results

The results obtained by the expert laboratory are given in Table 16.

Table 16 – Results obtained by the expert Lab.

Level	Reference method♦	Alternative method
L0	0/8	0/8
L1	7/8	7/8
L2	8/8	8/8

Only one sample inoculated at the low level gave a negative result on the 8 samples inoculated.

4.3.2 Results observed by the collaborative laboratories

> **Aerobic mesophilic flora enumeration**

Depending on the Lab results, the enumeration levels varied from 8.0×10^3 CFU/g to 6.6×10^8 CFU/g.

> **Protocol used for the ELISA test**

2 collaborators used the manual protocol and 10 collaborators the DS2 automate. See Table 17.

Table 17 - ELISA protocol used by the collaborators.

Collaborators	ELISA protocol
A	DS2 automate
B	Manual protocol
C	/
D	DS2 automate
F	DS2 automate
G	Manual protocol
H	DS2 automate
I	DS2 automate
J	/
L	DS2 automate
M	DS2 automate
N	DS2 automate
O	/
P	DS2 automate
Q	DS2 automate
ADRIA	DS2 automate

> ***Listeria monocytogenes* detection**

12 collaborators participated to the study. The results obtained are provided in Table 18 (reference method) and Table 19 (alternative method).

Table 18 - Positive results by the reference method (ALL the collaborators)

Collaborator	Contamination level		
	L0	L1	L2
A	0	5	8
B	0	5	8
C	/	/	/
D	0	3	8
F	0	7	8
G	0	5	8
H	0	5	8
I	0	5	8
J	/	/	/
L	0	6	7
M	0	6	8
N	0	7	8
O	/	/	/
P	0	6	8
Q	0	7	8
TOTAL	P₀ = 0	P₁ = 67	P₂ = 95

**Table 19 - Positive results (before and after confirmation)
by the alternative method (ALL the collaborators)**

Collaborators	Contamination level								
	L0			L1			L2		
	ELISA result	Confirmation result	Final result	ELISA result	Confirmation result	Final result	ELISA result	Confirmation result	Final result
A	0	0	0	5	5	5	8	8	8
B	1	0	0	6	5	5	8	8	8
C	/	/	/	/	/	/	/	/	/
D	0	0	0	3	3	3	8	8	8
F	5	0	0	8	7	7	8	8	8
G	0	0	0	5	5	5	8	8	8
H	0	0	0	5	5	5	8	8	8
I	0	0	0	5	5	5	8	8	8
J	/	/	/	/	/	/	/	/	/
L	0	0	0	6	6	6	7	7	7
M	0	0	0	6	6	6	8	8	8
N	0	0	0	7	7	7	8	8	8
O	/	/	/	/	/	/	/	/	/
P	0	0	0	6	6	6	8	8	8
Q	2	0	0	7	7	7	8	8	8
Total	8	0	0	69	67	67	95	95	95

Three collaborators obtained non-confirmed positive ELISA results on unspiked samples for the alternative method:

- Collaborator B: 1 sample (n°7)
- Collaborator F: 5 samples (n°3, 8, 11, 14 and 18)
- Collaborator Q: 2 samples (n°7 and 24).

For the collaborator F, in addition of the 5 PPNA samples obtained at the level 0, one non-confirmed ELISA positive result was observed at level 1. The ELISA test was carried out again with the same heat treated aliquot and the same results were obtained. A new aliquot of the stored, enriched PAC supplemented Solus Palcam broth from each of the 6 PPNA samples observed at level 0 and 1, were heat treated and tested, with 5 of the repeat samples giving ELISA negative results. Note that for 3 analytical series run by collaborator F, the negative control O.D was above 0.100 for two analytical series, acceptance criteria fixed to validate the protocol. See Table 20.

These results could be explained by an ineffective washing step carried out by the DS2 automate.

The following explanation was given by collaborator F: *“The rack of the Solus Listeria monocytogenes Kit has not the same height compared to the Solus Salmonella Kit; we normally used. Actually, I do not know if there was a note of Solus, but the technician (from DS2) informed me we should have change the different height of the Listeria kit rack in the DS2 assay protocol. This would explain the “ineffective “washing step.”*

Due to this washing step issue during the ELISA test resulting from an incorrect plate wash height setting, it was decided to not take into account the data set from collaborator F.

Table 20 – PD_{FP (alt)} samples obtained by the collaborator F.

		Heat treated aliquots n°1: 23/06/2022				Heat treated aliquots n°2: 14/07/2022		Confirmations
		Test 1		Test 2		ELISA test (O.D.)	Result	
		ELISA test (O.D.)	Result	ELISA test (O.D.)	Result			
Control	Negative control (<0.100)	0.212	FAILED	0.188	PASS	0.213	FAILED	O&A (100µl)
	Positive control (>0.500)	5.000	PASS	5.000	PASS	5.000	PASS	
Level 0	3	0.271	+	0.213	+	0.177	-	-
	8	0.201	+	0.233	+	0.184	-	-
	11	0.220	+	0.238	+	0.161	-	-
	14	0.203	+	0.210	+	0.160	-	-
	18	0.219	+	0.213	+	0.211	+	-
Level 1	23	0.212	+	0.253	+	0.175	-	-

For collaborators B and Q, they were asked to test the samples again by ELISA test, but unfortunately, due to all the samples being disposed of, this was not possible.

As a reminder, the data from collaborator B could not be considered because of the high temperature at reception.

According to the AFNOR technical rules, it is possible to include the results from a collaborator with maximum one cross contamination at Level 0.

If this rule is applied, the results from the collaborator Q should be excluded: this means that only 9 data sets are available.

It was proposed to the AFNOR Technical committee to keep the data from collaborator Q as according to the O.D. values obtained (2,118 and 1,514) with a negative cultural confirmation for the two unspiked samples could not be linked to a cross contamination during the cultural process but most likely due to sample mixing during testing. The AFNOR Technical committee agreed with this proposition and the interpretation was performed with 10 data sets including collaborator Q.

4.3.3 Results of the collaborators retained for interpretation

The results obtained with the 10 collaborators kept for interpretation are presented in Table 21 (reference method) and Table 22 (alternative method).

**Table 21 - Positive results by the reference method
(Without collaborators B, C, F, J and O)**

Collaborators	Contamination level		
	L0	L1	L2
A	0	5	8
D	0	3	8
G	0	5	8
H	0	5	8
I	0	5	8
L	0	6	7
M	0	6	8
N	0	7	8
P	0	6	8
Q	0	7	8
TOTAL	P₀ = 0	P₁ = 55	P₂ = 79

**Table 22 - Positive results (before and after confirmation)
by the alternative method (Without collaborators B, C, F, J and O)**

Collabo- rators	Contamination level								
	L0			L1			L2		
	ELISA result	Confirmation	Final result	ELISA result	Confirmation	Final result	ELISA result	Confirmation	Final result
A	0	0	0	5	5	5	8	8	8
D	0	0	0	3	3	3	8	8	8
G	0	0	0	5	5	5	8	8	8
H	0	0	0	5	5	5	8	8	8
I	0	0	0	5	5	5	8	8	8
L	0	0	0	6	6	6	7	7	7
M	0	0	0	6	6	6	8	8	8
N	0	0	0	7	7	7	8	8	8
P	0	0	0	6	6	6	8	8	8
Q	2	0	0	7	7	7	8	8	8
TOTAL	P₀ = 2	C₀ = 0	CP₀ = 0	P₁ = 55	C₁ = 55	CP₁ = 55	P₂ = 79	C₂ = 79	CP₂ = 79

Fractional positive results were observed for the reference and the alternative method (68.8%) for the low inoculation level (L1)

4.4 Calculation and interpretation

4.4.1 Calculation of the specificity percentage (SP)

The Specificity percentage (SP) of the reference method and of the alternative method, using the data after confirmation, based on the results of level L0 are presented in Table 23.

Table 23 - Specificity percentage

Specificity for the reference method	$SP_{ref} = \left(1 - \left(\frac{P_0}{N_-}\right)\right) \times 100 \% =$	100 %
Specificity for the alternative method	$SP_{alt} = \left(1 - \left(\frac{CP_0}{N_-}\right)\right) \times 100 \% =$	100 %

N: number of all LO tests

P_0 = total number of false-positive results obtained with the blank samples before confirmation

CP_0 = total number of false-positive results obtained with the blank samples

4.4.2 Calculation of the sensitivity of the alternative method (SE_{alt}), the sensitivity for the reference method (SE_{ref}), the relative trueness (RT) and the false positive ratio for the alternative method (FPR)

Fractional positive results were obtained for the low inoculation level (68.8%). This level inoculation levels were retained for calculation.

A summary of the results of the collaborators retained for interpretation, obtained with the reference and the alternative methods for Level 1 are provided in Table 24.

Table 24 - Summary of the obtained results with the reference method and the alternative method for Level 1 and Level 2

Level	Response	Reference method positive (R+)	Reference method negative (R-)
1	Alternative method positive (A+)	Positive agreement (A+/R+) PA = 55	Positive deviation (R-/A+) PD = 0
	Alternative method negative (A-)	Total negative deviation (A-/R+) TND = 0 (0 PA_{FP(alt)})	Total negative agreement (A-/R-) TNA = 25 (0 PD_{FP(alt)})

Based on the data summarized in Table 24, the calculated values of the sensitivity of the alternative and reference methods, as well as the relative trueness and false positive ratio for the alternative method (taking account the confirmations) are presented in Table 25 for Level 1.

Table 25 - Sensitivity, relative trueness, and false positive ratio percentages

		Level 1
Sensitivity for the alternative method	$SE_{alt} = \frac{(PA + PD)}{(PA + TND + PD)} \times 100 \%$	100.0%
Sensitivity for the reference method	$SE_{ref} = \frac{(PA + TND)}{(PA + TND + PD)} \times 100 \%$	100.0%
Relative trueness	$RT = \frac{(PA + TNA)}{N} \times 100 \%$	100.0%
False positive ratio for the alternative method (paired evaluation)	$FPR = \frac{PD_{FP(alt)}}{TNA} \times 100 \%$	0%
False negative ratio for the alternative method (paired evaluation)	$FNR = \frac{ND_{FN(alt)}}{PA + TND + PD} \times 100 \%$	0%

4.4.3 Interpretation of data

No negative and no positive deviation was obtained for this interlaboratory study for the 10 collaborators kept for interpretation.

For a **paired study design**, the difference between (TND – PD) and the addition (TND + PD) are calculated for the level(s) where fractional recovery is obtained (so L_1 and possibly L_2). The observed value found for (TND – PD) and (TND + PD) shall not be higher than the AL.

For 10 Labs, the limits are the following for Level 1:

		Calculated values	AL	Conclusion
Level 1	TND - PD	0	3	TND – PD < AL
	TND + PD	0	4	TND + PD < AL

The ISO 16140-2:2016 & ISO 16140-2/A1:2024 requirements are fulfilled as (TND - PD) and (TND + PD) meet the AL.

4.4.4 Evaluation of the LOD_{50%} and RLOD between laboratories

The LOD_{50%} was calculated using the ISO 16140-2 Excel spreadsheet available at https://standards.iso.org/iso/16140/-2/ed-1/en/amd/1/PODLOD-interlab_ver2.xlsm.

The RLOD is defined as the ratio of the LODs of the alternative method and the reference method: **RLOD = LOD_{alt}/LOD_{ref}**. The results are given in Table 26.

Table 26 - LOD_{50%} and RLOD

Method	LOD 50%	RLOD
Reference	0.8 [0.6-1.0]	1.0 [0.8-1.3]
Alternative	0.8 [0.6-1.0]	

5 CONCLUSION

The **method comparison study conclusions** are:

The method comparison study scheme corresponds to a **PAIRED STUDY** design as the alternative and reference methods have a common enrichment procedure.

In the sensitivity study, 6 categories were tested: 5 food categories and the environmental samples. The protocol of the alternative method shows 6 positive deviations (PD) and 10 negative deviations (ND) for all the combined categories. The TND - PD and TND + PD meet the acceptability limits (AL) whatever the categories, and as well for the 6 tested categories.

The Relative Levels of Detection (RLOD) meet the AL fixed 1.5 for the paired data study whatever the matrix/strain pairs tested.

The inclusivity and exclusivity testing gave the expected results for the 50 target strains and the 30 non-target strains.

It is possible to store the primary enrichment broth for 72 h at $5 \pm 3^{\circ}\text{C}$.

The alternative method fulfils all the ISO 16140-2:2016, ISO 16140-2/A1:2024 requirements and AFNOR technical rules (Revision 13).

The **inter-laboratory study conclusions** are:

Data and interpretations comply with the ISO 16140-2:2016, ISO 16140-2/A1:2024 requirements and AFNOR technical rules (Revision 13).

The Solus *Listeria monocytogenes* ELISA method is considered equivalent to the ISO standard method.

Quimper, 17 August 2026


Astrid CARIOU

Manager

Method performance in food microbiology

I hereby attest to the validation of the verification of the conformity of the report (opinion and interpretation).

**Appendix 1 – Flow diagram of the alternative method:
Solus *Listeria monocytogenes* ELISA**




During the validation, the typical colonies were confirmed by haemolysis test and biochemical gallery on isolated colony without purification step.

¹ For sampling after cleaning process pre-moisten
 - 1 swab + 1 ml broth universal neutralizing (+ 9 ml Half-Fraser)
 - 1 sponge + 10 ml broth universal neutralizing (+ 90 ml Half-Fraser)
 - 1 wipe + BPW + 10 % neutralizing agent (+ 225 ml Half-Fraser)

² During the validation study, only the DS2 was tested

**Appendix 2 – Flow diagram of the reference method: ISO 11290-1:2017 -
Microbiology of the food chain - Horizontal method for the detection and enumeration
of *Listeria monocytogenes* and of *Listeria* spp.-
Part 1: detection method**



³ For sampling after cleaning process pre-moisten

- 1 swab + 1 ml broth universal neutralizing (+ 9 ml Half-Fraser)
- 1 sponge + 10 ml broth universal neutralizing (+ 90 ml Half-Fraser)
- 1 wipe + BPW + 10 % neutralizing agent (+ 225 ml Half-Fraser)

⁴ During the validation study, biochemical galleries were used

Appendix 3 – Artificial contamination of samples

Year of analysis	N° Sample	Product (French name)	Product	Artificial contaminations						Global result	Category	Type
				Strain	Origin	Injury protocol	Injury measure ment	Inoculation level/sample				
								Enumeration	Mean			
2021	6587	Piémontaise au jambon	Piemontaise	<i>L. monocytogenes</i> Ad494	Deli salad	Seeding 72h 3±2°C	/	3-2-5-4-3	3.4	+	1	a
2021	6588	Piémontaise au jambon et tomate fraiche	Piemontaise with tomatoes and ham	<i>L. monocytogenes</i> Ad1197	RTE	Seeding 72h 3±2°C	/	3-4-2-2-3	2.8	+	1	a
2021	6589	Macédoine de légumes	Mixed vegetables with mayonnaise	<i>L. monocytogenes</i> Ad494	Deli salad	Seeding 72h 3±2°C	/	3-2-5-4-3	3.4	+	1	a
2021	6590	Sandwich thon-œuf	Sandwich (tuna and eggs)	<i>L. monocytogenes</i> Ad494	Deli salad	Seeding 72h 3±2°C	/	3-2-5-4-3	3.4	+	1	a
2021	6591	Sandwich poulet rôti et végétaux	Sandwich (roast chicken meat and vegetables)	<i>L. monocytogenes</i> Ad1197	RTE	Seeding 72h 3±2°C	/	3-4-2-2-3	2.8	+	1	a
2021	6802	Sandwich thon provençale	Sandwich with tuna, tomatoes and aromatic herbs	<i>L. monocytogenes</i> Ad1492	RTE food	Seeding 48h 3±2°C	/	2-3-0-1-3	1.8	+	1	a
2021	6803	Sandwich poulet rôti, crudités	Sandwich with roasted chicken meat and vegetables	<i>L. monocytogenes</i> Ad1719	RTE food	Seeding 48h 3±2°C	/	1-3-5-1-3	2.6	+	1	a
2021	6804	Salade chèvre green bowl	Sandwich with goat milk cheese and vegetables	<i>L. monocytogenes</i> Ad1719	RTE food	Seeding 48h 3±2°C	/	1-3-5-1-3	2.6	-	1	a
2021	6805	Salade océane thon, œuf sauce cocktail	Salad with tuna, eggs, vegetables and sauce	<i>L. monocytogenes</i> Ad1492	RTE food	Seeding 48h 3±2°C	/	2-3-0-1-3	1.8	-	1	a
2021	6806	Salade au poulet	Salad with chicken meat	<i>L. monocytogenes</i> Ad1719	RTE food	Seeding 48h 3±2°C	/	1-3-5-1-3	2.6	-	1	a
2021	7618	Sandwich thon-œuf	Sandwich with tuna and eggs	<i>L. monocytogenes</i> Ad614	RTE food	Seeding 72h 3±2°C	/	2-4-4-2-2	2.8	+	1	a
2021	7619	Sandwich jambon-emmental	Sandwich with ham and cheese	<i>L. monocytogenes</i> Ad614	RTE food	Seeding 72h 3±2°C	/	2-4-4-2-2	2.8	+	1	a
2021	7620	Salade torsades 3 fromages	Salad with pasta and cheeses	<i>L. monocytogenes</i> Ad614	RTE food	Seeding 72h 3±2°C	/	2-4-4-2-2	2.8	+	1	a
2021	7621	Salade Stockholm (pâtes, crudités, œuf, saumon fumé)	Salad with pasta, vegetables, eggs and smoked salmon	<i>L. monocytogenes</i> Ad1678	RTRH food	Seeding 72h 3±2°C	/	2-3-2-3-1	2.2	+	1	a
2021	7622	Salade poulet rôti/avocats	Salad with roasted chicken meat and avocado	<i>L. monocytogenes</i> Ad1678	RTRH food	Seeding 72h 3±2°C	/	2-3-2-3-1	2.2	+	1	a
2021	6807	Paris-Brest	Pastry with cream (Paris Brest)	<i>L. monocytogenes</i> Ad451	Pastry	Seeding 48h 3±2°C	/	1-2-2-5-3	2.6	+	1	c
2021	6808	Eclair au chocolat	Pastry with cream (chocolate cake)	<i>L. monocytogenes</i> Ad451	Pastry	Seeding 48h 3±2°C	/	1-2-2-5-3	2.6	+	1	c
2021	6809	Mille-feuille	Pastry with cream (Mille-feuilles)	<i>L. monocytogenes</i> Ad451	Pastry	Seeding 48h 3±2°C	/	1-2-2-5-3	2.6	+	1	c
2021	6810	Religieuse au café	Pastry with cream (coffee flavour)	<i>L. monocytogenes</i> Ad451	Pastry	Seeding 48h 3±2°C	/	1-2-2-5-3	2.6	+	1	c
2021	6811	Tortilla nature	Omelette	<i>L. monocytogenes</i> Ad1195	Egg product	Seeding 48h 3±2°C	/	0-4-4-0-1	1.8	+	1	c
2021	6812	Tortilla aux oignons	Omelette with onions	<i>L. monocytogenes</i> Ad1195	Egg product	Seeding 48h 3±2°C	/	0-4-4-0-1	1.8	+	1	c
2021	6813	Tortilla au chorizo	Omelette with delicatessen (chorizo)	<i>L. monocytogenes</i> Ad1195	Egg product	Seeding 48h 3±2°C	/	0-4-4-0-1	1.8	+	1	c
2021	6814	Tortilla à l'oignon	Omelette with onions	<i>L. monocytogenes</i> Ad1195	Egg product	Seeding 48h 3±2°C	/	0-4-4-0-1	1.8	+	1	c
2021	6815	Poitrine d'agneau cru	Raw lamb meat	<i>L. monocytogenes</i> Ad1216	Meat product	Seeding 48h 3±2°C	/	5-1-3-4-4	3.4	+	2	a
2021	6816	Escalope de veau	Raw veal meat	<i>L. monocytogenes</i> Ad1216	Meat product	Seeding 48h 3±2°C	/	5-1-3-4-4	3.4	+	2	a
2021	6817	Blanquette de veau, sauce et son riz	Veal meat with sauce and rice	<i>L. monocytogenes</i> Ad1216	Meat product	Seeding 48h 3±2°C	/	5-1-3-4-4	3.4	+	2	b
2021	6818	Steak haché à l'emmental	Beef meat and cheese	<i>L. monocytogenes</i> Ad1216	Meat product	Seeding 48h 3±2°C	/	5-1-3-4-4	3.4	+	2	b
2021	7623	Tajine de bœuf	Beef meat RTRH	<i>L. monocytogenes</i> Ad265	Beef meat	Seeding 72h 3±2°C	/	2-1-2-3-4	2.4	+	2	b
2021	7624	Moussaka bœuf et aubergine	Beef meat RTRH	<i>L. monocytogenes</i> Ad265	Beef meat	Seeding 72h 3±2°C	/	2-1-2-3-4	2.4	-	2	b
2021	7625	Tome des bauges au lait cru de vache	Raw cow milk cheese (Tome)	<i>L. monocytogenes</i> Ad612	Cheese	Seeding 72h 3±2°C	/	3-4-4-5-4	4.0	+	3	a
2021	7626	Provolone piquant au lait de vache cru	Raw cow milk cheese (Provolone)	<i>L. monocytogenes</i> Ad612	Cheese	Seeding 72h 3±2°C	/	3-4-4-5-4	4.0	+	3	a
2021	5949	Lait pasteurisé saveur framboise	Pasteurised milk, flavour raspberry	<i>L. monocytogenes</i> Ad2858	Dairy products	Seeding 72h 3±2°C	/	1-1-1-1-1	1.0	-	3	c
2021	5950	Lait pasteurisé saveur chocolat	Pasteurised milk, flavour cocoa	<i>L. monocytogenes</i> Ad2858	Dairy products	Seeding 72h 3±2°C	/	1-1-1-1-1	1.0	+	3	c
2021	5951	Riz au lait pasteurisé, saveur vanille	Rice pudding, flavour vanilla	<i>L. monocytogenes</i> Ad2858	Dairy products	Seeding 72h 3±2°C	/	1-1-1-1-1	1.0	+	3	c

Year of analysis	N° Sample	Product (French name)	Product	Artificial contaminations						Global result	Category	Type
				Strain	Origin	Injury protocol	Injury measure ment	Inoculation level/sample				
								Enumeration	Mean			
2021	5952	Riz au lait pasteurisé, nature	Rice pudding	<i>L. monocytogenes</i> Ad2858	Dairy products	Seeding 72h 3±2°C	/	1-1-1-1-1	1.0	+	3	c
2021	5953	Fromage de chèvre au lait pasteurisé	Pasteurised goat milk cheese	<i>L. monocytogenes</i> Ad2642	Dairy products	Seeding 72h 3±2°C	/	1-1-2-1-0	0.8	+	3	c
2021	5954	Pointe de brie au lait de vache pasteurisé	Pasteurised cow milk cheese	<i>L. monocytogenes</i> Ad2642	Dairy products	Seeding 72h 3±2°C	/	1-1-2-1-0	0.8	+	3	c
2021	5955	Bleu d'auvergne AOP au lait pasteurisé	Pasteurised milk cheese (Bleu d'Auvergne)	<i>L. monocytogenes</i> Ad2642	Dairy products	Seeding 72h 3±2°C	/	1-1-2-1-0	0.8	-	3	c
2021	6566	Fromage de chèvre au lait pasteurisé	Pasteurised goat milk cheese	<i>L. monocytogenes</i> Ad610	Dairy products	Seeding 72h 3±2°C	/	0-3-4-1-4	2.4	+	3	c
2021	6567	Fromage à pâte molle au lait de vache pasteurisé	Pasteurised cow milk cheese	<i>L. monocytogenes</i> Ad610	Dairy products	Seeding 72h 3±2°C	/	0-3-4-1-4	2.4	+	3	c
2021	6568	Fromage Quart Maroilles AOC au lait de vache pasteurisé	Pasteurised cow milk cheese	<i>L. monocytogenes</i> Ad3119	Dairy products	Seeding 72h 3±2°C	/	3-4-1-4-1	2.6	+	3	c
2021	6569	Riz au lait vanille	Pasteurised rice pudding, with vanilla	<i>L. monocytogenes</i> Ad610	Dairy products	Seeding 72h 3±2°C	/	0-3-4-1-4	2.4	+	3	c
2021	6570	Riz au lait nature	Pasteurised rice pudding	<i>L. monocytogenes</i> Ad3119	Dairy products	Seeding 72h 3±2°C	/	3-4-1-4-1	2.6	+	3	c
2021	6571	Lait chocolaté enrichie en vitamine D	Pasteurised milk, flavour cocoa	<i>L. monocytogenes</i> Ad3119	Dairy products	Seeding 72h 3±2°C	/	3-4-1-4-1	2.6	+	3	c
2021	4889	Concombre	Cucumber	<i>L. monocytogenes</i> Ad3267	Vegetables	Seeding 72h 3±2°C	/	3-3-1-2-6	3.0	+	4	a
2021	4890	Courgette	Zucchini	<i>L. monocytogenes</i> Ad3267	Vegetables	Seeding 72h 3±2°C	/	3-3-1-2-6	3.0	+	4	a
2021	4891	Tomate	Tomato	<i>L. monocytogenes</i> Ad3267	Vegetables	Seeding 72h 3±2°C	/	3-3-1-2-6	3.0	+	4	a
2021	4892	Poivron	Green pepper	<i>L. monocytogenes</i> Ad3268	Vegetables	Seeding 72h 3±2°C	/	0-0-4-0-4	1.6	+	4	a
2021	4893	Champignon de paris	Mushrooms	<i>L. monocytogenes</i> Ad3268	Vegetables	Seeding 72h 3±2°C	/	0-0-4-0-4	1.6	+	4	a
2021	4879	Filet de haddock fumé à froid à l'ancienne	Smoked haddock	<i>L. monocytogenes</i> Ad2599	Seafood product	Seeding 72h 3±2°C	/	3-2-5-1-1	2.4	+	5	b
2021	4880	Filet de maquereaux fumé au bois de hêtre et poivre	Smoked mackerel and pepper	<i>L. monocytogenes</i> Ad2599	Seafood product	Seeding 72h 3±2°C	/	3-2-5-1-1	2.4	+	5	b
2021	4881	Filet de harengs fumés	Smoked herring	<i>L. monocytogenes</i> Ad2599	Seafood product	Seeding 72h 3±2°C	/	3-2-5-1-1	2.4	+	5	b
2021	4882	Filet de maquereaux fumé au bois de hêtre nature	Smoked mackerel	<i>L. monocytogenes</i> Ad1499	Seafood product	Seeding 72h 3±2°C	/	1-2-0-2-3	1.6	+	5	b
2021	4883	Filet d'anchois marinés à l'ail aux câpres et au persil	Seasoned anchovy with caper and parsley	<i>L. monocytogenes</i> Ad1499	Seafood product	Seeding 72h 3±2°C	/	1-2-0-2-3	1.6	-	5	b
2021	4884	Tourte garnie de morceaux d'encornet géant	Squid pie	<i>L. monocytogenes</i> Ad1496	Seafood product	Seeding 72h 3±2°C	/	1-4-2-3-1	2.2	+	5	c
2021	4885	Feuilleté au duo de saumon	Salmon pie	<i>L. monocytogenes</i> Ad1496	Seafood product	Seeding 72h 3±2°C	/	1-4-2-3-1	2.2	-	5	c
2021	4886	Merlu blanc aux légumes du soleil	Hake fish with vegetables	<i>L. monocytogenes</i> Ad1496	Seafood product	Seeding 72h 3±2°C	/	1-4-2-3-1	2.2	+	5	c
2021	4887	Thon à la tomate	Tuna with tomatoes	<i>L. monocytogenes</i> Ad1412	Seafood product	Seeding 72h 3±2°C	/	4-2-4-1-4	3.0	+	5	c
2021	4888	Saumon sauce à l'oseille	Salmon with sorrel sauce	<i>L. monocytogenes</i> Ad1412	Seafood product	Seeding 72h 3±2°C	/	4-2-4-1-4	3.0	+	5	c
2021	5956	Déchet de crème glacée (production de glace)	Residues (ice cream production)	<i>L. monocytogenes</i> Ad1785	Dairy products	Seeding 72h 3±2°C	/	3-0-3-1-0	1.4	-	6	a
2021	5957	Déchet de crème glacée (production de glace)	Residues (ice cream production)	<i>L. monocytogenes</i> Ad1785	Dairy products	Seeding 72h 3±2°C	/	3-0-3-1-0	1.4	+	6	a
2021	5958	Déchet de crème glacée (production de glace)	Residues (ice cream production)	<i>L. monocytogenes</i> Ad1785	Dairy products	Seeding 72h 3±2°C	/	3-0-3-1-0	1.4	+	6	a
2021	6819	Poussière d'aspirateur (industrie de produits laitier)	Vacuum dusts (dairy products industry)	<i>L. monocytogenes</i> Ad1201	Dairy products	Spiking heat treatment 56°C 10 min	1,1	2-3-0-0-0	1.0	-	6	a
2021	6820	Poussière d'aspirateur (industrie de produits laitier)	Vacuum dusts (dairy products industry)	<i>L. monocytogenes</i> Ad1201	Dairy products	Spiking heat treatment 56°C 10 min	1,1	2-3-0-0-0	1.0	-	6	a
2021	6821	Poussière d'aspirateur (industrie de produits laitier)	Vacuum dusts (dairy products industry)	<i>L. monocytogenes</i> Ad1201	Dairy products	Spiking heat treatment 56°C 10 min	1,1	2-3-0-0-0	1.0	-	6	a

Year of analysis	N° Sample	Product (French name)	Product	Artificial contaminations						Global result	Category	Type
				Strain	Origin	Injury protocol	Injury measure ment	Inoculation level/sample				
								Enumeration	Mean			
2021	7735	Poussière aspirateur P51 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	<i>L. monocytogenes</i> Ad615	Environmental samples (dairy products)	Spiking heat treatment 56°C 10 min	0,5	5-7-8-9-5	6.8	-	6	a
2021	7736	Poussière aspirateur P32 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	<i>L. monocytogenes</i> Ad615	Environmental samples (dairy products)	Spiking heat treatment 56°C 10 min	0,5	5-7-8-9-5	6.8	-	6	a
2021	7737	Poussière aspirateur CE1 2894 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	<i>L. monocytogenes</i> Ad615	Environmental samples (dairy products)	Spiking heat treatment 56°C 10 min	0,5	5-7-8-9-5	6.8	-	6	a
2021	7738	Poussière aspirateur P41 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	<i>L. monocytogenes</i> Ad615	Environmental samples (dairy products)	Spiking heat treatment 56°C 10 min	0,5	5-7-8-9-5	6.8	-	6	a
2021	7739	Poussière aspirateur A31 2887 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	<i>L. monocytogenes</i> Ad615	Environmental samples (dairy products)	Spiking heat treatment 56°C 10 min	0,5	5-7-8-9-5	6.8	+	6	a
2021	7740	Poussière aspirateur P51 2895 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	<i>L. monocytogenes</i> Ad615	Environmental samples (dairy products)	Spiking heat treatment 56°C 10 min	0,5	5-7-8-9-5	6.8	+	6	a
2022	34	Déchet produits laitiers, fromage (industrie de produits laitiers)	Residues, cheese (dairy products industry)	<i>L. monocytogenes</i> Ad249	Dairy products	Seeding 72h 3±2°C	/	3-2-2-4-3	2.8	+	6	a
2021	5280	Eau de nettoyage (industrie de produits de la mer)	Cleaning water (seafood products industry)	<i>L. monocytogenes</i> Ad1679	Environmental samples (seafood products industry)	Seeding 72h 3±2°C	/	0-6-2-1-4	2.6	+	6	b
2021	5281	Eau de rinçage (industrie de produits de la mer)	Rinse water (seafood products industry)	<i>L. monocytogenes</i> Ad1679	Environmental samples (seafood products industry)	Seeding 72h 3±2°C	/	0-6-2-1-4	2.6	-	6	b
2021	5962	Eau de process couteau découpe dinde (production produits carnés)	Process water (meat products industry)	<i>L. monocytogenes</i> Ad1206	Meat product	Seeding 72h 3±2°C	/	1-0-0-1-0	0.4	-	6	b
2021	5963	Eau de process entonnoir, dinde (production produits carnés, dinde)	Process water (meat products industry)	<i>L. monocytogenes</i> Ad1206	Meat product	Seeding 72h 3±2°C	/	1-0-0-1-0	0.4	-	6	b
2021	5964	Eau de process, verre doseur cuisse de poulet (production produits carnés)	Process water (meat products industry)	<i>L. monocytogenes</i> Ad1206	Meat product	Seeding 72h 3±2°C	/	1-0-0-1-0	0.4	-	6	b
2021	5965	Eau de process plan de travail sauté de dinde (production de produits carnés)	Process water (meat products industry)	<i>L. monocytogenes</i> Ad1206	Meat product	Seeding 72h 3±2°C	/	1-0-0-1-0	0.4	-	6	b
2021	5966	Eau de rinçage crème glacée (production de crème glacée)	Rinse water (ice cream production)	<i>L. monocytogenes</i> Ad1785	Dairy products	Seeding 72h 3±2°C	/	3-0-3-1-0	1.4	+	6	b
2021	6572	Eau de process Bache 1 (industrie de produits laitiers)	Process water (dairy products industry)	<i>L. monocytogenes</i> Ad1781	Dairy products	Seeding 72h 3±2°C	/	2-0-1-3-4	2.0	+	6	b
2021	6573	Eau de process Bache 2 (industrie de produits laitiers)	Process water (dairy products industry)	<i>L. monocytogenes</i> Ad1781	Dairy products	Seeding 72h 3±2°C	/	2-0-1-3-4	2.0	+	6	b
2021	6574	Eau de process Bache NEP (industrie de produits laitiers)	Process water (dairy products industry)	<i>L. monocytogenes</i> Ad1781	Dairy products	Seeding 72h 3±2°C	/	2-0-1-3-4	2.0	+	6	b
2021	6575	Eau de rinçage Fab 2 Cru (industrie de produits carnés)	Rinse water (meat product industry)	<i>L. monocytogenes</i> Ad1208	Meat product	Seeding 72h 3±2°C	/	2-2-3-5-3	2.8	-	6	b
2021	6576	Eau de rinçage NEP 3 n°1 (industrie de produits carnés)	Rinse water (meat product industry)	<i>L. monocytogenes</i> Ad1208	Meat product	Seeding 72h 3±2°C	/	2-2-3-5-3	2.8	-	6	b
2021	7728	Eau de rinçage plant 67 (industrie biscuit chocolat)	Rinse water (biscuit and chocolate industry)	<i>L. monocytogenes</i> Ad551	Environmental samples (pastry)	Seeding 72h 3±2°C	/	3-4-4-4-3	3.0	+	6	b
2021	7729	Eau de rinçage P68 (industrie biscuit chocolat)	Rinse water (biscuit and chocolate industry)	<i>L. monocytogenes</i> Ad551	Environmental samples (pastry)	Seeding 72h 3±2°C	/	3-4-4-4-3	3.0	+	6	b
2021	7730	Eau de rinçage n°67 (industrie biscuit chocolat)	Rinse water (biscuit and chocolate industry)	<i>L. monocytogenes</i> Ad551	Environmental samples (pastry)	Seeding 72h 3±2°C	/	3-4-4-4-3	3.0	+	6	b
2021	7731	Eau de process top iniet (industrie biscuit chocolat)	Process water (biscuit and chocolate industry)	<i>L. monocytogenes</i> Ad551	Environmental samples (pastry)	Seeding 72h 3±2°C	/	3-4-4-4-3	3.0	-	6	b
2021	5967	Lingette pompe machine glace, avant nettoyage (production de glace)	Wipe before cleaning (ice cream production)	<i>L. monocytogenes</i> Ad1784	Dairy products	Seeding 72h 3±2°C	/	3-1-2-0-2	1.6	-	6	c

Year of analysis	N° Sample	Product (French name)	Product	Artificial contaminations						Global result	Category	Type
				Strain	Origin	Injury protocol	Injury measure ment	Inoculation level/sample				
								Enumeration	Mean			
2021	5968	Lingette vaisselle, avant nettoyage (production de glace)	Wipe before cleaning (ice cream production)	<i>L. monocytogenes</i> Ad1784	Dairy products	Seeding 72h 3±2°C	/	3-1-2-0-2	1.6	+	6	c
2021	5969	Lingette homogénéisateur crème glacée, avant nettoyage (production de glace)	Wipe before cleaning (ice cream production)	<i>L. monocytogenes</i> Ad1784	Dairy products	Seeding 72h 3±2°C	/	3-1-2-0-2	1.6	+	6	c
2021	5970	Eponge nacelle abattoir, avant nettoyage (industrie de produits carnés)	Sponge, before cleaning (meat products industry)	<i>L. monocytogenes</i> Ad2453	Meat product	Seeding 72h 3±2°C	/	2-0-0-1-1	0.8	-	6	c
2021	5971	Eponge abattoir, avant nettoyage (industrie de produits carnés)	Sponge, before cleaning (meat products industry)	<i>L. monocytogenes</i> Ad2453	Meat product	Seeding 72h 3±2°C	/	2-0-0-1-1	0.8	-	6	c
2021	6577	Ecouvillon mélangeur rhule crème glacée avant nettoyage (production de glace)	Swab, blender before cleaning (ice cream production)	<i>L. monocytogenes</i> Ad249	Dairy products	Seeding 72h 3±2°C	/	2-2-2-2-2	2.0	+	6	c
2021	6578	Ecouvillon homogénéisateur après nettoyage (production de glace)	Swab, homogenizer after cleaning (ice cream production)	<i>L. monocytogenes</i> Ad249	Dairy products	Seeding 72h 3±2°C	/	2-2-2-2-2	2.0	+	6	c
2021	6579	Ecouvillon freezer crème glacée avant nettoyage (production de glace)	Swab, freezer before cleaning (ice cream production)	<i>L. monocytogenes</i> Ad249	Dairy products	Seeding 72h 3±2°C	/	2-2-2-2-2	2.0	+	6	c
2021	6580	Chiffonnette pompe crème glacée (production de glace)	Wipe, pump after cleaning (ice cream production)	<i>L. monocytogenes</i> Ad249	Dairy products	Seeding 72h 3±2°C	/	2-2-2-2-2	2.0	+	6	c
2021	6581	Chiffonnette CDH crème glacée après nettoyage (production de glace)	Wipe, pump after cleaning (ice cream production)	<i>L. monocytogenes</i> Ad249	Dairy products	Seeding 72h 3±2°C	/	2-2-2-2-2	2.0	+	6	c
2021	6582	Chiffonnette n°26 (industrie de produits laitiers)	Wipe before cleaning (dairy products industry)	<i>L. monocytogenes</i> Ad1781	Dairy products	Seeding 72h 3±2°C	/	2-0-1-3-4	2.0	+	6	c
2021	6583	Chiffonnette n°47 sol zone feed 1 avant nettoyage (industrie de produits laitiers)	Wipe, ground, before cleaning (dairy products industry)	<i>L. monocytogenes</i> Ad1781	Dairy products	Seeding 72h 3±2°C	/	2-0-1-3-4	2.0	+	6	c
2021	6584	Chiffonnette n°38 tapis intralock têtes échaudées (intérieur) après nettoyage (industrie de produits carnés)	Wipe, carpet after cleaning (meat products industry)	<i>L. monocytogenes</i> Ad271	Meat product	Seeding 72h 3±2°C	/	3-5-4-3-2	3.4	-	6	c
2021	6585	Chiffonnette n°33 couteau désosseur 2tr (industrie de produits carnés)	Wipe, shaping knife, before cleaning (meat products industry)	<i>L. monocytogenes</i> Ad271	Meat product	Seeding 72h 3±2°C	/	3-5-4-3-2	3.4	-	6	c
2021	6586	Chiffonnette n°28 support pour fromage steak avant nettoyage (industrie de produits carnés)	Wipe, working plan, before cleaning (meat products industry)	<i>L. monocytogenes</i> Ad271	Meat product	Seeding 72h 3±2°C	/	3-5-4-3-2	3.4	-	6	c
2021	7732	Chiffonnette plant67 après nettoyage (industrie biscuit chocolat)	Wipe after cleaning (biscuit and chocolate	<i>L. monocytogenes</i> Ad26000	Environment	Seeding 72h 3±2°C	/	6-4-2-4-6	4.4	+	6	c
2021	7733	Chiffonnette plant69 avant nettoyage (industrie biscuit chocolat)	Wipe before cleaning (biscuit and chocolate	<i>L. monocytogenes</i> Ad26000	Environment	Seeding 72h 3±2°C	/	6-4-2-4-6	4.4	+	6	c
2021	7734	Eponge avant nettoyage cross screen cover plant 68 (industrie biscuit chocolat)	Sponge before cleaning (biscuit and chocolate	<i>L. monocytogenes</i> Ad26000	Environment	Seeding 72h 3±2°C	/	6-4-2-4-6	4.4	+	6	c

RTE: ready to eat

Appendix 4 – Sensitivity study: raw data

COMPOSITE FOODS / READY-TO-EAT AND READY-TO-REHEAT																									
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ⬇					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type
				Half Fraser Fraser 1 Identification Final result					25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																
									Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C						
									Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h				
				O&A (100 µl)	Without purification step		All confir- matory tests	O&A (100 µl)			All confir- matory tests														
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis				O.D.	Result	Typical colonies					
2021	5717	Sandwich viennois poulet-tomates-œufs	Sandwich (chicken meat, tomato, egg)	st	-	st	-	/	-	0.074	-	-	/	/	-	-	NA							1	a
2021	6242	Verrines gourmets tartare Saint Jacques	RTE food - seafood cup	H-	+	H-	+	/	-	0.095	-	H-	/	/	-	-	NA	0.009	-	H-	-	-	NA	1	a
2021	6243	Verrines gourmets tajine	RTE food - tajine cup	st	-	st	st	/	-	0.026	-	st	/	/	-	-	NA							1	a
2021	6244	Verrines gourmets saumon aux asperges	RTE food - salmon and asparagus cup	H-	+	H-	+	/	-	0.024	-	H-	/	/	-	-	NA	0.000	-	st	-	-	NA	1	a
2021	6245	Verrines gourmets chèvre à la tomate	RTE food - goat cheese and tomato cup	H-	-	H-	+	/	-	0.029	-	H-	/	/	-	-	NA	0.000	-	H-	-	-	NA	1	a
2021	6587	Piémontaise au jambon	Piemontaise	H+	+	H+	+d	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	a
2021	6588	Piémontaise au jambon et tomate fraiche	Piemontaise with tomatoes and ham	H+	+	H+	+d	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	a
2021	6589	Macédoine de légumes	Mixed vegetables with mayonnaise	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	a
2021	6590	Sandwich thon-œuf	Sandwich (tuna and eggs)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	a
2021	6591	Sandwich poulet rôti et végétaux	Sandwich (roast chicken meat and vegetables)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	2.920	+	H+	+	+	PA	1	a
2021	6802	Sandwich thon provençale	Sandwich with tuna, tomatoes and aromatic herbs	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	a
2021	6803	Sandwich poulet rôti, crudités	Sandwich with roasted chicken meat and vegetables	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	a
2021	6804	Salade chèvre green bowl	Sandwich with goat milk cheese and vegetables	st	-	st	-	/	-	0.038	-	st	/	/	-	-	NA							1	a
2021	6805	Salade océane thon, œuf sauce cocktail	Salad with tuna, eggs, vegetables and sauce	st	st	-	st	/	-	0.045	-	st	/	/	-	-	NA							1	a
2021	6806	Salade au poulet	Salad with chicken meat	-	st	st	st	/	-	0.039	-	st	/	/	-	-	NA							1	a
2021	7083	Ktipiti	Ktipiti, RTE food	-	-	-	-	/	-	0.018	-	-	/	/	-	-	NA							1	a

COMPOSITE FOODS / READY-TO-EAT AND READY-TO-REHEAT																										
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																						
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C												
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations				Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h			
												O&A (100 µl)	Without purification step		All confir- matory tests					O&A (100 µl)	All confir- matory tests					
O&A	Palcam	O&A	Palcam	O.D.	Result	Typical colonies	Biochemical gallery			Haemo- lysis					O.D.	Result	Typical colonies									
2021	7618	Sandwich thon-œuf	Sandwich with tuna and eggs	H+	+	H+	+			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1
2021	7619	Sandwich jambon- Emmental	Sandwich with ham and cheese	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	a	
2021	7620	Salade torsades 3 fromages	Salad with pasta and cheeses	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	a	
2021	7621	Salade Stockholm (pâtes, crudités, œuf, saumon fumé)	Salad with pasta, vegetables, eggs and smoked salmon	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	a	
2021	7622	Salade poulet rôti / avocats	Salad with roasted chicken meat and avocado	H+ (2)	+d	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	a	
2021	5351	Paella	Paella	-	-	-	st	/	-	0.181	-	-	/	/	-	-	NA						1	b		
2021	5354	Paella	Paella	H+	+	H+	+	<i>L. monocytogenes</i>	+	2.944	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	b	
2021	5718	Tourte poularde cèpe	RTRH food with mushrooms and poultry meat	H+	-	H+	-	<i>L. monocytogenes</i>	+	2.843	+	- (5x: H+)	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+(4)	+	+	PA	1	b	
2021	5847	Feuilleté jambon- fromage	RTRH food with ham and cheese	-	-	-	-	/	-	0.032	-	-	/	/	-	-	NA						1	b		
2021	5848	Plat préparé Mezze	RTRH food	-	-	st	-	/	-	0.020	-	-	/	/	-	-	NA						1	b		
2021	5849	Feuilleté au chèvre	RTRH food with goat cheese	H+	+d	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	b	
2021	5857	Roulé au jambon- fromage	RTRH food with ham and cheese	-	-	-	-	/	-	0.022	-	-	/	/	-	-	NA						1	b		
2021	6229	Nuggets avec Emmental	Nuggets with cheese	H+	-	H-	+(2)	<i>L. monocytogenes</i>	+	0.052	-	H-	/	/	- (+ref)	-	ND _{FN(alt)}	0.000	-	H-	- (+ref)	-	ND _{FN(alt)}	1	b	
2021	6236	Nuggets avec blé	Nuggets with wheat	-	-	st	-	/	-	0.021	-	-	/	/	-	-	NA						1	b		
2021	6458	Croque-monsieur	Toast with ham and cheese	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	b	
2021	6466	Feuilleté chèvre et pesto	RTRH food with goat milk cheese and pesto	H+d/H-	+	H-	+	<i>L. monocytogenes</i>	+	0.027	-	H-	/	/	- (+ref)	-	ND _{FN(alt)}	0.035	-	H-	- (+ref)	-	ND _{FN(alt)}	1	b	
2021	6468	Tarte fine oignons et chèvre	RTRH food with onions and goat milk cheese	H-	+	H-	+	/	-	0.042	-	H-	/	/	-	-	NA						1	b		
2021	6473	Panias jambon- fromage	RTRH food with ham and cheese	-	-	-	-	/	-	0.022	-	-	/	/	-	-	NA						1	b		
2021	6474	Feuilleté saumon- épinard	RTRH food with salmon and spinach	H+/H-	+d	H+/H-	+	<i>L. monocytogenes</i>	+	0.110	-	H-	/	/	- (+ref)	-	ND _{FN(alt)}	0.119	-	H-	- (+ref)	-	ND _{FN(alt)}	1	b	
2021	6620	Cordon bleu de dinde	Roast turkey cordon bleu	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+/H-	+	+	PA	1	b	

COMPOSITE FOODS / READY-TO-EAT AND READY-TO-REHEAT																										
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																						
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C												
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h				
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests			
O&A	Palcam	O&A	Palcam	O.D.	Result	Typical colonies	Biochemical gallery			Haemo- lysis						O.D.	Result	Typical colonies								
2021	6622	Pavé barbecue	RTRH bread, cheese, chicken meat and sauce	-	-	st	st			/	-	0.030	-	-	/	/	-	-	NA							1
2021	7080	Kiev provençal	RTRH food	H+(2)	-	H+	-	<i>L. monocytogenes</i>	+	0.091/0.093/ 0.100/0.035*/ 0.098*/0.051*/ 3.000 (BHI)	-/-/- */*/*- */+(B HI)	H+(x5:H+)	<i>L. monocytogenes</i>	+	+	-	ND _{FN(alt)}	0.151/0.093/ 0.100/0.036*/ 0.057*	-/-/- /*/*/*-	H+	+	-	ND _{FN(alt)}	1	b	
2021	7081	Paella	Paella	-	-	st	-	/	-	0.019	-	-	/	/	-	-	NA							1	b	
2021	7084	Paella	Paella	-	-	-	-	/	-	0.024	-	-	/	/	-	-	NA							1	b	
2021	7629	Pizza jambon- fromage	Pizza with ham and cheese	-	-	-	-	/	-	0.089	-	-	/	/	-	-	NA							1	b	
2021	5360	Croissant	Croissant	-	-	-	-	/	-	0.221/ 0.276/ 0.397	+/*/*	- (Palcam broth x5: -, Palcam plate x5: -)	/	/	-	-	PD _{FP(alt)}	0.090	-	-	-	-	NA	1	c	
2021	5361	Croissant	Croissant	-	-	-	-	/	-	0.059	-	-	/	/	-	-	NA							1	c	
2021	5539	Croissant non cuit	Croissant	-	-	st	-	/	-	0.047	-	-	/	/	-	-	NA							1	c	
2021	5540	Croissant non cuit	Croissant	-	-	-	-	/	-	1.378	+	H+	<i>L. monocytogenes</i>	+	+	+	PD	2.368	+	H+	+	+	PD	1	c	
2021	5541	Brownies	Brownies	st	-	-	-	/	-	0.056	-	-	/	/	-	-	NA							1	c	
2021	5866	Gaufre	Waffle	-	-	-	-	/	-	0.020	-	-	/	/	-	-	NA							1	c	
2021	5867	Gaufre	Waffle	-	-	-	-	/	-	0.023	-	-	/	/	-	-	NA							1	c	
2021	6469	Morceau d'omelette nature	Omelette	H+	st	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	c	
2021	6470	Omelette cube	Omelette	st	st	st	st	/	-	0.036	-	st	/	/	-	-	NA							1	c	
2021	6807	Paris-Brest	Pastry with cream (Paris Brest)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	c	
2021	6808	Eclair au chocolat	Pastry with cream (chocolate cake)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	c	
2021	6809	Mille-feuille	Pastry with cream (Mille- feuilles)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	c	
2021	6810	Religieuse au café	Pastry with cream (coffee flavour)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	0.591	+	H+	+	+	PA	1	c	
2021	6811	Tortilla nature	Omelette	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	c	
2021	6812	Tortilla aux oignons	Omelette with onions	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	c	
2021	6813	Tortilla au chorizo	Omelette with delicatessen (chorizo)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	c	
2021	6814	Tortilla à l'oignon	Omelette with onions	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	1	c	

COMPOSITE FOODS / READY-TO-EAT AND READY-TO-REHEAT																									
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type
				Half Fraser		Fraser 1		Identification	Final result	25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C															
										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C								Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C							
										Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h			
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests		
												O.D.	Result	Typical colonies					Biochemical gallery	Haemo- lysis			Typical colonies		
2021	7275	Mars (chocolat, caramel)	Confectionary with chocolate and caramel	-	-	-	-	/	-	0.019	-	-	/	/	-	-	NA						1	c	
2021	7276	Snickers (chocolat, caramel et noisettes)	Confectionary with chocolate, caramel and nuts	st	-	-	-	/	-	0.018	-	-	/	/	-	-	NA						1	c	
2021	7277	Bounty (chocolat, noix de coco)	Confectionary with chocolate and coconut	-	-	-	-	/	-	0.017	-	-	/	/	-	-	NA						1	c	

MEAT PRODUCTS																									
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																					
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C											
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h			
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests		
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies							
2021	5347	Steak haché volaille	Raw ground poultry meat	H-	+	H-	+			/	-	0.073	-	H-	/	/	-	-	NA						
2021	5530	Steak haché 1	Raw ground beef meat	H-	-	H-	+	/	-	0.096	-	H-	/	/	-	-	NA							2	a
2021	5531	Steak haché volaille	Raw ground poultry meat	H-	-	H-	-	/	-	0.041	-	H-	/	/	-	-	NA							2	a
2021	5535	Viande de parage de poulet	Chicken meat	H+	-	H+	+	<i>L. monocytogenes</i>	+	1.416	+	H+d(1)	<i>L. monocytogenes</i>	+	+	+	PA	1.212	+	H+	+	+	PA	2	a
2021	5536	Ailes de poulet	Chicken meat (wing)	-	-	-	-	/	-	0.085	-	-	/	/	-	-	NA							2	a
2021	5704	Steak haché 3	Ground beef meat	H+d/H-	+	H+d/H-	+	<i>L. grayi</i>	-	0.132	-	H-	/	/	-	-	NA	0.112	-	H-	-	-	NA	2	a
2021	5710	Aiguillettes de porc	Sliced pork meat	H+	+d	H+/H-	+	<i>L. monocytogenes</i>	+	3.000	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H-/H+	+	+	PA	2	a
2021	5711	Steak Haché 3	Ground beef meat	H-	-	H-	+	/	-	0.122	-	H-	/	/	-	-	NA							2	a
2021	5714	Steak haché	Ground beef meat	-	-	-	-	/	-	0.110	-	-	/	/	-	-	NA							2	a
2021	5715	Steak haché	Ground beef meat	H-	-	H-	+	/	-	0.099	-	H-	/	/	-	-	NA							2	a
2021	5716	Minerai de bœuf	Beef meat	-	-	-	-	/	-	0.152	-	H-	/	/	-	-	NA							2	a
2021	5852	Steak haché volaille	Ground poultry meat	H+/H-	+	H+/H-d	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+/H-	+	+	PA	2	a
2021	5853	Cube de filet et viande de cuisse de poulet	Roasted chicken meat	H+	-	H+	+d	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	a
2021	5858	Steak haché de volaille	Ground poultry meat	H+d/H-	+d	H+d/H-	+	<i>L. welshimeri</i>	-	0.040	-	H-	/	/	-	-	NA	0.028	-	H-	-	-	NA	2	a
2021	5859	Steak haché bœuf	Ground beef meat	H-	+	H-	+	/	-	0.022	-	H-	/	/	-	-	NA	0.018	-	H-	-	-	NA	2	a
2021	5862	Pintade	Poultry meat	-	-	st	st	/	-	0.024	-	-	/	/	-	-	NA							2	a
2021	6223	Steak haché	Raw beef meat	H-	-	H-	+	/	-	0.041	-	H-	/	/	-	-	NA	0.000	-	H-	-	-	NA	2	a
2021	6227	Steak haché	Raw beef meat	-	-	st	-	/	-	0.026	-	-	/	/	-	-	NA							2	a
2021	6460	Filet de porc cru	Raw pork meat	st	st	st	st	/	-	0.035	-	st	/	/	-	-	NA							2	a
2021	6462	Epaule de porc	Raw pork meat	st	-	st	st	/	-	0.040	-	-	/	/	-	-	NA							2	a
2021	6463	Epaule	Raw veal meat	H-	+	H-	+	/	-	0.026	-	H-	/	/	-	-	NA	0.048	-	H-	-	-	NA	2	a
2021	6613	Manchons retroussés de poulet	Raw chicken meat	-	-	st	st	/	-	0.042	-	-	/	/	-	-	NA							2	a
2021	6619	Aiguillettes de porc	Raw pork meat	H+	-	H+	+d	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	a
2021	6815	Poitrine d'agneau cru	Raw lamb meat	H+	+	H+	+	<i>L. monocytogenes</i>	+	1.474	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+/H-	+	+	PA	2	a
2021	6816	Escalope de veau	Raw veal meat	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	a
2021	7073	Maigre de porc	Raw pork meat	H+d	-	-	-	-	-	0.084	-	H-	/	/	-	-	NA	0.069	-	H+d/H-	-	-	NA	2	a
2021	7074	Côte de porc	Raw pork meat	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	a
2021	7075	Maigre de porc	Raw pork meat	-	-	-	-	/	-	0.050	-	-	/	/	-	-	NA							2	a
2021	7076	Steak haché 15% MG	Raw ground beef meat	-	-	-	-	/	-	0.042	-	-	/	/	-	-	NA							2	a
2021	7077	Viande rouge calibrée	Raw beef meat	H+/H-	+	H+/H-	+	<i>L. monocytogenes</i>	+	2.106	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	1.921	+	H+/H-	+	+	PA	2	a
2021	7078	Minerai de bœuf	Raw beef meat	H+/H-	+	H+/H-	+	<i>L. monocytogenes</i>	+	3.000	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+/H-	+	+	PA	2	a
2021	7079	Haut de cuisse de dinde	Raw poultry meat	st	-	st	st	/	-	0.023	-	st	/	/	-	-	NA							2	a

MEAT PRODUCTS																									
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																					
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C								Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C													
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72H	Agree- ment Ref/Alt 37°C 72h			
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests		
O&A	Palcam	O&A	Palcam	O.D.	Result	Typical colonies	Biochemical gallery			Haemo- lysis				O.D.	Result	Typical colonies									
2021	5346	Emincés kebab rôti dinde/poulet	Roasted poultry and chicken	H+d/H-	+	H+d/H-	+			<i>L. monocytogenes</i>	+	0.096	-	H-	/	/	- (+ref)	-	ND _{FN(alt)}	0.099	-	H-	- (+ref)	-	ND _{FN(alt)}
2021	5348	Aile de poulet pimentée cuite	RTRH spiced chicken wings	-	-	-	-	/	-	0.080	-	-	/	/	-	-	NA							2	b
2021	5532	Donuts de filet de poulet frais	RTRH donut chicken meat	-	-	st	-	/	-	0.095	-	H-	/	/	-	-	NA							2	b
2021	5533	Emincés de kebab rôti dinde/poulet	Sliced and seasoned poultry meat	st	-	st	st	/	-	0.068	-	-	/	/	-	-	NA							2	b
2021	5534	Paupiettes de dinde surgelées	RTRH poultry meat	H+	-	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	b
2021	5537	Cubes de filet et viande de cuisse de poulet rôti	Roasted chicken meat	st	st	st	st	/	-	0.060	-	st	/	/	-	-	NA							2	b
2021	5538	Poulet façon fajitas	Seasoned chicken meat	-	-	-	-	/	-	0.056	-	-	/	/	-	-	NA							2	b
2021	5702	Sauté de dinde	Poultry meat	H+/H-	+	H+/H-	+	<i>L. monocytogenes</i>	+	0.115	-	H-	/	/	- (+ref)	-	ND _{FN(alt)}	0.104	-	H-	- (+ref)	-	ND _{FN(alt)}	2	b
2021	5706	Blanquette de dinde	RTRH turkey meat	-	-	-	st	/	-	0.150	-	-	/	/	-	-	NA							2	b
2021	5707	Wings hoties	Wings hoties	-	-	st	-	/	-	0.088	-	-	/	/	-	-	NA							2	b
2021	5709	Nuggets cuit à DLC	Chicken nuggets	H-	+	H-	+	/	-	0.098	-	H-	/	/	-	-	NA							2	b
2021	5712	Ballotine de volaille et légumes	RTRH poultry meat and vegetables	st	-	st	-	/	-	0.073	-	st	/	/	-	-	NA							2	b
2021	5713	Emincés de filet poulet rôti	Sliced roasted chicken meat	st	-	-	-	/	-	0.095	-	st	/	/	-	-	NA							2	b
2021	6225	Emincés de poulet rôti	Roasted chicken meat	st	st	st	st	/	-	0.022	-	-	/	/	-	-	NA							2	b
2021	6226	Filet de poulet pané	Panad breaded chicken	st	st	st	st	/	-	0.023	-	-	/	/	-	-	NA							2	b
2021	6456	Wings de poulet BBQ	Chicken meat (seasoned wing)	st	st	st	st	/	-	0.041	-	st	/	/	-	-	NA							2	b
2021	6457	Ribs kebab	Kebab meat	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	b
2021	6461	Lamelle de volaille kebab rôti	Seasoned and cooked poultry meat	-	-	st	-	/	-	0.030	-	-	/	/	-	-	NA							2	b
2021	6614	Emincés de filet de poulet rôti frais	Roasted chicken meat	-	-	-	-	/	-	0.042	-	-	/	/	-	-	NA							2	b
2021	6615	Emincés de filet rôti de poulet	Roasted chicken meat	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	b
2021	6616	Lamelles de volaille kebab rôti	Seasoned and cooked poultry meat	st	-	st	st	/	-	0.035	-	-	/	/	-	-	NA							2	b

MEAT PRODUCTS																											
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ⬇					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type		
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																							
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C													
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h					
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests				
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis			O.D.	Result	Typical colonies								
2021	6617	Emincés poulet mariné citron cuit	Seasoned and cooked chicken meat	-	-	st	st			/	-	0.367/ 0.374/ 0.362	+ / + / +	st (Palcam plate x5: st. Palcam broth x5: -)	/	/	-	-	PD _{FP(alt)}	0.345/ 0.306/ 0.281	+ / + / +	st (x5: st, Palcam broth x5: -)	-	-	PD _{FP(alt)}	2	b
2021	6618	Cubes de filet de poulet rôti mariné forestier	Seasoned and cooked chicken meat	-	-	st	-			/	-	0.028	-	-	/	/	-	-	NA							2	b
2021	6817	Blanquette de veau, sauce et son riz	Veal meat with sauce and rice	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	b		
2021	6818	Steak haché à l'Emmental	Beef meat and cheese	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	b		
2021	7623	Tajine de bœuf	Beef meat RTRH	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	b		
2021	7624	Moussaka bœuf et aubergine	Beef meat RTRH	st	-	st	st	/	-	0.093	-	-	/	/	-	-	NA							2	b		
2021	5349	Franks poulet fromage	Sausage with chicken and cheese	-	-	-	-	/	-	0.107	-	-	/	/	-	-	NA							2	c		
2021	5516	Saucisse Muscadet vrac	Sausage	-	-	st	-	/	-	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PD	3.000	+	H+	+	+	PD	2	c		
2021	5517	Merguez	Merguez	H-	-	H-	+	/	-	0.087	-	H-	/	/	-	-	NA							2	c		
2021	5518	Saucisse de Strasbourg (Viande Porc Français) taux de sel réduit	Sausage	-	st	st	st	/	-	0.074	-	H-	/	/	-	-	NA							2	c		
2021	5519	Saucisse X10 knoll essentiel VPF	Sausage	-	-	-	-	/	-	0.080	-	-	/	/	-	-	NA							2	c		
2021	5520	Saucisse de Strasbourg VPF taux de sel réduit	Sausage	st	-	st	st	/	-	0.084	-	st	/	/	-	-	NA							2	c		
2021	5521	Saucisse fraiche à DLC	Sausage	st	-	st	-	/	-	0.080	-	-	/	/	-	-	NA							2	c		
2021	5522	Boudin noir	Blood sausage	st	-	st	st	/	-	0.053	-	-	/	/	-	-	NA							2	c		
2021	5523	Lardons nature	Sliced bacon	H+	-	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	c		
2021	5524	Lardons fumés cuit	Smoked sliced bacon	H+	-	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	c		
2021	5525	Miette bacon standard	Sliced bacon	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	c		
2021	5526	Saucisson p'tit sec	Sausage	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	c		
2021	5527	Saucisson de coin	Sausage	H+	-	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	c		
2021	5528	Rillettes du Mans pur porc	Rillettes (pork meat)	H+/H-	+	H-	+	<i>L. monocytogenes</i>	+	0.198	-	H-	/	/	- (+ref)	-	ND _{FN(alt)}	0.164	-	H-	- (+ref)	-	ND _{FN(alt)}	2	c		
2021	5529	Pâté à l'ail	Pâté (pork meat)	-	-	st	st	/	-	0.067	-	-	/	/	-	-	NA							2	c		
2021	5703	Jambon de porc	Pork meat	-	-	H+	-	<i>L. monocytogenes</i>	+	0.213	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	0.210	+	H+	+	+	PA	2	c		
2021	5705	Saucisson cru	Sausage	-	-	st	st	/	-	0.097	-	-	/	/	-	-	NA							2	c		
2021	5708	Saucisson Duc de Cois	Sausage	-	-	-	-	/	-	0.073	-	-	/	/	-	-	NA							2	c		

MEAT PRODUCTS																									
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type
				Half Fraser Fraser 1 Identification Final result						25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C															
										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C					
										Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h			
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests		
				O&A	Palcam	O&A	Palcam	O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis			O.D.	Result	Typical colonies								
2021	5851	Saucisson sec	Sausage	H+(1)	-	H+	-	<i>L. monocytogenes</i>	+	0.026	-	-	/	/	- (+ref)	-	ND _{FN(alt)}	0.030	-	-	- (+ref)	-	ND _{FN(alt)}	2	c
2021	5854	Saucisson (Indication Géographique Protégée) auvergne	Sausage	H+	-	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	c
2021	5855	Saucisson au noisettes	Sausage	H+	+	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	c
2021	5873	Miettes de bacon (porc)	Bacon	-	-	st	-	/	-	0.024	-	-	/	/	-	-	NA							2	c
2021	6222	Dés de jambon	Diced ham	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	2	c
2021	6224	Dés de jambon	Diced ham	st	st	st	st	/	-	0.024	-	st	/	/	-	-	NA							2	c
2021	6459	Jambon de Vendée à l'ancienne	Ham	-	-	-	-	/	-	0.042	-	-	/	/	-	-	NA							2	c

MILK AND DAIRY PRODUCTS																									
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																					
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C											
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA			Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h		
													O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)				
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies							
2021	5158	Fromage non affiné au lait cru de vache	Raw cow milk cheese	H+	+	H+	+			<i>L. monocytogenes</i>	+	1.417	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	0.813	+	H+	+	+	PA
2021	5164	Fromage non affiné au lait cru de vache	Raw cow milk cheese	-	-	-	-	/	-	1.704/0.648/ 0.779	+ / + / +	- (Palcam broth x5: -, Palcam plate x5: -)	/	/	-	-	PD _{FP(alt)}	0.227/0.377/ 0.350	+ / + / +	- (Palcam broth x5: -, Palcam plate x5: -)	-	-	PD _{FP(alt)}	3	a
2021	5165	Fromage pâte persillée au lait cru de brebis	Raw ewe milk cheese	st	-	-	-	/	-	0.170	-	-	/	/	-	-	NA							3	a
2021	5186	Fromage pâte persillée au lait cru de brebis	Raw ewe milk cheese	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	a
2021	5187	Fromage pâte persillée au lait cru de brebis	Raw ewe milk cheese	-	-	-	-	/	-	0.085	-	-	/	/	-	-	NA							3	a
2021	5188	Fromage pâte persillée au lait cru de brebis	Raw ewe milk cheese	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	a
2021	5720	Fromage au lait cru de vache	Raw cow milk cheese	st	st	st	st	/	-	0.083	-	-	/	/	-	-	NA							3	a
2021	5721	Gorgonzola AOP	Raw milk cheese	H+(1)	-	H+	-	<i>L. monocytogenes</i>	+	2.806	+	H+ (5x: H+)	<i>L. monocytogenes</i>	+	+	+	PA	2.296	+	H+ (5x: H+)	+	+	PA	3	a
2021	5722	Fromage pâte persillée au lait cru de brebis	Raw ewe milk cheese	-	st	st	st	/	-	0.111	-	st	/	/	-	-	NA	0.077	-	st	-	-	NA	3	a
2021	5723	Fromage pâte persillée au lait cru de brebis	Raw ewe milk cheese	st	st	st	st	/	-	0.085	-	st	/	/	-	-	NA							3	a
2021	6608	Fromage pâte persillée au lait cru de brebis n°226	Raw ewe milk cheese	-	-	st	st	/	-	0.030	-	-	/	/	-	-	NA							3	a
2021	6609	Fromage non affiné, lait cru de vache n°225	Raw cow milk cheese	-	-	H+	+d	<i>L. monocytogenes</i>	+	0.106	-	-	/	/	- (+ref)	-	ND _{FN(alt)}	0.071	-	-	- (+ref)	-	ND _{FN(alt)}	3	a
2021	6610	Fromage pâte persillée au lait cru de brebis	Raw ewe milk cheese	H+(5)	st	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	a
2021	7087	Roquefort AOP lait cru de brebis	Raw ewe milk cheese	st	-	st	st	/	-	0.026	-	st	/	/	-	-	NA							3	a
2021	7088	Osseau iraty AOP lait cru de brebis	Raw ewe milk cheese	-	-	st	-	/	-	0.020	-	-	/	/	-	-	NA							3	a
2021	7089	Morbier AOP lait cru de vache	Raw cow milk cheese	-	-	st	st	/	-	0.067	-	-	/	/	-	-	NA							3	a
2021	7625	Tome des bauges au lait cru de vache	Raw cow milk cheese (Tome)	H+	+	H+	+	<i>L. monocytogenes</i>	+	2.932	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	a
2021	7626	Provolone piquant au lait de vache cru	Raw cow milk cheese (Provolone)	H+	+d	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	a

MILK AND DAIRY PRODUCTS																										
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ⬇						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																						
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C												
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations				Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h			
												O&A (100 µl)	Without purification step		All confir- matory tests					O&A (100 µl)	All confir- matory tests					
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis				O.D.	Result	Typical colonies						
2021	7627	Saint Mont des Alpes au lait cru de vache	Raw cow milk cheese (Saint Mont des Alpes)	st	st	st	st			/	-	0.082	-	-	/	/	-	-	NA							3
2021	7628	Parmigiano AOP au lait cru de vache	Raw cow milk cheese (Parmigiano)	-	-	st	st	/	-	0.091	-	-	/	/	-	-	NA							3	a	
2021	5159	Lait cu de brebis (lait tank producteur)	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	5160	Lait cru de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	5161	Lait cru de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	5162	Lait cru de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	5163	Lait cru de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	5719	Lait entier	Whole raw milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	5724	Lait cru de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	5725	Lait cru de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	1.193	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	1.208	+	H+	+	+	PA	3	b	
2021	5726	Lait cru de brebis	Raw ewe milk	st	st	st	st	/	-	0.083	-	-	/	/	-	-	NA							3	b	
2021	5868	Lait cru de brebis	Raw ewe milk	-	-	st	-	/	-	0.032	-	-	/	/	-	-	NA							3	b	
2021	5869	Lait cru de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	5870	Lait cru de brebis	Raw ewe milk	H+	+d	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	5871	Lait cru de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	6602	Lait cru de brebis (tank producteur)	Raw ewe milk	-	-	st	-	/	-	0.053	-	-	/	/	-	-	NA							3	b	
2021	6603	Lait cru de brebis	Raw ewe milk	-	-	-	-	/	-	0.083	-	-	/	/	-	-	NA							3	b	
2021	6604	Lait cru de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	6605	Lait cru de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	6606	Lait de brebis	Raw ewe milk	H+	st	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	6607	Lait de brebis	Raw ewe milk	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	b	
2021	7090	Lait cru de vache	Raw cow milk	st	-	-	-	/	-	0.032	-	-	/	/	-	-	NA							3	b	
2021	7091	Lait cru de vache jersiaise	Raw cow milk	st	st	st	st	/	-	0.028	-	st	/	/	-	-	NA							3	b	
2021	7092	Fromage blanc au lait cru	Soft white cheese with raw milk	-	-	-	-	/	-	0.084	-	st	/	/	-	-	NA							3	b	
2021	7093	Lait fermenté, gros lait fermier	Fermented milk	st	st	st	st	/	-	0.019	-	-	/	/	-	-	NA							3	b	
2021	7094	Beurre de barate	Churned butter	-	-	st	-	/	-	0.019	-	H-	/	/	-	-	NA							3	b	
2021	7095	Kefir	Kefir	st	st	st	st	/	-	0.024	-	st	/	/	-	-	NA							3	b	
2021	5949	Lait pasteurisé saveur framboise	Pasteurised milk, flavour raspberry	st	-	st	-	/	-	0.112	-	-	/	/	-	-	NA							3	c	
2021	5950	Lait pasteurisé saveur chocolat	Pasteurised milk, flavour cocoa	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c	
2021	5951	Riz au lait pasteurisé, saveur vanille	Rice pudding, flavour vanilla	H+	+	H+	st	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c	

MILK AND DAIRY PRODUCTS																											
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type	
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																							
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C													
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations				Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h				
												O&A (100 µl)	Without purification step		All confir- matory tests					O&A (100 µl)	All confir- matory tests						
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies									
2021	5952	Riz au lait pasteurisé, nature	Rice pudding	H+	+	st	st			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c
2021	5953	Fromage de chèvre au lait pasteurisé	Pasteurised goat milk cheese	H+	+	H+	+			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c
2021	5954	Pointe de brie au lait de vache pasteurisé	Pasteurised cow milk cheese	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c		
2021	5955	Bleu d'auvergne AOP au lait pasteurisé	Pasteurised milk cheese (Bleu d'Auvergne)	-	-	st	-	/	-	0.051	-	st	/	/	-	-	NA						3	c			
2021	6566	Fromage de chèvre au lait pasteurisé	Pasteurised goat milk cheese	H+	+	H+	st	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c		
2021	6567	Fromage à pâte molle au lait de vache pasteurisé	Pasteurised cow milk cheese	H+	-	H+	+d	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c		
2021	6568	Fromage Quart Maroilles AOC au lait de vache pasteurisé	Pasteurised cow milk cheese	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c		
2021	6569	Riz au lait vanille	Pasteurised rice pudding, with vanilla	H+	+	H+	st	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c		
2021	6570	Riz au lait nature	Pasteurised rice pudding	H+	+	st	st	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c		
2021	6571	Lait chocolaté enrichie en vitamine D	Pasteurised milk, flavour cocoa	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c		
2021	6621	Palet chèvre pané	Breaded goat milk cheese	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	3	c		
2021	7263	Crème d'Isigny épaisse au lait de vache pasteurisé	Fresh cream with pasteurised cow milk	st	st	st	st	/	-	0.053	-	st	/	/	-	-	NA						3	c			
2021	7264	Crème fraîche épaisse de Normandie au lait pasteurisé	Fresh thickened cream with pasteurised cow milk	st	st	st	st	/	-	0.022	-	st	/	/	-	-	NA						3	c			
2021	7265	"Vache " à boire framboise au lait 1/2 écrémé pasteurisé	Milk drink, with pasteurised semi-skimmed milk, flavour raspberry	st	st	st	st	/	-	0.027	-	st	/	/	-	-	NA						3	c			
2021	7266	Yaourt à boire bio framboise	Organic milk drink, flavour raspberry	st	st	st	st	/	-	0.023	-	st	/	/	-	-	NA						3	c			
2021	7267	Riz au lait saveur vanille	Rice pudding with pasteurised milk, vanilla	st	st	st	st	/	-	0.022	-	st	/	/	-	-	NA						3	c			
2021	7268	Riz au lait nature	Rice pudding with pasteurised milk	st	st	st	st	/	-	0.021	-	st	/	/	-	-	NA						3	c			

MILK AND DAIRY PRODUCTS																											
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type		
				Half Fraser		Fraser 1		Identification	Final result	25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																	
										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C									Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C								
				Solus <i>Listeria monocytogenes</i> ELISA		Confirmations				Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h										
						O&A (100 µl)	Without purification step							All confir- matory tests	O&A (100 µl)			All confir- matory tests									
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies	All confir- matory tests								
2021	7269	Semoule au lait à la vanille	Semolina pudding, flavour vanilla	st	st	st	st	/	-	0.031	-	st	/	/	-	-	NA							3	c		
2021	7270	Semoule au lait à la vanille	Semolina pudding, flavour vanilla	st	st	st	-	/	-	0.019	-	st	/	/	-	-	NA							3	c		

VEGETABLES																									
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ⬇						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																					
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C											
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h			
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests		
O&A	Palcam	O&A	Palcam	O.D.	Result	Typical colonies	Biochemical gallery			Haemo- lysis					O.D.	Result	Typical colonies								
2021	4806	Petits pois bio	Organic green peas	-	-	st	-			/	-	0.075	-	-	/	/	-	-	NA						
2021	4807	Courgette	Zucchini	H-	+	H-	+	/	-	0.095	-	H-	/	/	-	-	NA	0.114	-	H-	-	-	NA	4	a
2021	4808	Brocolis	Broccoli	-	-	-	-	/	-	0.088	-	-	/	/	-	-	NA							4	a
2021	4809	Epinards bio	Organic spinach	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	a
2021	4810	Champignons	Mushrooms	H-	+d	H-	+	/	-	0.119	-	H-	/	/	-	-	NA	0.118	-	H-	-	-	NA	4	a
2021	4812	Ciboulette	Chives	st	-	st	-	/	-	0.055	-	-	/	/	-	-	NA							4	a
2021	4813	Chou-fleur	Cauliflower	st	-	-	-	/	-	0.051	-	-	/	/	-	-	NA							4	a
2021	4814	Ciboulette	Chives	st	-	st	-	/	-	0.060	-	-	/	/	-	-	NA							4	a
2021	4815	Persil plat	Parsley	st	st	st	st	/	-	0.054	-	st	/	/	-	-	NA							4	a
2021	4816	Chou Milan	Cabbage	H+/H-	+	H+d/H-	+	<i>L. monocytogenes</i>	+	0.363	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	0.475	+	H+/H-	+	+	PA	4	a
2021	4824	Courgettes	Zucchini	H+/H-	+	H+d/H-	+	<i>L. monocytogenes</i>	+	1.388	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	1.414	+	H+/H-	+	+	PA	4	a
2021	4889	Concombre	Cucumber	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	a
2021	4890	Courgette	Zucchini	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	a
2021	4891	Tomate	Tomato	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	a
2021	4892	Poivron	Green pepper	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	a
2021	4893	Champignon de Paris	Mushrooms	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	a
2021	5023	Persil plat	Parsley	-	-	st	st	/	-	0.073	-	-	/	/	-	-	NA	0.080	-	-	-	NA	4	a	
2021	5356	Haricots vert bio	Organic green beans	H-d	+	H-	+	/	-	0.072	-	H-	/	/	-	-	NA							4	a
2021	6234	Ciboulette	Chives	st	-	st	st	/	-	0.025	-	-	/	/	-	-	NA							4	a
2021	6235	Persil frisé	Curled parsley	-	-	-	-	/	-	0.022	-	-	/	/	-	-	NA							4	a
2021	6238	Courgettes	Zucchini	H+	+	H+/H-	+	<i>L. monocytogenes</i>	+	1.786	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	1.744	+	H+/H-	+	+	PA	4	a
2021	4811	Mix de légumes	Vegetables mix	H+d/H-	-	H+d/H-	-	<i>L. seeligeri</i>	-	0.085	-	H-	/	/	-	-	NA	0.134	-	H-	-	-	NA	4	b
2021	5019	Mezze choux fleur	Mix of cauliflower	-	-	-	-	/	-	0.072	-	-	/	/	-	-	NA	0.097	-	-	-	-	NA	4	b
2021	5022	Gratin 4 légumes	Vegetables gratin	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	b
2021	5024	Pomme de terre sarladaise	RTRH potatoes	st	st	st	st	/	-	0.071	-	st	/	/	-	-	NA	0.091	-	-	-	NA	4	b	
2021	5228	Poêlé asiatique	RTRH Asian vegetables mix	-	-	st	st	/	-	0.084	-	-	/	/	-	-	NA							4	b
2021	5230	Mélange légume campagnarde	Pre-cooked vegetables mix	st	st	st	st	/	-	0.090	-	-	/	/	-	-	NA							4	b
2021	5232	Légumes vapeur	Pre-cooked steamed vegetables	-	-	-	-	/	-	0.065	-	-	/	/	-	-	NA							4	b
2021	5233	Brunoise méridionale	Pre-cooked vegetables	-	-	-	-	/	-	0.078	-	-	/	/	-	-	NA							4	b
2021	5234	Vapeur courge, butternut, carottes, brocolis	Pre-cooked steamed vegetables, squash, butternut, carrot, broccoli	H-	+	H-	+	/	-	0.074	-	H-	/	/	-	-	NA							4	b
2021	5236	Poêlée à la bretonne	RTRH Vegetables mix	st	st	st	-	/	-	0.071	-	-	/	/	-	-	NA							4	b

VEGETABLES																										
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																						
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C												
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations				Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h			
												O&A (100 µl)	Without purification step		All confir- matory tests					O&A (100 µl)	All confir- matory tests					
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies								
2021	5237	Poivrons jaunes grillés	Pre-cooked pepper	st	st	st	st			/	-	0.060	-	st	/	/	-	-	NA							4
2021	5350	Veggy burger	Vegetarian burger	H+	-	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	b	
2021	5352	Poêlée parisienne bio	RTRH Organic vegetables mix	-	-	-	-	/	-	0.070	-	-	/	/	-	-	NA							4	b	
2021	5253	Poêlée légumes épicées	RTRH Spiced vegetables mix	-	-	-	-	/	-	0.197	-	-	/	/	-	-	NA							4	b	
2021	5355	Poêlée parisienne	RTRH Vegetables mix	-	-	-	-	/	-	0.078	-	-	/	/	-	-	NA							4	b	
2021	5850	Steak de soja, épinard et emmental	RTRH vegetable food with soya and spinach	H+	+d	-	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	b	
2021	5861	Petits pois	Green peas	H+/H-	+	H+/H-	+	<i>L. monocytogenes</i>	+	2.897	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	2.790	+	H+	+	+	PA	4	b	
2021	5863	Pois chiche après cuisson	Cooked chickpea	st	st	st	st	/	-	0.021	-	st	/	/	-	-	NA							4	b	
2021	5865	Aubergines précuites	Pre-cooked eggplant	st	-	st	st	/	-	0.020	-	-	/	/	-	-	NA							4	b	
2021	6230	Epinards hachés crème	Sliced spinach with cream	H+	-	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	b	
2021	6231	Poêlée parisienne	Vegetables mix	H+/H-	+d	H+/H-	+	<i>L. monocytogenes</i>	+	2.568	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	2.519	+	H+	+	+	PA	4	b	
2021	6232	Epinards hachés crème	Sliced spinach with cream	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	b	
2021	6233	Epinards bio hachés	Organic sliced spinach	H+	+	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	b	
2021	6239	Ecrasé de pomme de terre au sel de Guérande	Purée with salt	H+	+	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	b	
2021	6240	Galette de pomme de terre	Potatoes cake	H+	+	H+/H-	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	b	
2021	6464	Oignons préfrit	Cooked onions	st	-	st	st	/	-	0.021	-	-	/	/	-	-	NA							4	b	
2021	6465	Courgette rondelle	Sliced zucchini	H+/H-	+	H+/H-	+	<i>L. monocytogenes</i>	+	1.323	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	1.473	+	H+/H-	+	+	PA	4	b	
2021	6467	Jeunes carottes	Baby carrots	st	st	st	st	/	-	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PD	3.000	+	H+	+	+	PD	4	b	
2021	6611	Mélange de légumes (brocolis, petit pois et haricot)	Vegetables mix (broccoli, green peas and beans)	-	-	-	-	/	-	0.033	-	-	/	/	-	-	NA							4	b	
2021	6612	Garden et duo de carottes	Precooked carrots	-	-	st	st	/	-	0.021	-	-	/	/	-	-	NA							4	b	
2021	7082	Poêlée parisienne bio	Pre-cooked organic vegetables	-	-	-	-	/	-	0.019	-	-	/	/	-	-	NA							4	b	
2021	7085	Jardinière de légumes bio	Pre-cooked organic vegetables	H-	+	H-	+	/	-	0.023	-	H-	/	/	-	-	NA							4	b	
2021	5020	Paillasson de légumes	RTRH vegetables cake	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	c	
2021	5021	Paillasson de légumes	RTRH vegetables cake	H+	+	st	st	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	c	

VEGETABLES																											
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ⬇						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type		
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																							
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C								Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C															
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h					
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests				
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies	All confir- matory tests								
2021	5025	Houmous bio	Organic hummus	-	-	st	-			/	-	0.064	-	-	/	/	-	-	NA	0.085	-	-	-	-	NA	4	c
2021	5026	Houmous	Hummus	H-d	-	st	-			<i>L. grayi</i>	-	0.088	-	-	/	/	-	-	NA	0.101	-	-	-	-	NA	4	c
2021	5027	Houmous citron confit	Hummus lemon confit	H+	st	H+	st	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	c		
2021	5218	Houmous bio	Organic hummus	H+/H-	-	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	c		
2021	5229	Paillasson de légumes	RTRH vegetables cake	H+	+	st	st	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	c		
2021	5231	Galette de soja, tomate et basilic	Soya, tomato and basil cake	-	-	-	-	/	-	0.063	-	-	/	/	-	-	NA							4	c		
2021	5235	Palet épinard/chèvre	Spinach cake	H+	+	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	c		
2021	5357	Houmous	Hummus	-	-	-	-	/	-	0.087	-	-	/	/	-	-	NA							4	c		
2021	5358	Houmous	Hummus	-	-	-	-	/	-	0.110	-	-	/	/	-	-	NA							4	c		
2021	5359	Houmous	Hummus	H-	-	-	-	/	-	3.000	+	H+d	<i>L. monocytogenes</i>	+	+	+	PD	3.000	+	H+	+	+	PD	4	c		
2021	5860	Guacamole	Guacamole	-	-	st	st	/	-	0.019	-	-	/	/	-	-	NA							4	c		
2021	5864	Pané de patates douces	Breaded sweet potato	-	-	st	st	/	-	0.020	-	-	/	/	-	-	NA							4	c		
2021	6237	Palet choux brocolis	Cabbage and broccoli cake	H+	+	H+/H-	+	<i>L. monocytogenes</i>	+	1.241	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	1.085	+	H+	+	+	PA	4	c		
2021	6241	Palets de légumes courgettes	Zucchini and vegetables cake	H+	-	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	4	c		
2021	6471	Tartinable de thon	Tuna RTE food	st	st	st	st	/	-	0.025	-	st	/	/	-	-	NA							4	c		
2021	7630	Artichauts marinés	Seasoned artichoke (RTE)	st	st	st	st	/	-	0.094	-	st	/	/	-	-	NA							4	c		
2021	7631	Poivrons marinés	Seasoned pepper (RTE)	st	st	st	st	/	-	0.095	-	st	/	/	-	-	NA							4	c		
2021	7632	Macédoine de légumes	RTE vegetables mix (macedoine)	st	st	st	st	/	-	0.103	-	st	/	/	-	-	NA							4	c		

SEAFOOD AND FISHERY PRODUCTS																											
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ⬇						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type		
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																							
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C								Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C															
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h					
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests				
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis	O.D.	Result	Typical colonies										
2021	5007	Portion de lieu noir	Raw fish filet	H+	+d	H+(1)	-			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	a
2021	5008	Portion de lieu noir	Raw fish filet	H+	+	H+	+			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	a
2021	5009	Pavés de saumon d'Ecosse	Raw salmon filet	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	a		
2021	5010	Chair grattée de saumon	Salmon	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	a		
2021	5011	Pavés de saumon d'Ecosse	Raw salmon fillet	-	-	st	st	/	-	0.086	-	-	/	/	-	-	NA	0.077	-	-	-	-	NA	5	a		
2021	5220	Langoustines	Langoustine	st	-	st	st	/	-	0.089	-	st	/	/	-	-	NA							5	a		
2021	5223	Noix de Saint- Jacques	Scallops	-	st	st	st	/	-	0.112	-	st	/	/	-	-	NA							5	a		
2021	5224	Lieu noir	Fish filet	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	a		
2021	5226	Dos de colin d'Alaska	Raw fish filet	H+	+	st	st	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	a		
2021	6228	Chair de saumon	Salmon filet	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	a		
2021	6472	Coquille Saint- Jacques	Scallops	-	-	-	-	/	-	0.029	-	-	/	/	-	-	NA							5	a		
2021	6623	Portion de colin	Fish filet	-	-	-	-	/	-	0.026	-	-	/	/	-	-	NA	0.029	-	-	-	-	NA	5	a		
2021	6624	Colin et lieu	Fish filet	H+	-	H+	+d	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	a		
2021	6625	Colin et lieu	Fish filet	H+/H-	+d	H+/H-	+	<i>L. monocytogenes</i>	+	1.251	+	H+ni/H-	<i>L. monocytogenes</i>	+	+	+	PA	1.321	+	H+/H-	+	+	PA	5	a		
2021	7086	Filet de lotte	Raw fish filet	H-	+	H-	+	/	-	0.085	-	H-	/	/	-	-	NA							5	a		
2021	7633	Noix de Saint- Jacques	Raw scallops	st	st	st	st	/	-	0.109	-	-	/	/	-	-	NA							5	a		
2021	7634	Filet de maquereau	Raw fish filet (mackerel)	st	st	st	-	/	-	0.096	-	-	/	/	-	-	NA							5	a		
2021	7635	Filet de merlan	Raw fish filet (whiting)	st	st	-	-	/	-	0.099	-	-	/	/	-	-	NA							5	a		
2021	7636	Filet de queue de cabillaud	Raw fish filet (cod)	st	st	st	st	/	-	0.094	-	-	/	/	-	-	NA							5	a		
2021	7637	Pavé de truite	Raw fish filet (trout)	st	st	st	st	/	-	0.088	-	-	/	/	-	-	NA							5	a		
2021	4817	Saumon salmar fumé	Smoked salmon	st	-	-	-	/	-	0.068	-	-	/	/	-	-	NA							5	b		
2021	4818	Saumon salmar fumé	Smoked salmon	-	-	-	-	/	-	0.071	-	-	/	/	-	-	NA							5	b		
2021	4819	Scraps de saumon fumé	Smoked salmon	H+	+	H+/H-	+	<i>L. monocytogenes</i>	+	3.000	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+/H-	+	+	PA	5	b		
2021	4820	Saumon salmar fumé	Smoked salmon	H+	-	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	b		
2021	4821	Saumon fumé	Smoked salmon	H+/H-	-	H+/H-	+	<i>L. monocytogenes</i>	+	3.000	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+/H-	+	+	PA	5	b		
2021	4822	Saumon fumé	Smoked salmon	H+	-	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	b		
2021	4823	Truite fumée	Smoked trout	st	-	-	-	/	-	0.086	-	-	/	/	-	-	NA							5	b		
2021	4879	Filet de haddock fumé à froid à l'ancienne	Smoked haddock	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	b		
2021	4880	Filet de maquereaux fumé au bois de hêtre et poivre	Smoked mackerel and pepper	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	b		

SEAFOOD AND FISHERY PRODUCTS																									
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ⬇						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																					
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C											
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h			
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests		
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies							
2021	4881	Filet de harengs fumés	Smoked herring	H+	+	H+	+			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA
2021	4882	Filet de maquereaux fumé au bois de hêtre nature	Smoked mackerel	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	b
2021	4883	Filet d'anchois marinés à l'ail aux câpres et au persil	Seasoned anchovy with caper and parsley	st	st	st	st	/	-	0.105	-	-	/	/	-	-	NA	0.123	-	-	-	-	NA	5	b
2021	5006	Truite fumée	Smoked trout	-	-	-	-	/	-	0.166	-	-	/	/	-	-	NA	0.179	-	-	-	-	NA	5	b
2021	5214	Truite fumée de Bretagne	Smoked trout	H-	+	H-	+	/	-	0.078	-	H-	/	/	-	-	NA							5	b
2021	5215	Truite fumée bio	Organic smoked trout	H+/H-	+	H+/H-	+	<i>L. monocytogenes</i>	+	2.955	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	2.754	+	H+	+	+	PA	5	b
2021	5227	Saumon d'Atlantique fumé	Smoked salmon	st	st	st	st	/	-	0.084	-	-	/	/	-	-	NA							5	b
2021	5345	Truite de mer fumée Norvège	Smoked trout	H-	+	H-	+	/	-	0.220	+	H+d/H-	<i>L. monocytogenes</i>	+	+	+	PD	0.230	+	H+/H-	+	+	PD	5	b
2021	7271	Filets de harengs fumés	Smoked herring	-	-	-	-	/	-	0.021	-	-	/	/	-	-	NA							5	b
2021	7272	Filets de maquereaux fumés au bois de hêtre au poivre	Smoked mackerel, with pepper	-	-	-	-	/	-	0.017	-	-	/	/	-	-	NA							5	b
2021	7273	Saumon fumé élevé en Ecosse	Smoked salmon	-	-	-	-	/	-	0.022	-	-	/	/	-	-	NA							5	b
2021	7274	Truite fumée au bois de hêtre	Smoked trout	st	st	st	-	/	-	0.040	-	st	/	/	-	-	NA							5	b
2021	4825	Sandwich thon	Sandwich with tuna	st	st	-	-	/	-	0.054	-	st	/	/	-	-	NA							5	c
2021	4826	Croque Saumon	RTE food with salmon	st	-	-	st	/	-	0.060	-	st	/	/	-	-	NA							5	c
2021	4827	Galette de saumon poireaux	RTRH food with almon and leek	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	c
2021	4828	Nuggets au saumon	Salmon nuggets	-	-	-	-	/	-	0.068	-	-	/	/	-	-	NA							5	c
2021	4829	Paella avec poissons	Paella with fish	H-	-	-	-	/	-	0.051	-	H-	/	/	-	-	NA							5	c
2021	4830	Coquilles fruits de mer	Seafood RTRH food	-	-	st	-	/	-	0.059	-	-	/	/	-	-	NA							5	c
2021	4831	Assiette noix de saint jacques à la bretonne	RTRH food with scallop	-	-	st	st	/	-	0.046	-	-	/	/	-	-	NA							5	c
2021	4884	Tourte garnie de morceaux d'encornet géant	Squid pie	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	c
2021	4885	Feuilleté au duo de saumon	Salmon pie	st	st	st	st	/	-	0.100	-	-	/	/	-	-	NA	0.067	-	-	-	-	NA	5	c
2021	4886	Merlu blanc aux légumes du soleil	Hake fish with vegetables	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	c

SEAFOOD AND FISHERY PRODUCTS																											
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type	
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																							
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C													
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h					
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests				
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies	All confir- matory tests								
2021	4887	Thon à la tomate	Tuna with tomatoes	H+	+	H+	+			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	c
2021	4888	Saumon sauce à l'oseille	Salmon with sorrel sauce	H+	+	H+	+			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	c
2021	5012	Dos de colin d'Alaska nature cuit	Cooked fish fillet	H+	+	H+(3)	st	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	c		
2021	5013	Cube de colin cuit 18g	Cooked fish fillet	H+/H-	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	c		
2021	5014	Pavé de colin topping épinard	RTRH fish fillet with spinach	-	-	-	-	/	-	0.074	-	H+d/H-	<i>L. seeligeri</i>	-	-	-	NA	0.149	-	-	-	-	NA	5	c		
2021	5015	Pavés de colin MSC topping napolitain	RTRH fish fillet	-	-	-	-	/	-	0.054	-	-	/	/	-	-	NA	0.086	-	-	-	-	NA	5	c		
2021	5016	Pavés de colin napolitain	RTRH fish fillet	H-d	-	-	-	<i>L.grayi</i>	-	0.063	-	-	/	/	-	-	NA	0.098	-	-	-	-	NA	5	c		
2021	5017	Crevettes cuites entières	Cooked shrimps	H+	-	H+	+	<i>L. monocytogenes</i>	+	2.837	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	1.880	+	H+	+	+	PA	5	c		
2021	5018	Crevettes cuites entières	Cooked shrimps	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	c		
2021	5216	Paella poisson	Paella with fish	st	-	-	-	/	-	0.101	-	-	/	/	-	-	NA							5	c		
2021	5217	Queue de crevettes panées	Breaded shrimp tails	st	st	st	st	/	-	0.097	-	-	/	/	-	-	NA							5	c		
2021	5219	Petit poisson pané	Breaded fish	st	-	-	-	/	-	0.148	-	-	/	/	-	-	NA							5	c		
2021	5221	Dos de colin d'Alaska nature cuit	Cooked fish filet	H+	+	st	st	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	c		
2021	5222	Paupiette de saumon	Salmon rolls	H+	+	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	5	c		
2021	5225	Brochette de saumon	Salmon skewers	H+	+	H+	+	<i>L. monocytogenes</i>	+	0.249	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	0.290	+	H+	+	+	PA	5	c		
2021	5238	Pavé de poisson napolitaine	Seasoned fish filet	-	-	-	-	/	-	0.062	-	-	/	/	-	-	NA							5	c		

PRODUCTION ENVIRONMENTAL SAMPLES																											
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type	
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																							
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C													
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations				Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h				
												O&A (100 µl)	Without purification step		All confir- matory tests					O&A (100 µl)	All confir- matory tests						
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies									
2021	5872	Matière bac déchets	Production residues	H+	+	H+	+			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	a
2021	5956	Déchét de crème glacée (production de glace)	Residues (ice cream production)	-	-	-	-			/	-	0.038	-	-	/	/	-	-	NA							6	a
2021	5957	Déchét de crème glacée (production de glace)	Residues (ice cream production)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	a		
2021	5958	Déchét de crème glacée (production de glace)	Residues (ice cream production)	H+	-	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	a		
2021	5959	Déchét viande hachée (industrie de produits carnés)	Residues (meat products industry)	-	-	-	-	/	-	0.075	-	-	/	/	-	-	NA							6	a		
2021	5960	Déchét viande de boeuf ramassée au sol (industrie de produits carnés)	Residues (meat products industry)	H+	+	H+	+	<i>L. monocytogenes</i>	+	0.041	-	H-	/	/	- (+ref)	-	ND _{FN(alt)}	0.070	-	H-	- (+ref)	-	ND _{FN(alt)}	6	a		
2021	5961	Déchét viande de porc ramassée au sol (industrie de produits carnés)	Residues (meat products industry)	H-(6)	+	H-	+	/	-	0.035	-	H-	/	/	-	-	NA							6	a		
2021	6218	Déchét carcasse boeuf 2 (industrie de produits carnés)	Residue, beef carcass (meat products industry)	st	-	-	-	/	-	0.025	-	-	/	/	-	-	NA							6	a		
2021	6219	Déchét carcasse boeuf 4 (industrie de produits carnés)	Residue, beef carcass (meat products industry)	st	st	st	st	/	-	0.023	-	-	/	/	-	-	NA							6	a		
2021	6220	Déchét chute découpe viande de porc ramassée au sol (industrie de produits carnés)	Residue, pork meat (meat products industry)	H+/H-	+	H+/H-	+	<i>L. monocytogenes</i>	+	0.552	+	H+/H-	<i>L. monocytogenes</i>	+	+	+	PA	0.388	+	H+/H-	+	+	PA	6	a		
2021	6221	Déchét chute découpe viande de boeuf ramassée au sol (industrie de produits carnés)	Residue, beef meat (meat products industry)	H-	+	H-	+	/	-	0.042	-	H-	/	/	-	-	NA	0.000	-	H-	-	-	NA	6	a		
2021	6819	Poussière d'aspirateur (industrie de produits laitier)	Vacuum dusts (dairy products industry)	st	st	st	st	/	-	0.032	-	-	/	/	-	-	NA							6	a		
2021	6820	Poussière d'aspirateur (industrie de produits laitier)	Vacuum dusts (dairy products industry)	-	-	st	-	/	-	0.024	-	-	/	/	-	-	NA							6	a		

PRODUCTION ENVIRONMENTAL SAMPLES																											
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type		
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																							
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C													
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations				Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72H	Agree- ment Ref/Alt 37°C 72h				
												O&A (100 µl)	Without purification step		All confir- matory tests					O&A (100 µl)	All confir- matory tests						
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies									
2021	6821	Poussière d'aspirateur (industrie de produits laitier)	Vacuum dusts (dairy products industry)	st	st	st	st			/	-	0.029	-	st	/	/	-	-	NA							6	a
2021	7735	Poussière aspirateur P51 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	st	st	st	st			/	-	0.107	-	st	/	/	-	-	NA							6	a
2021	7736	Poussière aspirateur P32 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	st	st	st	st	/	-	0.085	-	st	/	/	-	-	NA							6	a		
2021	7737	Poussière aspirateur CE1 2894 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	st	-	-	-	/	-	0.077	-	-	/	/	-	-	NA							6	a		
2021	7738	Poussière aspirateur P41 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	st	-	st	st	/	-	0.074	-	-	/	/	-	-	NA	0.119	-	-	-	-	NA	6	a		
2021	7739	Poussière aspirateur A31 2887 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	H+(1)	-	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	a		
2021	7740	Poussière aspirateur P51 2895 (industrie de produits laitiers)	Vacuum dusts (dairy products industry)	st	st	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	a		
2022	34	Déchet produits laitiers (industrie de produits laitiers)	Residues, cheese (dairy products industry)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	a		
2021	5189	Eau de process (charcuterie, industrie produits carnés)	Process water (meat products industry)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	b		
2021	5280	Eau de nettoyage (industrie de produits de la mer)	Cleaning water (seafood products industry)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	b		
2021	5281	Eau de rinçage (industrie de produits de la mer)	Rinse water (seafood products industry)	st	st	st	st	/	-	0.080	-	st	/	/	-	-	NA	0.082	-	st	-	-	NA	6	b		
2021	5856	Eau de process	Process water	-	-	st	st	/	-	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PD	3.000	+	H+	+	+	PD	6	b		
2021	5962	Eau de process couteau découpe dinde (production produits carnés)	Process water (meat products industry)	st	st	st	st	/	-	0.035	-	st	/	/	-	-	NA							6	b		

PRODUCTION ENVIRONMENTAL SAMPLES																										
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type	
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																						
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C												
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72H	Agree- ment Ref/Alt 37°C 72h				
												O&A (100 µl)	Without purification step						All confir- matory tests	O&A (100 µl)			All confir- matory tests			
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies	All confir- matory tests							
2021	5963	Eau de process entonnoir, dinde (production produits carnés, dinde)	Process water (meat products industry)	st	st	st	st			/	-	0.036	-	st	/	/	-	-	NA						6	b
2021	5964	Eau de process, verre doseur cuisse de poulet (production produits carnés)	Process water (meat products industry)	st	st	st	st			/	-	0.037	-	st	/	/	-	-	NA						6	b
2021	5965	Eau de process plan de travail sauté de dinde (production de produits carnés)	Process water (meat products industry)	st	st	st	st	/	-	0.044	-	st	/	/	-	-	NA						6	b		
2021	5966	Eau de rinçage crème glacée (production de crème glacée)	Rinse water (ice cream production)	H+	+(3)	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	b	
2021	6572	Eau de process Bache 1 (industrie de produits laitiers)	Process water (dairy products industry)	H+	+	st	+(2)	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	b	
2021	6573	Eau de process Bache 2 (industrie de produits laitiers)	Process water (dairy products industry)	H+	+	H+(7)	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	b	
2021	6574	Eau de process Bache NEP (industrie de produits laitiers)	Process water (dairy products industry)	H+	+	H+(4)	+(7)	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	b	
2021	6575	Eau de rinçage Fab 2 Cru (industrie de produits carnés)	Rinse water (meat product industry)	H-	st	H-	+d	/	-	0.029	-	H-	/	/	-	-	NA	0.026	-	H-	-	-	NA	6	b	
2021	6576	Eau de rinçage NEP 3 n°1 (industrie de produits carnés)	Rinse water (meat product industry)	H-	st	st	st	/	-	0.020	-	H-	/	/	-	-	NA	0.027	-	H-	-	-	NA	6	b	
2021	7728	Eau de rinçage (industrie biscuit chocolat)	Rinse water (biscuit and chocolate industry)	H+	st	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	b	
2021	7729	Eau de rinçage (industrie biscuit chocolat)	Rinse water (biscuit and chocolate industry)	H+	-	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	b	
2021	7730	Eau de rinçage (industrie biscuit chocolat)	Rinse water (biscuit and chocolate industry)	H+	-	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	b	

PRODUCTION ENVIRONMENTAL SAMPLES																									
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																					
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C											
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations				Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h		
												O&A (100 µl)	Without purification step		All confir- matory tests					O&A (100 µl)	All confir- matory tests				
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies	All confir- matory tests						
2021	7731	Eau de process top iniet (industrie biscuit chocolat)	Process water (biscuit and chocolate	st	st	st	st			/	-	0.109	-	st	/	/	-	-	NA						
2021	7979	Eau de rinçage (industrie biscuit chocolat)	Rinse water plant 68 (biscuit and chocolate industry)	st	st	st	st	/	-	0.050	-	st	/	/	-	-	NA							6	b
2021	7980	Eau de rinçage bacle 1 (industrie produits laitiers)	Rinse water Bacle 1 (dairy products industry)	st	st	st	st	/	-	0.048	-	st	/	/	-	-	NA							6	b
2021	5967	Lingette pompe machine glace, avant nettoyage (production de glace)	Wipe before cleaning (ice cream production)	st	st	-	-	/	-	0.003	-	-	/	/	-	-	NA							6	c
2021	5968	Lingette vaisselle, avant nettoyage (production de glace)	Wipe before cleaning (ice cream production)	H+	-	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	c
2021	5969	Lingette homogénéisateur crème glacée, avant nettoyage (production de glace)	Wipe before cleaning (ice cream production)	H+	-	H+	-	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	c
2021	5970	Eponge nacelle abattoir, avant nettoyage (industrie de produits carnés)	Sponge, before cleaning (meat products industry)	-	-	-	-	/	-	0.010	-	-	/	/	-	-	NA							6	c
2021	5971	Eponge abattoir, avant nettoyage (industrie de produits carnés)	Sponge, before cleaning (meat products industry)	-	-	-	-	/	-	0.003	-	-	/	/	-	-	NA							6	c
2021	5972	Eponge abattoir, nacelle sale intérieure (industrie de produits carnés)	Sponge before cleaning (meat product industry)	H-	+	H-	+	/	-	0.004	-	H-	/	/	-	-	NA							6	c
2021	6217	Eponge carcasse bœuf 1 (industrie de produits carnés)	Sponge before cleaning, beef carcass (meat products industry)	st	st	st	st	/	-	0.051	-	st	/	/	-	-	NA							6	c
2021	6577	Ecouvillon mélangeur rhule crème glacée avant nettoyage (production de glace)	Swab, blender before cleaning (ice cream production)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	c

PRODUCTION ENVIRONMENTAL SAMPLES																											
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA															Category	Type	
				25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																							
				Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C													
				Half Fraser		Fraser 1		Identification	Final result	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations				Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h				
												O&A (100 µl)	Without purification step		All confir- matory tests					O&A (100 µl)	All confir- matory tests						
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies	All confir- matory tests								
2021	6578	Ecouvillon homogénéisateur après nettoyage (production de glace)	Swab, homogenizer after cleaning (ice cream production)	H+	+	H+	+			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	c
2021	6579	Ecouvillon freezer crème glacée avant nettoyage (production de glace)	Swab, freezer before cleaning (ice cream production)	H+	+	H+	+			<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	c
2021	6580	Chiffonnette pompe crème glacée (production de glace)	Wipe, pump after cleaning (ice cream production)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	c		
2021	6581	Chiffonnette CDH crème glacée après nettoyage (production de glace)	Wipe, pump after cleaning (ice cream production)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	c		
2021	6582	Chiffonnette n°26 (industrie de produits laitiers)	Wipe before cleaning (dairy products industry)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	c		
2021	6583	Chiffonnette n°47 sol zone feed 1 avant nettoyage (industrie de produits laitiers)	Wipe, ground, before cleaning (dairy products industry)	H+	+	H+	+	<i>L. monocytogenes</i>	+	3.000	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	3.000	+	H+	+	+	PA	6	c		
2021	6584	Chiffonnette tapis intralock têtes échaudées (intérieur) après nettoyage (industrie de produits carnés)	Wipe, carpet after cleaning (meat products industry)	st	st	st	st	/	-	0.021	-	st	/	/	-	-	NA						6	c			
2021	6585	Chiffonnette couteau désosseur 2tr (industrie de produits carnés)	Wipe, shaping knife, before cleaning (meat products industry)	st	st	st	st	/	-	0.017	-	st	/	/	-	-	NA						6	c			
2021	6586	Chiffonnette support pour fromage steak avant nettoyage (industrie de produits carnés)	Wipe, working plan, before cleaning (meat products industry)	st	st	st	st	/	-	0.017	-	st	/	/	-	-	NA						6	c			
2021	7732	Chiffonnette après nettoyage (industrie biscuit chocolat)	Wipe after cleaning (biscuit and chocolate	H+	+	H+	+	<i>L. monocytogenes</i>	+	1.538	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	1.058	+	H+	+	+	PA	6	c		

PRODUCTION ENVIRONMENTAL SAMPLES																											
Year of analysis	N°Sample	Product (French name)	Product	Reference method: ISO 11290-1 ♦						Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA														Category	Type		
				Half Fraser		Fraser 1		Identification	Final result	25g (or swab/sponge/wipe) + 225ml (or 9mL/90mL/225mL) Half Fraser broth - 24h at 30°C																	
										Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth - 24 h at 37°C								Subculture: 0.2 ml + 10 ml PAC supp SOLUS Palcam broth 24 h at 37°C + 72 h at 5°C ± 3°C									
										Solus <i>Listeria monocytogenes</i> ELISA		Confirmations			Final result 37°C	Agree- ment Ref/Alt PAC 37°C	Solus <i>Listeria monocytogenes</i> ELISA		Confirmations		Final result 37°C 72h	Agree- ment Ref/Alt 37°C 72h					
				O&A (100 µl)	Without purification step		All confir- matory tests			O&A (100 µl)	All confir- matory tests																
				O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies	Biochemical gallery	Haemo- lysis		O.D.	Result	Typical colonies	All confir- matory tests								
2021	7733	Chiffonnette avant nettoyage (industrie biscuit chocolat)	Wipe before cleaning (biscuit and chocolate)	H+	+	H+	+	<i>L. monocytogenes</i>	+	1.454	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	1.038	+	H+	+	+	PA	6	c		
2021	7734	Eponge avant nettoyage cross screen cover plant 68 (industrie biscuit chocolat)	Sponge before cleaning (biscuit and chocolate)	H+	+	H+	+	<i>L. monocytogenes</i>	+	0.662	+	H+	<i>L. monocytogenes</i>	+	+	+	PA	0.600	+	H+	+	+	PA	6	c		

Appendix 5 – Relative level of detection study: raw data

Matrix: Deli-salad: piemontaise

Strain: *Listeria monocytogenes* Ad494

Seeding 72h at 3±2°C

Aerobic mesophilic flora: 3.0x10⁴ CFU/g

N° sample	Level	Inoculation level (CFU/sample)	Reference method: ISO 11290-1♦					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA						
			Subculture: 0.2 ml+10 ml PAC supp SOLUS Palcam broth - 24h at 37°C											
			Half Fraser		Fraser		Final result	Number positive samples/Total	Solus Listeria monocytogenes ELISA		Confirmation		Final result 37°C	Number positive samples/Total
			O&A	Palcam	O&A	Palcam			O.D.	Result	O&A (100 µl)	All confirmatory tests		
7433	0	0	-	-	-	-	-	0/5	0.096	-	-	-	-	0/5
7434			-	-	-	-	-		0.096	-	-	-	-	
7435			-	-	-	-	-		0.088	-	-	-	-	
7436			-	-	-	-	-		0.092	-	-	-	-	
7437			-	-	-	-	-		0.117	-	-	-	-	
7438	Low	0.7	H+	+	H+	+	+	12/20	3.000	+	H+	+	+	12/20
7439			-	-	-	-	-		0.088	-	-	-	-	
7440			H+	st	H+	+	+		3.000	+	H+	+	+	
7441			-	-	-	-	-		0.078	-	st	-	-	
7442			st	-	-	-	-		0.129	-	-	-	-	
7443			H+	+	H+	+	+		3.000	+	H+	+	+	
7444			-	-	-	-	-		0.082	-	st	-	-	
7445			-	-	-	-	-		0.101	-	st	-	-	
7446			H+	+	H+	+	+		3.000	+	H+	+	+	
7447			H+	+	H+	+	+		3.000	+	H+	+	+	
7448			H+	+	H+	+	+		3.000	+	H+	+	+	
7449			H+	+	H+	+	+		3.000	+	H+	+	+	
7450			-	-	-	-	-		0.094	-	-	-	-	
7451			H+	+	H+	+	+		3.000	+	H+	+	+	
7452			H+	+	H+	+	+		3.000	+	H+	+	+	
7453			-	-	-	-	-		0.107	-	-	-	-	
7454			-	-	-	-	-		0.101	-	-	-	-	
7455			H+	+	H+	+	+		3.000	+	H+	+	+	
7456			H+	+	H+	+	+		3.000	+	H+	+	+	
7457			H+	+	H+	+	+		3.000	+	H+	+	+	
7458	High	2.9	H+	+	H+	+	+	4/5	3.000	+	H+	+	+	4/5
7459			H+	+	H+	+	+		3.000	+	H+	+	+	
7460			-	-	-	-	-		0.099	-	-	-	-	
7461			H+	+	H+	+	+		3.000	+	H+	+	+	
7462			H+	+	H+	+	+		3.000	+	H+	+	+	

Matrix: Rillettes

Strain: *Listeria monocytogenes* Ad669

Seeding 48h at 3±2°C

Aerobic mesophilic flora: <10 CFU/g

N° sample	Level	Inoculation level (CFU/sample)	Reference method: ISO 11290-1 ♦					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA						
			Subculture: 0.2 ml+10 ml PAC supp SOLUS Palcam broth - 24h at 37°C											
			Half Fraser		Fraser		Final result	Number positive samples/Total	Solus Listeria monocytogenes ELISA		Confirmation		Final result 37°C	Number positive samples/Tota
											O&A (100 µl)	All confirmatory tests		
O&A	Palcam	O&A	Palcam	O.D.	Result	Typical colonies								
7199	0	0	st	st	st	st	-	0/5	0.198	-	st	-	-	0/5
7200			st	st	st	st	-		0.023	-	st	-	-	
7201			st	st	st	st	-		0.021	-	st	-	-	
7202			st	st	st	st	-		0.022	-	st	-	-	
7203			st	st	st	st	-		0.021	-	st	-	-	
7204	Low	0.6	st	st	st	st	-	6/20	0.024	-	st	-	-	6/20
7205			H+	+	H+	+	+		3.000	+	H+	+	+	
7206			st	st	st	st	-		0.148	-	st	-	-	
7207			st	st	st	st	-		0.019	-	st	-	-	
7208			st	st	st	st	-		0.018	-	st	-	-	
7209			st	st	st	st	-		0.018	-	st	-	-	
7210			st	st	st	st	-		0.019	-	st	-	-	
7211			st	st	st	st	-		0.021	-	st	-	-	
7212			st	st	st	st	-		0.033	-	st	-	-	
7213			st	st	st	st	-		0.021	-	st	-	-	
7214			st	st	st	st	-		0.018	-	st	-	-	
7215			st	st	st	st	-		0.024	-	st	-	-	
7216			st	st	st	st	-		0.018	-	st	-	-	
7217			H+	+	H+	+	+		3.000	+	H+	+	+	
7218			st	st	st	st	-		0.027	-	st	-	-	
7219			H+	+	H+	+	+		3.000	+	H+	+	+	
7220			H+	+	H+	+	+		3.000	+	H+	+	+	
7221			H+	+	H+	+	+		3.000	+	H+	+	+	
7222			st	st	st	st	-		0.020	-	st	-	-	
7223			H+	+	H+	+	+		3.000	+	H+	+	+	
7224	High	2.4	H+	+	H+	+	+	3/5	3.000	+	H+	+	+	3/5
7225			st	st	st	st	-		0.020	-	st	-	-	
7226			H+	+	H+	+	+		3.000	+	H+	+	+	
7227			st	st	st	st	-		0.023	-	st	-	-	
7228			H+	+	H+	+	+		3.000	+	H+	+	+	

Matrix: Raw milk

Strain: *Listeria monocytogenes* 153

Seeding 48h at 3±2°C

Aerobic mesophilic flora: 2x10⁶ CFU/mL

N° sample	Level	Inoculation level (CFU/sample)	Reference method: ISO 11290-1♦					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA						
			Half Fraser		Fraser		Final result	Number positive samples/Total	Solus <i>Listeria monocytogenes</i> ELISA		Confirmation		Final result 37°C	Number positive samples/Tota
											O&A (100 µl)	All confirmatory tests		
			O&A	Palcam	O&A	Palcam			O.D.	Result	Typical colonies			
6933	0	0	st	st	-	st	-	0/5	0.069	-	-	-	-	0/5
6934			st	-	-	-	-		0.039	-	-	-	-	
6935			-	-	-	-	-		0.048	-	-	-	-	
6936			-	-	-	-	-		0.041	-	-	-	-	
6937			-	-	-	-	-		0.044	-	-	-	-	
6938	Low	0.4	H+	+	H+	+	+	12/20	3.000	+	H+		+	12/20
6939			st	-	-	-	-		0.040	-	-	-	-	
6940			-	-	-	-	-		0.036	-	-	-	-	
6941			-	-	-	-	-		0.044	-	-	-	-	
6942			H+	+	H+	+	+		3.000	+	H+	+	+	
6943			-	-	-	-	-		0.031	-	-	-	-	
6944			H+	+	H+	+	+		3.000	+	H+	+	+	
6945			H+	+	H+	+	+		3.000	+	H+	+	+	
6946			H+	+	H+	+	+		3.000	+	H+	+	+	
6947			H+	+	H+	+	+		3.000	+	H+	+	+	
6948			H+	+	H+	+	+		3.000	+	H+	+	+	
6949			-	-	-	-	-		0.043	-	-	-	-	
6950			-	-	-	-	-		0.036	-	-	-	-	
6951			H+	+	H+	+	+		3.000	+	H+	+	+	
6952			-	-	-	-	-		0.036	-	-	-	-	
6953			H+(3)	+	H+	+	+		3.000	+	H+	+	+	
6954			H+	+	H+	+	+		3.000	+	H+	+	+	
6955			H+	+	H+	+	+		3.000	+	H+	+	+	
6956			H+	+	H+	+	+		3.000	+	H+	+	+	
6957			-	-	-	-	-		0.042	-	-	-	-	
6958	High	1.6	H+	+	H+	+	+	5/5	3.000	+	H+	+	+	5/5
6959			H+	+	H+	+	+		3.000	+	H+	+	+	
6960			H+	+	H+	+	+		3.000	+	H+	+	+	
6961			H+	+	H+	+	+		3.000	+	H+	+	+	
6962			H+	+	H+	+	+		3.000	+	H+	+	+	

Matrix: Smoked salmon
 Strain: *Listeria monocytogenes* Ad670
 Seeding 48h at 3±2°C

Aerobic mesophilic flora: 1.0x10² CFU/g

N° sample	Level	Inoculation level (CFU/sample)	Reference method: ISO 11290-1♦					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA						
			Subculture: 0.2 ml+10 ml PAC supp SOLUS Palcam broth - 24h at 37°C											
			Half Fraser		Fraser		Final result	Number positive samples/Total	Solus <i>Listeria monocytogenes</i> ELISA		Confirmation		Final result 37°C	Number positive samples/Total
			O&A	Palcam	O&A	Palcam			O.D.	Result	O&A (100 µl)	All confirmatory tests		
7278	0	0	st	-	st	st	-	0/5	0.020	-	-	-	-	0/5
7279			-	-	-	-	-		0.022	-	st	-	-	
7280			-	-	-	-	-		0.025	-	st	-	-	
7281			-	-	-	-	-		0.020	-	st	-	-	
7282			-	-	-	-	-		0.020	-	-	-	-	
7394	Low	0.5	-	-	-	-	-	6/20	0.100	-	-	-	-	6/20
7395			st	-	st	-	-		0.097	-	-	-	-	
7396			st	-	st	-	-		0.102	-	st	-	-	
7397			st	-	st	-	-		0.118	-	-	-	-	
7398			st	-	-	-	-		0.115	-	-	-	-	
7399			-	-	-	-	-		0.113	-	-	-	-	
7400			H+	-	H+	-	+		3.000	+	H+	+	+	
7401			st	-	-	-	-		0.104	-	st	-	-	
7402			H+/H-	-	H+/H-	-	+		3.000	+	H+	+	+	
7403			-	-	-	-	-		0.113	-	-	-	-	
7404			H+	+	H+/H-	+	+		3.000	+	H+	+	+	
7405			H+/H-	+	H+/H-	+	+		3.000	+	H+	+	+	
7406			st	-	st	-	-		0.198	-	-	-	-	
7407			H+	+	H+/H-	+	+		3.000	+	H+	+	+	
7408			-	-	-	-	-		0.127	-	-	-	-	
7409			st	st	st	st	-		0.119	-	st	-	-	
7410			st	-	st	-	-		0.133	-	-	-	-	
7411			st	st	st	st	-		0.130	-	st	-	-	
7412			st	st	st	st	-		0.126	-	st	-	-	
7413			H+	+	H+/H-	+	+		3.000	+	H+	+	+	
7414	High	2.3	H+	+	H+	+	+	4/5	3.000	+	H+	+	+	4/5
7415			H+	+	H+	+	+		3.000	+	H+	+	+	
7416			-	-	-	-	-		0.134	-	-	-	-	
7417			H+	+	H+	+	+		3.000	+	H+	+	+	
7418			H+	+	H+/H-	+	+		3.000	+	H+	+	+	

Matrix: Ready to cook vegetables (cut white cabbage, cut carrots and cut celery under modified atmosphere)

Strain: *Listeria monocytogenes* Ad279

Seeding 48h at 3±2°C

Aerobic mesophilic flora: 1.3x10⁸ CFU/g

N° sample	Level	Inoculation level (CFU/sample)	Reference method: ISO 11290-1♦					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA						
							Final result	Number positive samples/Total	Solus Listeria monocytogenes ELISA		Confirmation		Final result 37°C	Number positive samples/Tota
			O&A	Palcam	O&A	Palcam			O.D.	Result	O&A (100µl) Typical colonies	All confirmatory tests		
6742	0	0	st	st	st	st	-	0/5	0.045	-	st	-	-	0/5
6743			st	st	st	st	-		0.031	-	st	-	-	
6744			st	st	st	st	-		0.028	-	st	-	-	
6745			st	st	st	st	-		0.028	-	st	-	-	
6746			st	st	st	st	-		0.034	-	st	-	-	
6747	Low	0.6	st	st	st	st	-	6/20	0.031	-	st	-	-	6/20
6448			st	st	st	st	-		0.026	-	st	-	-	
6749			H+	+	H+	+	+		3.000	+	H+	+	+	
6750			st	st	st	st	-		0.027	-	st	-	-	
6751			H+	+	H+	+	+		3.000	+	H+	+	+	
6752			st	st	H-	+	-		0.027	-	H-	-	-	
6753			H+	+	H+	+	+		3.000	+	H+	+	+	
6754			H+	+	H+	+	+		3.000	+	H+	+	+	
6755			H-	+	H-	+	-		0.027	-	H-	-	-	
6756			H+	+	H+	+	+		3.000	+	H+	+	+	
6757			st	st	st	st	-		0.026	-	st	-	-	
6758			H-	+	H-	+	-		0.025	-	H-	-	-	
6759			st	st	st	st	-		0.024	-	st	-	-	
6760			st	st	st	st	-		0.023	-	st	-	-	
6761			st	st	st	st	-		0.021	-	st	-	-	
6762			st	st	st	st	-		0.024	-	st	-	-	
6763			st	st	st	st	-		0.029	-	st	-	-	
6764			st	st	st	st	-		0.027	-	st	-	-	
6765			st	st	st	st	-		0.037	-	st	-	-	
6766			H+	+	H+	+	+		3.000	+	H+	+	+	
6767	High	2.6	st	st	st	st	-	3/5	0.057	-	st	-	-	4/5
6768			H+	+	H+	+	+		3.000	+	H+	+	+	
6769			H+	+	H+	+	+		3.000	+	H+	+	+	
6770			H+(2)	+(2)	H+	+	+		3.000	+	H+	+	+	
6771			st	st	st	st	-		3.000	+	H+	+	+	

Matrix: Process water (dairy products industry)

Strain: *Listeria monocytogenes* Ad551

Seeding 48h at 3±2°C

Aerobic mesophilic flora: 1.1x10² CFU/g

N° sample	Level	Inoculation level (CFU/sample)	Reference method: ISO 11290-1♦					Alternative method: SOLUS <i>Listeria monocytogenes</i> ELISA						
			Half Fraser		Fraser		Final result	Number positive samples/Total	Solus <i>Listeria monocytogenes</i> ELISA		Confirmation		Final result 37°C	Number positive samples/Tota
									O&A	Palcam	O&A (100µl)	All confirmatory tests		
			O&A	Palcam	O&A	Palcam		O.D.	Result	Typical colonies				
7588	0	0	st	st	st	st	-	0/5	0.074	-	st	-	-	0/5
7589			st	st	-	st	-		0.083	-	st	-	-	
7590			st	st	-	st	-		0.075	-	st	-	-	
7591			st	st	-	st	-		0.088	-	st	-	-	
7592			st	st	st	st	-		0.089	-	st	-	-	
7593			st	st	st	st	-		0.076	-	st	-	-	
7594	Low	0.7	H+	st	H+	+	+	13/20	3.000	+	H+	+	+	13/20
7595			H+	+	H+	+	+		2.743	+	H+	+	+	
7596			H+	st	H+	+	+		2.807	+	H+	+	+	
7597			st	st	st	st	-		0.073	-	st	-	-	
7598			H+	st	H+	+	+		3.000	+	H+	+	+	
7599			st	st	st	st	-		0.084	-	st	-	-	
7600			H+	st	H+	+	+		3.000	+	H+	+	+	
7601			st	st	st	st	-		0.092	-	st	-	-	
7602			H+	st	H+	+	+		3.000	+	H+	+	+	
7603			H+	+	H+	+	+		3.000	+	H+	+	+	
7604			H+	st	H+	+	+		3.000	+	H+	+	+	
7605			st	st	st	st	-		0.086	-	st	-	-	
7606			st	st	st	st	-		0.083	-	st	-	-	
7607			H+	st	H+	+	+		3.000	+	H+	+	+	
7608			H+	st	H+	+	+		3.000	+	H+	+	+	
7609			H+	+(2)	H+	+	+		0.081	-	H+	+	+	
7610			st	st	st	st	-		3.000	+	st	-	-	
7611			H+(5)	st	H+	+	+		3.000	+	H+	+	+	
7612			H+	st	H+	+	+		3.000	+	H+	+	+	
7613			High	2.2	H+	+	H+		+	+	4/5	3.000	+	
7614	H+	st			H+	+	+	3.000	+	H+		+	+	
7615	H+	+			H+	+	+	3.000	+	H+		+	+	
7616	st	st			st	st	-	0.085	-	st		-	-	
7617	H+	st			H+	+	+	3.000	+	H+		+	+	

Appendix 6 – Inclusivity and exclusivity study: raw data

INCLUSIVITY									
No	Strain	Species	Reference	Molecular serotypes	Origin	Inoculation level (CFU/225ml)	SOLUS <i>Listeria monocytogenes</i> ELISA		
							Subculture: 0.2 ml+10 ml PAC supp SOLUS Palcam broth - 24h à 37°C		
							Solus <i>Listeria monocytogenes</i> ELISA		Confirmations
							O.D.	Result	O&A (100µl) Typical colonies
1	<i>Listeria</i>	<i>monocytogenes</i>	153	VI b	Soft cheese (Munster)	56	3.000	+	H+
2	<i>Listeria</i>	<i>monocytogenes</i>	1011/1410	II a	Frozen broccoli	40	3.000	+	H+
3	<i>Listeria</i>	<i>monocytogenes</i>	1972/2399	VI b	Puff pastry with mushrooms	71	3.000	+	H+
4	<i>Listeria</i>	<i>monocytogenes</i>	1973/2400	VI b	Puff pastry egg and ham (Quiche lorraine)	46	3.000	+	H+
5	<i>Listeria</i>	<i>monocytogenes</i>	2407/3139	IV b	Tripes with tomatoes	61	3.000	+	H+
6	<i>Listeria</i>	<i>monocytogenes</i>	2760/3145	II a	Raw bacon	47	3.000	+	H+
7	<i>Listeria</i>	<i>monocytogenes</i>	32.183	II b	Croque-Monsieur	48	3.000	+	H+
8	<i>Listeria</i>	<i>monocytogenes</i>	38/181	II a	Toulouse sausages	40	3.000	+	H+
9	<i>Listeria</i>	<i>monocytogenes</i>	5721/6179	IV b	Smoked bacon	55	3.000	+	H+
10	<i>Listeria</i>	<i>monocytogenes</i>	7111/7516	IV b	Pâté (Rillettes)	37	3.000	+	H+
11	<i>Listeria</i>	<i>monocytogenes</i>	850/109	II a	RTE food (deli salad with seafood)	43	3.000	+	H+
12	<i>Listeria</i>	<i>monocytogenes</i>	877/113	II a	Environmental sample (pastry)	63	3.000	+	H+
13	<i>Listeria</i>	<i>monocytogenes</i>	913/1048	IV b	Black pudding	49	3.000	+	H+
14	<i>Listeria</i>	<i>monocytogenes</i>	A00C014	II a	Sausage	65	3.000	+	H+
15	<i>Listeria</i>	<i>monocytogenes</i>	A00C022	II a	Merguez	47	3.000	+	H+
16	<i>Listeria</i>	<i>monocytogenes</i>	A00C024	II a	Sausage	62	3.000	+	H+
17	<i>Listeria</i>	<i>monocytogenes</i>	A00C036	II a	Poultry (guinea)	59	3.000	+	H+
18	<i>Listeria</i>	<i>monocytogenes</i>	A00C039	II a	Sausages	33	3.000	+	H+
19	<i>Listeria</i>	<i>monocytogenes</i>	A00C040	IV b	Cooked delicatessen (Museau)	55	3.000	+	H+
20	<i>Listeria</i>	<i>monocytogenes</i>	A00C041	La	Sausage	80	3.000	+	H+
21	<i>Listeria</i>	<i>monocytogenes</i>	A00C042	IV b	Raw sausage	45	3.000	+	H+
22	<i>Listeria</i>	<i>monocytogenes</i>	A00C043	II a	Smoked Bacon	61	3.000	+	H+
23	<i>Listeria</i>	<i>monocytogenes</i>	A00C044	II b	Poultry (duck)	42	3.000	+	H+
24	<i>Listeria</i>	<i>monocytogenes</i>	A00C052	II b	RTE food (Osso bucco with turkey)	58	3.000	+	H+
25	<i>Listeria</i>	<i>monocytogenes</i>	A00C053	II a	Gizzards	37	3.000	+	H+

INCLUSIVITY									
No	Strain	Species	Reference	Molecular serotypes	Origin	Inoculation level (CFU/225ml)	SOLUS <i>Listeria monocytogenes</i> ELISA		
							Subculture: 0.2 ml+10 ml PAC supp SOLUS Palcam broth - 24h à 37°C		
							Solus <i>Listeria monocytogenes</i> ELISA		Confirmations
							O.D.	Result	O&A (100µl) Typical colonies
26	<i>Listeria</i>	<i>monocytogenes</i>	A00C054	IV b	Beef hart	63	3.000	+	H+
27	<i>Listeria</i>	<i>monocytogenes</i>	A00C055	II a	Raw sausages	55	3.000	+	H+
28	<i>Listeria</i>	<i>monocytogenes</i>	A00E008	II a	Environmental sample	41	3.000	+	H+
29	<i>Listeria</i>	<i>monocytogenes</i>	A00E049	II a	Environmental sample (smoked salmon)	46	3.000	+	H+
30	<i>Listeria</i>	<i>monocytogenes</i>	A00E082	II a	Environmental sample (smoked salmon)	83	3.000	+	H+
31	<i>Listeria</i>	<i>monocytogenes</i>	A00L097	II a	Milk	74	3.000	+	H+
32	<i>Listeria</i>	<i>monocytogenes</i>	A00M009	II a	Smoked salmon	66	3.000	+	H+
33	<i>Listeria</i>	<i>monocytogenes</i>	A00M032	IV b	Smoked salmon	59	3.000	+	H+
34	<i>Listeria</i>	<i>monocytogenes</i>	A00M045	II a	Smoked salmon	57	3.000	+	H+
35	<i>Listeria</i>	<i>monocytogenes</i>	A00M088	II a	Smoked salmon	37	3.000	+	H+
36	<i>Listeria</i>	<i>monocytogenes</i>	Ad235	II b	Poultry	81	3.000	+	H+
37	<i>Listeria</i>	<i>monocytogenes</i>	Ad253	II b	Hard cheese	86	3.000	+	H+
38	<i>Listeria</i>	<i>monocytogenes</i>	Ad260	II a	Semi hard cheese	83	3.000	+	H+
39	<i>Listeria</i>	<i>monocytogenes</i>	Ad265	II b	Tong	68	3.000	+	H+
40	<i>Listeria</i>	<i>monocytogenes</i>	Ad266	II a	Poultry	37	3.000	+	H+
41	<i>Listeria</i>	<i>monocytogenes</i>	Ad267	II b	Dry sausage	50	3.000	+	H+
42	<i>Listeria</i>	<i>monocytogenes</i>	Ad268	IV b	Cured ham	54	3.000	+	H+
43	<i>Listeria</i>	<i>monocytogenes</i>	Ad270	IV b	Fermented sausage	72	3.000	+	H+
44	<i>Listeria</i>	<i>monocytogenes</i>	Ad272	IV b	Fermented sausage	49	3.000	+	H+
45	<i>Listeria</i>	<i>monocytogenes</i>	Ad273	II b	Cured delicatessen	36	3.000	+	H+
46	<i>Listeria</i>	<i>monocytogenes</i>	Ad274	II a	Ready-to-eat food (Asiatic meal)	9	3.000	+	H+
47	<i>Listeria</i>	<i>monocytogenes</i>	Ad534	II b	Fruits	72	3.000	+	H+
48	<i>Listeria</i>	<i>monocytogenes</i>	Ad544	II a	Onion	49	3.000	+	H+
49	<i>Listeria</i>	<i>monocytogenes</i>	Ad546	II a	Flour	67	3.000	+	H+
50	<i>Listeria</i>	<i>monocytogenes</i>	Ad623	II b	Breadcrumbs	69	3.000	+	H+

H+: typical blue green colonies with opaque halo

EXCLUSIVITY							
No	Strain	Species	Reference	Origin	Inoculation level (CFU/ml)	SOLUS <i>Listeria monocytogenes</i> ELISA	
						BPW 24h-37°C	
						Solus <i>Listeria monocytogenes</i> ELISA	
						O.D.	Result
1	<i>Bacillus</i>	<i>cereus</i>	Ad 465	Salmon Terrine	2.6x10 ⁴	0.021	-
2	<i>Bacillus</i>	<i>circulans</i>	Ad 760	Vegetables	3.2x10 ⁴	0.028	-
3	<i>Bacillus</i>	<i>coagulans</i>	Ad731	Dairy product	1.8x10 ⁴	0.013	-
4	<i>Bacillus</i>	<i>licheniformis</i>	Ad 978	Dairy product	1.1x10 ⁵	0.015	-
5	<i>Bacillus</i>	<i>pumilus</i>	Ad 284	Ready-to-eat	1.2x10 ⁴	0.014	-
6	<i>Brochotrix</i>	<i>campestris</i>	CIP 102920T	Environment	4.0x10 ⁵	0.011	-
7	<i>Carnobacterium</i>	<i>piscicola</i>	Ad369	Raw milk	8.2x10 ⁴	0.012	-
8	<i>Enterococcus</i>	<i>durans</i>	Ad 149	Ham	8.0x10 ⁵	0.012	-
9	<i>Enterococcus</i>	<i>faecalis</i>	89L326	Soft cheese (Vacherin)	1.4x10 ⁵	0.011	-
10	<i>Lactobacillus</i>	<i>brevis</i>	86L126	Ham	1.6x10 ⁵	0.018	-
11	<i>Lactobacillus</i>	<i>curvatus</i>	Ad 380	Delicatessen	6.0x10 ⁵	0.011	-
12	<i>Lactobacillus</i>	<i>sakei</i>	Ad 473	Ham	1.4x10 ⁴	0.010	-
13	<i>Leuconostoc</i>	<i>carnosum</i>	Ad 411	Dairy product	1.2x10 ⁴	0.012	-
14	<i>Leuconostoc</i>	<i>citreum</i>	Ad396	Ham	1.1x10 ⁴	0.009	-
15	<i>Micococcus</i>	<i>luteus</i>	Ad432	Cocktail	1.0x10 ⁵	0.010	-
16	<i>Staphylococcus</i>	<i>aureus</i>	Ad165	Smoked delicatessen	1.2x10 ⁵	0.022	-
17	<i>Staphylococcus</i>	<i>epidermidis</i>	Ad931	Fruits	1.1x10 ⁵	0.016	-
18	<i>Staphylococcus</i>	<i>haemoliticus</i>	Ad989	Dairy product	2.2x10 ⁴	0.015	-
19	<i>Streptococcus</i>	<i>bovis</i>	92L622	Cheese	3.4x10 ⁴	0.013	-
20	<i>Streptococcus</i>	<i>salivarius</i>	Ad441	Dairy product	4.0x10 ⁵	0.011	-
21	<i>Listeria</i>	<i>grayi</i>	Ad1198	Smoked salmon	3.7x10 ⁵	0.012	-
22	<i>Listeria</i>	<i>grayi</i>	Ad1443	Pork meat sausages	6.2x10 ⁵	0.010	-
23	<i>Listeria</i>	<i>innocua</i>	1	Smoked salmon	2.4x10 ⁵	0.011	-
24	<i>Listeria</i>	<i>innocua</i>	Ad658	Gorgonzola	2.9x10 ⁵	0.011	-
25	<i>Listeria</i>	<i>ivanovii</i>	Ad466	Raw veal meat	2.0x10 ⁵	0.010	-

EXCLUSIVITY							
No	Strain	Species	Reference	Origin	Inoculation level (CFU/ml)	SOLUS <i>Listeria monocytogenes</i> ELISA	
						BPW 24h-37°C	
						Solus <i>Listeria monocytogenes</i> ELISA	
						O.D.	Result
26	<i>Listeria</i>	<i>ivanovii</i>	Ad462	Environment (dairy industry)	4.4x10 ⁵	0.010	-
27	<i>Listeria</i>	<i>seeligeri</i>	Ad649	Cheese	3.8x10 ⁵	0.010	-
28	<i>Listeria</i>	<i>seeligeri</i>	BR1	Environment (fish)	3.0x10 ⁵	0.066	-
29	<i>Listeria</i>	<i>welshimeri</i>	Ad1276	Environment (slaughterhouse))	3.8x10 ⁵	0.060	-
30	<i>Listeria</i>	<i>welshimeri</i>	Ad1175	Ready-to-eat food	5.1x10 ⁵	0.059	-

Appendix 7 - Results obtained by the collaborative laboratories and the expert laboratory.

Laboratory A

Aerobic mesophilic flora: 2.5x10⁶ CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.020	-	-	-	NA
7	-	-	-	-	-	0.057	-	-	-	NA
8	-	-	-	-	-	0.026	-	-	-	NA
11	-	-	-	-	-	0.019	-	-	-	NA
14	-	-	-	-	-	0.058	-	-	-	NA
18	-	-	-	-	-	0.032	-	-	-	NA
19	-	-	-	-	-	0.019	-	-	-	NA
24	-	-	-	-	-	0.021	-	-	-	NA
1	H+	+	H+	+	+	9.999	+	H+	+	PA
6	H+	+	H+	+	+	9.999	+	H+	+	PA
10	-	-	H+	+	+	9.999	+	H+	+	PA
13	H+	+	H+	+	+	9.999	+	H+	+	PA
16	-	-	-	-	-	0.017	-	-	-	NA
17	H+	+	H+	+	+	9.999	+	H+	+	PA
21	-	-	-	-	-	0.026	-	-	-	NA
23	-	-	-	-	-	0.023	-	-	-	NA
2	H+	+	H+	+	+	9.999	+	H+	+	PA
4	H+	+	H+	+	+	9.999	+	H+	+	PA
5	H+	+	H+	+	+	9.999	+	H+	+	PA
9	H+	+	H+	+	+	9.999	+	H+	+	PA
12	H+	+	H+	+	+	9.999	+	H+	+	PA
15	H+	+	H+	+	+	9.999	+	H+	+	PA
20	H+	+	H+	+	+	9.999	+	H+	+	PA
22	H+	+	H+	+	+	9.999	+	H+	+	PA

Laboratory BAerobic mesophilic flora: 9.0×10^6 CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.015	-	-	-	NA
7	-	-	-	-	-	0.425	+	-	-	PD _{FP(alt)}
8	-	-	-	-	-	0.015	-	-	-	NA
11	-	-	-	-	-	0.010	-	-	-	NA
14	-	-	-	-	-	0.023	-	-	-	NA
18	-	-	-	-	-	0.084	-	-	-	NA
19	-	-	-	-	-	0.001	-	-	-	NA
24	-	-	-	-	-	0.027	-	-	-	NA
1	-	-	-	-	-	0.014	-	-	-	NA
6	+	+	+	+	+	3.000	+	+	+	PA
10	+	+	+	+	+	2.783	+	+	+	PA
13	-	-	-	-	-	0.017	-	-	-	NA
16	+	+	+	+	+	2.880	+	+	+	PA
17	-	-	-	-	-	0.478	+	-	-	PD _{FP(alt)}
21	-	-	+	+	+	3.000	+	+	+	PA
23	+	+	+	+	+	2.866	+	+	+	PA
2	+	+	+	+	+	2.908	+	+	+	PA
4	+	+	+	+	+	2.353	+	+	+	PA
5	+	+	+	+	+	3.000	+	+	+	PA
9	+	+	+	+	+	2.816	+	+	+	PA
12	+	+	+	+	+	2.996	+	+	+	PA
15	+	+	+	+	+	2.901	+	+	+	PA
20	+	+	+	+	+	2.982	+	+	+	PA
22	+	+	+	+	+	2.996	+	+	+	PA

Laboratory DAerobic mesophilic flora: 5.3×10^5 CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.017	-	-	-	NA
7	-	-	-	-	-	0.013	-	-	-	NA
8	-	-	-	-	-	0.013	-	-	-	NA
11	-	-	-	-	-	0.014	-	-	-	NA
14	-	-	-	-	-	0.032	-	-	-	NA
18	-	-	-	-	-	0.042	-	-	-	NA
19	-	-	-	-	-	0.034	-	-	-	NA
24	-	-	-	-	-	0.014	-	-	-	NA
1	-	-	-	-	-	0.012	-	-	-	NA
6	-	-	-	-	-	0.022	-	-	-	NA
10	-	-	-	-	-	0.013	-	-	-	NA
13	-	-	-	-	-	0.021	-	-	-	NA
16	H+	H+	H+	H+	+	3.000	+	H+	+	PA
17	H+	H+	H+	H+	+	3.000	+	H+	+	PA
21	H+	H+	H+	H+	+	3.000	+	H+	+	PA
23	-	-	-	-	-	0.017	-	-	-	NA
2	H+	H+	H+	H+	+	3.000	+	H+	+	PA
4	H+	H+	H+	H+	+	3.000	+	H+	+	PA
5	H+	H+	H+	H+	+	3.000	+	H+	+	PA
9	H+	H+	H+	H+	+	3.000	+	H+	+	PA
12	H+	H+	H+	H+	+	3.000	+	H+	+	PA
15	H+	H+	H+	H+	+	3.000	+	H+	+	PA
20	H+	H+	H+	H+	+	3.000	+	H+	+	PA
22	H+	H+	H+	H+	+	3.000	+	H+	+	PA

Laboratory FAerobic mesophilic flora: 2.9×10^5 CFU/g

N° Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Confirmation	Final result		Agreement	
						First test (23/06/2022)		Second test (14/07/2022)						
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Elisa test (Optical Density)	Result		O&A (100µl)	First test (23/06/2022)	Second test (14/07/2022)	First test (23/06/2022)
O&A	Palcam	O&A	Palcam	Elisa test (Optical Density)		Result	Elisa test (Optical Density)	Result	O&A (100µl)	First test (23/06/2022)	Second test (14/07/2022)	First test (23/06/2022)	Second test (14/07/2022)	
3	H-	-	-	-	-	0.271/0.213	+	0.177	-	-	-	-	PD _{FP(alt)}	NA
7	-	-	-	-	-	0.188	-	0.142	-	-	-	-	NA	NA
8	-	-	-	-	-	0.201/0.233	+	0.184	-	-	-	-	PD _{FP(alt)}	NA
11	-	-	-	-	-	0.220/0.238	+	0.161	-	-	-	-	PD _{FP(alt)}	NA
14	-	-	-	-	-	0.203/0.210	+	0.160	-	-	-	-	PD _{FP(alt)}	NA
18	-	-	-	-	-	0.219/0.213	+	0.211	+	-	-	-	PD _{FP(alt)}	PD _{FP(alt)}
19	-	-	-	-	-	0.198	-	0.153	-	-	-	-	NA	NA
24	-	-	-	-	-	0.199	-	0.143	-	-	-	-	NA	NA
1	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
6	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
10	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
13	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
16	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
17	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
21	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
23	-	-	-	-	-	0.212/0.253	+	0.175	-	-	-	-	PD _{FP(alt)}	NA
2	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
4	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
5	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
9	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
12	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
15	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
20	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA
22	H+	+	H+	+	+	5.000	+	5.000	+	+	+	+	PA	PA

Negative
controls 0.212
(> 0.100)

Negative controls
0.213 (> 0.100)

Laboratory GAerobic mesophilic flora: 2.6×10^5 CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	-0.002	-	H-	-	NA
7	-	-	-	-	-	0.012	-	-	-	NA
8	-	-	-	-	-	0.011	-	-	-	NA
11	-	-	-	-	-	0.066	-	-	-	NA
14	-	-	-	-	-	0.018	-	H-	-	NA
18	-	-	-	-	-	0.020	-	-	-	NA
19	-	-	-	-	-	0.029	-	-	-	NA
24	-	-	-	-	-	0.046	-	H-	-	NA
1	H+	+	H+	+	+	2.880	+	H+	+	PA
6	H+	+	H+	+	+	3.034	+	H+	+	PA
10	H+	+	H+	+	+	2.919	+	H+	+	PA
13	-	-	-	-	-	0.009	-	H-	-	NA
16	H+	+	H+	+	+	2.779	+	H+	+	PA
17	H+	+	H+	+	+	2.920	+	H+	+	PA
21	-	-	-	-	-	-0.016	-	H-	-	NA
23	-	-	-	-	-	0.007	-	-	-	NA
2	H+	+	H+	+	+	2.997	+	H+	+	PA
4	H+	+	H+	+	+	2.959	+	H+	+	PA
5	H+	+	H+	+	+	2.729	+	H+	+	PA
9	H+	+	H+	+	+	2.970	+	H+	+	PA
12	H+	+	H+	+	+	2.901	+	H+	+	PA
15	H+	+	H+	+	+	2.842	+	H+	+	PA
20	H+	+	H+	+	+	2.873	+	H+	+	PA
22	H+	+	H+	+	+	2.763	+	H+	+	PA

Laboratory **H**
Aerobic mesophilic flora: 4.4x10⁴ CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.003	-	-	-	NA
7	-	-	-	H-	-	0.003	-	-	-	NA
8	-	-	-	-	-	0.003	-	-	-	NA
11	-	-	-	H-	-	0.016	-	-	-	NA
14	-	-	-	-	-	0.001	-	-	-	NA
18	-	-	-	-	-	0.005	-	-	-	NA
19	-	-	-	H-	-	0.000	-	-	-	NA
24	-	-	-	H-	-	0.001	-	-	-	NA
1	-	-	-	-	-	0.002	-	-	-	NA
6	-	-	-	-	-	0.002	-	-	-	NA
10	H+	-	H+	+	+	3.000	+	H+	+	PA
13	-	-	-	-	-	0.001	-	-	-	NA
16	H+	+	H+	+	+	3.000	+	H+	+	PA
17	H+	+	H+	+	+	3.000	+	H+	+	PA
21	H+	-	H+	+	+	3.000	+	H+	+	PA
23	H+	+	H+	+	+	3.000	+	H+	+	PA
2	H+	-	H+	+	+	3.000	+	H+	+	PA
4	H+	+	H+	+	+	3.000	+	H+	+	PA
5	H+	+	H+	+	+	3.000	+	H+	+	PA
9	H+	+	H+	+	+	3.000	+	H+	+	PA
12	H+	+	H+	+	+	3.000	+	H+	+	PA
15	H+	+	H+	+	+	3.000	+	H+	+	PA
20	H+	+	H+	+	+	3.000	+	H+	+	PA
22	H+	+	H+	+	+	2.627	+	H+	+	PA

Laboratory IAerobic mesophilic flora: 8.0×10^3 CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.008	-	-	-	NA
7	-	-	-	-	-	0.009	-	-	-	NA
8	-	-	-	-	-	0.004	-	-	-	NA
11	-	-	-	-	-	0.006	-	-	-	NA
14	-	-	-	-	-	0.067	-	-	-	NA
18	-	-	-	-	-	0.006	-	-	-	NA
19	-	-	-	-	-	0.004	-	-	-	NA
24	-	-	-	-	-	0.014	-	-	-	NA
1	-	-	-	-	-	0.030	-	-	-	NA
6	H+	+	H+	+	+	3.000	+	H+	+	PA
10	H+	+	H+	+	+	3.000	+	H+	+	PA
13	-	-	-	-	-	0.016	-	-	-	NA
16	H+	+	H+	+	+	3.000	+	H+	+	PA
17	H+	+	H+	+	+	3.000	+	H+	+	PA
21	-	-	-	-	-	0.049	-	-	-	NA
23	H+	+	H+	+	+	3.000	+	H+	+	PA
2	H+	+	H+	+	+	3.000	+	H+	+	PA
4	H+	+	H+	+	+	3.000	+	H+	+	PA
5	H+	+	H+	+	+	3.000	+	H+	+	PA
9	H+	+	H+	+	+	3.000	+	H+	+	PA
12	H+	+	H+	+	+	3.000	+	H+	+	PA
15	H+	+	H+	+	+	3.000	+	H+	+	PA
20	H+	+	H+	+	+	3.000	+	H+	+	PA
22	H+	+	H+	+	+	3.000	+	H+	+	PA

Laboratory L
Aerobic mesophilic flora: 2.7x10⁵ CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.021	-	-	-	NA
7	-	-	-	-	-	0.106	-	-	-	NA
8	-	-	-	-	-	0.013	-	-	-	NA
11	-	-	-	-	-	0.014	-	-	-	NA
14	-	-	-	-	-	0.015	-	-	-	NA
18	-	-	-	-	-	0.011	-	-	-	NA
19	-	-	-	-	-	0.011	-	-	-	NA
24	-	-	-	-	-	0.135	-	-	-	NA
1	H+	-	H+	+	+	9.999	+	H+	+	PA
6	H+	-	H+	+	+	9.999	+	H+	+	PA
10	H+	-	H+	+	+	9.999	+	H+	+	PA
13	H+	-	H+	+	+	9.999	+	H+	+	PA
16	H+	-	H+	+	+	9.999	+	H+	+	PA
17	-	-	-	-	-	0.008	-	-	-	NA
21	H+	-	H+	+	+	9.999	+	H+	+	PA
23	-	-	-	-	-	0.015	-	-	-	NA
2	H+	-	H+	+	+	9.999	+	H+	+	PA
4	H+	-	H+	+	+	9.999	+	H+	+	PA
5	-	-	-	-	-	0.013	-	-	-	NA
9	H+	-	H+	+	+	9.999	+	H+	+	PA
12	H+	-	H+	+	+	9.999	+	H+	+	PA
15	H+	-	H+	+	+	9.999	+	H+	+	PA
20	H+	-	H+	+	+	9.999	+	H+	+	PA
22	H+	-	H+	+	+	9.999	+	H+	+	PA

Laboratory **M**
Aerobic mesophilic flora: 6.6x10⁸ CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.016	-	-	-	NA
7	-	-	-	-	-	0.017	-	-	-	NA
8	-	-	-	-	-	0.018	-	-	-	NA
11	-	-	-	-	-	0.014	-	-	-	NA
14	-	-	-	-	-	0.018	-	-	-	NA
18	-	-	-	-	-	0.015	-	-	-	NA
19	-	-	-	-	-	0.011	-	-	-	NA
24	-	-	-	-	-	0.019	-	-	-	NA
1	-	-	-	-	-	0.014	-	-	-	NA
6	H+	-	H+	+	+	3.000	+	H+	+	PA
10	H+	+	H+	+	+	3.000	+	H+	+	PA
13	H+	+	H+	+	+	3.000	+	H+	+	PA
16	-	-	-	-	-	0.017	-	-	-	NA
17	H+	+	H+	+	+	3.000	+	H+	+	PA
21	H+	+	H+	+	+	3.000	+	H+	+	PA
23	H+	+	H+	+	+	3.000	+	H+	+	PA
2	H+	+	H+	+	+	3.000	+	H+	+	PA
4	H+	+	H+	+	+	3.000	+	H+	+	PA
5	H+	+	H+	+	+	3.000	+	H+	+	PA
9	H+	+	H+	+	+	3.000	+	H+	+	PA
12	H+	+	H+	+	+	3.000	+	H+	+	PA
15	H+	+	H+	+	+	3.000	+	H+	+	PA
20	H+	+	H+	+	+	3.000	+	H+	+	PA
22	H+	+	H+	+	+	3.000	+	H+	+	PA

Laboratory NAerobic mesophilic flora: 9.7×10^4 CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.001	-	-	-	NA
7	-	-	-	-	-	0.000	-	-	-	NA
8	-	-	-	-	-	0.000	-	-	-	NA
11	-	-	-	-	-	0.000	-	-	-	NA
14	-	-	-	-	-	0.001	-	-	-	NA
18	-	-	-	-	-	0.019	-	-	-	NA
19	-	-	-	-	-	0.000	-	-	-	NA
24	-	-	-	-	-	0.000	-	-	-	NA
1	-	-	-	-	-	0.001	-	-	-	NA
6	H+	+	H+	+	+	3.000	+	H+	+	PA
10	H+	+	H+	+	+	3.000	+	H+	+	PA
13	H+	+	H+	+	+	3.000	+	H+	+	PA
16	H+	+	H+	+	+	3.000	+	H+	+	PA
17	H+	+	H+	+	+	3.000	+	H+	+	PA
21	H+	+	H+	+	+	3.000	+	H+	+	PA
23	H+	+	H+	+	+	3.000	+	H+	+	PA
2	H+	+	H+	+	+	3.000	+	H+	+	PA
4	H+	+	H+	+	+	3.000	+	H+	+	PA
5	H+	+	H+	+	+	3.000	+	H+	+	PA
9	H+	+	H+	+	+	3.000	+	H+	+	PA
12	H+	+	H+	+	+	3.000	+	H+	+	PA
15	H+	+	H+	+	+	3.000	+	H+	+	PA
20	H+	+	H+	+	+	3.000	+	H+	+	PA
22	H+	+	H+	+	+	3.000	+	H+	+	PA

Laboratory PAerobic mesophilic flora: 8.5×10^4 CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.043	-	-	-	NA
7	-	-	-	-	-	0.020	-	-	-	NA
8	-	-	-	-	-	0.026	-	-	-	NA
11	-	-	-	-	-	0.020	-	-	-	NA
14	-	-	-	-	-	0.030	-	-	-	NA
18	-	-	-	-	-	0.016	-	-	-	NA
19	-	-	-	-	-	0.017	-	-	-	NA
24	-	-	-	-	-	0.018	-	-	-	NA
1	H+	+	H+	+	+	3.000	+	H+	+	PA
6	-	-	-	-	-	0.026	-	-	-	NA
10	H+	+	H+	+	+	3.000	+	H+	+	PA
13	H+	+	H+	+	+	3.000	+	H+	+	PA
16	-	-	-	-	-	0.018	-	-	-	NA
17	H+	+	H+	+	+	3.000	+	H+	+	PA
21	H+	+	H+	+	+	3.000	+	H+	+	PA
23	H+	+	H+	+	+	3.000	+	H+	+	PA
2	H+	+	H+	+	+	3.000	+	H+	+	PA
4	H+	+	H+	+	+	3.000	+	H+	+	PA
5	H+	+	H+	+	+	3.000	+	H+	+	PA
9	H+	+	H+	+	+	3.000	+	H+	+	PA
12	H+	+	H+	+	+	3.000	+	H+	+	PA
15	H+	+	H+	+	+	3.000	+	H+	+	PA
20	H+	+	H+	+	+	3.000	+	H+	+	PA
22	H+	+	H+	+	+	3.000	+	H+	+	PA

Laboratory QAerobic mesophilic flora: 2.8×10^5 CFU/g

N°Sample	Reference method: ISO 11290-1					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.011	-	-	-	NA
7	-	-	-	-	-	2.118	+	-	-	PD _{FP(alt)}
8	-	-	-	-	-	0.081	-	-	-	NA
11	-	-	-	-	-	0.010	-	-	-	NA
14	-	-	-	-	-	0.016	-	-	-	NA
18	-	-	-	-	-	0.024	-	-	-	NA
19	-	-	-	-	-	0.017	-	-	-	NA
24	-	-	-	-	-	1.574	+	-	-	PD _{FP(alt)}
1	H+	H+	H+	H+	+	3.000	+	H+	+	PA
6	H+	H+	H+	H+	+	3.000	+	H+	+	PA
10	H+	H+	H+	H+	+	3.000	+	H+	+	PA
13	-	-	-	-	-	0.017	-	-	-	NA
16	H+	H+	H+	H+	+	2.929	+	H+	+	PA
17	H+	H+	H+	H+	+	2.908	+	H+	+	PA
21	H+	H+	H+	H+	+	3.000	+	H+	+	PA
23	H+	H+	H+	H+	+	2.662	+	H+	+	PA
2	H+	H+	H+	H+	+	3.000	+	H+	+	PA
4	H+	H+	H+	H+	+	3.000	+	H+	+	PA
5	H+	H+	H+	H+	+	3.000	+	H+	+	PA
9	H+	H+	H+	H+	+	3.000	+	H+	+	PA
12	H+	H+	H+	H+	+	3.000	+	H+	+	PA
15	H+	H+	H+	H+	+	3.000	+	H+	+	PA
20	H+	H+	H+	H+	+	2.964	+	H+	+	PA
22	H+	H+	H+	H+	+	3.000	+	H+	+	PA

Laboratory **S** ADRIAAerobic mesophilic flora: 1.4×10^5 CFU/g

N°Sample	Reference method: ISO 11290-1♦					SOLUS <i>Listeria monocytogenes</i> ELISA				Agreement
	Half Fraser		Fraser		Final result	Elisa test (Optical Density)	Result	Confirmation	Final result	
	O&A	Palcam	O&A	Palcam				O&A (100µl)		
3	-	-	-	-	-	0.019	-	-	-	NA
7	-	-	-	-	-	0.011	-	-	-	NA
8	-	-	-	-	-	0.015	-	-	-	NA
11	-	-	-	-	-	0.018	-	-	-	NA
14	-	-	-	-	-	0.009	-	-	-	NA
18	-	-	-	-	-	0.013	-	-	-	NA
19	-	-	-	-	-	0.013	-	-	-	NA
24	-	-	-	-	-	0.013	-	-	-	NA
1	H+	+	H+	+	+	3.000	+	H+	+	PA
6	H+	+	H+	+	+	3.000	+	H+	+	PA
10	H+	+	H+	+	+	3.000	+	H+	+	PA
13	H+	+	H+	+	+	3.000	+	H+	+	PA
16	H+	+	H+	+	+	3.000	+	H+	+	PA
17	H+	+	H+	+	+	3.000	+	H+	+	PA
21	-	-	-	-	-	0.025	-	-	-	NA
23	H+	+	H+	+	+	3.000	+	H+	+	PA
2	H+	+	H+	+	+	3.000	+	H+	+	PA
4	H+	+	H+	+	+	3.000	+	H+	+	PA
5	H+	+	H+	+	+	3.000	+	H+	+	PA
9	H+	+	H+	+	+	3.000	+	H+	+	PA
12	H+	+	H+	+	+	3.000	+	H+	+	PA
15	H+	+	H+	+	+	3.000	+	H+	+	PA
20	H+	+	H+	+	+	3.000	+	H+	+	PA
22	H+	+	H+	+	+	3.000	+	H+	+	PA