

**NF VALIDATION - Validation of alternative analysis methods
Application to the food industry**

**Summary report
according to the standard EN ISO 16140-2/A1:2024**

Qualitative method

**Thermo Scientific™ Listeria PreciS™
(Detection of *Listeria* species)
(certificate # UNI 03/14 – 06/22)
for the detection of *Listeria* species in a broad range of foods
and in environmental samples**

Expert laboratory: Laboratoire MICROSEPT
ZA de la Sablonnière
15 rue Denis Papin
49220 LE LION D'ANGERS
FRANCE

For: THERMO FISCHER SCIENTIFIC
OXOID Ltd,
Wade Road, Basingstoke
Hampshire RG24 8PW,
England, UK

This report contains 115 pages including 67 pages of appendices.
The reproduction of this document is only authorized in its entirety.
The accreditation of the COFRAC (Section Laboratory) gives evidence of the expertise of the laboratory for the only tests covered by the accreditation that are specified by the symbol (▪).

Preamble

- Protocols of validation :

- EN ISO 16140-1:2016 and EN ISO 16140-2/A1:2024 Microbiology of the food chain - Method validation
Part 1: Vocabulary.
Part 2: Protocol for the validation of alternative (proprietary) methods against a reference method.
- Requirements regarding comparison and interlaboratory studies for implementation of the standard EN ISO 16140-2/A1:2024.

- Reference method:

- **EN ISO 11290-1:1997** Microbiology of food and animal feeding stuffs - Horizontal method for the detection and enumeration of *Listeria monocytogenes* - Part 1: detection method.
- **EN ISO 11290-1/A1 :2005**
- **EN ISO 11290-1:2017** Microbiology of the food chain - Horizontal method for the detection and enumeration of *Listeria monocytogenes* and of *Listeria* spp - Part 1: Detection method.

- Application scope:

- **All human food products** by a validation testing of a broad range of foods, including:
 - multi-component foods,
 - meat products,
 - dairy products,
 - seafood products,
 - vegetables,
- **Environmental samples.**

- Certification body:

- **AFNOR Certification** (<https://nf-validation.afnor.org/>).

Definitions

- **Method comparison study**

The method comparison study is the part of the validation process that is performed in the organizing laboratory. It consists of three parts namely the following:

- A comparative study of the results of the reference method to the results of the alternative method in (naturally and/or artificially) contaminated samples (so-called sensitivity study);
- A comparative study to determine the relative level of detection (RLOD) in artificially contaminated samples (so-called RLOD study);
- An inclusivity/exclusivity study of the alternative method.

- **Sensitivity study**

The sensitivity study aims to determine the difference in sensitivity between the reference and the alternative method.

The sensitivity is the ability of the reference method or alternative method to detect the analyte.

- **Relative level of detection study**

A comparative study is conducted to evaluate the level of detection (LOD) of the alternative method against the reference method. The evaluation is based on the calculation of the relative level of detection (RLOD).

The level of detection at 50% (LOD₅₀) is the measured analyte concentration, obtained by a given measurement procedure, for which the probability of detection is 50%.

The relative level of detection level of detection at $P = 0,50$ (LOD₅₀) of the alternative method divided by the level of detection at $P = 0,50$ (LOD₅₀) of the reference method.

- **Inclusivity and exclusivity study**

The inclusivity study is a study involving pure target strains to be detected or enumerated by the alternative method.

The exclusivity study is a study involving pure non-target strains, which can be potentially cross-reactive, but are not expected to be detected or enumerated by the alternative method.

- **Interlaboratory study**

The interlaboratory study is a study performed by multiple laboratories testing identical samples at the same time, the results of which are used to estimate alternative-method performance parameters.

The aim of the interlaboratory study is to determine the difference in sensitivity between the reference and the alternative method when tested by different collaborators using identical samples (reproducibility conditions).

Table of contents

1. Introduction.....	6
2. Protocol of the methods.....	7
2.1. Alternative method.....	7
2.1.1. Principle of the alternative method.....	7
2.1.2. Protocols of the alternative method	7
2.1.3. Scopes of the alternative method	8
2.2. Reference method	9
2.3. Restriction	9
2.4. Study design.....	9
3. Initial validation study (ONE Broth-Listeria protocol)	9
3.1. Method comparison study.....	9
3.1.1. Sensitivity study	9
3.1.1.1. Number and nature of samples	9
3.1.1.2. Artificial contamination of samples	10
3.1.1.3. Incubation conditions	12
3.1.1.4. Confirmation protocols.....	12
3.1.1.5. Results.....	12
3.1.1.6. Calculation of relative accuracy (AC), relative sensitivity (SE) and false positive ratio (FP)	13
3.1.1.7. Analysis of discordant results	12
3.1.1.8. Calculation and interpretation of data	12
3.1.1.9. Confirmations.....	13
3.1.1.10. Enrichment broth storage at 5 ± 3°C for 72 h:.....	13
3.1.1.11. Conservation of the <i>Brilliance</i> Listeria Agar (ISO) plates at 5 ± 3°C for 72 h:	13
3.1.2. Relative level of detection study	14
3.1.2.1. Experimental design.....	14
3.1.2.2. Results and calculation of the RLODs	15
3.1.2.3. Interpretation and conclusion	16
3.1.3. Inclusivity and exclusivity study	16
3.1.3.1. Test protocols	16
3.1.3.2. Results.....	16
3.1.3.3. Conclusion.....	17
3.1.4. Practicability.....	17
3.2. Interlaboratory study.....	18

3.2.1.	Organization of the study	18
3.2.2.	Experimental parameters controls	18
3.2.2.1.	Sample stability	18
3.2.2.2.	Logistic conditions.....	19
3.2.3.	Results	20
3.2.3.1.	Results obtained by the Expert Laboratory	20
3.2.3.2.	Results obtained by the collaborators	20
3.2.4.	Interpretation of the results	21
3.2.4.1.	Calculation of the specificity percentage (SP)	21
3.2.5.	Summary of the results.....	22
3.2.6.	Calculation of sensitivities, relative trueness and false positive ratio.....	23
3.2.7.	Evaluation of the LOD _{50%} , LOD _{95%} and RLOD.....	23
3.3.	Conclusion.....	24
4.	Extension studies (2022 and 2025)	25
4.1.	Sensitivity study	25
4.1.1.	Protocols applied during extension studies.....	25
4.1.2.	Number and nature of the samples.....	25
4.1.3.	Artificial contaminations.....	26
4.1.4.	Results.....	27
4.1.5.	Calculation of relative trueness (RT), sensitivity (SE) and false positive ratio (PFR) ...	29
4.1.6.	Analysis of discordant results	12
4.1.7.	Calculation and interpretation of data	12
4.1.8.	Confirmation	13
4.1.9.	Enrichment broth storage at 5 ± 3°C for 72 h.....	14
4.1.10.	Conservation of the <i>Brilliance</i> Listeria Agar (ISO) plates at 5 ± 3°C for 72 h	15
4.1.11.	ISO 6887 specific preparations	15
4.1.12.	Conclusion of the sensitivity study	16
4.2.	Relative level of detection study	16
4.2.1.	Matrices used.....	16
4.2.2.	Contamination protocol.....	17
4.2.3.	Results.....	17
4.2.4.	Interpretation and conclusion	18
4.3.	Conclusion of extensions	18
5.	General conclusion	19

Appendices:

- **Initial validation**

Appendix A: Protocol of the alternative method

Appendix B: Protocol of the reference method

Appendix C: Artificial contaminations

Appendix D: Results of the sensitivity study

Appendix E: Results of the relative level of detection study

Appendix F: Results of the selectivity study

Appendix G: Results of the interlaboratory study

- **Extension study (2022 and 2025)**

Appendix H: Protocol of the alternative method

Appendix I: Protocol of the reference method

Appendix J: Artificial contaminations

Appendix K: Results of the sensitivity study

Appendix L: ISO 6887 specific preparations

Appendix M: Results of the relative level of detection study

1. Introduction

This document is a summary report gathering all the ISO 16140-2/A1:2024 validation studies for the NF Validation EN ISO 16140 certification of the Thermo Scientific™ Listeria Precis™ (Detection of *Listeria* species) method.

A summary of the different validation studies is listed below:

Date	Study	Expert Laboratory	Standards
June 2022	Initial validation	Microsept	EN ISO 16140-2:2016
October 2022	Extension with 24 LEB	Microsept	EN ISO 16140-2:2016
April 2025	Extension study: addition of new sample size	Microsept	EN ISO 16140-2/A1:2024
April 2026	First renewal study without any additional tests	Microsept	EN ISO 16140-2/A1:2024

The Listeria Precis method for the detection of *Listeria* spp. has two enrichment protocol options. A first enrichment protocol with Thermo Scientific™ Oxoid™ ONE Broth-Listeria which has been initially validated in June 2022, and a second enrichment protocol with Thermo Scientific™ Oxoid™ 24 Listeria Enrichment Broth (24 LEB) which has been validated in October 2022 during an extension study.

Table 1 summarizes these protocols and the application scopes of the Listeria Precis method for the detection of *Listeria* species.

Table 1: Protocols and scopes of the method

Date	Protocol	Scope
June 2022	ONE Broth-Listeria – 25 ± 3 h at 30 ± 1°C – <i>Brilliance</i> Listeria Agar	Meat products Dairy products Seafood products Vegetables Environmental samples
October 2022	24 LEB Listeria – 23 ± 3 h at 37 ± 1°C - <i>Brilliance</i> Listeria Agar (ISO)	Multi-component foods Meat and meat products Milk and dairy products Seafood and fishery products Vegetables Environmental samples
April 2025	Extension study: addition of new sample size	Dairy products (125 g) Multi-component foods (125 g)

For the protocol using ONE Broth-Listeria, some of the results presented in this report were produced during validation tests carried out by ASEPT in 2005 and ADRIA Développement in 2017 as part of the NF Validation certification of the Thermo Scientific™ Listeria Precis™ (Detection of *Listeria monocytogenes*) method, in accordance with prevailing requirements. The choice and reinterpretation of the samples was carried out according to the following rules:

- priority for samples naturally contaminated (ISO 16140-2:2016 – Annex B normative)
- diversity of matrices (ISO 16140-2:2016 - § 5.1.3.1)
- maximum of four positive samples per type to meet AFNOR requirements (project v7) with 15 to 25 *Listeria* spp. alone or in a mixture per category.

In total, 159 samples analyzed in 2005 by ASEPT or in 2017 by ADRIA Développement were reinterpreted (positive and negative results) from the Listeria Precis validation study for the detection of *L. monocytogenes*. Laboratory MICROSEPT analyzed 174 samples in 2022 to complete the number of *Listeria* spp. samples.

2. Protocol of the methods

2.1. Alternative method

2.1.1. Principle of the alternative method

The Listeria Precis method is based on a selective enrichment step followed by a streaking onto a selective agar: Thermo Scientific™ Oxoid™ *Brilliance*™ Listeria Agar (ISO).

2.1.2. Protocols of the alternative method

The validated protocols are as follows:

- **Protocol using ONE Broth-Listeria**

- Enrichment step in ONE Broth-Listeria for 25 ± 3 h at $30 \pm 1^\circ\text{C}$.
- Streaking 10 μl of enrichment onto *Brilliance* Listeria Agar (ISO):
 - Incubation for 24 ± 2 h at $37 \pm 1^\circ\text{C}$ for all the products, except meat products,
 - Incubation for 24 ± 2 h to 48 ± 2 h at $37 \pm 1^\circ\text{C}$ for meat products.
- Confirmation of the typical colonies:
 - Thermo Scientific™ Oxoid™ Microbact™ Listeria 12L Kit micro-gallery (or equivalent),
 - Using the tests described in the reference method after a purification step,
 - An appropriate ISO 16140-6 validated method.

- **Protocol using 24 LEB (extension in 2022 and in 2025)**

- Enrichment step in 24 LEB for 23 ± 3 h at $37 \pm 1^\circ\text{C}$.
It is possible to store the enrichment broths for 72 h at $2-8^\circ\text{C}$ before streaking.
- Streaking 10 μl of enrichment onto *Brilliance* Listeria Agar (ISO) using a basic loop and no pipetting at all:
 - Incubation for 24 ± 2 h at $37 \pm 1^\circ\text{C}$ for all the products,
 - It is possible to store the plates for 72 h at $2-8^\circ\text{C}$ before reading.

- Confirm using one of the following options:
 - In the context of NF Validation:
 - Thermo Scientific™ PrecisCheck™ lateral flow *Listeria* species
 - A spot on Palcam,
 - Microgalleries (e.g. Microbact Listeria 12L Kit),
 - The tests described in the ISO 11290-1:2017 reference method after a purification step.
 - In the context of ISO general rules:
 - An appropriate ISO 16140-6 validated method,
 - The tests described in the ISO 11290-1 reference method after a purification step.
 - Following ISO 7218 (e.g. Thermo Scientific™ SureTect™ *Listeria* species PCR Assay).

The workflows of the method are described in Appendix A and in Appendix H.

2.1.3. Scopes of the alternative method

The scope of this method relates to four categories of human foods products and to environmental samples for ONE Broth-*Listeria* protocol and all human food products and environmental samples by a validation testing of a broad range of foods for the 24 LEB protocol.

- **Scope for the protocol using ONE Broth-*Listeria*:**
 - meat and meat products (25 g)
 - milk and dairy products (25 g)
 - fish and seafood products (25 g)
 - vegetables (25 g)
 - environmental samples (25 g or 25 ml or surface sampling)
- **Scope for the protocol using 24 LEB (extension in 2022 and in 2025):**
 - multi-component foods (25 g),
 - meat and meat products (25 g)
 - milk and dairy products (25 g)
 - seafood & fish products (25 g)
 - vegetables (25 g)
 - production environmental samples (25 g or 25 ml or surface sampling)
 - dairy products (125 g)
 - multi-component foods (125 g)

2.2. Reference method

Assays of 2005 were performed according to the ISO 11290-1:1997 standard “Microbiology of food and animal feeding stuffs - Horizontal method for the detection and enumeration of *Listeria monocytogenes* – Part 1: detection method”.

This standard was updated in 2017, that’s why the method described in the new standard ISO 11290-1:2017 “Horizontal method for the detection and enumeration of *Listeria monocytogenes* and of *Listeria* spp – Part 1: detection method” was considered as the reference method as part of the extension study.

The analytical scheme of the reference method is presented in Appendix B and I.

2.3. Restriction

The scope of the ONE Broth-Listeria protocol is restricted to the categories listed in section 2.1.3.

2.4. Study design

As there is no shared enrichment step for both the alternative and the reference methods, different test portions coming from the same batch or lot of products have to be used for the two methods. The study thus provides unpaired data and the word “unpaired study” is used to describe the study design.

3. Initial validation study (ONE Broth-Listeria protocol)

The study was conducted on a variety of samples and strains representative of food products. This is not an exhaustive list of the various matrices included in the application scope. For any remark on the alternative method, you can contact AFNOR Certification by connecting to the Internet page <http://nf-validation.afnor.org/contact-2/>.

3.1. Method comparison study

3.1.1. Sensitivity study

3.1.1.1. Number and nature of samples

In the 2005 (ASEPT) and 2017 (ADRIA Développement) studies, 159 samples contaminated with *L. monocytogenes* were analyzed and the results reinterpreted.

Microsept analysed 174 samples in order to complete the different categories.

The distribution of samples per category and type are presented in Table 2.

Table 2: Number and nature of samples analyzed for all categories (¹ : positive by any method)

Category	Type		Number of positive results ¹	Number of negative results	Total
Meat products ①	a	Raw	11	10	21
	b	Ready-to-cook	11	9	20
	c	Ready-to-eat, ready-to reheat	8	16	24
	Total		30	35	65
Dairy products ②	a	Raw milk cheeses	10	10	20
	b	Raw milk	11	9	20
	c	Pasteurized cheese	13	11	24
	Total		34	30	64
Seafood products ③	a	Raw	8	15	23
	b	Smoked	11	11	22
	c	RTE	11	13	24
	Total		30	39	69
Vegetables ④	a	Raw materials	9	12	21
	b	Processed raw	10	14	24
	c	Cooked or frozen	13	15	28
	Total		32	41	73
Environmental samples ⑤	a	Process and cleaning water	10	12	22
	b	Surface	10	10	20
	c	Dusts	12	8	20
	Total		32	30	62
TOTAL			158	175	333

3.1.1.2. Artificial contamination of samples

Artificial contamination was carried out using stressed strains in accordance with the requirements of the validation standard and the AFNOR technical rules.

For spiking, strains were stressed using different treatments and the stress intensity was evaluated. For seeding, bacterial suspensions were enumerated and inoculated in the matrices. The samples so contaminated were stored at $5 \pm 3^\circ\text{C}$ for 48 to 72 h (see Appendix C).

The distribution of the positive samples per contamination (natural and artificial) and per protocol is given in Table 3.

Table 3: Distribution of the positive natural and artificial contaminated samples

		Positive samples								Total
		Naturally contaminated	Cross-contamination	Spiking (CFU/sample)			Seeding (CFU/sample)			
				<5 CFU	5<x<10	>10 CFU	<3 CFU	3<x<10	>10 CFU	
ONE Broth	Samples number	88	1	10	2	0	57	0	0	158
	Percentage	55.7%	0.6%	6.3%	1.3%	0%	36.1%	0%	0%	100%

In total, 88 positive results out of 158 were obtained following natural contaminations, i.e. 55.7 %. Table 4 presents the distribution of positive samples contaminated by: *L. monocytogenes*, *Listeria* spp. excluding *L. monocytogenes* and a mixture of *L. monocytogenes* + *Listeria* spp. Excluding *L. monocytogenes*.

Table 4: Distribution of the positive samples per *Listeria* species.

Category	<i>Listeria</i> spp. only		<i>Listeria</i> spp. + <i>L. monocytogenes</i>		TOTAL		<i>L. monocytogenes</i> only		Total positive samples
	Number	%	Number	%	Number	%	Number	%	
①	19	63.3	0	0	19	63.3	11	36.7	30
②	22	64.7	0	0	22	64.7	12	35.3	34
③	18	60.0	0	0	18	60.0	12	40.0	30
④	20	62.5	0	0	20	62.5	12	37.5	32
⑤	16	50.0	0	0	16	50.0	16	50.0	32
All	95	60.1	0	0	95	60.1	63	39.9	158

The distribution of the *Listeria* is compliant for each category with the “Requirements regarding comparison and interlaboratory studies for implementation of the standard EN ISO 16140-2”, revision 7: a proportion of at least 15 to 25 *Listeria* spp. contaminated samples (alone or combined with *L. monocytogenes*) is tested for each category.

3.1.1.3. Incubation conditions

No information was provided for the tests carried out by ASEPT in 2005 concerning the incubation time applied, i.e. the minimum, central or maximum incubation time. There was no specific requirement at that time.

For samples analyzed by ADRIA Développement in 2017 and by Microsept in 2022, the minimum incubation time was applied:

- Enrichment in ONE Broth-Listeria: 22 h at 30°C
- *Brilliance* Listeria Agar plate: 22 h at 37°C

3.1.1.4. Confirmation protocols

The positive samples were confirmed:

- by the tests described in the reference method after purification on one or two typical colonies observed on *Brilliance* Listeria Agar for samples analyzed in 2005,
- by the tests described in the reference method after purification step for samples analyzed in 2017,
- by the tests described in the reference method after purification on one or two typical colonies observed on *Brilliance* Listeria Agar (ISO) and by a micro-gallery of identification (Microbact Listeria 12L Kit) without purification for samples analyzed in 2022.

All confirmations were made after 22 hours of incubation of the *Brilliance* Listeria Agar (ISO), except for samples n°2247838, 2247839, 2247840, 2247841 and 2247842 where the colony size was not sufficient to perform the micro- identification gallery. The plates were re-incubated before carrying out the confirmation.

3.1.1.5. Results

Raw data are shown in Appendix D.

Table 5 shows the results for the two methods.

Table 5: Results of the sensitivity study for both methods (R+/-: reference method positive or negative, A+/-: alternative method positive or negative, PA: positive agreement, NA: negative agreement, ND: negative deviation, PD: positive deviation, PP: presumptive positive before confirmation)

Category	Response	R+	R-
Meat products ①	A+	PA = 22	PD = 4
	A-	TND = 4	TNA = 35
Dairy products ②	A+	PA = 30	PD = 1
	A-	TND = 3	TNA = 30
Seafood products ③	A+	PA = 24	PD = 2
	A-	TND = 4	TNA = 39
Vegetables ④	A+	PA = 25	PD = 3
	A-	TND = 4	TNA = 41
Environmental samples ⑤	A+	PA = 32	PD = 0
	A-	TND = 0	TNA = 30
All categories	A+	PA = 133	PD = 10
	A-	TND = 15	TNA = 175

3.1.1.6. Calculation of relative accuracy (AC), relative sensitivity (SE) and false positive ratio (FP)

All results were used to calculate the sensitivity for the alternative method and the reference method, the relative trueness and the false positive ratio.

Table 6 presents the results.

Table 6: Values in % of sensitivity for the two methods, relative trueness and false positive ratio for the alternative method (SE_{alt} : sensitivity for the alternative method, SE_{ref} : sensitivity for the reference method, RT: relative trueness, FPR: false positive ratio, FNR: false negative ratio for the alternative method)

Category	Type	PA	PA _{FP(alt)}	NA	NA _{FN(alt)}	PD	ND	ND _{FN(alt)}	PD _{FP(alt)}	TND	TNA	Sealt %	Seref %	RT %	FPR %	FNR
Meat products ①	a Raw	7	0	10	0	2	2	0	0	2	10	81,8	81,8	81,0	0,0	0,0
	b Ready-to-cook	8	0	9	0	1	2	0	0	2	9	81,8	90,9	85,0	0,0	0,0
	c Ready-to-eat, ready-to reheat	7	0	16	0	1	0	0	0	0	16	100,0	87,5	95,8	0,0	0,0
	Total	22	0	35	0	4	4	0	0	4	35	86,7	86,7	87,7	0,0	0,0
Dairy products ②	a Raw milk cheeses	9	0	10	0	0	1		0	1	10	90,0	100,0	95,0	0,0	0,0
	b Raw milk	11	0	9	0	0	0	0	0	0	9	100,0	100,0	100,0	0,0	0,0
	c Pasteurized cheese	10	0	11	0	1	2	0	0	2	11	84,6	92,3	87,5	0,0	0,0
	Total	30	0	30	0	1	3	0	0	3	30	91,2	97,1	93,8	0,0	0,0
Seafood products ③	a Raw	7	0	15	0	1	0	0	0	0	15	100,0	87,5	95,7	0,0	0,0
	b Smoked	9	0	11	0	0	2	0	0	2	11	81,8	100,0	90,9	0,0	0,0
	c RTE	8	0	13	0	1	2	0	0	2	13	81,8	90,9	87,5	0,0	0,0
	Total	24	0	39	0	2	4	0	0	4	39	86,7	93,3	91,3	0,0	0,0
Vegetables ④	a Raw materials	7	0	12	0	1	1	0	0	1	12	88,9	88,9	90,5	0,0	0,0
	b Processed raw	9	0	14	0	0	1	0	0	1	14	90,0	100,0	95,8	0,0	0,0
	c Cooked or frozen	9	0	15	0	2	2	0	0	2	15	84,6	84,6	85,7	0,0	0,0
	Total	25	0	41	0	3	4	0	0	4	41	87,5	90,6	90,4	0,0	0,0
Environmental samples ⑤	a Process and cleaning water	10	0	12	0	0	0	0	0	0	12	100,0	100,0	100,0	0,0	0,0
	b Surface	10	0	10	0	0	0	0	0	0	10	100,0	100,0	100,0	0,0	0,0
	c Dusts	12	0	8	0	0	0	0	0	0	8	100,0	100,0	100,0	0,0	0,0
	Total	32	0	30	0	0	0	0	0	0	30	100,0	100,0	100,0	0,0	0,0
Total		133	0	175	0	10	15	0	0	15	175	90,5	93,7	92,5	0,0	0,0

Table 7 summarizes the calculated parameters for all categories: sensitivities, relative trueness and false positive ratio.

Table 7: Parameters for all categories per kind of samples (ND=ND+PPND, NA=NA+PPNA)

Parameter	Formula EN ISO 16140-2/A1 :2024	Values
Sensitivity of the alternative method (SE_{alt})	$SE_{alt} = \frac{(PA + PD)}{(PA + TND + PD)} \times 100 \%$	90.5 %
Sensitivity of the reference method (SE_{ref})	$SE_{ref} = \frac{(PA + TND)}{(PA + TND + PD)} \times 100 \%$	93.7 %
Relative trueness (RT)	$RT = \frac{(PA + TNA)}{N} \times 100 \%$	92.5 %
False positive ratio (FPR)	$FPR = \frac{PA_{FP(alt)} + PD_{FP(alt)}}{TNA} \times 100 \%$	0.0 %
False negative ratio (FNR)	$FNR = \frac{NA_{FN(alt)} + ND_{FN(alt)}}{PA + TND + PD}$	0.0

3.1.1.7. Analysis of discordant results

The negative deviations (19) are given in Table 8 and the positive deviations (13) in Table 9. The negative deviations relate to 11 naturally contaminated samples and 4 artificially contaminated samples.

Ten positive deviations were observed and 7 relate to naturally contaminated samples.

Table 8: Negative deviations

Cat.	Type	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method					ONE BROTH (22h - 30°C)						
				AL	Palcam	Fraser tube		Conf.	Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO conf.	Result	Agreement
						AL	Palcam								
1	a+	2231970	Cutlet Milanese	∅	∅	BM ∅ halo	BM	<i>L.welshimeri</i>	P	∅	∅	/	/	A	ND
	a+	2231978	Duck liver	AL ∅ halo	BL	AM ∅ halo	AM	<i>L.innocua</i>	P	∅	∅	/	/	A	ND
	b+	2231961	Ground pork meat	∅	∅	AM ∅ halo	AM	<i>L.innocua</i>	P	∅	∅	/	/	A	ND
	b+	2231981	Ground pork meat	∅	∅	AL ∅ halo	AL	<i>L.welshimeri</i>	P	∅	∅	/	/	A	ND
2	a+	2236690	Raw cow's milk cheese (Abondance)	AM ∅ halo	AM	AM ∅ halo	AM	<i>L.innocua</i>	P	∅	/	/	/	A	ND
	c+	2236696	Pasteurized cow's milk cheese (Baskeria)	AL ∅ halo	CL	AM ∅ halo	AM	<i>L.innocua</i>	P	∅	/	/	/	A	ND
	c+	2247810	Pasteurized cow's milk cheese (Fol Epi)	AL halo	∅	AL halo	∅	<i>L.ivanovii</i>	P	∅	/	/	/	A	ND
3	b+	2247775	Smoked mackerel	EM	EM	AM ∅ halo	AM	<i>L.innocua</i>	P	∅	/	/	/	A	ND
	b+	2247915	Smoked salmon	AL ∅ halo	AL	AL ∅ halo	AL	<i>L.innocua</i>	P	∅	/	/	/	A	ND
	c+	2247780	Shrimp shell	EM	EM	AM ∅ halo	AM	<i>L.welshimeri</i>	P	∅	/	/	/	A	ND
	c+	2247781	Surimi shell	EM	∅	AM ∅ halo	AM	<i>L.welshimeri</i>	P	∅	/	/	/	A	ND
4	a+	2247921	Apple	AM ∅ halo	AM	AM ∅ halo	AM	<i>L.innocua</i>	P	∅	/	/	/	A	ND
	b+	2247784	Onions	AM ∅ halo	AM	AM ∅ halo	AM	<i>L.innocua</i>	P	∅	/	/	/	A	ND
	c+	2247835	Gratted carrot	∅	∅	AL ∅ halo	∅	<i>L.seeligeri</i>	P	∅	/	/	/	A	ND
	c+	2247837	Piemontaise	∅	∅	AL ∅ halo	∅	<i>L.seeligeri</i>	P	EL	/	/	/	A	ND

Table 9: Positive deviations

Category	Type	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method						ONE BROTH (22h - 30°C)						
				AL	Palcam	Fraser tube		Conf.	Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO conf.	Result	Agreement	
						AL	Palcam									
1	a+	2231966	Pork meat	∅	∅	∅	∅	/	/	A	AL ∅ halo	∅	<i>L.welshimeri</i>	<i>L.welshimeri</i>	P	PD
	a+	2231979	Pork meat	∅	EL	∅	EL	/	/	A	AM ∅ halo	AM ∅ halo	<i>L.welshimeri</i>	<i>L.welshimeri</i>	P	PD
	b+	2231972	Raw sausage	∅	∅	∅	∅	/	/	A	AL ∅ halo	∅	<i>L.welshimeri</i>	<i>L.welshimeri</i>	P	PD
	c+	2236689	Boudin noir	∅	EL	∅	EL	/	/	A	AL ∅ halo	AL ∅ halo	<i>L.welshimeri</i>	<i>L.welshimeri</i>	P	PD
3	c+	2247808	Pasteurized cow's milk cheese (Tomme)	EM	∅	EM	∅	/	/	A	AL halo	/	<i>L.ivanovii</i>	<i>L.ivanovii</i>	P	PD
4	a+	2247771	Plaice	EL	∅	∅	∅	/	/	A	AL ∅ halo	/	<i>L.innocua</i>	<i>L.innocua</i>	P	PD
	c+	2247919	Prawn salad	∅	EL	∅	EL	/	/	A	AM ∅ halo	/	<i>L.innocua</i>	<i>L.innocua</i>	P	PD
5	a+	4801	Corn	-	-	st	-	/	/	A	H+	/	-	<i>L.mono</i>	P	PD
	c+	2247931	Vegetables	∅	∅	∅	∅	/	/	A	DL ∅ halo (1)	/	<i>L.innocua</i>	<i>L.innocua</i>	P	PD
	c+	2247840	Tabouleh	∅	∅	∅	∅	/	/	A	AL ∅ halo*	AL ∅ halo	<i>L.seeligeri</i>	<i>L.seeligeri</i>	P	PD

Most of the discordant results are probably due to the fact that it is an unpaired study. Note that for nine samples, typical colonies were obtained only with the reference method after streaking from Fraser broth. These samples were probably contaminated at a low level.

The additional tests carried out according to ISO 16140-2 on samples in negative deviation didn't allow recovering *Listeria* colonies.

3.1.1.8. Calculation and interpretation of data

For each category and for all categories, the difference between ND and PD is calculated. The values obtained are compared to the acceptability limits defined by the EN ISO 16140-2:2016 standard.

Table 10 shows these results.

Table 10: Acceptability limits for ONE Broth protocol

Category	Type		Values			
			PD	TND	TND-PD	AL
①	a	Raw	2	2	/	/
	b	Ready-to-cook	1	2		
	c	Ready-to-eat, ready-to reheat	1	0		
	Total		4	4	0	3
②	a	Raw milk cheeses	0	1	/	/
	b	Raw milk	0	0		
	c	Pasteurized cheese	1	2		
	Total		1	3	2	3
③	a	Raw products (fresh, frozen)	1	0	/	/
	b	Smoked, marinated	0	2		
	c	Ready to eat or ready to reheat	1	2		
	Total		2	4	2	3
④	a	Raw materials	1	1	/	/
	b	Processed raw	0	1		
	c	Cooked or frozen	2	2		
	Total		3	4	1	3
⑤	a	Process and cleaning water	0	0	/	/
	b	Surface	0	0		
	c	Dusts	0	0		
	Total		0	0	0	3
Total		10	15	5	5	

The observed values are below the acceptability limits for each category and equal to the acceptability limit for the combined categories.

The alternative method produces results comparable to the reference method.

3.1.1.9. Confirmations

For samples analyzed by ASEPT in 2005 and contaminated with *Listeria* spp., all the positive samples obtained were confirmed by the tests described in the reference method.

For samples analyzed by ADRIA Développement in 2017 and contaminated with *Listeria* spp., all the positive samples obtained were confirmed by the tests described in the reference method.

For samples analyzed by Microsept in 2022, all the positive samples obtained were confirmed by the tests described in the reference method and using a biochemical micro-gallery (Microbact™ 12L).

Note that according to the ISO 16140-2:2016 standard, all negative samples must be confirmed by the reference method including the sub-culture in Fraser. This was applied for samples analyzed in 2017 and 2022.

For two negative samples, 2247799 and 2247811, a positive result was obtained after isolation of the Fraser enrichment on *Brilliance* Listeria Agar (ISO).

3.1.1.10. Enrichment broth storage at 5 ± 3°C for 72 h:

A storage at 5°C was tested only for samples analyzed in 2022. The broth was re-isolated on *Brilliance* Listeria Agar (ISO) for samples that gave a positive or discordant result and confirmed with a micro-gallery of identification.

One sample (2247915: smoked salmon) moved from negative deviation to positive agreement.

Since broth storage was not carried out for all studies (only for samples analyzed in 2022), the statistical interpretation is not carried out.

3.1.1.11. Conservation of the *Brilliance* Listeria Agar (ISO) plates at 5 ± 3°C for 72 h:

The *Brilliance* Listeria Agar (ISO) plates were stored for 72 h at 5 ± 3°C and read again only for samples analyzed in 2022. The characteristic colonies are confirmed again with a micro-gallery of identification. No change was observed after storage of the *Brilliance* Listeria Agar (ISO) plates.

Since plates storage was not carried out for all studies (only for samples analyzed in 2022), the statistical interpretation is not carried out.

3.1.2. Relative level of detection study

3.1.2.1. Experimental design

Five matrix-strain pairs were analyzed by the reference method and by the alternative method.

For two categories (Dairy products and Vegetables), the data generated during the validation of the Listeria Precis (detection of *Listeria monocytogenes*) method in 2005 were reinterpreted.

For the remaining three categories (Meat products, Seafood products and Environmental samples), new tests were carried out by Microsept in 2022.

Table 11: Matrix-strain pairs used for the determination of the RLOD

Matrix	Strain	Origin
① Meat products: Rillettes	<i>Listeria ivanovii</i> AAZ671	Raw meat
② Dairy products: Raw milk	<i>Listeria monocytogenes</i> 18 1/2b	Raw milk
③ Seafood products: Smoked salmon	<i>Listeria innocua</i> ABB472	Marinated salmon
④ Vegetables: Lettuce	<i>Listeria monocytogenes</i> 1 1/2a	Deli salad
⑤ Environmental samples: Process water	<i>Listeria welshimeri</i> RVG428	Environment

For categories ② and ④, six replicates were analyzed per inoculation level and a minimum of four inoculation levels were tested.

For categories ①, ③ and ⑤, three levels of contamination were prepared consisting of a negative control level, a low level, and a higher level. Only one strain of the target analyte is used to contaminate the low and the high level.

The negative control level shall not produce positive results. Five replicates are tested for this level.

The low level shall be the theoretical detection level, it has been contaminated at 0.7 - 1 CFU per test portion to obtain fractional recovery results. Twenty replicates are tested for this level.

The higher level shall be just above the theoretical detection level, it has been contaminated at 2 - 3 CFU per test portion. Five replicates are tested for this level.

Food products were contaminated using the seeding protocol. Bulk contaminations were performed on the matrices for the different levels of contamination, then the matrices were stored at 5 ± 3°C for two days before analysis. Samples were then analyzed by the reference and the alternative method. For the alternative method, only the minimal incubation time of the broth of the alternative method was tested.

Simultaneously, a total viable count was performed on a portion of non-contaminated matrix to estimate the concentration of mesophilic aerobic flora. Detection of *Listeria* spp. using the reference method was also performed to check the absence of the target analyte in the matrix.

3.1.2.2. Results and calculation of the RLODs

Raw results are shown in Appendix F. The RLOD is defined as the ratio of the LODs of the alternative method and the reference method: $RLOD = \frac{LOD_{alt}}{LOD_{ref}}$.

The RLOD calculations were performed using the Excel spreadsheet available at <http://standards.iso.org/iso/16140> - RLOD (clause 5-1-4-2 Calculation and interpretation of RLOD).

The RLODs are given in Table 12.

Table 12: RLODs values (RLOD: the estimated relative level of detection value, RLODU: the upper limit of the 95% confidence interval for RLOD, RLODL: the lower limit of the 95% confidence interval for RLOD, $b = \ln(RLOD)$: logarithm of the RLOD value, $sd(b)$: standard deviation of b , z-Test statistic: absolute value of the test statistic of the z-Test with the null hypothesis $H_0: b=0$, p-value: p-value of the z-Test)

Name	RLOD	RLODL	RLODU	z-Test statistic	AL
① Rillettes / <i>Listeria ivanovii</i> AAZ671	0.560	0.249	1.259	1.431	2.5
② Raw milk / <i>Listeria monocytogenes</i> 18 (1/2 b)	1.670	0.350	7.969	0.656	
③ Smoked salmon / <i>Listeria innocua</i> ABB472	1.563	0.607	4.025	0.945	
④ Lettuce / <i>Listeria monocytogenes</i> 1 (1/2a)	1.229	0.397	3.806	0.364	
⑤ Process water / <i>Listeria welshimeri</i> RVG428	1.133	0.510	2.521	0.313	
Combined	1.000	0.673	1.485	0.000	

The LOD_{50} calculations according to Wilrich & Wilrich POD-LOD calculation program - version 12, are given in Table 13.

Table 13: LOD_{50%} for the alternative and reference method

Matrix	Strain	LOD _{50%} (CFU/25g) alternative method	LOD _{50%} (CFU/25g) Reference method
① Rillettes	<i>Listeria ivanovii</i> AAZ671	0.415	0.804
② Raw milk	<i>Listeria monocytogenes</i> 18 (1/2b)	0.635	0.506
③ Smoked salmon	<i>Listeria innocua</i> ABB472	0.772	1.121
④ Lettuce	<i>Listeria monocytogenes</i> 1 (1/2a)	0.636	0.534
⑤ Process water	<i>Listeria welshimeri</i> RVG428	1.185	1.069
Combined results		0.737	0.882

3.1.2.3. Interpretation and conclusion

The RLOD values are below the limit of acceptability set at 2.5 for Listeria Precis method.

In conclusion, alternative and reference methods show similar LODs values for the detection of *Listeria* spp. in the categories tested.

3.1.3. Inclusivity and exclusivity study

3.1.3.1. Test protocols

In this study, 50 *Listeria* spp. strains and 38 non-target strains were tested by the Listeria Precis method and by the reference method.

- **Inclusivity**

The data from 20 *L. monocytogenes* strains analyzed in the validation of Listeria Precis (Detection of *Listeria monocytogenes*) method in 2007 were reinterpreted and 31 other strains of *Listeria* spp. were added in 2022.

All *Listeria* cultures were performed in Tryptone-Soya broth (24 h at 37°C). Dilutions were done in order to inoculate 1 to 100 cells/225 ml ONE Broth-Listeria. The complete protocol of the alternative method was applied.

- **Exclusivity**

The data from 37 non target strains analyzed in the validation of Listeria Precis (Detection of *Listeria monocytogenes*) method in 2007 were reinterpreted.

All the cultures were performed in Tryptone-Soya broth (24 h at 37°C). Dilutions were done in order to inoculate 10⁵ cells/ml ONE Broth-Listeria. The complete protocol of the alternative method was applied.

3.1.3.2. Results

Raw data are given in Appendix F.

- **Inclusivity**

The 50 strains of *Listeria* analyzed gave a positive result. However, for the 4 strains of *Listeria grayi*, the addition of powdered milk to the enrichment broth was necessary to allow their growth.

For the strain of *L. grayi* RZK366, this addition of powdered milk did not make it possible to obtain growth with the reference method.

Listeria ivanovii gave colonies with a halo on *Brilliance* Listeria Agar (ISO), but the confirmation tests provided a clear discrimination between *L. monocytogenes* and *L. ivanovii* species.

- **Exclusivity**

No cross-reaction was observed with the non-target strains.

3.1.3.3. Conclusion

The selectivity of the method is satisfactory

3.1.4. Practicability

The alternative method practicability was evaluated according to the AFNOR criteria relative to method comparison study.

- **Storage conditions, shelf-life and modalities of utilization after first use**

The shelf-life and the storage conditions are given on the package. All reagents must be stored at the temperature mentioned on the package.

- **Common step with the reference method**

No common step with the reference method.

- **Time-to-result**

See Table 14 below:

Table 14: Time-to-result

Steps	Reference method	Alternative method
Negative samples		
Sampling (Half Fraser or ONE Broth <i>Listeria</i>)	Day 0	Day 0
Fraser 1	Day 1	/
Half Fraser streaking (O1 – P1)	Day 1	/
Streaking onto <i>Brilliance</i> Listeria Agar	/	Day 1
Fraser 1 streaking (O2 – P2)	Day 3	/
Reading plates (O1 – P1 & <i>Brilliance</i> Listeria Agar)	Day 2 – Day 3	Day 2 – Day 3 (meat products)
Reading plates (O2 – P2)	Day 4 – Day 5	/
Presumptive positive or positive results		
Sub-culture of typical colonies from O1/P1 on TSAYE	Day 2 – Day 3	/
subculture of typical colonies from O2/P2 on TSAYE	Day 4 – Day 5	/
Results	Day 4 – Day 7 Day 8 – Day 11 ⁽¹⁾	Day 2 – Day 4

⁽¹⁾ In the case of the Rhamnose and xylose tests are realized in tubes.

3.2. Interlaboratory study

3.2.1. Organization of the study

This study was realized in June 2009 by ADRIA Développement: 13 packages were delivered but only 12 laboratories participated to the ring trial (one lab (D) received its package at Day 2).

Pasteurized milk was used to perform the study. The samples were inoculated with *L. monocytogenes* strain serovar 4b 153, 16 flasks were individually inoculated per lab and per contamination level. Each lab received 48 samples to analyze.

3.2.2. Experimental parameters controls

3.2.2.1. Sample stability

- **Contamination levels before inoculation**

In order to detect *L. monocytogenes*, the ISO 11290-1/A1 method was performed on milk test portions (25 g) before the inoculation. All the results were negative.

Table 15: Target and real contamination levels (CFU/25 g)

Level	Samples	Theoretical target level	True level	Low limit	High limit
Level 0 L_0	2-5-8-12-13-16-22-24	0	/	/	/
Low level L_1	3-6-10-11-14-18-21-23	5	5	4.3	5.8
High level L_2	1-4-7-9-15-17-19-20	25	25.2	21.8	29.9

- Strain stability during transport

In order to detect *L. monocytogenes*, the ISO 11290-1/A1 method was performed on milk test portions (25 g) before the inoculation. All the results were negative. Sample stability was checked by inoculating the matrix at a low level (1 – 10 CFU/25 ml) and a high level (5 – 50 CFU/25 ml). Enumerations were performed for the high contamination level and detection analyses were performed for the low contamination level. Triplicates were analyzed with reference method for the detection and O&A agar media for enumeration. The results were the following: (Table 16).

Table 16: *Listeria monocytogenes* stability in the matrix

Day of analysis	<i>Listeria monocytogenes</i> detection	
	CFU/ml (O&A)	Detection/25 ml
Day 0	67	+
	46	+
	29	+
Day 1	38	+
	54	+
	25	+

No evolution was observed during storage.

3.2.2.2. Logistic conditions

The temperatures measured at reception by the Labs, the temperatures registered by the thermo-probe, and the receipt dates are given in Table 17.

Table 17: Samples temperature upon receipt (T°C: temperature in °C)

Laboratories	Probe T°C	Receipt T°C	Receipt date and time	Analysis date
A	4.0	5.2	Day 1 11h45	Day 1
B	1.5	3.8	Day 1 11h40	Day 1
C	3.0	5.1	Day 1 14h00	Day 1
D	3.0	<i>Non measured</i>	Day 2 10h15	<i>Not realized</i>
E	1.5	3.6	Day 1 16h00	Day 1
F	4.0	<i>Non measured</i>	Day 1 10h30	Day 1
G	1.5	5.2	Day 1 11h10	Day 1
H	3.0	6.4	Day 1 14h25	Day 1
I	2.5	4.2	Day 1 12h00	Day 1
J	2.5	4.0	Day 1 14h00	Day 1
K	7.0	12.0	Day 1 12h00	Day 1
L	3.0	7.0	Day 1 10h24	Day 1
M	3.0	6.3	Day 1 13h34	Day 1

One Lab (D) received the samples at Day 2.

One Lab (K) measured a temperature at receipt above 8.4°C, but the sensor indicated clearly that the temperature was fitting with the AFNOR technical rules.

3.2.3. Results

The raw data are given in Appendix H.

3.2.3.1. Results obtained by the Expert Laboratory

The results obtained by the Expert Laboratory are the following (Table 18).

Table 18: Results obtained by the Expert Laboratory

Level	Reference method	Alternative method
L_0	0 / 8	0 / 8
L_1	8 / 8	8 / 8
L_2	8 / 8	8 / 8

3.2.3.2. Results obtained by the collaborators

- **Mesophilic aerobic flora**

The enumeration of the mesophilic aerobic flora varies from 7.7×10^2 to 1.8×10^4 CFU/ml.

- **Listeria monocytogenes detection**

Table 19 presents the positive results of all collaborators.

Table 19: Positive results of the collaborators (bc: before confirmation, ac: after confirmation)

Lab	Reference method			Alternative method					
	L ₀	L ₁	L ₂	L ₀		L ₁		L ₂	
				bc	ac	bc	ac	bc	ac
A	0	8	8	0	0	8	8	8	8
B	0	8	8	0	0	8	8	8	8
C	0	8	8	0	0	8	8	8	8
E	0	7	8	0	0	8	8	8	8
F	0	8	8	0	0	8	8	8	8
G	0	8	8	0	0	8	8	8	8
H	0	8	8	0	0	8	8	8	8
I	0	8	8	0	0	8	8	8	8
J	0	8	8	0	0	8	8	8	8
K	0	8	8	0	0	8	8	8	8
L	0	8	8	0	0	8	8	8	8
M	0	8	8	0	0	8	8	8	8
Total	0	95	96	0	0	96	96	96	96

According to the AFNOR technical rules, it is possible to include the results from a collaborator with maximum one cross contamination at Level 0. For this study, the results from all the Labs were kept for interpretation.

3.2.4. Interpretation of the results

3.2.4.1. Calculation of the specificity percentage (SP)

The percentage specificity (SP) of the reference method and the alternative method is calculated, using the data after confirmation, based on the results of level L₀ as follows:

$$\text{Specificity of the reference method: } SP_{ref} = \left[1 - \left(\frac{P_0}{N^-} \right) \right] \times 100\%$$

$$\text{Specificity of the alternative method: } SP_{alt} = \left[1 - \left(\frac{CP_0}{N^-} \right) \right] \times 100\%$$

where:

N⁻ is the number of all L₀ tests,

P₀ is the total number of false-positive results obtained with the blank samples before confirmation,

CP₀ is the total number of false-positive results obtained with blank samples.

The results are the following:

$$SP_{ref} = 100\%$$

$$SP_{alt} = 100\%$$

3.2.5. Summary of the results

Table 20 details the results of level 1 per method obtained during the study.

Table 20: Tests results for the two methods

Response	Reference method positive (R+)	Reference method negative (R-)
Alternative method positive (A+)	Positive agreement PA = 95	Positive deviation PD = 1
Alternative method negative (A-)	Negative deviation TND = 0	Negative agreement NA = 0

For an unpaired study design, the difference between (TND – PD) for the level where fractional recovery was obtained (L_1 and possibly L_2) is calculated.

The observed value found for (TND – PD) shall not be higher than the acceptability limit (AL). The AL is defined as $[(TND - PD)_{max}]$ and calculated per level where fractional recovery was obtained as described below using the following three parameters:

$$-(p+)_{ref} = \frac{P_x}{N_x}, \text{ where}$$

P_x = number of samples with a positive result obtained with the reference method at level x , (L_1 or L_2) for all laboratories.

N_x = number of samples tested at level x (L_1 or L_2) with the reference method by all laboratories.

$$-(p+)_{alt} = \frac{CP_x}{N_x}, \text{ where}$$

CP_x = number of samples with a confirmed positive result obtained with the alternative method at level x (L_1 or L_2) for all laboratories.

N_x = number of samples tested at level x (L_1 or L_2) with the alternative method by all laboratories.

$$-(ND - PD)_{max} = \sqrt{3N_x \times ((p+)_{ref} + (p+)_{alt} - 2((p+)_{ref} \times (p+)_{alt}))}, \text{ where}$$

N_x = the total number of samples tested for level x (L_1 or L_2) by all laboratories.

The AL is not met when the observed value is higher than the AL. When the AL is not met, investigations should be made (e.g. root cause analysis) in order to provide an explanation of the observed results.

Based on the AL and the additional information, it is decided whether the alternative method is regarded as not fit for purpose. The reasons for acceptance of the alternative method in case the AL is not met shall be stated in the study report.

In this study, fractional positive results are observed at level L_1 only. The different parameters obtained by the calculation are detailed in the table below:

Table 21: Values obtained for the determination of the acceptability limit

Parameter	Value
N_x	96
$(p+)_{ref}$	0.99
$(p+)_{alt}$	1.00
Acceptability limit: $AL = (TND-PD)_{max}$	1.73
Observed value: TND-PD	-1

The value (ND-PD) is inferior to the acceptability limit for the two protocols, so the requirements of the standard EN ISO 16140-2:2016 are fulfilled.

3.2.6. Calculation of sensitivities, relative trueness and false positive ratio

Based on the data of Table 19, the following parameters are calculated:

- Sensitivity for the alternative method: $SE_{alt} = \frac{(PA+PD)}{(PA+ND+PD)} \times 100\%$
- Sensitivity for the reference method: $SE_{ref} = \frac{(PA+ND)}{(PA+ND+PD)} \times 100\%$
- Relative trueness: $RT = \frac{(PA+NA)}{N} \times 100\%$
- False positive ratio for the alternative method: $FP = \frac{(FP)}{NA} \times 100\%$

where N is the total number of samples (NA + PA + PD + ND) and FP is false positive results.

The results are the following:

$$SE_{alt} = 100\%$$

$$SE_{ref} = 99\%$$

$$RT = 99\%$$

FP = false positive ratio is not calculable because no negative agreement was found at level L_1 .

3.2.7. Evaluation of the LOD_{50%}, LOD_{95%} and RLOD

The evaluation of the RLOD between laboratories could not be determined using the Annex F of ISO 16140-2:2016 and using the Excel spreadsheet available at <http://standards.iso.org/iso/16140 - RLOD inter-lab-study 16140-2 AnnexF ver1 28-06-2017>

Calculation of LOD_{50%} and LOD_{95%} are not possible because every sample at level 1 was positive for Listeria Precip method.

3.3. Conclusion

- **Methods comparison study**

The method comparison study scheme corresponds to an unpaired study design as the alternative and reference methods have different enrichment procedures.

In the sensitivity study, four food categories and environmental samples were tested.

The protocol of the alternative method using ONE Broth-Listeria shows 10 positive deviations (PD) and 15 negative deviations (ND). The observed values for (TND - PD) are below or equal to the acceptability limits for each category and for all categories.

The RLOD are all below the AL fixed at 2.5 for the unpaired data study whatever the matrix/strain pairs and the protocols tested.

The 50 strains of *Listeria* spp. analyzed gave a positive result. For the four strains of *L. grayi* tested, the addition of powdered milk to the enrichment broth was necessary to allow their growth.

All the non-target strains gave a negative result.

The negative results are available in 48 h or 72 h depending on the products tested and the positive results in 48 h or 96 h depending on the confirmation applied.

The Listeria Precis (Detection of *Listeria* species) method fulfils all the ISO 16140-2/A1:2024 and AFNOR technical rules requirements regardless of the enrichment protocol used.

- **Interlaboratory study**

The data and interpretations comply with the EN ISO 16140-2/A1:2024 requirements.

The Listeria Precis method is considered equivalent to the ISO 11290-1 reference method.

4. Extension studies (2022 and 2025)

4.1. Sensitivity study

4.1.1. Protocols applied during extension studies

- **Incubation times:**

The broth and alternate method agar plates were incubated at the minimum time of the tolerance interval (20 h for the broth and 22 h for the plates).

- **Confirmations:**

Presumptive positive results were confirmed by:

- PrecisCheck Kit for *Listeria* spp.
- A spot on Palcam
- Microbact Listeria 12L Kit micro-gallery of identification
- The realization of the tests described in the reference method after purification

For extension realized in 2025, only two confirmations were used, although the end user can still use all the confirmation options mentioned above. The expert laboratory confirmed characteristics colonies observed on *Brilliance* Listeria Agar (ISO) by:

- Tests of the reference method from an isolated colony
- Microbact Listeria 12L Kit

An additional confirmation protocol was performed, as required by ISO 16140-2: 2016, consisting in sub-culturing 0.1 ml of the enriched 24 LEB in a Fraser tube, incubated for 24 ± 2 h at $37 \pm 1^\circ\text{C}$, before streaking on Palcam and a chromogenic agar media, incubated for 24 ± 2 h at $37 \pm 1^\circ\text{C}$.

- **Cold storage of the enriched broths:**

Storage of the broths for 72 h at $5 \pm 3^\circ\text{C}$ was carried out. The alternative method was applied from the stored enriched broths for positive and discordant samples. A confirmation was realized with a micro-gallery of identification.

The final results are interpreted according to ISO 16140-2: 2016, using the acceptability limits of unpaired methods.

- **Cold storage of the plates:**

The storage of the *Brilliance* Listeria Agar (ISO) media at $5 \pm 3^\circ\text{C}$ for 72 h was realized and a new reading and confirmation of the plates was applied.

4.1.2. Number and nature of the samples

This extension study for all categories relates to 364 samples.

Samples analyzed by category and type are presented in Table 22.

Table 22: Distribution of the negative and positive samples per category and type

Category		Type	Positive	Negative	Total
①	Multi-component foods	a Ready-to-eat	11	10	21
		b Ready-to-reheat	11	10	21
		c Pastries and egg-based products	10	11	21
		Total	32	31	63
②	Meat products	a Raw products (frozen or fresh)	11	11	22
		b Meat based products ready to reheat	9	11	20
		c Raw and cooked delicatessen	10	10	20
		Total	30	32	62
③	Milk and Dairy products	a Raw milk cheeses	10	10	20
		b Other products based on raw milks	10	10	20
		c Heat treated dairy products	10	10	20
		Total	30	30	60
④	Seafood and fishery products	a Raw products (fresh, frozen)	10	10	20
		b Smoked, marinated	10	11	21
		c Ready-to-eat or ready-to-reheat	10	10	20
		Total	30	31	61
⑤	Vegetables	a Raw vegetable products (fresh, frozen)	10	11	21
		b Mapped vegetables and heat processed vegetables	10	10	20
		c Vegetables based preparations, processed vegetables	10	10	20
		Total	30	31	61
⑥	Production environmental samples	a Process & cleaning waters	10	10	20
		b Dusts and residues	10	10	20
		c Surface sampling	10	10	20
		Total	30	30	60
⑦	Dairy products 125 g	a Raw milk cheeses	14	10	24
		b Other products based on raw milks	14	10	24
		c Heat treated dairy products	12	10	22
		Total	40	30	70
⑧	Multi-component foods 125 g	a Ready-to-eat	10	10	20
		b Ready-to reheat	12	10	22
		c Pastries and egg-based products	12	10	22
		Total	34	30	64
All categories			256	245	501

4.1.3. Artificial contaminations

Artificial contamination was carried out with strains after an injury treatment, in accordance with the requirements of the validation standard and the AFNOR Validation Technical Board (see Appendix J). Table 23 gives the distribution of the positive samples per level of contamination.

Table 23: Distribution of the positive samples per level (cl: contamination level)

Positive samples	Naturally contaminated samples	Artificially contaminated samples						Total
		Spiking			Seeding			
		cl ≤ 5	5 < cl ≤ 10	10 < cl ≤ 30	cl ≤ 3	3 < cl ≤ 10	cl > 10	
256	92	7	0	0	83	0	0	182
	4	2	0	0	44	24	0	74
/	37.5%	3.5%	0%	0%	49.6%	9.4%	0%	100%

For all categories, 37.5 % of the samples were naturally contaminated.

The proportions of *Listeria* spp. (only or mixed with *L. monocytogenes*) and of *L. monocytogenes* among the positive samples for all categories are presented in Table 24.

Table 24: Proportions of *Listeria* spp. and of *L. monocytogenes* among the positive samples

Category	<i>Listeria</i> spp. only (A)		<i>Listeria</i> spp. + <i>L. monocytogenes</i> (B)		Total A+B		<i>L. monocytogenes</i> only		Total positive samples
	#	%	#	%	#	%	#	%	
Multi-component foods	15	46.8%	4	12.5%	19	59.4%	13	40.6%	32
Meat products	18	60.0%	3	10%	21	70.0%	9	30.0%	30
Milk & Dairy products	19	63.3%	1	3.3%	20	66.6%	10	33.4%	30
Seafood & Fishery products	19	63.3%	2	6.7%	21	70.0%	9	30.0%	30
Vegetables	17	56.6%	2	6.7%	19	63.3%	11	36.7%	30
Environmental samples	19	63.3%	2	6.7%	21	70%	9	30.0%	30
Dairy products 125 g	18	45.0%	0	0%	18	45.0%	22	55.0%	40
Multi-component foods 125 g	20	58.8%	0	0%	20	58.8%	14	41.2%	34
All	145	56.6%	14	5.5%	159	62.1%	97	37.9%	256

According to the *Requirements regarding comparison and interlaboratory studies for implementation of the standard EN ISO 16140-2*, (AFNOR rules v12), “for *Listeria* genus studies, compliance per category with a proportion of at least 15 to 25 *Listeria* spp. contaminated samples (alone or combined with *L. monocytogenes*) is requested”.

This requirement is fulfilled for *Listeria* Precis for detection of *Listeria* spp. for each category.

4.1.4. Results

Raw data are shown in Appendix K. Table 25 shows the results of the sensitivity study for all categories.

Table 25: Results of the sensitivity study for both methods (R+/-: reference method positive or negative, A+/-: alternative method positive or negative, PA: positive agreement, NA: negative agreement, ND: negative deviation, PD: positive deviation, PP: presumptive positive before confirmation)

Category	Response	R+	R-
Multi-component foods ①	A+	PA = 24	PD = 5
	A-	TND = 3	TNA = 30
Meat products ②	A+	PA = 24	PD = 4
	A-	TND = 2	TNA = 31
Milk and Dairy products ③	A+	PA = 23	PD = 2
	A-	TND = 5	TNA = 30
Seafood and fishery products ④	A+	PA = 22	PD = 5
	A-	TND = 3	TNA = 30
Vegetables ⑤	A+	PA = 25	PD = 5
	A-	TND = 1	TNA = 31
Production environmental samples ⑥	A+	PA = 25	PD = 3
	A-	TND = 2	TNA = 30
Dairy products 125 g ⑦	A+	PA = 34	PD = 3
	A-	TND = 3	TNA = 30
Multi-component food 125 g ⑧	A+	PA = 29	PD = 3
	A-	TND = 2	TNA = 30
All categories	A+	PA = 206	PD = 29
	A-	TND = 21	TNA = 242

4.1.5. Calculation of relative trueness (RT), sensitivity (SE) and false positive ratio (PFR)

The set of results obtained were used to calculate the relative trueness, the sensitivity and the false positive ratio for each of the categories and for all the categories, according to the formulas set out in the EN ISO 16140-2/A1:2024 standard.

This interpretation is shown below in Table 26.

The calculations formulae of the EN ISO 16140-2/A1:2024 standard are presented below:

Sensitivity of the alternative method:

$$SE_{alt} = \frac{(PA + PD)}{(PA + TND + PD)} \times 100 \%$$

Sensitivity of the reference method:

$$SE_{ref} = \frac{(PA + TND)}{(PA + TND + PD)} \times 100 \%$$

Relative trueness:

$$RT = \frac{(PA + TNA)}{N} \times 100 \%$$

False positive ratio:

$$FPR = \frac{PA_{FP(alt)} + PD_{FP(alt)}}{TNA} \times 100 \%$$

False negative ratio:

$$FNR = \frac{NA_{FN(alt)} + ND_{FN(alt)}}{PA + TND + PD}$$

$$\text{With: } TNA = NA + NA_{FN(alt)} + PD_{FP(alt)}$$

$$TND = ND + ND_{FN(alt)} + PA_{FP(alt)}$$

Table 26: Calculation of the relative trueness (RT), the sensitivity (SE), the false positive ratio (FPR) and false negative ratio (FNR)

Category	Type	PA	PA _{FP(alt)}	NA	NA _{FN(alt)}	PD	ND	ND _{FN(alt)}	PD _{FP(alt)}	TND	TNA	SE _{alt} %	SE _{ref} %	RT %	FPR %	FNR %	N+
① Multi-component foods	a Ready-to-eat	6	0	10	0	4	1	0	0	1	10	90,9	63,6	76,2	0,0	0,0	11
	b Ready-to reheat	9	0	10	0	1	1	0	0	1	10	90,9	90,9	90,5	0,0	0,0	11
	c Pastries and egg-based products	9	0	10	0	0	1	0	1	1	11	90,0	100,0	95,2	9,1	0,0	10
	Total	24	0	30	0	5	3	0	1	3	31	90,6	84,4	87,3	3,2	0,0	32
② Meat products	a Raw (frozen and fresh)	9	0	10	0	1	1	0	1	1	11	90,9	90,9	90,9	9,1	0,0	11
	b Meat based products ready-to-reheat	9	0	11	0	0	0	0	0	0	11	100,0	100,0	100,0	0,0	0,0	9
	c Raw and cooked delicatessen	6	0	10	0	3	1	0	0	1	10	90,0	70,0	80,0	0,0	0,0	10
	Total	24	0	31	0	4	2	0	1	2	32	93,3	86,7	90,3	3,1	0,0	30
③ Dairy products	a Raw milk cheeses	9	0	10	0	0	1	0	0	1	10	90,0	100,0	95,0	0,0	0,0	10
	b Other products based on raw milks	9	0	10	0	0	1	0	0	1	10	90,0	100,0	95,0	0,0	0,0	10
	c Heat treated dairy products	5	0	10	0	2	3	0	0	3	10	70,0	80,0	75,0	0,0	0,0	10
	Total	23	0	30	0	2	5	0	0	5	30	83,3	93,3	88,3	0,0	0,0	30
④ Seafood and fishery products	a Raw products (fresh, frozen)	8	0	10	0	2	0	0	0	0	10	100,0	80,0	90,0	0,0	0,0	10
	b Smoked, marinated	8	0	10	0	0	2	0	1	2	11	80,0	100,0	90,5	9,1	0,0	10
	c Ready-to-eat or ready-to-reheat	6	0	10	0	3	1	0	0	1	10	90,0	70,0	80,0	0,0	0,0	10
	Total	22	0	30	0	5	3	0	1	3	31	90,0	83,3	86,9	3,2	0,0	30
⑤ Vegetables	a Raw products (fresh, frozen)	10	0	11	0	0	0	0	0	0	11	100,0	100,0	100,0	0,0	0,0	10
	b Mapped vegetables and heat processed	6	0	10	0	3	1	0	0	1	10	90,0	70,0	80,0	0,0	0,0	10
	c Preparations and processed vegetables	9	0	10	0	1	0	0	0	0	10	100,0	90,0	95,0	0,0	0,0	10
	Total	25	0	31	0	4	1	0	0	1	31	96,7	86,7	91,8	0,0	0,0	30
⑥ Environmental samples	a Process and cleaning waters	9	0	10	0	1	0	0	0	0	10	100,0	90,0	95,0	0,0	0,0	10
	b Dusts and residues	8	0	10	0	1	1	0	0	1	10	90,0	90,0	90,0	0,0	0,0	10
	c Surface sampling	8	0	10	0	1	1	0	0	1	10	90,0	90,0	90,0	0,0	0,0	10
	Total	25	0	30	0	3	2	0	0	2	30	93,3	90,0	91,7	0,0	0,0	30
⑦ Dairy products 125 g	a Raw milk cheeses	12	0	10	0	1	1	0	0	1	10	92,9	92,9	91,7	0,0	0,0	14
	b Other products based on raw milks	12	0	10	0	0	2	0	0	2	10	85,7	100,0	91,7	0,0	0,0	14
	c Heat treated dairy products	10	0	10	0	2	0	0	0	0	10	100,0	83,3	90,9	0,0	0,0	12
	Total	34	0	30	0	3	3	0	0	3	30	92,5	92,5	91,4	0,0	0,0	40
⑧ Multi-component foods 125 g	a Ready-to-eat	9	0	10	0	1	0	0	0	0	10	100,0	90,0	95,0	0,0	0,0	10
	b Ready-to reheat	11	0	10	0	1	0	0	0	0	10	100,0	91,7	95,5	0,0	0,0	12
	c Pastries and egg-based products	9	0	10	0	1	2	0	0	2	10	83,3	91,7	86,4	0,0	0,0	12
	Total	29	0	30	0	3	2	0	0	2	30	94,1	91,2	92,2	0,0	0,0	34
All categories		206	0	242	0	29	21	0	3	21	245	91,8	88,7	90,0	1,2	0,0	256

The results for all categories are summarized in Table 27 below.

Table 27: Summary of the results for all categories

Parameter	Formula EN ISO 16140-2/A1 (2024)	Results for Precis method
Sensitivity of the alternative method (SE_{alt})	$SE_{alt} = \frac{(PA + PD)}{(PA + TND + PD)} \times 100 \%$	91.8 %
Sensitivity of the reference method (SE_{ref})	$SE_{ref} = \frac{(PA + TND)}{(PA + TND + PD)} \times 100 \%$	88.7 %
Relative trueness (RT)	$RT = \frac{(PA + TNA)}{N} \times 100 \%$	90.0 %
False positive ratio (FPR)	$FPR = \frac{PA_{FP(alt)} + PD_{FP(alt)}}{TNA} \times 100 \%$	1.2 %
False negative ratio (FNR)	$FNR = \frac{NA_{FN(alt)} + ND_{FN(alt)}}{PA + TND + PD}$	0.0 %

4.1.6. Analysis of discordant results

Discordant results are examined according to the standard EN ISO 16140-2/A1:2024.

The negative deviations are given in Table 28 and the positive deviations in Table 29.

Table 28: Negative deviations

Cat	Type	#	Sample	Contamination					Reference method	Listeria Precis L.spp - 24 LEB 20h at 37°C								
				Type	Strain	Ref	Stress	Stress level		Inoc. level	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID
1	a	2319188	Vegetables wrap	ac	<i>L. mono + L. seeligeri</i>	RJT457 ADTW22	Seeding	/	1.0+1.2	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
1	b	2281374	Pizza vege	nc	/	/	/	/	/	P	EL	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
1	c	2247905	Pastry "Flan"	ac	<i>L.innocua</i>	RXJ222	Seeding	/	1,2	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
2	a	2281395	Raw rooster	nc	/	/	/	/	/	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
2	c	2231981	Ground pork meat	nc	/	/	/	/	/	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
3	a	2236690	Raw cow's milk cheese (Abondance)	nc	/	/	/	/	/	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
3	b	2318988	Raw cow's milk	nc	/	/	/	/	/	P	EL	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
3	c	2236696	Pasteurized cow's milk cheese (Baskeria)	nc	/	/	/	/	/	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
3	c	2247805	Pasteurized sheep's milk cheese	ac	<i>L.innocua</i>	RXL353	Seeding	/	2,2	P	EM	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
3	c	2247810	Pasteurized cow's milk cheese (Fol Epi)	ac	<i>L.livanovii</i>	GQD028	Seeding	/	2,8	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
4	b	2247775	Smoked mackerel	nc	/	/	/	/	/	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
4	b	2316952	Smoked herring	nc	/	/	/	/	/	P	Ø	/	/	/	/	A	ND	O&A:EL - Pal:EL
4	c	2247780	Shrimp shell	nc	/	/	/	/	/	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
5	b	2247835	Gratted carot	ac	<i>L.seeligeri</i>	ADTW22	Seeding	/	2,8	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
6	b	2333783	Vegetables residues	nc	/	/	/	/	/	P	EL	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
6	c	2333811	Swab egg product environment area 2	nc	/	/	/	/	/	P	Ø	/	/	/	/	A	ND	O&A:Ø - Pal:EL
7	a+	2976905	Raw cow's milk cheese "Chaource"	ac	<i>L.innocua</i>	TSA557	Seeding	/	2,4	P	-(EL)	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
7	b+	2869922	Goat cheese with raw milk "Faisselle"	ac	<i>L.monocytogenes</i>	RKG938	Seeding	/	1,6	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
7	b+	2976923	Goat cheese with raw milk "Faisselle"	ac	<i>L.welshimeri</i>	JYCG38	Seeding	/	2,8	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
8	c+	2939450	Peach and fig tart	ac	<i>L.monocytogenes</i>	KYR941	Seeding	/	1,0	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø
8	c+	2986109	Lemon meringue tartlet	ac	<i>L.monocytogenes</i>	JJRF78	Seeding	/	3,0	P	Ø	/	/	/	/	A	ND	O&A: Ø / PAL: Ø

Table 29: Positive deviations

Cat	Type	#	Sample	Contamination					Reference method	Listeria Precis L.spp - 24 LEB 20h at 37°C								
				Type	Strain	Ref	Stress	Stress level		Inoc. level	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID
1	a	2247840	Tabbouleh	ac	<i>L.seeligeri</i>	ADTW22	Seeding	/	2,8	A	DL ø halo	<i>L.seeligeri</i>	<i>L.seeligeri</i>	+	+	P	PD	O&A: AM / PAL: AM <i>L.seeligeri</i>
1	a	2317055	Cooked beef salad	nc	/	/	/	/	/	A	AM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	+	+	P	PD	<i>L.monocytogenes</i>
1	a	2333767	Tuna salad, tomatoes, olives, parmesan	ac	<i>L.welshimeri</i>	DCJ260	Seeding	/	3,0	A	BM ø halo	<i>L.welshimeri</i>	<i>L.welshimeri</i>	+	+	P	PD	<i>L.welshimeri</i>
1	a	2319189	Piémontaise	ac	<i>L.mono</i>	ALB748	Seeding	/	1,8	A	AM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	+	+	P	PD	<i>L.monocytogenes</i>
1	b	2281375	Pizza Regina	nc	/	/	/	/	/	A	BL halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	+	+	P	PD	<i>L.monocytogenes</i>
2	a	2236736	Raw chicken leg	nc	/	/	/	/	/	A	AL ø halo	<i>L.welshimeri</i>	<i>L.welshimeri</i>	+	+	P	PD	O&A: AM / PAL: AM <i>L.welshimeri</i>
2	c	2231984	Poultry merguez	nc	/	/	/	/	/	A	AM ø halo	<i>L.innocua</i>	<i>L.innocua</i>	+	+	P	PD	O&A: AM / PAL: AM <i>L.innocua</i>
2	c	2236687	Foie gras	nc	/	/	/	/	/	A	BL ø halo	<i>L.innocua</i>	<i>L.innocua</i>	+	+	P	PD	O&A: AM / PAL: AM <i>L.innocua</i>
2	c	2236689	Delicatessen "Boudin noir"	nc	/	/	/	/	/	A	AH ø halo	<i>L.welshimeri</i>	<i>L.welshimeri</i>	+	+	P	PD	O&A: AM / PAL: AM <i>L.welshimeri</i>
3	c	2247808	Pasteurized cow's milk cheese (Tomme)	ac	<i>L.livanovii</i>	GQD028	Seeding	/	2,8	A	AL avec halo	<i>L.livanovii</i>	<i>L.livanovii</i>	+	+	P	PD	O&A: AM halo/ PAL: AM halo <i>L.livanovii</i>
3	c	2247811	Pasteurized cow's milk cheese (Chaumes)	ac	<i>L.livanovii</i>	GQD028	Seeding	/	2,8	A	AM avec halo	<i>L.livanovii</i>	<i>L.livanovii</i>	+	+	P	PD	O&A: AM halo/ PAL: AM halo <i>L.livanovii</i>
4	a	2247910	Salmon	ac	<i>L.welshimeri</i>	TVP191	Seeding	/	2,8	A	AM ø halo	<i>L.welshimeri</i>	<i>L.welshimeri</i>	+	+	P	PD	O&A: AM / PAL: AM <i>L.welshimeri</i>
4	a	2247913	Tuna	ac	<i>L.welshimeri</i>	TVP191	Seeding	/	2,8	A	AM ø halo	<i>L.welshimeri</i>	<i>L.welshimeri</i>	+	+	P	PD	O&A: AM / PAL: AM <i>L.welshimeri</i>
4	c	2247919	Prawn salad	ac	<i>L.innocua</i>	ABB472	Seeding	/	2,6	A	AM ø halo	<i>L.innocua</i>	<i>L.innocua</i>	+	+	P	PD	O&A: AM / PAL: AM <i>L.innocua</i>
4	c	2281419	Shrimp fritter	nc	/	/	/	/	/	A	BM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	+	+	P	PD	<i>L.monocytogenes</i>
4	c	2281421	Cod accra	nc	/	/	/	/	/	A	AL halo + AM ø halo	<i>L.mono</i> + <i>L.innocua</i>	<i>L.mono</i> + <i>L.innocua</i>	+/+	+	P	PD	<i>L.mono</i> + <i>L.innocua</i>
5	b	2247927	Sliced pineapple	ac	<i>L.welshimeri</i>	TXR109	Seeding	/	1,6	A	AM ø halo	<i>L.welshimeri</i>	<i>L.welshimeri</i>	+	+	P	PD	O&A: AM / PAL: AM <i>L.welshimeri</i>
5	b	2247930	Mixed carrots, pepper, cabbage	nc	/	/	/	/	/	A	AM ø halo	<i>L.welshimeri</i>	<i>L.welshimeri</i>	+	+	P	PD	O&A: AM / PAL: AM <i>L.welshimeri</i>
5	b	2333616	Beets	ac	<i>L.mono</i>	BVU991	Seeding	/	2,0	A	AM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	+	+	P	PD	<i>L.monocytogenes</i>
5	c	2333619	Pesto and vegetables lasagna	ac	<i>L.mono</i>	BXQ019	Seeding	/	2,6	A	AM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	+	+	P	PD	<i>L.monocytogenes</i>
6	a	2333627	Poultry line process water	nc	/	/	/	/	/	A	AL halo (2)	<i>L.monocytogenes</i> (after réiso)	<i>L.monocytogenes</i> (after réiso)	+	+	P	PD	<i>L.monocytogenes</i>
6	b	2333784	Fish industry residues	nc	/	/	/	/	/	A	AM ø halo	<i>L.innocua</i>	<i>L.innocua</i>	+	+	P	PD	<i>L.innocua</i>
6	c	2333774	Wipe environment dairy	nc	/	/	/	/	/	A	AM halo + AL ø halo	<i>L.monocytogenes</i> + <i>L.welshimeri</i>	<i>L.monocytogenes</i> + <i>L.welshimeri</i>	+/+	+/+	P	PD	<i>L.monocytogenes</i> + <i>L.welshimeri</i>
7	a+	2976892	Raw goat's milk cheese	nc	/	/	/	/	/	A	+(BL)	<i>L.innocua</i>	<i>L.innocua</i>	/	/	P	PD	<i>L.innocua</i>
7	c+	2869921	Pasteurized cow's milk cheese "Morbier"	ac	<i>L.innocua</i>	TSA557	Seeding	/	1,4	A	+(AL)	<i>L.innocua</i>	<i>L.innocua</i>	/	/	P	PD	<i>L.innocua</i>
7	c+	3054836	Milk powder	ac	<i>L.monocytogenes</i>	BLV059	Seeding	/	1,6	A	+(AL)	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	/	/	P	PD	<i>L.monocytogenes</i>
8	a+	2976950	Mixture of cabbage, ham and emmental	ac	<i>L.livanovii</i>	GJP629	Seeding	/	2,6	A	+(AL) (1)	<i>L.livanovii</i>	<i>L.livanovii</i>	/	/	P	PD	<i>L.livanovii</i>
8	b+	2939448	Lorraine quiche	ac	<i>L.livanovii</i>	GJP629	Seeding	/	3,0	A	+(AL)	<i>L.livanovii</i>	<i>L.livanovii</i>	/	/	P	PD	<i>L.livanovii</i>
8	c+	2986117	Apple pie	ac	<i>L.innocua</i>	RXJ222	Seeding	/	2,8	A	+(AM)	<i>L.innocua</i>	<i>L.innocua</i>	/	/	P	PD	<i>L.innocua</i>

Out of 21 negative deviations that were observed: 11 from naturally contaminated samples and 10 from artificially contaminated samples. For these 21 negative deviations, the presence of *Listeria* spp. in the broth was not detected after streaking on *Brilliance* Listeria Agar (ISO) and using the additional confirmation protocol of the ISO 16140-2 standard.

Out of 29 positive deviations that were observed: 13 from naturally contaminated samples and 16 from artificially contaminated samples.

In conclusion, 21 negative deviations and all 29 positive deviations most probably come from the nature of the study design. In an unpaired study, because of the difference of sampling between both methods, and the use of naturally contaminated samples or seeded samples with low levels of contamination, no cell of *Listeria* spp. may have been present in the sampling of one of the two methods.

4.1.7. Calculation and interpretation of data

Table 30 shows the difference between negative deviations and positive deviations and the acceptability limits.

Table 30: Acceptability limits

Category	Type	TND	PD	TND-PD	AL
① Multi-component foods	a Ready-to-eat	1	4		
	b Ready-to reheat	1	1		
	c Pastries and egg-based products	1	0		
	Total	3	5	-2	3
② Meat products	a Raw (frozen and fresh)	1	1		
	b Meat based products ready-to-reheat	0	0		
	c Raw and cooked delicatessen	1	3		
	Total	2	4	-2	3
③ Dairy products	a Raw milk cheeses	1	0		
	b Other products based on raw milks	1	0		
	c Heat treated dairy products	3	2		
	Total	5	2	3	3
④ Seafood and fishery products	a Raw products (fresh, frozen)	0	2		
	b Smoked, marinated	2	0		
	c Ready-to-eat or ready-to-reheat	1	3		
	Total	3	5	-2	3
⑤ Vegetables	a Raw products (fresh, frozen)	0	0		
	b Mapped vegetables and heat processed	1	3		
	c Preparations and processed vegetables	0	1		
	Total	1	4	-3	3
⑥ Environmental samples	a Process and cleaning waters	0	1		
	b Dusts and residues	1	1		
	c Surface sampling	1	1		
	Total	2	3	-1	3
⑦ Dairy products 125 g	a Raw milk cheeses	1	1		
	b Other products based on raw milks	2	0		
	c Heat treated dairy products	0	2		
	Total	3	3	0	3
⑧ Multi-component foods	a Ready-to-eat	0	1		
	b Ready-to reheat	0	1		
	c Pastries and egg-based products	2	1		
	Total	2	3	-1	3
All categories		21	29	-8	7

The observed values (TND – PD) are below the acceptability limit for each category and for all categories. The alternative method produces results comparable to the reference method.

4.1.8. Confirmation

For samples analyzed in 2022, all the positive samples obtained were confirmed by the PrecisCheck *Listeria* spp. kit, by a spot on Palcam, using a biochemical micro-gallery (Microbact *Listeria* 12L) and by the tests described in the reference method. For three samples, 2247764 (Raspberry tartlet), 2231980 (Beef carpaccio) and 2247774 (Salmon tataki) few doubtful blue-green colonies without halo were observed on *Brilliance Listeria* Agar (ISO) plate. After the purification on the TSAYE media, colonies observed were not characteristic of *Listeria* colonies and the catalase tests were negative.

For samples analyzed in 2025, all the positive samples obtained (characteristic colonies on *Brilliance* Listeria Agar (ISO)) were confirmed by the realization of Microbact Listeria 12L Kit and by the tests described in the reference method.

Note that according to EN ISO 16140-2/A1:2024, all negative samples were confirmed by the reference method.

4.1.9. Enrichment broth storage at $5 \pm 3^{\circ}\text{C}$ for 72 h

A stability study of the enriched broths stored at $5 \pm 3^{\circ}\text{C}$ for 72 h was performed on all positive and discordant samples. After storage, the broths were reanalyzed by streaking on *Brilliance* Listeria Agar (ISO) media and confirmed.

Table 31 shows the evolution of the results between the results of the broths analyzed before and after cold storage.

Table 31: Evolution of the results due to the cold storage

Category	Type	N° sample	Before storage	After storage
②	a	2231980	NA (PP)	NA
	b	2281479	NA	PD
③	a	2236690	ND	PA
④	b	2247774	NA (PP)	NA
⑥	a	2333627	PD	NA
⑦	a	2976905	ND	PA

Table 32 shows the difference between negative deviations and positive deviations and the acceptability limits after enrichment broth storage.

Table 32: Acceptability limits after cold storage

Category	Type	ND	PD	TND-PD	AL
① Multi-component foods	a Ready-to-eat	1	4		
	b Ready-to reheat	1	1		
	c Pastries and egg-based products	1	0		
	Total	3	5	-2	3
② Meat products	a Raw (frozen and fresh)	1	2		
	b Meat based products ready-to-reheat	0	1		
	c Raw and cooked delicatessen	1	3		
	Total	2	6	-4	3
③ Dairy products	a Raw milk cheeses	0	0		
	b Other products based on raw milks	1	0		
	c Heat treated dairy products	3	2		
	Total	4	2	2	3
④ Seafood and fishery products	a Raw products (fresh, frozen)	0	2		
	b Smoked, marinated	2	0		
	c Ready-to-eat or ready-to-reheat	1	3		
	Total	3	5	-2	3
⑤ Vegetables	a Raw products (fresh, frozen)	0	0		
	b Mapped vegetables and heat processed	1	3		
	c Preparations and processed vegetables	0	1		
	Total	1	4	-3	3
⑥ Environmental samples	a Process and cleaning waters	0	0		
	b Dusts and residues	1	1		
	c Surface sampling	1	1		
	Total	2	2	0	3
⑦ Dairy products 125 g	a Raw milk cheeses	0	1		
	b Other products based on raw milks	2	0		
	c Heat treated dairy products	0	2		
	Total	2	3	-1	3
⑧ Multi-component foods	a Ready-to-eat	0	1		
	b Ready-to reheat	0	1		
	c Pastries and egg-based products	2	1		
	Total	2	3	-1	3
All categories		19	30	-11	7

The alternative method produces results comparable to the reference method after storage of the broths for 72 h at 5±3°C.

4.1.10. Conservation of the *Brilliance* Listeria Agar (ISO) plates at 5 ± 3°C for 72 h

The *Brilliance* Listeria Agar (ISO) plates were stored for 72 h at 5 ± 3°C and read again only for samples analyzed in 2022. The characteristic colonies are confirmed again with a micro-gallery of identification. No change was observed after storage of the *Brilliance* Listeria Agar (ISO) plates.

4.1.11. ISO 6887 specific preparations

As presented during the project to the Technical Committee in June 2022, different samples were analyzed by comparing the application of the specific preparation rules described in ISO 6887. The results

are presented in Appendix L but have not been taken into account in the statistical interpretation. The results showed that the preparation of the samples according to ISO 6887 rules had no impact on the results obtained. This means method users can follow the ISO rules in combination with the Listeria Precis (Detection of *Listeria* species) method protocol, when needed.

4.1.12. Conclusion of the sensitivity study

The statistical tests of the EN ISO 16140-2/A1:2024 standard conclude that the alternative method produces comparable results to the reference method.

4.2. Relative level of detection study

4.2.1. Matrices used

Various "food matrix-strain" pairs were studied in parallel using the reference method and the alternative method, for the studied categories (Table 33).

Table 33: Matrix-strain pairs for the RLOD study

Category	Test sample	Matrix	Strain	Origin
① Multi-component foods	25 g	Deli salad: "piémontaise"	<i>L. monocytogenes</i> 1/2b ou 3b ou 7 FLD375	Greek salad
② Meat products	25 g	Rillettes	<i>L. ivanovii</i> AAZ671	Rillettes
③ Dairy products	25 g	Raw milk	<i>L. monocytogenes</i> 1/2b CLM641	Raw milk cheese
④ Seafood and fishery products	25 g	Smoked salmon	<i>Listeria innocua</i> ABB472	Smoked salmon
⑤ Vegetables	25 g	Ready-to-cook vegetables	<i>L. monocytogenes</i> 4b QDB363	Mushroom soup
⑥ Production environmental samples	25 g	Process water	<i>Listeria welshimeri</i> RVG428	Environment
⑦ Dairy products	125 g	Raw milk	<i>L. monocytogenes</i> 1/2 ou 3b ou 7 BMU793	Raw milk cream
⑧ Multi-component food	125 g	Ready-to-eat poultry and pork based "pâté en croute"	<i>L. innocua</i> RXF471	Duck liver

The total flora of the matrix was determined and is set out in the results tables in Appendix M.

4.2.2. Contamination protocol

Three levels of contamination were prepared consisting of a negative control level, a low level, and a higher level.

The negative control level shall not produce positive results. Five replicates were tested for this level.

The low level shall be the theoretical detection level, it was contaminated at 0.7 - 1 CFU per test portion to obtain fractional recovery results. Twenty replicates were tested for this level.

The higher level shall be just above the theoretical detection level, it was contaminated at 2 - 3 CFU per test portion. Five replicates were tested for this level.

The seeding protocol was used. Bulk contamination was performed on the matrix for the different levels of contamination, then the matrix was stored at $5 \pm 3^{\circ}\text{C}$ for two days before analysis. For the "pâté en croûte" matrix, thermal stress was carried out before inoculation and cold storage of the matrix in order to harmonize the protocol with the AOAC requirements.

Samples were then analyzed by reference and alternative method.

4.2.3. Results

The detailed results tables are set out in Appendix M.

The RLOD is defined as the ratio of the LODs of the alternative method and the reference method: $\text{RLOD} = \frac{\text{LOD}_{\text{alt}}}{\text{LOD}_{\text{ref}}}$. The RLODs calculations were performed according to the standard ISO 16140-2/A1:2024 using the Excel spreadsheet available for download at <http://standards.iso.org/iso/16140>, with unknown concentrations. Values of the RLODs are set out in Table 34.

The combined RLODs values were calculated according to the weight of the test samples and to the study design.

Table 34: RLODs values for all categories (RLOD: the estimated relative level of detection value, RLODU: the upper limit of the 95% confidence interval for RLOD, RLODL: the lower limit of the 95% confidence interval for RLOD, $b = \ln(\text{RLOD})$: logarithm of the RLOD value, $sd(b)$: standard deviation of b , z-Test statistic: absolute value of the test statistic of the z-Test with the null hypothesis $H_0: b=0$, p-value: p-value of the z-Test).

Name	RLOD	RLODL	RLODU	z-Test statistic	AL
① Multi-component foods	1,280	0,536	3,057	0,568	2.5
② Meat products	0,407	0,185	0,898	2,272	
③ Milk & Dairy products	1,322	0,549	3,186	0,635	
④ Seafood products	0,763	0,366	1,594	0,734	
⑤ Vegetables	1,112	0,533	2,322	0,289	
⑥ Environmental samples	0,776	0,367	1,644	0,675	
⑦ Dairy products 125g	0,843	0,297	2,397	0,326	
⑧ Multi-component food 125 g	0,780	0,360	1,691	0,642	
Combined	0,841	0,641	1,103	1,275	

The LOD_{50} calculations according to Wilrich & Wilrich POD-LOD calculation program - version 12, are given in Table 35.

Table 35: LOD_{50%} for the alternative and reference method

Matrix/Strain	LOD _{50%} (CFU/per test) Alternative method	LOD _{50%} (CFU/per test) Reference method
① Deli salad: “piémontaise” / <i>L. mono 1/2b ou 3b ou 7</i> FLD375	1.057	0.884
② Rillettes / <i>L. ivanovii</i> AAZ671	0.304	0.804
③ Raw milk / <i>L. monocytogenes 1/2b</i> CLM641	0.632	0.501
④ Smoked salmon / <i>L. innocua</i> ABB472	0.437	0.549
⑤ Ready-to-cook vegetables / <i>L. monocytogenes 4b</i> QDB363	0.770	0.700
⑥ Process water / <i>L. welshimeri</i> RVG428	0.701	0.944
⑦ Raw milk / <i>L. monocytogenes</i> BMU793	0.621	0.707
⑧ Ready-to-eat poultry based “pâté en croute” / <i>L. monocytogenes</i> BMX449	0.714	0.892
Combinated	0.654	0.747

4.2.4. Interpretation and conclusion

The RLODs values are below the acceptability limit set at 2.5 for unpaired study design for categories as stated in ISO 16140-2/A1:2024.

In conclusion, alternative method Listeria Precis (Detection of *Listeria* species) and the reference method show similar LODs values for the detection of *Listeria* spp. in the categories tested.

4.3. Conclusion of extensions

The method comparison study scheme corresponds to an unpaired study design as the alternative and reference methods have different enrichment procedures.

In the sensitivity study of this extension, five food categories and environmental samples were tested. The protocol of the alternative method shows 29 positive deviations (PD) and 21 negative deviations (ND). The observed values for (TND- PD) are below or equal to the acceptability limit for each category, for all categories and for all sample sizes tested.

The RLOD was all below the AL fixed at 2.5 for the unpaired data study whatever the matrix/strain pairs for the protocol tested.

The data and the interpretation of the methods extension comparison study fulfill the requirements of the standard EN ISO 16140-2/A1:2024. The Listeria Precis (Detection of *Listeria* species) method is considered as equivalent to the standard EN ISO 11290-1:2017.

5. General conclusion

The data and the interpretation of the method comparison study, interlaboratory study and extension studies fulfill the requirements of the standard EN ISO 16140-2/A1:2024. The Thermo Scientific™ *Listeria* Precis™ (Detection of *Listeria* species) method is considered as equivalent to the EN ISO 11290-1:2017 reference method.

Le Lion d'Angers, April 03, 2026
Guillaume MESNARD
Method Validation Supervisor

A handwritten signature in black ink, appearing to read 'Guillaume Mesnard', is written over a light gray rectangular background.

APPENDICES

APPENDIX A
**Listeria Precis™ (Detection of *Listeria*
species)**
Protocol using ONE Broth-Listeria

25 g of sample +
225 ml ONE Broth-Listeria
One swab to 10 ml of ONE Broth-Listeria
One sponge to 100 ml of ONE Broth-Listeria



30±1°C for 25±3 h

*Possibility to store
for 72 h at 5±3°C*



Streak 10µl onto *Brilliance™* Listeria Agar (ISO) using a basic loop

Incubation at 37±1°C for 24±2 h (except for meat products enriched in ONE Broth-Listeria)

For meat products enriched in ONE Broth-Listeria, re-incubate the plates that show no blue colonies at 37±1°C for 24±2 h



Typical colonies:

Blue colonies are presumptive positive *Listeria* species
Blue colonies with halo are presumptive positive *Listeria monocytogenes*



Microbact™ Listeria 12L biochemical galleries or equivalent

Or

EN ISO 11290:2017 confirmation procedure

Or


Molecular Hybridization test as described in EN ISO 7218:2017

Or

Any appropriate EN ISO 16140-6:2019 validated confirmation method

APPENDIX B
EN ISO 11290-1:2017

Diagram of the procedure as described in the standard



Appendix C - Artificial contaminations

Cat.	Type	Date	#	Matrix	Strain	Origin	Injury protocol	Injury measurement	Inoculation level	Result
2	b	2022	2247796	Raw milk	<i>L.innocua</i> XKU847	Raw milk cheese	Seeding 48h 3°C±2°C	/	3-3-2-3-3	2.8 +
2	b	2022	2247797	Raw milk	<i>L.innocua</i> XKU847	Raw milk cheese	Seeding 48h 3°C±2°C	/	3-3-2-3-3	2.8 +
2	b	2022	2247798	Raw milk	<i>L.innocua</i> XKU847	Raw milk cheese	Seeding 48h 3°C±2°C	/	3-3-2-3-3	2.8 +
2	b	2022	2247799	Raw milk	<i>L.ivanovii</i> GQD028	Environment dairy products	Seeding 48h 3°C±2°C	/	3-3-2-3-3	2.8 -
2	b	2022	2247800	Raw milk	<i>L.ivanovii</i> GQD028	Environment dairy products	Seeding 48h 3°C±2°C	/	3-3-2-3-3	2.8 +
2	b	2022	2247801	Raw milk	<i>L.innocua</i> XKU847	Raw milk cheese	Seeding 48h 3°C±2°C	/	3-3-2-3-3	2.8 +
2	b	2022	2247802	Raw milk	<i>L.innocua</i> RXL353	Raw milk cheese	Seeding 48h 3°C±2°C	/	2-3-2-2-2	2.2 +
2	b	2022	2247803	Raw milk	<i>L.innocua</i> RXL353	Raw milk cheese	Seeding 48h 3°C±2°C	/	2-3-2-2-2	2.2 +
2	c	2022	2247804	Pasteurized cow's milk cheese (Cantal)	<i>L.innocua</i> RXL353	Raw milk cheese	Seeding 48h 3°C±2°C	/	2-3-2-2-2	2.2 +
2	c	2022	2247805	Pasteurized sheep's milk cheese	<i>L.innocua</i> RXL353	Raw milk cheese	Seeding 48h 3°C±2°C	/	2-3-2-2-2	2.2 +
2	c	2022	2247806	Organic pasteurized cow's milk cheese	<i>L.innocua</i> RXL353	Raw milk cheese	Seeding 48h 3°C±2°C	/	2-3-2-2-2	2.2 +
2	c	2022	2247807	Pasteurized cow's milk cheese (Chamois d'Or))	<i>L.innocua</i> RXL353	Raw milk cheese	Seeding 48h 3°C±2°C	/	2-3-2-2-2	2.2 +
2	c	2022	2247808	Pasteurized cow's milk cheese (Tomme)	<i>L.ivanovii</i> GQD028	Environment dairy products	Seeding 48h 3°C±2°C	/	3-3-2-3-3	2.8 +
2	c	2022	2247809	Pasteurized sheep's milk cheese	<i>L.ivanovii</i> GQD028	Environment dairy products	Seeding 48h 3°C±2°C	/	3-3-2-3-3	2.8 -
2	c	2022	2247810	Pasteurized cow's milk cheese (Fol Epi)	<i>L.ivanovii</i> GQD028	Environment dairy products	Seeding 48h 3°C±2°C	/	3-3-2-3-3	2.8 +
2	c	2022	2247811	Pasteurized cow's milk cheese (Chaumes)	<i>L.ivanovii</i> GQD028	Environment dairy products	Seeding 48h 3°C±2°C	/	3-3-2-3-3	2.8 -
3	a	2005	20 PP SC1	Salmon	<i>L.monocytogenes</i> 1/2b	Smoked salmon	Spiking 3 days at -20°C & 30 min 50°C	0.7	/	1.0 +
3	a	2017	5196	Pilchards fillets	<i>L.monocytogenes</i> Ad 1412	Smoked salmon	Seeding 48h 3°C±2°C	/	/	1.4 +
3	a	2022	2247910	Salmon	<i>L.welshimeri</i> TVP191	Salmon	Seeding 48h 3°C±2°C	/	3-5-1-4-1	2.8 -
3	a	2022	2247911	Cod	<i>L.welshimeri</i> TVP191	Salmon	Seeding 48h 3°C±2°C	/	3-5-1-4-1	2.8 +
3	a	2022	2247912	Hake	<i>L.welshimeri</i> TVP191	Salmon	Seeding 48h 3°C±2°C	/	3-5-1-4-1	2.8 +
3	a	2022	2247913	Tuna	<i>L.welshimeri</i> TVP191	Salmon	Seeding 48h 3°C±2°C	/	3-5-1-4-1	2.8 -
3	a	2022	2247914	Filet of julienne	<i>L.welshimeri</i> TVP191	Salmon	Seeding 48h 3°C±2°C	/	3-5-1-4-1	2.8 +
3	b	2022	2247915	Smoked salmon	<i>L.innocua</i> ABB472	Marinated salmon	Seeding 48h 3°C±2°C	/	3-2-4-3-1	2.6 +
3	b	2022	2247916	Smoked trout	<i>L.innocua</i> ABB472	Marinated salmon	Seeding 48h 3°C±2°C	/	3-2-4-3-1	2.6 +
3	b	2022	2247812	Smoked herring	<i>L.welshimeri</i> AJP106	Salmon steak	Seeding 48h 3°C±2°C	/	5-3-2-2-3	3.0 +
3	b	2022	2247813	Smoked salmon	<i>L.welshimeri</i> AJP106	Salmon steak	Seeding 48h 3°C±2°C	/	5-3-2-2-3	3.0 +
3	b	2022	2247814	Smoked trout	<i>L.welshimeri</i> AJP106	Salmon steak	Seeding 48h 3°C±2°C	/	5-3-2-2-3	3.0 +
3	b	2022	2247815	Smoked herring	<i>L.welshimeri</i> AJP106	Salmon steak	Seeding 48h 3°C±2°C	/	5-3-2-2-3	3.0 +
3	c	2005	17 PP SC3	Terrine of fish	<i>L.monocytogenes</i> 4e	Raw milk	Spiking HT 30 min 55°C	1.09	/	5.0 +
3	c	2005	19 PP SC3	RTE fish	<i>L.monocytogenes</i> 1/2b	Smoked salmon	Spiking HT 30 min 55°C	1.07	/	5.0 +
3	c	2022	2247917	Salad with shrimps	<i>L.innocua</i> ABB472	Marinated salmon	Seeding 48h 3°C±2°C	/	3-2-4-3-1	2.6 +
3	c	2022	2247918	Salmon with sorrel	<i>L.innocua</i> ABB472	Marinated salmon	Seeding 48h 3°C±2°C	/	3-2-4-3-1	2.6 +
3	c	2022	2247919	Prawn salad	<i>L.innocua</i> ABB472	Marinated salmon	Seeding 48h 3°C±2°C	/	3-2-4-3-1	2.6 +
3	c	2022	2247920	St Jacques shell	<i>L.innocua</i> ABB472	Marinated salmon	Seeding 48h 3°C±2°C	/	3-2-4-3-1	2.6 +
3	c	2022	2247816	Exquis norvégien	<i>L.innocua</i> RXY158	Shrimp shell	Seeding 48h 3°C±2°C	/	4-3-5-3-1	3.0 +
4	a	2017	5203	Zucchini	<i>L.monocytogenes</i> Ad545	Salad	Seeding 48h 3°C±2°C	/	/	2.0 +
4	a	2017	5205	Endive	<i>L.monocytogenes</i> Ad1672	Zucchini	Seeding 48h 3°C±2°C	/	/	2.2 +
4	a	2017	5207	Pepper	<i>L.monocytogenes</i> Ad545	Salad	Seeding 48h 3°C±2°C	/	/	2.0 +
4	a	2022	2247921	Apple	<i>L.innocua</i> GWC718	Compound food environment	Seeding 48h 3°C±2°C	/	5-1-2-2-2	2.4 +
4	a	2022	2247922	Endive	<i>L.innocua</i> GWC718	Compound food environment	Seeding 48h 3°C±2°C	/	5-1-2-2-2	2.4 -
4	a	2022	2247923	Mushrooms	<i>L.innocua</i> GWC718	Compound food environment	Seeding 48h 3°C±2°C	/	5-1-2-2-2	2.4 +
4	a	2022	2247924	Radish	<i>L.innocua</i> GWC718	Compound food environment	Seeding 48h 3°C±2°C	/	5-1-2-2-2	2.4 +

Appendix C - Artificial contaminations

Cat.	Type	Date	#	Matrix	Strain	Origin	Injury protocol	Injury measurement	Inoculation level	Result
4	a	2022	2247925	Zucchini	<i>L.innocua</i> GWC718	Compound food environment	Seeding 48h 3°C±2°C	/	5-1-2-2-2	2.4 +
4	b	2022	2247926	Mixed carrots	<i>L.welshimeri</i> TXR109	Chinese noodles with vegetables	Seeding 48h 3°C±2°C	/	1-1-2-2-2	1.6 -
4	b	2022	2247927	Sliced pineapple	<i>L.welshimeri</i> TXR109	Chinese noodles with vegetables	Seeding 48h 3°C±2°C	/	1-1-2-2-2	1.6 -
4	b	2022	2247928	Mixed carrots, leeks	<i>L.welshimeri</i> TXR109	Chinese noodles with vegetables	Seeding 48h 3°C±2°C	/	1-1-2-2-2	1.6 -
4	b	2022	2247929	Sliced carrots	<i>L.welshimeri</i> TXR109	Chinese noodles with vegetables	Seeding 48h 3°C±2°C	/	1-1-2-2-2	1.6 +
4	b	2022	2247930	Mixed carrots, pepper, cabbage	<i>L.welshimeri</i> TXR109	Chinese noodles with vegetables	Seeding 48h 3°C±2°C	/	1-1-2-2-2	1.6 -
4	b	2022	2247835	Grated carrot	<i>L.seeligeri</i> ADTW22	Zucchini in cubes	Seeding 48h 3°C±2°C	/	3-2-1-2-6	2.8 +
4	b	2022	2247837	Piemontaise	<i>L.seeligeri</i> ADTW22	Zucchini in cubes	Seeding 48h 3°C±2°C	/	3-2-1-2-6	2.8 +
4	b	2022	2247840	Tabouleh	<i>L.seeligeri</i> ADTW22	Zucchini in cubes	Seeding 48h 3°C±2°C	/	3-2-1-2-6	2.8 +
4	b	2022	2247817	Red peppers	<i>L.innocua</i> TWH478	Vegetables	Seeding 48h 3°C±2°C	/	2-3-2-3-1	2.2 +
4	b	2022	2247818	Zucchini sliced	<i>L.innocua</i> TWH478	Vegetables	Seeding 48h 3°C±2°C	/	2-3-2-3-1	2.2 +
4	c	2022	2247836	Ckickpea	<i>L.seeligeri</i> ADTW22	Zucchini in cubes	Seeding 48h 3°C±2°C	/	3-2-1-2-6	2.8 +
4	c	2022	2247838	Couscous vegetables	<i>L.seeligeri</i> ADTW22	Zucchini in cubes	Seeding 48h 3°C±2°C	/	3-2-1-2-6	2.8 +
4	c	2022	2247839	Cooked vegetables	<i>L.seeligeri</i> ADTW22	Zucchini in cubes	Seeding 48h 3°C±2°C	/	3-2-1-2-6	2.8 +
4	c	2022	2247841	Cauliflower gratin	<i>L.seeligeri</i> TJM186	Environment vegetables	Seeding 48h 3°C±2°C	/	3-3-4-2-2	2.8 +
4	c	2022	2247842	Cauliflower gratin	<i>L.seeligeri</i> TJM186	Environment vegetables	Seeding 48h 3°C±2°C	/	3-3-4-2-2	2.8 +
4	c	2022	2247819	Tian vegetables	<i>L.welshimeri</i> TLJ742	A pot of vegetables	Seeding 48h 3°C±2°C	/	3-4-3-4-1	3.0 +
4	c	2022	2247820	Cucumbers with cream	<i>L.welshimeri</i> TLJ742	A pot of vegetables	Seeding 48h 3°C±2°C	/	3-4-3-4-1	3.0 +
5	a	2022	2247861	Process watercheese factory	<i>L.welshimeri</i> RVG428	Environment composite flat	Seeding 48h 3°C±2°C	/	4-2-5-1-3	3.0 -
5	a	2022	2247862	Process watercheese factory	<i>L.welshimeri</i> RVG428	Environment composite flat	Seeding 48h 3°C±2°C	/	4-2-5-1-3	3.0 +
5	a	2022	2247863	Cheese line rinse water	<i>L.welshimeri</i> RVG428	Environment composite flat	Seeding 48h 3°C±2°C	/	4-2-5-1-3	3.0 +
5	a	2022	2247864	Process water	<i>L.welshimeri</i> RVG428	Environment composite flat	Seeding 48h 3°C±2°C	/	4-2-5-1-3	3.0 +
5	a	2022	2247865	Process water	<i>L.welshimeri</i> RVG428	Environment composite flat	Seeding 48h 3°C±2°C	/	4-2-5-1-3	3.0 -
5	a	2022	2247866	Process water	<i>L.welshimeri</i> RVG428	Environment composite flat	Seeding 48h 3°C±2°C	/	4-2-5-1-3	3.0 +
5	a	2022	2247832	Process water	<i>L.monocytogenes</i> BVP365	Environment seafood	Seeding 48h 3°C±2°C	/	3-3-4-2-3	3.0 +
5	a	2022	2247833	Process water	<i>L.monocytogenes</i> BVP365	Environment seafood	Seeding 48h 3°C±2°C	/	3-3-4-2-3	3.0 +
5	c	2005	51 E	Dusts	<i>L.monocytogenes</i> 43	/	Spiking 30 min 60°C	0.2	/	<1 +
5	c	2005	52 E	Dusts	<i>L.monocytogenes</i> 43	/	Spiking 30 min 60°C	0.2	/	<1 +
5	c	2005	54 E	Dusts	<i>L.monocytogenes</i> 43	/	Spiking 30 min 60°C	0.2	/	<1 +
5	c	2005	62 E	Dusts	<i>L.monocytogenes</i> 43	/	Spiking 45 min 50°C & 2h -80°C	0.4	/	3.0 +
5	c	2005	67 E	Dusts	<i>L.monocytogenes</i> 18	/	Spiking 30 min 50°C & 2h -80°C	0.3	/	7.0 +
5	c	2005	68 E	Dusts	<i>L.monocytogenes</i> 18	/	Spiking 30 min 50°C & 2h -80°C	0.3	/	7.0 +
5	c	2022	2247937	Dusts pastry industry	<i>L.welshimeri</i> TKZ429	Environment	Spiking 30 min 60°C	0.7	2-0-3-1-0	1.2 +
5	c	2022	2247938	Dusts poultry industry	<i>L.welshimeri</i> TKZ429	Environment	Spiking 30 min 60°C	0.7	2-0-3-1-0	1.2 +
5	c	2022	2247939	Dusts poultry industry	<i>L.welshimeri</i> TKZ429	Environment	Spiking 30 min 60°C	0.7	2-0-3-1-0	1.2 +
5	c	2022	2247940	Dusts powder milk industry	<i>L.innocua</i> GRR943	Environment	Spiking 30 min 60°C	0.9	3-2-3-2-3	2.6 +
5	c	2022	2247941	Dusts spicy packaging	<i>L.innocua</i> GRR943	Environment	Spiking 30 min 60°C	0.9	3-2-3-2-3	2.6 +
5	c	2022	2247942	Dusts egg powder industry	<i>L.innocua</i> GRR943	Environment	Spiking 30 min 60°C	0.9	3-2-3-2-3	2.6 +

Legend

H-: characteristic *Listeria* colonies without halo

H+: characteristic *Listeria* colonies with halo

-: no typical colonies but presence of background microflora

st: plate without any colony

PA: positive agreement

NA: negative agreement

ND: negative deviation

PD: positive deviation

PPNA: positive presumptive negative agreement

PPND : positive presumptive negative deviation

NC: Non characteristic colony on TSYEA

d: doubtful colony

H: 100% pure culture

M: 50% *L. monocytogenes* culture L: 25% *L. monocytogenes* culture PHI: no halo

pp: no growth

*: blue colony without halo

Bacterial burden

∅: no culture

L = low

M = moderate

H = high

Breakdown of flora

A = pure culture of suspect colonies

B = mixture with a majority of suspect colonies

C = mixture with a minority of suspect colonies

D = mixture with rare suspect colonies

E = absence of suspect colonies

(x): x colonies characteristic of *Listeria* if $x \leq 5$

Type	Year	Sample N°	Product	Reference method: ISO 11290-1/A1						Alternative method: Listeria Precis													
				Half Fraser		Fraser 1		Identification	L spp result	22 h at 30°C ONE Broth Listeria													
				O&A	Palcam	O&A	Palcam			Brilliance™ Listeria		Confirmations	Final result	Agreement Ref/Alt	ISO 11290-1								
										24h	48h (only for meats)					Reference tests							
a+	2005	1PC SC1	Turkey meat	M	+(M)	+(L)	+(L)	<i>L. monocytogenes</i>	+	M	M	<i>L. monocytogenes</i>	+	PA	/	/							
a+	2005	4PC SC1	Pork meat	M	+(M)	M	+(M)	<i>L. monocytogenes</i>	+	M	H	<i>L. monocytogenes</i>	+	PA	/	/							
a+	2005	6PC SC1	Duck meat	L	+(L)	-(FI)	-(FI)	<i>L. monocytogenes</i>	+	M	M	<i>L. monocytogenes</i>	+	PA	/	/							
a-	2005	2PC SC1	Veal liver	-	-	-	-	/	-	-	-	/	-	NA	/	/							
a-	2005	12PC SC1	Pork meat	-	-	-	-	/	-	-pp	-	/	-	NA	/	/							
a-	2005	15PC SC1	Pork meat	-	-	-	-	/	-	-	-	/	-	NA	/	/							
a-	2005	27PC SC1	Rabbit meat	-	-	-	-	/	-	-pp	-	/	-	NA	/	/							
b+	2005	7PC SC2	Merguez	L(6col)	+	H(mix)	+	<i>L. monocytogenes</i>	+	M	M	<i>L. monocytogenes</i>	+	PA	/	/							
b+	2005	8PC SC2	Sausages	-	+(3col)	+	+	<i>L. monocytogenes</i>	+	M	M	<i>L. monocytogenes</i>	+	PA	/	/							
b+	2005	9PC SC2	Merguez	L(2col)	+(2col)	+(1col)	-	<i>L. monocytogenes</i>	+	L	L	<i>L. monocytogenes</i>	+	PA	/	/							
b+	2005	11PC SC2	Sausages	+	+(2col)	+	+	<i>L. monocytogenes</i>	+	L	L	<i>L. monocytogenes</i>	+	PA	/	/							
b-	2005	5PC SC2	Chitterling	-	-	-	-	/	-	-	-	/	-	NA	/	/							
b-	2005	12PC SC2	Merguez	-	-	-	-	/	-	-pp	-pp	/	-	NA	/	/							
b-	2005	14PC SC2	Merguez	-	-	-	-	/	-	-pp	-pp	/	-	NA	/	/							
b-	2005	8PC SC3	Duck bacon	-	-	-	-	/	-	-pp	-pp	/	-	NA	/	/							
b-	2017	7149	RTRH (ham)	-	-	-	-	/	-	-	-	/	-	NA	-	-							
c+	2017	7430	Delicatessen	H+	+	/	/	<i>L. monocytogenes</i>	+	H+	H+	<i>L. monocytogenes</i>	+	PA	/	/							
c+	2005	2PC SC3	Pâté	H 8mm	+	M(mix)	+	<i>L. monocytogenes</i>	+	M	M	<i>L. monocytogenes</i>	+	PA	/	/							
c+	2005	4PC SC3	Galantine	L(3col)	+	M(mix)	+	<i>L. monocytogenes</i>	+	M	M	<i>L. monocytogenes</i>	+	PA	/	/							
c+	2017	4787	Low moisture beef sausage	-	st	H-	+	Camp -	+	H+d(1)	H+d(1)	<i>L. monocytogenes</i>	+	PA	+	+							
c-	2005	15PC SC2	RTH turkey	-pp	-	-	-	/	-	-pp	-	/	-	NA	/	/							
c-	2017	5106	RTH pork meat	st	st	st	st	/	-	st	st	/	-	NA	-	-							
c-	2017	5107	RTH meat	st	st	st	-	/	-	st	st	/	-	NA	-	-							
c-	2017	5108	RTH chicken meat	st	st	st	st	/	-	-	-	/	-	NA	-	-							
c-	2005	3PC SC3	Chitterling	-	-	-	-	/	-	-	-pp	/	-	NA	/	/							
c-	2005	6PC SC3	Trippes	-	-	-	-	/	-	-pp	-pp	/	-	NA	/	/							
c-	2005	7PC SC3	RTH chicken	-	-	-	-	/	-	-pp	-pp	/	-	NA	/	/							
Type	Year	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method*						ONE BROTH (22h - 30°C)										ONE BROTH (22h - 30°C) - 72h 5±3°C			
				AL	Palcam	Fraser tube		Conf.		Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO confirmation	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance™ 72h±3°C	Result	Agreement	Brilliance	Result	Agreement
						AL	Palcam	Camp Test	API List														
a-	2022	2231969	Spicy chicken thigh	∅	∅	∅	∅	/	/	A	EL	∅	/	/	A	NA	AL:∅ Pal:∅	EL	A	NA	/	/	/
a-	2022	2231975	Raw chicken leg	∅	∅	∅	∅	/	/	A	∅	∅	/	/	A	NA	AL:∅ Pal:∅	∅	A	NA	/	/	/
a-	2022	2231976	Duck liver	∅	∅	∅	∅	/	/	A	∅	∅	/	/	A	NA	AL:∅ Pal:∅	∅	A	NA	/	/	/
a-	2022	2231980	Beef carpaccio	∅	EL	∅	EL	/	/	A	∅	∅	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
a-	2022	2236735	Raw lamb meat	∅	∅	∅	∅	/	/	A	∅	∅	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
a-	2022	2236736	Raw chicken leg	∅	∅	∅	∅	/	/	A	EL	EL	/	/	A	NA	O&A:∅ Pal:∅	EL	A	NA	/	/	/
a+	2022	2231965	Chopped steak	AL∅ halo	AL	AM ∅ halo	AM	<i>L. innocua</i>	<i>L. innocua</i>	P	Al ∅ halo	∅	<i>L. innocua</i>	<i>L. innocua</i>	P	PA	AL: AM ∅ halo Pal: AM <i>L. innocua</i>	Al ∅ halo	P	PA	AL ∅ halo	P	PA
a+	2022	2231966	Pork meat	∅	∅	∅	∅	/	/	A	Al ∅ halo	∅	<i>L. welshimeri</i>	<i>L. welshimeri</i>	P	PD	AL: AM ∅ halo Pal: AM <i>L. welshimeri</i>	Al ∅ halo	P	PD	AL ∅ halo	P	PD
a+	2022	2231970	Cutlet Milanese	∅	∅	BM ∅ halo	BM	<i>L. welshimeri</i>	<i>L. welshimeri</i>	P	∅	∅	/	/	A	ND	AL:∅ Pal:∅	∅	A	ND	∅	A	ND
a+	2022	2231973	Raw turkey cutlet	∅	∅	AM ∅ halo	AM	<i>L. welshimeri</i>	<i>L. welshimeri</i>	P	Al ∅ halo	∅	<i>L. welshimeri</i>	<i>L. welshimeri</i>	P	PA	AL: AM ∅ halo Pal: AM <i>L. welshimeri</i>	Al ∅ halo	P	PA	AL ∅ halo	P	PA

Sensitivity - Raw results - Meat products

Type	Year	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method*						ONE BROTH (22h - 30°C)										ONE BROTH (22h - 30°C) - 72h 5±3°C			
				AL	Palcam	Fraser tube		Conf.		Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO confirmation	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance™ 72h±3°C	Result	Agreement	Brilliance	Result	Agreement
						AL	Palcam	Camp Test	API List														
a+	2022	2231977	Duck steak	AM ø halo	AM	AM ø halo	AM	Linnocua	Linnocua	P	AM ø halo	ø	Linnocua	Linnocua	P	PA	AL: AM ø halo Pal: AM Linnocua	AM ø halo	P	PA	AM ø halo	P	PA
a+	2022	2231978	Duck liver	AL ø halo	BL	AM ø halo	AM	Linnocua	Linnocua	P	ø	ø	/	/	A	ND	O&A:ø Pal:ø	ø	A	ND	ø	A	ND
a+	2022	2231979	Pork meat	ø	EL	ø	EL	/	/	A	AM ø halo	AM ø halo	L.welshimeri	L.welshimeri	P	PD	AL: AM ø halo Pal: AM L.welshimeri	AM ø halo	P	PD	AM ø halo	P	PD
a+	2022	2247761	Smoked bacon	DM ø halo	AM	AM ø halo	AM	L.welshimeri	L.welshimeri	P	BL ø halo	BL ø halo	L.welshimeri	L.welshimeri	P	PA	AL: AM ø halo Pal: AM L.welshimeri	BL ø halo	P	PA	BL ø halo	P	PA
b-	2022	2231962	Duck sausage	ø	ø	ø	ø	/	/	A	ø	ø	/	/	A	NA	AL:ø Pal:ø	ø	A	NA	/	/	/
b-	2022	2231982	Duck sausage	ø	ø	ø	ø	/	/	A	ø	ø	/	/	A	NA	O&A:ø Pal:ø	ø	A	NA	/	/	/
b-	2022	2231984	Poultry merguez	EL	EL	ø	EL	/	/	A	ø	ø	/	/	A	NA	O&A:ø Pal:ø	ø	A	NA	/	/	/
b-	2022	2236734	Merguez	ø	ø	ø	ø	/	/	A	EL	EL	/	/	A	NA	O&A:ø Pal:ø	EL	A	NA	/	/	/
b+	2022	2231961	Ground pork meat	ø	ø	AM ø halo	AM	Linnocua	Linnocua	P	ø	ø	/	/	A	ND	AL:ø Pal:ø	ø	A	ND	ø	A	ND
b+	2022	2231967	Raw sausage	AL ø halo	AL	AM ø halo	AM	L.welshimeri	L.welshimeri	P	AM ø halo	ø	L.welshimeri	L.welshimeri	P	PA	AL: AM ø halo Pal: AM L.welshimeri	AM ø halo	P	PA	AM ø halo	P	PA
b+	2022	2231972	Raw sausage	ø	ø	ø	ø	/	/	A	Al ø halo	ø	L.welshimeri	L.welshimeri	P	PD	AL: AM ø halo Pal: AM L.welshimeri	Al ø halo	P	PD	AL ø halo	P	PD
b+	2022	2231981	Ground pork meat	ø	ø	AL ø halo	AL	L.welshimeri	L.welshimeri	P	ø	ø	/	/	A	ND	O&A:ø Pal:ø	ø	A	ND	ø	A	ND
b+	2022	2231983	Ground poultry meat	AL halo/AL ø halo	AL	DL halo/AL ø halo	AL	Linnocua	Linnocua	P	BM ø halo	BM ø halo	Linnocua	Linnocua	P	PA	AL: AM ø halo Pal: AM Linnocua	BM ø halo	P	PA	AM ø halo	P	PA
b+	2022	2236732	Ground pork meat	AL ø halo	AL	AM ø halo	AL	Linnocua	Linnocua	P	DL ø halo	DL ø halo	Linnocua	Linnocua	P	PA	AL: AM ø halo Pal: AM Linnocua	DL ø halo	P	PA	CL ø halo	P	PA
b+	2022	2236733	Ground chicken meat	DL ø halo	DL	DL ø halo	DL	Linnocua	Linnocua	P	DL ø halo	DL ø halo	Linnocua	Linnocua	P	PA	AL: AM ø halo Pal: AM Linnocua	DL ø halo	P	PA	BL ø halo	P	PA
c-	2022	2231963	Ground beef pizza	1 colo bleue	ø	ø	ø	/	API List: ø TSAYE: not charact.	A	ø	/	/	/	A	NA	AL:ø Pal:ø	ø	A	NA	/	/	/
c-	2022	2231968	Pork meat	ø	ø	ø	ø	/	/	A	ø	ø	/	/	A	NA	AL:ø Pal:ø	ø	A	NA	/	/	/
c-	2022	2231971	Delicatessen	ø	ø	ø	EL	/	/	A	ø	ø	/	/	A	NA	AL:ø Pal:ø	ø	A	NA	/	/	/
c-	2022	2231974	Ham	ø	ø	ø	EL	/	/	A	ø	ø	/	/	A	NA	AL:ø Pal:ø	ø	A	NA	/	/	/
c-	2022	2231985	Delicatessen	ø	EL	ø	EL	/	/	A	ø	ø	/	/	A	NA	O&A:ø Pal:ø	ø	A	NA	/	/	/
c-	2022	2236687	Foie gras	ø	EL	EL	EL	/	/	A	EM	EM	/	/	A	NA	O&A:EM Pal:EM	EM	A	NA	/	/	/
c-	2022	2236688	Liver pate	ø	EL	ø	EL	/	/	A	ø	ø	/	/	A	NA	O&A:ø Pal:ø	ø	A	NA	/	/	/
c-	2022	2236737	Pepper chicken pizza	ø	ø	ø	ø	/	/	A	ø	ø	/	/	A	NA	O&A:ø Pal:ø	ø	A	NA	/	/	/
c-	2022	2236739	Kebab chicken panini	ø	ø	ø	ø	/	/	A	EM	EM	/	/	A	NA	O&A:ø Pal:ø	EM	A	NA	/	/	/
c+	2022	2231964	Boudin blanc	AL ø halo	AL	AM ø halo	AM	L.welshimeri	L.welshimeri	P	AM ø halo	/	L.welshimeri	L.welshimeri	P	PA	AL: AM ø halo Pal: AM L.welshimeri	AM ø halo	P	PA	AM ø halo	P	PA
c+	2022	2231986	Boudin blanc	AL	EL	AL	EL	L.welshimeri	L.welshimeri	P	AM ø halo	AM ø halo	L.welshimeri	L.welshimeri	P	PA	AL: AM ø halo Pal: AM L.welshimeri	AM ø halo	P	PA	AM ø halo	P	PA
c+	2022	2236689	Boudin noir	ø	EL	ø	EL	/	/	A	AL ø halo	AL ø halo	L.welshimeri	L.welshimeri	P	PD	AL: AM ø halo Pal: AM L.welshimeri	AL ø halo	P	PD	AM ø halo	P	PD
c+	2022	2236738	Boudin blanc	AL ø halo	AL	AL ø halo	AL	L.welshimeri	L.welshimeri	P	BM ø halo	BM ø halo	L.welshimeri	L.welshimeri	P	PA	AL: AM ø halo Pal: AM L.welshimeri	BM ø halo	P	PA	BM ø halo	P	PA

Type	Year	Sample N°	Product	Reference method: ISO 11290-1/A1					Alternative method: Listeria Precis														
				Half Fraser		Fraser 1		Identification	L. spp result	22 h at 30°C ONE Broth Listeria													
				O&A	Palcam	O&A	Palcam			Brilliance™ Listeria		Confirmations	Final result	Agreement Ref/Alt 24h	ISO 11290-1								
										24h	48h (only for meats)					Reference tests							
a+	2005	14 PL SC1	Raw milk cheese	M	+	L	+	L. mono	+	M	M	L. mono	+	PA	/								
a+	2005	19 PL SC1	Raw milk cheese	M	+	M	+	L. mono	+	H	H	L. mono	+	PA	/								
a+	2005	21 PL SC1	Raw milk cheese	M	+	M	+	L. mono	+	M	M	L. mono	+	PA	/								
a+	2005	22 PL SC1	Raw milk cheese	L	+(14col)	H	+	L. mono	+	L	M	L. mono	+	PA	/								
a-	2005	1 PL SC1	Raw milk cheese	-	-	-	-	/	-	-	-	/	-	NA	/								
a-	2005	5 PL SC1	Raw milk cheese	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
a-	2005	8 PL SC1	Raw milk cheese	-	-	-	-	/	-	-	-	/	-	NA	/								
a-	2005	10 PL SC1	Raw milk cheese	-	-	-	-	/	-	-	-	/	-	NA	/								
b+	2005	1 PL SC2	Raw milk	L(1col)	+(4col)	M	+(M)	L. mono	+	M	M	L. mono	+	PA	/								
b+	2005	4 PL SC2	Raw milk	-	-	M	+	L. mono	+	L	L	L. mono	+	PA	/								
b+	2005	6 PL SC2	Raw milk	L(3col)	+(7col)	H	+(H)	L. mono	+	M	M	L. mono	+	PA	/								
b+	2005	8 PL SC2	Raw milk	L(31col)	+	H	+	L. mono	+	M	M	L. mono	+	PA	/								
b-	2005	7 PL SC2	Raw milk	-	-	-	-	/	-	-	-	/	-	NA	/								
b-	2005	5 PL SC2	Raw milk	-	-	-	-	/	-	-	-	/	-	NA	/								
b-	2005	14 PL SC2	Raw milk	-	-	-	-	/	-	-	-	/	-	NA	/								
b-	2005	17 PL SC2	Raw milk	-	-	-	-	/	-	-	-	/	-	NA	/								
b-	2005	18 PL SC2	Raw milk	-	-	-	-	/	-	-	-	/	-	NA	/								
b-	2005	22 PL SC2	Raw milk	-pp	-	-pp	-	/	-	-pp	-	/	-	NA	/								
b-	2005	23 PL SC2	Raw milk	-pp	-	-pp	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	2 PL SC2	Raw milk	-	-	-	-	/	-	-	-	/	-	NA	/								
c+	2005	13 PL SC3	Pasteurized cheese	M	+	M	+	L. mono	+	M	M	L. mono	+	PA	/								
c+	2005	14 PL SC3	Pasteurized cheese	M	+	M	+	L. mono	+	M	M	L. mono	+	PA	/								
c+	2005	15 PL SC3	Pasteurized cheese	L(4col)	+	M	+	L. mono	+	M	M	L. mono	+	PA	/								
c+	2005	16 PL SC3	Pasteurized cheese	M	+	+	+	L. mono	+	M	M	L. mono	+	PA	/								
c-	2005	1 PL SC3	Pasteurized cheese	-	-	-	-	/	-	-	-	/	-	NA	/								
c-	2005	2 PL SC3	Pasteurized cheese	-	-	-	-	/	-	-pp	-	/	-	NA	/								
c-	2005	3 PL SC3	Pasteurized cheese	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
c-	2005	6 PL SC3	Pasteurized cheese	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
c-	2005	7 PL SC3	Pasteurized cheese	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
c-	2005	8 PL SC3	Pasteurized cheese	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
Type	Year	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method*					ONE BROTH (22h - 30°C)										ONE BROTH (22h - 30°C) - 72h 5±3°C				
				AL	Palcam	Fraser tube		Conf.	Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO confirmation	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+HD	Brilliance™ 72h±3°C	Result	Agreement	Brilliance	Result	Agreement	
						AL	Palcam																Camp Test
a-	2022	15	Raw cow's milk cheese (tomme)	EL colo bleues	EL	EL	EL	/	API List: Ø TSAYE: not charact.	A	EM	/	/	/	A	NA	O&A:EL Pal:Ø	EM	A	NA	/	/	/
a-	2022	29	Raw cow's milk cheese (tomme)	Ø	Ø	EL	EL	/	/	A	EL	/	/	/	A	NA	O&A:Ø Pal:Ø	EL	A	NA	/	/	/
a-	2022	2236691	Raw ewe milk cheese (Abundance)	EL	EL	EL	EL	/	/	A	EM	/	/	/	A	NA	O&A:Ø Pal:Ø	EM	A	NA	/	/	/
a-	2022	2236693	Cottage raw milk cheese	EL	EL	EL	EL	/	/	A	Ø	/	/	/	A	NA	O&A:Ø Pal:Ø	Ø	A	NA	/	/	/
a-	2022	2236695	Raw goat milk cheese	EL	Ø	EL	EL	/	/	A	Ø	/	/	/	A	NA	O&A:Ø Pal:Ø	Ø	A	NA	/	/	/
a-	2022	2247770	Raw milk cheese (Meule)	EM	Ø	Ø	Ø	/	/	A	Ø	/	/	/	A	NA	O&A:Ø Pal:Ø	Ø	A	NA	/	/	/

Sensitivity - Raw results - Milk products

Type	Year	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method*						ONE BROTH (22h - 30°C)										ONE BROTH (22h - 30°C) - 72h 5±3°C			
				AL	Palcam	Fraser tube		Conf.		Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO confirmation	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance™ 72h±3°C	Result	Agreement	Brilliance	Result	Agreement
						AL	Palcam	Camp Test	API List														
a+	2022	14	Pasteurized cow's milk cheese	AM ø halo	AM	AM ø halo	AM	L.innocua	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
a+	2022	2236690	Raw cow's milk cheese (Abundance)	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	∅	/	/	/	A	ND	O&A:∅ Pal:∅	∅	A	ND	∅	A	ND
a+	2022	2236692	Raw cow's milk cheese (tomme)	AM ø halo	AM	BM ø halo	BM	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
a+	2022	2236694	Raw cow's milk cheese (tomme)	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
a+	2022	2247768	Cottage cheese with raw milk	DM ø halo	DM	AM ø halo	AM	/	L.innocua	P	AL ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AL ø halo	P	PA	BL ø halo	P	PA
a+	2022	2247769	Raw milk cheese (Brie)	BM ø halo	AM	AM ø halo	AM	/	L.grayi	P	AL ø halo	/	L.grayi	L.grayi	P	PA	O&A:AM Pal:AM L.grayi	AL ø halo	P	PA	BL ø halo	P	PA
b-	2022	2247799	Raw milk	∅	∅	∅	∅	/	/	A	EL	/	/	/	A (FN)	NA	O&A:AM halo Pal:AM Livanovii	EL	A (FN)	NA	EL	A (FN)	NA
b+	2022	2247796	Raw milk	AM ø halo	AL ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
b+	2022	2247797	Raw milk	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
b+	2022	2247798	Raw milk	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
b+	2022	2247800	Raw milk	AL halo	∅	AL halo	∅	/	L.livanovii	P	AL halo	/	L.livanovii	L.livanovii	P	PA	O&A:AM halo Pal:AM L.livanovii	AL halo	P	PA	AL halo	P	PA
b+	2022	2247801	Raw milk	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AL ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AL ø halo	P	PA	AL ø halo	P	PA
b+	2022	2247802	Raw milk	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
b+	2022	2247803	Raw milk	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
c-	2022	2236699	Pasteurized ewe milk cheese	EL	∅	EL	EL	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
c-	2022	2236700	Pasteurized goat milk cheese	EL	∅	∅	∅	/	/	A	EL	/	/	/	A	NA	O&A:∅ Pal:∅	EL	A	NA	/	/	/
c-	2022	2236701	Pasteurized cow's milk cheese (Tomme)	EL	EM	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
c-	2022	2247809	Pasteurized sheep's milk cheese	∅	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	∅	A	NA
c-	2022	2247811	Pasteurized cow's milk cheese (Chaumes)	∅	∅	∅	∅	/	/	A	∅	/	/	/	A (FN)	NA	O&A:AM halo Pal:AM L.livanovii	∅	A (FN)	NA	∅	A (FN)	NA
c+	2022	2236696	Pasteurized cow's milk cheese (Baskeria)	AL ø halo	CL	AM ø halo	AM	/	L.innocua	P	∅	/	/	/	A	ND	O&A:∅ Pal:∅	∅	A	ND	∅	A	ND
c+	2022	2236697	Pasteurized cow's milk cheese (Brie)	AM ø halo	AM	BM ø halo	BM	/	L.innocua	P	AH ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AH ø halo	P	PA	AM ø halo	P	PA
c+	2022	2236698	Pasteurized cow's milk cheese (Tomme)	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
c+	2022	2247804	Pasteurized cow's milk cheese (Cantal)	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
c+	2022	2247805	Pasteurized sheep's milk cheese	BM ø halo	BM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
c+	2022	2247806	Organic pasteurized cow's milk cheese	AL ø halo	AL ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AL ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AL ø halo	P	PA	AL ø halo	P	PA
c+	2022	2247807	Pasteurized cow's milk cheese (Chamois d'Or)	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA
c+	2022	2247808	Pasteurized cow's milk cheese (Tomme)	EM	∅	EM	∅	/	/	A	AL halo	/	L.livanovii	L.livanovii	P	PD	O&A:AM halo Pal:AM L.livanovii	AL halo	P	PD	AL halo	P	PD
c+	2022	2247810	Pasteurized cow's milk cheese (Fol Epi)	AL halo	∅	AL halo	∅	/	L.livanovii	P	∅	/	/	/	A	ND	O&A:∅ Pal:∅	∅	A	ND	∅	A	ND

Type	Year	Sample N°	Product	Reference method: ISO 11290-1/A1					Alternative method: Listeria Precis														
				Half Fraser		Fraser 1		Identification	L. spp result	22 h at 30°C ONE Broth Listeria													
				O&A	Palcam	O&A	Palcam			Brilliance™ Listeria		Confirmations	Final result	Agreement Ref/Alt 24h	ISO 11290-1								
										24h	48h (only for meats)					Reference tests							
a+	2005	4 PP SC1	Salmon Carpaccio	+	+	+	+	L. mono	+	L	L	L. mono	+	PA	/								
a+	2005	5 PP SC1	Salmon Carpaccio	M	+	M	+	L. mono	+	M	M	L. mono	+	PA	/								
a+	2005	20 PP SC1	Salmon	-	+	-	+	L. mono	+	M	M	L. mono	+	PA	/								
a+	2017	5196	Pilchards fillets	H+	+	/	/	/	+	H+	/	L. mono	+	PA	/								
a-	2005	1 PP SC1	Salmon	-	-	-	-	/	-	-pp	-	/	-	NA	/								
a-	2005	2 PP SC1	Herring	-	-	-	-	/	-	-pp	-	/	-	NA	/								
a-	2005	3 PP SC1	Raw fish	-	-	-	-	/	-	-pp	-	/	-	NA	/								
a-	2005	9 PP SC1	Raw fish	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
a-	2005	10 PP SC1	Raw fish	-	-	-	-	/	-	-	-	/	-	NA	/								
a-	2005	11 PP SC1	Raw fish	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
a-	2005	12 PP SC1	Raw fish	-	-	-	-	/	-	-	-	/	-	NA	/								
a-	2005	13 PP SC1	Raw fish	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
a-	2005	14 PP SC1	Salmon	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
a-	2005	16 PP SC1	Raw fish	-	-	-	-	/	-	-	-	/	-	NA	/								
b+	2005	2 PP SC2	Smoked trout	M	+	M	+	L. mono	+	M	M	L. mono	+	PA	/								
b+	2005	4 PP SC2	Smoked salmon	H	+	H	+	L. mono	+	H	H	L. mono	+	PA	/								
b+	2005	21 PP SC2	Smoked salmon	M	+	M	+	L. mono	+	H	H	L. mono	+	PA	/								
b+	2005	22 PP SC2	Smoked salmon	M	+	M	+	L. mono	+	H	H	L. mono	+	PA	/								
b-	2005	1 PP SC2	Smoked salmon	-	-	-	-	/	-	-	-	/	-	NA	/								
b-	2005	8 PP SC2	Smoked salmon	-	-	-	-	/	-	-	-	/	-	NA	/								
b-	2005	12 PP SC2	Smoked salmon	-	-	-	-	/	-	-	-	/	-	NA	/								
b-	2005	13 PP SC2	Smoked salmon	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	14 PP SC2	Smoked trout	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	15 PP SC2	Smoked salmon	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	16 PP SC2	Smoked salmon	-	-	-	-	/	-	-pp	-	/	-	NA	/								
b-	2005	18 PP SC2	Smoked salmon	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	19 PP SC2	Smoked salmon	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	20 PP SC2	Smoked salmon	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
c+	2005	1 PP SC3	Terrine salmon	H	+(H)	H	+(H)	L. mono	+	H	H	L. mono	+	PA	/								
c+	2005	17 PP SC3	Terrine of fish	+	+	+	+	L. mono	+	M	M	L. mono	+	PA	/								
c+	2005	19 PP SC3	RTE fish	+	+	+	+	L. mono	+	M	M	L. mono	+	PA	/								
c+	2005	20 PP SC3	RTE fish	+	+	+	+	L. mono	+	M	M	L. mono	+	PA	/								
c-	2005	2 PP SC3	Shrimp	-	-	-	-	/	-	-pp	-	/	-	NA	/								
c-	2005	3 PP SC3	Egg lump	-	-	-	-	/	-	-pp	-	/	-	NA	/								
c-	2005	4 PP SC3	Terrine seafood	-	-	-	-	/	-	-pp	-	/	-	NA	/								
c-	2005	5 PP SC3	Terrine seafood	-	-	-	-	/	-	-pp	-	/	-	NA	/								
c-	2005	6 PP SC3	Herring	-	-	-	-	/	-	-pp	-	/	-	NA	/								
c-	2005	7 PP SC3	Anchovy	-	-	-	-	/	-	-pp	-	/	-	NA	/								
c-	2005	8 PP SC3	Bacon salmon	-	-	-	-	/	-	-pp	-	/	-	NA	/								
c-	2005	9 PP SC3	Terrine of lobster	-	-	-	-	/	-	-pp	-	/	-	NA	/								
c-	2005	10 PP SC3	Shrimp	-	-	-	-	/	-	-	-	/	-	NA	/								
c-	2005	11 PP SC3	Terrine of salmon	-	-	-	-	/	-	-	-	/	-	NA	/								
Type	Year	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method*						ONE BROTH (22h - 30°C)								ONE BROTH (22h - 30°C) - 72h 5±3°C					
				AL	Palcam	Fraser tube		Conf.		Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO confirmation	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance™ 72h±3°C	Result	Agreement	Brilliance	Result	Agreement
						AL	Palcam	Camp Test	API List														
a-	2022	2247772	Salmon tartare	EM	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
a-	2022	2247773	Salmon tartare with oil	EM	EL	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
a-	2022	2247774	Salmon tataki	EM	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
a-	2022	2247910	Salmon	∅	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
a-	2022	2247913	Tuna	∅	∅	∅	∅	/	/	A	∅	/	/	/	A (FN)	NA	O&A:AM Pal:AM L.welshimeri	∅	A	NA	/	/	/

Sensitivity - Raw results - Seafood products

Type	Year	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method*						ONE BROTH (22h - 30°C)										ONE BROTH (22h - 30°C) - 72h 5±3°C			
				AL	Palcam	Fraser tube		Conf.		Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO confirmation	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance™ 72h±3°C	Result	Agreement	Brilliance	Result	Agreement
						AL	Palcam	Camp Test	API List														
a+	2022	2247771	Plaice	EL	∅	∅	∅	/	/	A	AL ∅ halo	/	Linnocua	Linnocua	P	PD	O&A:AM ∅ halo Pal:AM Linnocua	AL ∅ halo	P	PD	BL ∅ halo	P	PD
a+	2022	2247911	Cod	AL ∅ halo	AL	AL ∅ halo	AL	/	L.welshimeri	P	AM ∅ halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AM ∅ halo	P	PA	AM ∅ halo	P	PA
a+	2022	2247912	Hake	AL ∅ halo	AL	AL ∅ halo	AL	/	L.welshimeri	P	AL ∅ halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ∅ halo	P	PA	AL ∅ halo	P	PA
a+	2022	2247914	Filet of julienne	AL ∅ halo	AL	AL ∅ halo	AL	/	L.welshimeri	P	AL ∅ halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ∅ halo	P	PA	AL ∅ halo	P	PA
b-	2022	2247776	Smoked salmon	EL	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
b+	2022	2247775	Smoked mackerel	EM	EM	AM ∅ halo	AM	/	Linnocua	P	∅	/	/	/	A	ND	O&A:∅ Pal:∅	∅	A	ND	EM	A	ND
b+	2022	2247812	Smoked herring	∅	∅	AL ∅ halo	AL	/	L.welshimeri	P	AL ∅ halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ∅ halo	P	PA	AL ∅ halo	P	PA
b+	2022	2247813	Smoked salmon	EL	EL	AL ∅ halo	AL	/	L.welshimeri	P	AL ∅ halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ∅ halo	P	PA	AL ∅ halo	P	PA
b+	2022	2247814	Smoked trout	∅	∅	AL ∅ halo	AL	/	L.welshimeri	P	AL ∅ halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ∅ halo	P	PA	AL ∅ halo	P	PA
b+	2022	2247815	Smoked herring	AM ∅ halo	AM	AM ∅ halo	AM	/	L.welshimeri	P	AL ∅ halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ∅ halo	P	PA	AL ∅ halo	P	PA
b+	2022	2247915	Smoked salmon	AL ∅ halo	AL	AL ∅ halo	AL	/	Linnocua	P	∅	/	/	/	A	ND	O&A:∅ Pal:∅	∅	A	ND	AL ∅ halo	P	PA
b+	2022	2247916	Smoked trut	AM ∅ halo	AM	AM ∅ halo	AM	/	Linnocua	P	AM ∅ halo	/	Linnocua	Linnocua	P	PA	O&A:AM Pal:AM Linnocua	AM ∅ halo	P	PA	AM ∅ halo	P	PA
c-	2022	2247777	Salmon shell	∅	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
c-	2022	2247778	Fish salad	EM	EM	∅	EM	/	/	A	EL	/	/	/	A	NA	O&A:∅ Pal:∅	EL	A	NA	/	/	/
c-	2022	2247779	King prawns and scallops	∅	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
c+	2022	2247780	Shrimp shell	EM	EM	AM ∅ halo	AM	/	L.welshimeri	P	∅	/	/	/	A	ND	O&A:∅ Pal:∅	∅	A	ND	∅	A	ND
c+	2022	2247781	Surimi shell	EM	∅	AM ∅ halo	AM	/	L.welshimeri	P	∅	/	/	/	A	ND	O&A:∅ Pal:∅	∅	A	ND	∅	A	ND
c+	2022	2247816	Exquis norvégien	BM ∅ halo	AM	AM ∅ halo	AM	/	Linnocua	P	BM ∅ halo	/	Linnocua	Linnocua	P	PA	O&A:AM Pal:AM Linnocua	BM ∅ halo	P	PA	BM ∅ halo	P	PA
c+	2022	2247917	Salad with shrimps	AM ∅ halo	AM	AM ∅ halo	AM	/	Linnocua	P	AL ∅ halo	/	Linnocua	Linnocua	P	PA	O&A:AM Pal:AM Linnocua	AL ∅ halo	P	PA	AL ∅ halo	P	PA
c+	2022	2247918	Salmon with sorrel	AM ∅ halo	AM	AM ∅ halo	AM	/	Linnocua	P	AM ∅ halo	/	Linnocua	Linnocua	P	PA	O&A:AM Pal:AM Linnocua	AM ∅ halo	P	PA	AM ∅ halo	P	PA
c+	2022	2247919	Prawn salad	∅	EL	∅	EL	/	/	A	AM ∅ halo	/	Linnocua	Linnocua	P	PD	O&A:AM Pal:AM Linnocua	AM ∅ halo	P	PD	AM ∅ halo	P	PD
c+	2022	2247920	St Jacques shell	AM ∅ halo	AM	AM ∅ halo	AM	/	Linnocua	P	AM ∅ halo	/	Linnocua	Linnocua	P	PA	O&A:AM Pal:AM Linnocua	AM ∅ halo	P	PA	AM ∅ halo	P	PA

Type	Year	Sample N°	Product	Reference method: ISO 11290-1/A1						Alternative method: Listeria Precs													
				Half Fraser		Fraser 1		Identification	L. spp result	22 h at 30°C ONE Broth Listeria													
				O&A	Palcam	O&A	Palcam			Brilliance™ Listeria		Confirmations	Final result	Agreement Ref/Alt 24h	ISO 11290-1								
										24h	48h (only for meats)					Reference tests							
a+	2017	4801	Corn	-	-	st	-	/	-	H+	/	L. mono	+	PD	/								
a+	2017	5203	Zucchini	H+	+			L. mono	+	H+	/	L. mono	+	PA	/								
a+	2017	5205	Endive	H+	+	/	/	L. mono	+	H+	/	L. mono	+	PA	/								
a+	2017	5207	Pepper	H+	+	/	/	L. mono	+	H+	/	L. mono	+	PA	/								
a-	2005	3 PVD SC1b	Broccoli	-	-	-	-	/	-	-	-	/	-	NA	/								
a-	2005	4 PVD SC1b	Radish	-	-	-	-	/	-	-	-	/	-	NA	/								
a-	2017	4805	Raw potatoes	st	st	st	st	/	-	st	/	/	-	NA	/								
a-	2017	4807	Chive	st	st	st	st	/	-	-	/	/	-	NA	/								
a-	2017	4808	Parsley	st	-	st	st	/	-	-	/	/	-	NA	/								
a-	2017	4979	Parsley	-	-	-	-	/	-	-	/	/	-	NA	/								
a-	2017	4980	Mushrooms	-	-	-	-	/	-	-	/	/	-	NA	/								
a-	2017	4981	Eggplant	st	st	st	st	/	-	st	/	/	-	NA	/								
a-	2017	4982	Zucchini	-	-	-	-	/	-	-	/	/	-	NA	/								
a-	2017	4983	Leeks	-	-	-	-	/	-	-	/	/	-	NA	/								
b+	2005	13 PVD SC2b	Green pepper	L	+(7col)	L(4col)	+	L. mono	+	M	M	L. mono	+	PA	/								
b+	2005	17 PVD SC2b	Red pepper	+(18col)	+(9col)		+	L. mono	+	L	L	L. mono	+	PA	/								
b+	2005	25 PVD SC2b	Green pepper	+	+	+	+	L. mono	+	M	M	L. mono	+	PA	/								
b+	2017	4804	Broccoli	H+	+	/	/	L. mono	+	H+	/	L. mono	+	PA	/								
b-	2005	1 PVD SC2b	Green pepper	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	3 PVD SC2b	Red pepper	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	8 PVD SC2b	Red pepper	-pp	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	9 PVD SC2b	Yellow pepper	-pp	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	10 PVD SC2b	Yellow pepper	-pp	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	11 PVD SC2b	Zucchini	-pp	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	12 PVD SC2b	Green pepper	-pp	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	15 PVD SC2b	Red pepper	-	-	-	-	/	-	-pp	-	/	-	NA	/								
b-	2005	22 PVD SC2b	Red pepper	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
b-	2005	26 PVD SC2b	Green pepper	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
c+	2005	5 PVD SC3b	RTE salad	M	+	M	+	L. mono	+	M	M	L. mono	+	PA	/								
c+	2005	6 PVD SC3b	RTE salad	+	+	+	+	L. mono	+	M	M	L. mono	+	PA	/								
c+	2005	7 PVD SC3b	RTE salad	+	+	+	+	L. mono	+	M	M	L. mono	+	PA	/								
c+	2005	8 PVD SC3b	RTE salad	M	+	+	+	L. mono	+	M	M	L. mono	+	PA	/								
c-	2005	2 PVD SC3b	Chive	-pp	-pp	-	-	/	-	-pp	-pp	/	-	NA	/								
c-	2005	3 PVD SC3b	Corn	-	-	-	-	/	-	-	-	/	-	NA	/								
c-	2005	9 PVD SC3b	RTE salad	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
c-	2005	10 PVD SC3b	RTE salad	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
c-	2005	12 PVD SC3b	RTE salad	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
c-	2005	13 PVD SC3b	RTE salad	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
c-	2005	14 PVD SC3b	RTE salad	-	-	-	-	/	-	-pp	-	/	-	NA	/								
c-	2005	15 PVD SC3b	RTE salad	-	-	-	-	/	-	-pp	-pp	/	-	NA	/								
c-	2005	16 PVD SC3b	Cooked carrots	-	-	-	-	/	-	-	-	/	-	NA	/								
c-	2017	4798	RTRH (potatoes)	-	-	st	-	/	-	st	/	/	-	NA	/								
Type	Year	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method*						ONE BROTH (22h - 30°C)							ONE BROTH (22h - 30°C) - 72h 5±3°C						
				AL	Palcam	Fraser tube		Conf.		Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO confirmation	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance™ 72h±3°C	Result	Agreement	Brilliance	Result	Agreement
						AL	Palcam	Camp Test	API List														
a-	2022	2247782	Lettuce	EM	EM	∅	EL	/	/	A	EL	/	/	/	A	NA	O&A:∅ Pal:∅	EL	A	NA	/	/	/
a-	2022	2247922	Endive	∅	∅	∅	∅	/	/	A	EL	/	/	/	A	NA	O&A:∅ Pal:∅	EL	A	NA	/	/	/
a+	2022	2247783	Raspberry	AM ∅ halo	AM	AM ∅ halo	AM	/	L.welshimeri	P	AL	/	L.welshimeri	L.welshimeri	P	PA	O&A: AM ∅ halo Pal:AM L.welshimeri	AL	P	PA	CL ∅ halo	P	PA
a+	2022	2247921	Apple	AM ∅ halo	AM	AM ∅ halo	AM	/	L.innocua	P	∅	/	/	/	A	ND	O&A:∅ Pal:∅	∅	A	ND	∅	A	ND
a+	2022	2247923	Mushrooms	AL ∅ halo	AL	AL ∅ halo	AL	/	L.innocua	P	AL ∅ halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AL ∅ halo	P	PA	AL ∅ halo	P	PA

Sensitivity - Raw results - Vegetables

Type	Year	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method*						ONE BROTH (22h - 30°C)										ONE BROTH (22h - 30°C) - 72h 5±3°C			
				AL	Palcam	Fraser tube		Conf.		Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO confirmation	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance™ 72h±3°C	Result	Agreement	Brilliance	Result	Agreement
						AL	Palcam	Camp Test	API List														
a+	2022	2247924	Radish	AL ø halo	AL	AL ø halo	AL	/	Linnocua	P	AL ø halo	/	Linnocua	Linnocua	P	PA	O&A:AM Pal:AM Linnocua	AL ø halo	P	PA	AM ø halo	P	PA
a+	2022	2247925	Zucchini	EM	EM	AM ø halo	AM	/	Linnocua	P	AM ø halo	/	Linnocua	Linnocua	P	PA	O&A:AM Pal:AM Linnocua	AM ø halo	P	PA	AM ø halo	P	PA
b-	2022	2247926	Mixed carrots	∅	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
b-	2022	2247927	Sliced pineapple	∅	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
b-	2022	2247928	Mixed carrots, leeks	∅	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
b-	2022	2247930	Mixed carrots, pepper, cabbage	∅	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
b+	2022	2247784	Onions	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	∅	/	/	/	A	ND	O&A:∅ Pal:∅	∅	A	ND	∅	A	ND
b+	2022	2247817	Red peppers	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	AM ø halo	/	Linnocua	Linnocua	P	PA	O&A:AM Pal:AM Linnocua	AM ø halo	P	PA	AM ø halo	P	PA
b+	2022	2247818	Zucchini sliced	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	AL ø halo	/	Linnocua	Linnocua	P	PA	O&A:AM Pal:AM Linnocua	AL ø halo	P	PA	AL ø halo	P	PA
b+	2022	2247819	Tian vegetables	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AM ø halo	P	PA	AM ø halo	P	PA
b+	2022	2247820	Cucumbers with cream	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AM ø halo	P	PA	AM ø halo	P	PA
b+	2022	2247929	Sliced carrots	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AL ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ø halo	P	PA	BL ø halo	P	PA
c-	2022	2247785	Cooked vegetables	∅	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
c-	2022	2247786	Moussaka	∅	∅	∅	∅	/	/	A	EL	/	/	/	A	NA	O&A:∅ Pal:∅	EL	A	NA	/	/	/
c-	2022	2247787	Quinoa and bulgur salad	EM	EM	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
c-	2022	2247788	Coral lentils	EM	∅	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
c-	2022	2247789	Green beans	EM	EL	∅	∅	/	/	A	∅	/	/	/	A	NA	O&A:∅ Pal:∅	∅	A	NA	/	/	/
c+	2022	2247931	Vegetables	∅	∅	∅	∅	/	/	A	DL ø halo (1)	/	Linnocua	Linnocua	P	PD	O&A:AM Pal:AM Linnocua	DL ø halo (1)	P	PD	DL ø halo	P	PD
c+	2022	2247835	Gratted carrot	∅	∅	AL ø halo	∅	/	L.seeligeri	P	∅	/	/	/	A	ND	O&A:∅ Pal:∅	∅	A	ND	∅	A	ND
c+	2022	2247836	Ckickpea	∅	∅	AL ø halo	∅	/	L.seeligeri	P	AL ø halo*	AL ø halo	L.seeligeri	L.seeligeri	p	PA	O&A:AM Pal:AM L.seeligeri	AL ø halo*	p	PA	AL ø halo	P	PA
c+	2022	2247837	Piemontaise	∅	∅	AL ø halo	∅	/	L.seeligeri	P	EL	/	/	/	A	ND	O&A:∅ Pal:∅	EL	A	ND	EL	A	ND
c+	2022	2247838	Couscous vegetables	∅	∅	AL ø halo	∅	/	L.seeligeri	P	AL ø halo*	AL ø halo	L.seeligeri	L.seeligeri	P	PA	O&A:AM Pal:AM L.seeligeri	AL ø halo*	P	PA	AL ø halo	P	PA
c+	2022	2247839	Cooked vegetables	∅	∅	AL ø halo(1 colonie)	∅	/	L.seeligeri	P	AL ø halo*	AL ø halo	L.seeligeri	L.seeligeri	P	PA	O&A:AM Pal:AM L.seeligeri	AL ø halo*	P	PA	AL ø halo	P	PA
c+	2022	2247840	Tabouleh	∅	∅	∅	∅	/	/	A	AL ø halo*	AL ø halo	L.seeligeri	L.seeligeri	P	PD	O&A:AM Pal:AM L.seeligeri	AL ø halo*	P	PD	AL ø halo	P	PD
c+	2022	2247841	Cauliflower gratin	∅	∅	AL ø halo	∅	/	L.seeligeri	P	AL ø halo*	AL ø halo	L.seeligeri	L.seeligeri	P	PA	O&A:AM Pal:AM L.seeligeri	AL ø halo*	P	PA	AL ø halo	P	PA
c+	2022	2247842	Cauliflower gratin	∅	∅	AL ø halo	∅	/	L.seeligeri	P	AL ø halo*	AL ø halo	L.seeligeri	L.seeligeri	P	PA	O&A:AM Pal:AM L.seeligeri	AL ø halo*	P	PA	AL ø halo	P	PA

Type	Year	Sample N°	Product	Reference method: ISO 11290-1/A1						Alternative method: Listeria Precis													
				Half Fraser		Fraser 1		Identification	L. spp result	22 h at 30°C ONE Broth Listeria													
				O&A	Palcam	O&A	Palcam			Brilliance™ Listeria		Confirmations		Final result	Agreement Ref/Alt 24h	ISO 11290-1							
										24h	48h (only for meats)	Reference tests				Brilliance	Result	Brilliance	Result				
a+	2005	1 E	Siphon water	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
a+	2005	14 E	Siphon water	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
a+	2005	16 E	Siphon water	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
a+	2005	17 E	Siphon water	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
a-	2005	2 E	Siphon water	-	-	-	-	/	-	-	/	/	-	NA	/	/							
a-	2005	4 E	Siphon water	-	-	-	-	/	-	-	/	/	-	NA	/	/							
a-	2005	5 E	Siphon water	-	-	-	-	/	-	-	/	/	-	NA	/	/							
a-	2005	6 E	Siphon water	-	-	-	-	/	-	-	/	/	-	NA	/	/							
a-	2005	7 E	Siphon water	-	-	-	-	/	-	-	/	/	-	NA	/	/							
a-	2005	8 E	Siphon water	-	-	-	-	/	-	-	/	/	-	NA	/	/							
a-	2005	9 E	Siphon water	-	-	-	-	/	-	-	/	/	-	NA	/	/							
a-	2005	10 E	Siphon water	-	-	-	-	/	-	-	/	/	-	NA	/	/							
a-	2005	11 E	Siphon water	-	-	-	-	/	-	-	/	/	-	NA	/	/							
a-	2005	12 E	Siphon water	-	-	-	-	/	-	-	/	/	-	NA	/	/							
b+	2005	32 E	Wipe	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
b+	2005	35 E	Wipe	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
b+	2005	36 E	Wipe	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
b+	2005	37 E	Wipe	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
b-	2005	31 E	Wipe	-	-	-	-	/	-	-	/	/	-	NA	/	/							
b-	2005	33 E	Wipe	-	-	-	-	/	-	-	/	/	-	NA	/	/							
b-	2005	40 E	Wipe	-	-	-	-	/	-	-	/	/	-	NA	/	/							
b-	2005	41 E	Wipe	-	-	-	-	/	-	-	/	/	-	NA	/	/							
b-	2005	42 E	Wipe	-	-	-	-	/	-	-	/	/	-	NA	/	/							
b-	2005	43 E	Wipe	-	-	-	-	/	-	-	/	/	-	NA	/	/							
b-	2005	44 E	Wipe	-	-	-	-	/	-	-	/	/	-	NA	/	/							
b-	2005	47 E	Wipe	-	-	-	-	/	-	-	/	/	-	NA	/	/							
b-	2005	48 E	Wipe	-	-	-	-	/	-	-	/	/	-	NA	/	/							
b-	2017	5121	Wipe	st	st	st	st	/	-	-	/	/	-	NA	/	/							
c+	2005	51 E	Dusts	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
c+	2005	52 E	Dusts	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
c+	2005	54 E	Dusts	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
c+	2005	62 E	Dusts	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
c+	2005	67E	Dusts	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
c+	2005	68E	Dusts	+	+	+	+	L. mono	+	+	/	L. mono	+	PA	/	/							
c-	2005	53 E	Dusts	-	-	-	-	/	-	-	/	/	-	NA	/	/							
c-	2005	55 E	Dusts	-	-	-	-	/	-	-	/	/	-	NA	/	/							
c-	2005	56 E	Dusts	-	-	-	-	/	-	-	/	/	-	NA	/	/							
c-	2005	57 E	Dusts	-	-	-	-	/	-	-	/	/	-	NA	/	/							
c-	2005	58 E	Dusts	-	-	-	-	/	-	-	/	/	-	NA	/	/							
c-	2005	59 E	Dusts	-	-	-	-	/	-	-	/	/	-	NA	/	/							
c-	2005	60 E	Dusts	-	-	-	-	/	-	-	/	/	-	NA	/	/							
c-	2005	65 E	Dusts	-	-	-	-	/	-	-	/	/	-	NA	/	/							
Type	Year	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method*						ONE BROTH (22h - 30°C)										ONE BROTH (22h - 30°C) - 72h 5±3°C			
				AL	Palcam	Fraser tube		Conf.		Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO confirmation	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance™ 72h±3°C	Result	Agreement	Brilliance	Result	Agreement
						AL	Palcam	Camp Test	API List														
a-	2022	2247861	Process water cheese factory	ø	ø	ø	ø	/	/	A	ø	/	/	/	A	NA	O&A:ø Pal:ø	ø	A	NA	/	A	NA
a-	2022	2247865	Process water	ø	ø	ø	ø	/	/	A	ø	/	/	/	A	NA	O&A:ø Pal:ø	ø	A	NA	ø	A	NA
a+	2022	2247862	Process water cheese factory	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AL ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ø halo	P	PA	AL ø halo	P	PA
a+	2022	2247863	Cheese line rinse water	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AL ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ø halo	P	PA	AL ø halo	P	PA

Sensitivity - Raw results - Environmental samples

Type	Year	Sample N°	Product	Half Fraser (24h - 30°C) - ISO method*							ONE BROTH (22h - 30°C)										ONE BROTH (22h - 30°C) - 72h 5±3°C			
				AL	Palcam	Fraser tube		Camp Test	Conf.		Result	Brilliance™ 24h	Brilliance™ 48h	Microbact	ISO confirmation	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance™ 72h±3°C	Result	Agreement	Brilliance	Result	Agreement
						AL	Palcam		API List															
a+	2022	2247864	Process water	AL ø halo	AL	AM ø halo	AM	/	L.welshimeri	P	AL ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ø halo	P	PA	AL ø halo	P	PA	
a+	2022	2247866	Process water	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AL ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AL ø halo	P	PA	AL ø halo	P	PA	
a+	2022	2247832	Process water	AL halo	AL	AM halo	AM	/	L.monocytogenes	P	AM halo	/	L.monocytogenes	L.monocytogenes	P	PA	O&A:AM halo Pal:AM L.mono	AM halo	P	PA	AL halo	P	PA	
a+	2022	2247833	Process water	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AL halo	/	L.monocytogenes	L.monocytogenes	P	PA	O&A:AM halo Pal:AM L.mono	AL halo	P	PA	AL halo	P	PA	
b+	2022	2247943	Wipe cold room siphon	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AM ø halo	P	PA	AM ø halo	P	PA	
b+	2022	2247944	Wipe chopping block	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA	
b+	2022	2247945	Wipe ground slicing area	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AM ø halo	P	PA	AL ø halo	P	PA	
b+	2022	2247946	Wipe ground dosage of shells	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AM ø halo	P	PA	AM ø halo	P	PA	
b+	2022	2247947	Wipe seafood industry	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AM ø halo	P	PA	AL ø halo	P	PA	
b+	2022	2247948	Wipe plastic pallet seafood industry	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA	
c+	2022	2247937	Dusts pastry industry	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AM ø halo	P	PA	AL ø halo	P	PA	
c+	2022	2247938	Dusts poultry industry	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AM ø halo	P	PA	AM ø halo	P	PA	
c+	2022	2247939	Dusts poultry industry	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	/	L.welshimeri	L.welshimeri	P	PA	O&A:AM Pal:AM L.welshimeri	AM ø halo	P	PA	AL ø halo	P	PA	
c+	2022	2247940	Dusts powder milk industry	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA	
c+	2022	2247941	Dusts spicy packaging	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AL ø halo	P	PA	
c+	2022	2247942	Dusts egg powder industry	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	/	L.innocua	L.innocua	P	PA	O&A:AM Pal:AM L.innocua	AM ø halo	P	PA	AM ø halo	P	PA	

Appendix E - Relative level of detection-
Study realized by ASEPT (2005)

Raw milk / Strain 18

Level	Inoculated level cells/25 g	IC	Method	Negative	Positive	Total
1	0		Reference	6	0	6
			Alternative	6	0	6
			Total	12	0	12
2	0,2 (0,09 - 0,37)	0,2	Reference	6	0	6
			Alternative	5	1	6
			Total	11	1	12
3	1,7 (1,2 - 2,28)	0,7	Reference	0	6	6
			Alternative	1	5	6
			Total	1	11	12
4	4 (3,13 - 5,29)	2,6	Reference	0	6	6
			Alternative	0	6	6
			Total	0	12	12

Aerobic mesophilic microflora:
Levels 1, 2 and 3
Level 4

4 300 CFU/ml
490 CFU/ml

Salad / Strain 1

Level	Inoculated level cells/25 g	IC	Method	Negative	Positive	Total
1	0		Reference	6	0	6
			Alternative	6	0	6
			Total	12	0	12
2	0,18 (0,08 - 0,34)	0,2	Reference	3	3	6
			Alternative	4	2	6
			Total	7	5	12
3	2,2 (1,6 - 2,8)	0,7	Reference	1	5	6
			Alternative	1	5	6
			Total	2	10	12
4	4,2 (3,4 - 5,2)	0,9	Reference	0	6	6
			Alternative	0	6	6
			Total	0	12	12

Appendix E - Meat products

Matrix: rillettes
Strain: *Listeria ivanovii*

Enumeration of the microorganisms at 30°C: 200 CFU/g

N° sample	Level	Inoculation level (cfu/sample)	Reference method : ISO 11290-1*						Alternative method: Listeria Precis					
			Half Fraser		Fraser		Confirmation	Final Result	Number positive samples/Total	Brilliance™ Listeria Agar				
			O&A	Palcam	O&A	Palcam				Brilliance 22h	Brilliance 46h	Confirmation	Final result	Number positive samples/Total
2231931	0	0	Ø	Ø	Ø	Ø	/	A	0/5	Ø	Ø	/	A	0/5
2231932			Ø	Ø	Ø	Ø	/	A		Ø	Ø	/	A	
2231933			Ø	Ø	Ø	Ø	/	A		Ø	Ø	/	A	
2231934			Ø	Ø	Ø	Ø	/	A		Ø	Ø	/	A	
2231935			Ø	Ø	Ø	Ø	/	A		Ø	Ø	/	A	
2231936	1	0.4	Ø	Ø	Ø	Ø	/	A	8/20	AL	AL	<i>L. ivanovii</i>	P	12/20
2231937			Ø	Ø	Ø	Ø	/	A		Ø	Ø	/	A	
2231938			Ø	Ø	Ø	Ø	/	A		AL	AL	<i>L. ivanovii</i>	P	
2231939			Ø	Ø	Ø	Ø	/	A		AL	AL	<i>L. ivanovii</i>	P	
2231940			Ø	Ø	Ø	Ø	/	A		AL	AL	<i>L. ivanovii</i>	P	
2231941			Ø	Ø	Ø	Ø	/	A		Ø	Ø	/	A	
2231942			AL	AL	AM	AL	<i>L. ivanovii</i>	P		AM	AM	<i>L. ivanovii</i>	P	
2231943			AL	AL	AL	AL	<i>L. ivanovii</i>	P		Ø	Ø	/	A	
2231944			Ø	Ø	Ø	Ø	/	A		Ø	Ø	/	A	
2231945			Ø	Ø	Ø	Ø	/	A		AL	AL	<i>L. ivanovii</i>	P	
2231946			Ø	Ø	Ø	Ø	/	A		Ø	Ø	/	A	
2231947			BL	Ø	AL	AL	<i>L. ivanovii</i>	P		AL	AL	<i>L. ivanovii</i>	P	
2231948			Ø	Ø	Ø	Ø	/	A		AL	AL	<i>L. ivanovii</i>	P	
2231949			AL	AL	AL	AL	<i>L. ivanovii</i>	P		Ø	Ø	/	A	
2231950			AL	AL	AL	AL	<i>L. ivanovii</i>	P		Ø	Ø	/	A	
2231951			AL	AL	AL	AL	<i>L. ivanovii</i>	P		AL	AL	<i>L. ivanovii</i>	P	
2231952			Ø	Ø	Ø	Ø	/	A		AM	AM	<i>L. ivanovii</i>	P	
2231953			AL	AL	AL	AL	<i>L. ivanovii</i>	P		Ø	Ø	/	A	
2231954			AL	AL	AL	AL	<i>L. ivanovii</i>	P		AL	AL	<i>L. ivanovii</i>	P	
2231955			Ø	Ø	Ø	Ø	/	A		AL	AL	<i>L. ivanovii</i>	P	
2231956	2	2.1	AL	AL	AL	AL	<i>L. ivanovii</i>	P	3/5	AL	AL	<i>L. ivanovii</i>	P	4/5
2231957			AL	AL	AL	AL	<i>L. ivanovii</i>	P		AL	AL	<i>L. ivanovii</i>	P	
2231958			AL	AL	AL	AL	<i>L. ivanovii</i>	P		AL	AL	<i>L. ivanovii</i>	P	
2231959			Ø	Ø	Ø	Ø	/	A		AL	AL	<i>L. ivanovii</i>	P	
2231960			Ø	Ø	Ø	Ø	/	A		Ø	Ø	/	A	

Appendix E - Seafood products

Matrix: smoked salmon
Strain: *Listeria innocua*

Enumeration of the microorganisms at 30°C: 3600 CFU/g

N° sample	Level	Inoculation level (cfu/sample)	Reference method : ISO 11290-1 ■						Alternative method: Listeria Precis				
			Half Fraser		Fraser		Confirmation	Final Result	Number positive samples/Total	Brilliance™ Listeria Agar			
			O&A	Palcam	O&A	Palcam				Brilliance 22h	Confirmation	Final result	Number positive samples/Total
2236702	0	0	∅	∅	∅	∅	/	A	0/5	∅	/	A	0/5
2236703			∅	∅	∅	∅	/	A		∅	/	A	
2236704			∅	∅	∅	∅	/	A		∅	/	A	
2236705			∅	∅	∅	∅	/	A		∅	/	A	
2236706			∅	∅	∅	∅	/	A		∅	/	A	
2236707	1	0.7	∅	∅	∅	∅	/	A	11/20	AM	<i>L.innocua</i>	P	8/20
2236708			∅	∅	∅	∅	/	A		∅	/	A	
2236709			AL	AL	AM	AM	<i>L.innocua</i>	P		∅	/	A	
2236710			AL	AL	AM	AM	<i>L.innocua</i>	P		∅	/	A	
2236711			∅	∅	∅	∅	/	A		∅	/	A	
2236712			∅	∅	∅	∅	/	A		∅	/	A	
2236713			∅	∅	∅	∅	/	A		AL	<i>L.innocua</i>	P	
2236714			AL	∅	AM	AM	<i>L.innocua</i>	P		∅	/	A	
2236715			∅	∅	∅	∅	/	A		AL	<i>L.innocua</i>	P	
2236716			∅	∅	∅	∅	/	A		∅	/	A	
2236717			AL	AM	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236718			∅	∅	∅	∅	/	A		∅	/	A	
2236719			AM	AM	AM	AM	<i>L.innocua</i>	P		∅	/	A	
2236720			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236721			AL	AL	AM	AM	<i>L.innocua</i>	P		AL	<i>L.innocua</i>	P	
2236722			AM	AL	AM	AM	<i>L.innocua</i>	P		∅	/	A	
2236723			AL	AL	AM	AM	<i>L.innocua</i>	P		∅	/	A	
2236724			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236725			∅	∅	∅	∅	/	A		∅	/	A	
2236726			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236727	2	2.0	AL	AL	AM	AM	<i>L.innocua</i>	P	5/5	AM	<i>L.innocua</i>	P	5/5
2236728			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236729			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236730			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236731			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	

Appendix E - Environmental sample

Matrix: process water
Strain: *Listeria welshimeri*

Enumeration of the microorganisms at 30°C: 3.2 10⁷ CFU/g

N° sample	Level	Inoculation level (cfu/sample)	Reference method : ISO 11290-1*						Alternative method: Listeria Precis				
			Half Fraser		Fraser		Confirmation	Final Result	Number positive samples/Total	Brilliance™ Listeria Agar			
			O&A	Palcam	O&A	Palcam				Brilliance 22h	Confirmation	Final result	Number positive samples/Total
2247867	0	0	∅	∅	∅	∅	/	A	0/5	∅	/	A	0/5
2247868			∅	∅	∅	∅	/	A		∅	/	A	
2247869			∅	∅	∅	∅	/	A		∅	/	A	
2247870			∅	∅	∅	∅	/	A		∅	/	A	
2247871			∅	∅	∅	∅	/	A		∅	/	A	
2247872	1	1.0	AM	AM	AM	AM	<i>L.welshimeri</i>	P	13/20	AL	<i>L.welshimeri</i>	P	12/20
2247873			AL	AL	AM	AM	<i>L.welshimeri</i>	P		AM	<i>L.welshimeri</i>	P	
2247874			AM	AM	AM	AM	<i>L.welshimeri</i>	P		AM	<i>L.welshimeri</i>	P	
2247875			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247876			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247877			∅	∅	∅	∅	/	A		AM	<i>L.welshimeri</i>	P	
2247878			AL	AL	AM	AM	<i>L.welshimeri</i>	P		AM	<i>L.welshimeri</i>	P	
2247879			∅	∅	∅	∅	/	A		AM	<i>L.welshimeri</i>	P	
2247880			∅	∅	∅	∅	/	A		AM	<i>L.welshimeri</i>	P	
2247881			∅	∅	∅	∅	/	A		AM	<i>L.welshimeri</i>	P	
2247882			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247883			∅	∅	∅	∅	/	A		∅	/	A	
2247884			AL	AL	AM	AM	<i>L.welshimeri</i>	P		AL	<i>L.welshimeri</i>	P	
2247885			∅	∅	∅	∅	/	A		AM	<i>L.welshimeri</i>	P	
2247886			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247887			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247888			∅	∅	∅	∅	/	A		∅	/	A	
2247889			AL	AL	AM	AM	<i>L.welshimeri</i>	P		AL	<i>L.welshimeri</i>	P	
2247890			AL	AL	AM	AM	<i>L.welshimeri</i>	P		AM	<i>L.welshimeri</i>	P	
2247891			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247892	2	2.0	∅	∅	∅	∅	/	A	1/5	∅	/	A	1/5
2247893			∅	∅	∅	∅	/	A		∅	/	A	
2247894			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247895			∅	∅	∅	∅	/	A		∅	/	A	
2247896			∅	∅	∅	∅	/	A		AM	<i>L.welshimeri</i>	P	

#	Strain	Reference	Origin	Reading at 24 h				
				OCLA			TSA	
				Size of halo	Color of the colony	OBIS test	Streaking on O&A	Aspect of the colony Test d'illumination de Henry (ISO 11290-2:1998)
1	<i>Listeria monocytogenes</i>	Lm-P775	Poisson	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
2	<i>Listeria monocytogenes</i>	Lm-P777	Poisson	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
3	<i>Listeria monocytogenes</i>	Lm-P778	Poisson	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
4	<i>Listeria monocytogenes</i>	Lm-P779	Poisson	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
5	<i>Listeria monocytogenes</i>	Lm-P780	Poisson	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
6	<i>Listeria monocytogenes</i>	Lm-P781	Poisson	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
7	<i>Listeria monocytogenes</i>	Lm-P782	Rillettes de saumon aux salicornes	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
8	<i>Listeria monocytogenes</i>	Lm-P783	Ecouvillon sur manche d'une pince à désarêter	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
9	<i>Listeria monocytogenes</i>	Lm-P784	Filet de saumon cru à l'arrivage	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
10	<i>Listeria monocytogenes</i>	Lm-P785	Filet de saumon cru à l'arrivage	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
11	<i>Listeria monocytogenes</i>	LM-H170	Pêcheur	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
12	<i>Listeria monocytogenes</i>	LM-H171	Bistrot	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
13	<i>Listeria monocytogenes</i>	LM-H172	Marché	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
14	<i>Listeria monocytogenes</i>	LM-H173	Norvégienne	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
15	<i>Listeria monocytogenes</i>	LM-H174	Chou-fleur	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
16	<i>Listeria monocytogenes</i>	LM-H175	Chou-fleur	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
17	<i>Listeria monocytogenes</i>	LM-I20	Passe-plat n° 2 à 9h30	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
18	<i>Listeria monocytogenes</i>	LM-I21	Passe-plat n° 3 à 6h	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
19	<i>Listeria monocytogenes</i>	LM-I22	Sol emballage	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection
20	<i>Listeria monocytogenes</i>	LM-I23	Tapis avant tunnel S89	<1 mm	Blue / green	- (colorless)	Colonies with halo	Colonies with bluish reflection

#	Strain	Reference	Origin	Number of CFU on TSAYE agar	ISO method				Alternative method <i>Listeria</i> Precis with One Broth									
					OCLA	PALCAM	FRASER	RESULTAT	Brilliance <i>Listeria</i> agar						Confirmation			
									Aspect of the colonies				ISO	OBIS + (<i>L.mono</i>) / - (<i>L.spp</i>)	MICROBACT			
									Colour		Halo					Size		
24h	48h	24h	48h	24h	48h	ISO	OBIS + (<i>L.mono</i>) / - (<i>L.spp</i>)	MICROBACT										
21	<i>Listeria innocua</i>	RXJ222	Fig tartlet	39	/	/	/	/	Blue	Blue	No	No	1mm	2mm	<i>Listeria innocua</i>	-	<i>Listeria innocua</i>	
22	<i>Listeria innocua</i>	KUY776	Egg product environment	93	/	/	/	/	Blue	Blue	No	No	1mm	2mm	<i>Listeria innocua</i>	-	<i>Listeria innocua</i>	
23	<i>Listeria innocua</i>	RYB922	Smoked sausages	71	/	/	/	/	Blue	Blue	No	No	1mm	2mm	<i>Listeria innocua</i>	-	<i>Listeria innocua</i>	
24	<i>Listeria innocua</i>	TYA050	Raw tuna tataki	56	/	/	/	/	Blue	Blue	No	No	1mm	2mm	<i>Listeria innocua</i>	-	<i>Listeria innocua</i>	
25	<i>Listeria innocua</i>	TQU555	Tomme with raw milk	40	/	/	/	/	Blue	Blue	No	No	1mm	2mm	<i>Listeria innocua</i>	-	<i>Listeria innocua</i>	
26	<i>Listeria innocua</i>	TSA557	Pasteurized Milk Brie	62	/	/	/	/	Blue	Blue	No	No	1mm	2mm	<i>Listeria innocua</i>	-	<i>Listeria innocua</i>	
27	<i>Listeria innocua</i>	TTZ273	Diced onions	27	/	/	/	/	Blue	Blue	No	No	1mm	2mm	<i>Listeria innocua</i>	-	<i>Listeria innocua</i>	
28	<i>Listeria innocua</i>	TWH478	Vegetable gardener	69	/	/	/	/	Blue	Blue	No	No	1mm	2mm	<i>Listeria innocua</i>	-	<i>Listeria innocua</i>	
29	<i>Listeria innocua</i>	XEN574	Salmon shell	38	/	/	/	/	Blue	Blue	No	No	1mm	2mm	<i>Listeria innocua</i>	-	<i>Listeria innocua</i>	

#	Strain	Reference	Origin	Number of CFU on TSAYE agar	ISO method				Alternative method <i>Listeria</i> Precis with One Broth								
									Brilliance <i>Listeria</i> agar								
					Aspect of the colonies				Confirmation			ISO	OBIS + (<i>L.mono</i>) / - (<i>L.spp</i>)	MICROBACT			
					Colour		Halo		Size								
24h	48h	24h	48h	24h	48h	24h	48h	ISO	OBIS + (<i>L.mono</i>) / - (<i>L.spp</i>)	MICROBACT							
30	<i>Listeria innocua</i>	TET819	Chicken thigh	99	/	/	/	/	Blue	Blue	No	No	1mm	2mm	<i>Listeria innocua</i>	-	<i>Listeria innocua</i>
31	<i>Listeria grayi</i>	SWZ606	Sausage patty	42	∅	∅	∅	/	∅	∅	∅	∅	∅	∅	/	/	/
				31	AM	EM	∅	<i>Listeria grayi</i>	Blue	Blue	No	No	0,5mm	0,5mm	<i>Listeria grayi</i>	-	<i>Listeria grayi</i>
32	<i>Listeria grayi</i>	SWE117	Bayonne ham	55	∅	∅	∅	/	∅	∅	∅	∅	∅	/	/	/	
				43	DM	EL	∅	<i>Listeria grayi</i>	Blue	Blue	No	No	1mm	1mm	<i>Listeria grayi</i>	-	<i>Listeria grayi</i>
33	<i>Listeria grayi</i>	RZM251	Salmon marinated in dill	49	∅	∅	∅	/	∅	∅	∅	∅	∅	/	/	/	
				64	AM	EL	∅	<i>Listeria grayi</i>	Blue	Blue	No	No	1mm	1mm	<i>Listeria grayi</i>	-	<i>Listeria grayi</i>
34	<i>Listeria grayi</i>	RZK366	Green bean	74	∅	∅	∅	/	∅	∅	∅	∅	∅	/	/	/	
				68	∅	∅	∅	/	Blue	Blue	No	No	1mm	1mm	<i>Listeria grayi</i>	-	<i>Listeria grayi</i>
35	<i>Listeria ivanovii</i>	AAZ671	Turkey cutlet scraps	56	/	/	/	/	Blue	Blue	Yes	Yes	0,5 mm	2mm	<i>Listeria ivanovii</i>	-	<i>Listeria ivanovii</i>
36	<i>Listeria ivanovii</i>	APE161	Merguez	132	/	/	/	/	Blue	Blue	Yes	Yes	0,5 mm	2mm	<i>Listeria ivanovii</i>	-	<i>Listeria ivanovii</i>
37	<i>Listeria ivanovii</i>	GJP629	Environment	56	/	/	/	/	∅	Blue	∅	Yes	∅	0,5 mm	<i>Listeria ivanovii</i>	-	<i>Listeria ivanovii</i>
38	<i>Listeria ivanovii</i>	GQD028	Environment dairy products	53	/	/	/	/	Blue	Blue	Yes	Yes	0,5 mm	2mm	<i>Listeria ivanovii</i>	-	<i>Listeria ivanovii</i>
39	<i>Listeria welshimeri</i>	TXR109	Chinese noodles with vegetables	58	/	/	/	/	Blue	Blue	No	No	1 mm	2mm	<i>Listeria welshimeri</i>	-	<i>Listeria welshimeri</i>
40	<i>Listeria welshimeri</i>	GLX736	Environment dairy products	10	/	/	/	/	Blue	Blue	No	No	1 mm	2mm	<i>Listeria welshimeri</i>	-	<i>Listeria welshimeri</i>
41	<i>Listeria welshimeri</i>	PSX189	Environment meat products	49	/	/	/	/	Blue	Blue	No	No	1 mm	2mm	<i>Listeria welshimeri</i>	-	<i>Listeria welshimeri</i>
42	<i>Listeria welshimeri</i>	TDV458	Andouille from Guéméné	85	/	/	/	/	Blue	Blue	No	No	1 mm	2mm	<i>Listeria welshimeri</i>	-	<i>Listeria welshimeri</i>
43	<i>Listeria welshimeri</i>	TPR354	Toulouse sausage	64	/	/	/	/	Blue	Blue	No	No	1 mm	2mm	<i>Listeria welshimeri</i>	-	<i>Listeria welshimeri</i>
44	<i>Listeria welshimeri</i>	TUH443	Smoked arctic char with 5 berries	35	/	/	/	/	Blue	Blue	No	No	1 mm	2mm	<i>Listeria welshimeri</i>	-	<i>Listeria welshimeri</i>
45	<i>Listeria welshimeri</i>	TVP191	Stripped salmon	37	/	/	/	/	Blue	Blue	No	No	1 mm	2mm	<i>Listeria welshimeri</i>	-	<i>Listeria welshimeri</i>
46	<i>Listeria welshimeri</i>	XCW614	Salmon shell	38	/	/	/	/	Blue	Blue	No	No	1 mm	2mm	<i>Listeria welshimeri</i>	-	<i>Listeria welshimeri</i>
47	<i>Listeria welshimeri</i>	TLJ742	Hotpot	39	/	/	/	/	Blue	Blue	No	No	1 mm	2mm	<i>Listeria welshimeri</i>	-	<i>Listeria welshimeri</i>
48	<i>Listeria seeligeri</i>	DSM20751	Ground	79	/	/	/	/	Blue	Blue	No	No	2 mm	2mm	<i>Listeria seeligeri</i>	-	<i>Listeria seeligeri</i>
49	<i>Listeria seeligeri</i>	LHFB67	Dairy environment	79	/	/	/	/	Blue	Blue	No	No	3 mm	2mm	<i>Listeria seeligeri</i>	-	<i>Listeria seeligeri</i>
50	<i>Listeria marthi</i>	DSM23813	Ground	76	/	/	/	/	Blue	Blue	No	No	4 mm	2mm	/	-	/

#	N°	Code	Strain	Origin	Lecture à 24 h				
					OCLA				TSA
					Size of halo	Color of the colony	OBIS test	Streaking on O&A	Aspect of the colony
1	B1	BI-R6	<i>B. licheniformis</i>	Ovoproduit	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
2	B2	CIP 5832	<i>Bacillus cereus</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
3	B3	CIP 6624	<i>Bacillus cereus</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche
4	B4	CIP 52.75T	<i>Bacillus circulans</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche
5	B5	CIP 88264	<i>Candida</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Absence de colonie
6	B7	IND 501	<i>Enterococcus faecalis</i>	Souche clinique	/	Absence de colonie	Non réalisé	Non réalisé	Petite colonie beige
7	B8	IND 502	<i>Enterococcus faecalis</i>	Souche clinique	/	Absence de colonie	Non réalisé	Non réalisé	Petite colonie beige
8	B9	ATCC 19433	<i>Enterococcus faecalis</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Petite colonie beige
9	B10	CIP 5855	<i>Enterococcus faecium</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Colonie beige
10	B11	IND 500	<i>Enterococcus faecium</i>	Produit alimentaire	/	Absence de colonie	Non réalisé	Non réalisé	Colonie beige
11	B12	Ec - U2	<i>Escherichia coli</i>	Camembert	/	Absence de colonie	Non réalisé	Non réalisé	Colonie beige
12	B13	Ec - U5	<i>Escherichia coli</i>	Ovoproduit	/	Absence de colonie	Non réalisé	Non réalisé	Colonie beige
13	B14	ASEPT B 37	<i>Escherichia coli</i>	Ovoproduit	/	Absence de colonie	Non réalisé	Non réalisé	Colonie beige
14	B23	CIP 71.39	<i>Lactobacillus plantarum</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Colonies
15	B24	CIP 103009 T	<i>Leuconostoc mesenteroides</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Absence de colonie
16	B40	P-P1	<i>Pseudomonas fluorescens</i>	Ovoproduit	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche
17	B41	CIP 58.69	<i>Rhodococcus equi</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche
18	B42	ASEPT B 38	<i>Salmonella enteritidis</i>	Ovoproduit	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche
19	B43	CIP 5710	<i>Staphylococcus aureus</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Colonie jaune
20	B44	CIP 53154	<i>Staphylococcus aureus</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Colonie jaune
21	B45	St-T2	<i>Staphylococcus aureus</i>	Camembert	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche
22	B46	ATCC 25953 - St G48	<i>Staphylococcus aureus</i>	Collection	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche
23	B90	20060913-	<i>Bacillus cereus</i>	Tortis au surimi	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
24	B91	20060914-	<i>Bacillus cereus</i>	Poivrière	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
25	B92	20061005-41714	<i>Bacillus cereus</i>	Taboulé mexicain	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
26	B93	20060906-36720	<i>Bacillus cereus</i>	Poudre de lait lag	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
27	B94	20060906- 36716	<i>Bacillus cereus</i>	Poudre de lait niro	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
28	B95	20060914- 38085	<i>Bacillus cereus</i>	Poudre de lait lag	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
29	B96	20061005-41648	<i>Bacillus cereus</i>	Poudre de lait niro	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
30	B97	20061005-41651	<i>Bacillus cereus</i>	Poudre de lait lag	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
31	B98	20060801-30997	<i>Bacillus cereus</i>	Poudre d'œuf entier	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
32	B99	20060801-30999	<i>Bacillus cereus</i>	Poudre d'œuf entier	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche étalée
33	B100	20060804-31871	<i>Pseudomonas</i>	Frisée	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche
34	B101	200608040-31872	<i>Pseudomonas</i>	Frisée	/	Absence de colonie	Non réalisé	Non réalisé	Petite colonie blanche
35	B102	20060804-31873	<i>Pseudomonas</i>	Mâche	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche
36	B103	20060804-31874	<i>Pseudomonas</i>	Mâche	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche
37	B104	20060825-34927	<i>Pseudomonas</i>	Gaze environnement	/	Absence de colonie	Non réalisé	Non réalisé	Colonie blanche

Inclusivity					ISO 11290-1					
Strain			Inoculation level	Brilliance 24h	Brilliance 48h	Microbact	O&A (1)	Palcam (1)	O&A (2)	Palcam (2)
<i>Listeria fleischmanii</i>	Collection DSM24998	HKKZ77	41	+ (AH) Blue colonies w/o halo	+ (AH) Blue colonies w/o halo	No identification	+ (AM) Blue colonies w/o halo	+ (AM) Blue colonies w/o halo	+ (AM) Blue colonies w/o halo	+ (AM) Blue colonies w/o halo
<i>Listeria weihenstephanensis</i>	Collection DSM24698	HLUW69	89	∅	∅	/	∅	∅	∅	∅
<i>Listeria rocourtiae</i>	Collection DSM22097	HLSJ38	52	∅	+ (AL) Blue colonies w/o halo	No identification	∅	∅	+ (AL) Blue colonies w/o halo	∅

Appendix G – Results obtained by each collaborator and
the Expert Laboratory (ADRIA Développement, 2009)

Laboratoire: A

Aerobic mesophilic flora : 1,2.10³/ml

Sample N°	Reference method ISO 11290-1						Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation	Final result	
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
A2	-	-	-	-	-	-	-	-	-	NA
A5	-	-	-	-	-	-	-	-	-	NA
A8	-	-	-	-	-	-	-	-	-	NA
A12	-	-	-	-	-	-	-	-	-	NA
A13	-	-	-	-	-	-	-	-	-	NA
A16	-	-	-	-	-	-	-	-	-	NA
A22	-	-	-	-	-	-	-	-	-	NA
A24	-	-	-	-	-	-	-	-	-	NA
A3	+	+	+	+	+	+	+	+	+	PA
A6	+	+	+	+	+	+	+	+	+	PA
A10	+	+	+	+	+	+	+	+	+	PA
A11	+	+	+	+	+	+	+	+	+	PA
A14	+	+	+	+	+	+	+	+	+	PA
A18	+	+	+	+	+	+	+	+	+	PA
A21	+	+	+	+	+	+	+	+	+	PA
A23	+	+	+	+	+	+	+	+	+	PA
A1	+	+	+	+	+	+	+	+	+	PA
A4	+	+	+	+	+	+	+	+	+	PA
A7	+	+	+	+	+	+	+	+	+	PA
A9	+	+	+	+	+	+	+	+	+	PA
A15	+	+	+	+	+	+	+	+	+	PA
A17	+	+	+	+	+	+	+	+	+	PA
A19	+	+	+	+	+	+	+	+	+	PA
A20	+	+	+	+	+	+	+	+	+	PA

Laboratoire: B

Aerobic mesophilic flora : 1,6.10³/ml

Sample N°	Reference method ISO 11290-1					Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt	
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation		Final result
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
B2	-	-	-	-	-	-	-	-	-	NA
B5	-	-	-	-	-	-	-	-	-	NA
B8	-	-	-	-	-	-	-	-	-	NA
B12	-	-	-	-	-	-	-	-	-	NA
B13	-	-	-	-	-	-	-	-	-	NA
B16	-	-	-	-	-	-	-	-	-	NA
B22	-	-	-	-	-	-	-	-	-	NA
B24	-	-	-	-	-	-	-	-	-	NA
B3	+	+	+	+	+	+	+	+	+	PA
B6	+	+	+	+	+	+	+	+	+	PA
B10	+	+	+	+	+	+	+	+	+	PA
B11	+	+	+	+	+	+	+	+	+	PA
B14	+	+	+	+	+	+	+	+	+	PA
B18	+	+	+	+	+	+	+	+	+	PA
B21	+	+	+	+	+	+	+	+	+	PA
B23	+	+	+	+	+	+	+	+	+	PA
B1	+	+	+	+	+	+	+	+	+	PA
B4	+	+	+	+	+	+	+	+	+	PA
B7	+	+	+	+	+	+	+	+	+	PA
B9	+	+	+	+	+	+	+	+	+	PA
B15	+	+	+	+	+	+	+	+	+	PA
B17	+	+	+	+	+	+	+	+	+	PA
B19	+	+	+	+	+	+	+	+	+	PA
B20	+	+	+	+	+	+	+	+	+	PA

Laboratoire: C

Aerobic mesophilic flora/ 1,2.10³/ml

Sample N°	Reference method ISO 11290-1					Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt	
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation		Final result
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
C2	-	-	-	-	-	-	-	-	-	NA
C5	-	-	-	-	-	-	-	-	-	NA
C8	-	-	-	-	-	-	-	-	-	NA
C12	-	-	-	-	-	-	-	-	-	NA
C13	-	-	-	-	-	-	-	-	-	NA
C16	-	-	-	-	-	-	-	-	-	NA
C22	-	-	-	-	-	-	-	-	-	NA
C24	-	-	-	-	-	-	-	-	-	NA
C3	+	+	+	+	+	+	+	+	+	PA
C6	+	+	+	+	+	+	+	+	+	PA
C10	+	+	+	+	+	+	+	+	+	PA
C11	+	+	+	+	+	+	+	+	+	PA
C14	+	+	+	+	+	+	+	+	+	PA
C18	+	+	+	+	+	+	+	+	+	PA
C21	+	+	+	+	+	+	+	+	+	PA
C23	+	+	+	+	+	+	+	+	+	PA
C1	+	+	+	+	+	+	+	+	+	PA
C4	+	+	+	+	+	+	+	+	+	PA
C7	+	+	+	+	+	+	+	+	+	PA
C9	+	+	+	+	+	+	+	+	+	PA
C15	+	+	+	+	+	+	+	+	+	PA
C17	+	+	+	+	+	+	+	+	+	PA
C19	+	+	+	+	+	+	+	+	+	PA
C20	+	+	+	+	+	+	+	+	+	PA

Laboratoire: E

Aerobic mesophilic flora $1,8 \cdot 10^4$ /ml

Sample N°	Reference method ISO 11290-1					Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt	
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation		Final result
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
E2	-	-	-	-	-	-	-	-	NA	
E5	-	-	-	-	-	-	-	-	NA	
E8	-	-	-	-	-	-	-	-	NA	
E12	-	-	-	-	-	-	-	-	NA	
E13	-	-	-	-	-	-	-	-	NA	
E16	-	-	-	-	-	-	-	-	NA	
E22	-	-	-	-	-	-	-	-	NA	
E24	-	-	-	-	-	-	-	-	NA	
E3	+	+	+	+	+	+	+	+	PA	
E6	+	+	+	+	+	+	+	+	PA	
E10	+	+	+	+	+	+	+	+	PA	
E11	+	+	+	+	+	+	+	+	PA	
E14	+	+	+	+	+	+	+	+	PA	
E18	+	+	+	+	+	+	+	+	PA	
E21	+	+	+	+	+	+	+	+	PA	
E23	+	+	+	+	+	+	+	+	PA	
E1	+	+	+	+	+	+	+	+	PA	
E4	+	+	+	+	+	+	+	+	PA	
E7	+	+	+	+	+	+	+	+	PA	
E9	+	+	+	+	+	+	+	+	PA	
E15	+	+	+	+	+	+	+	+	PA	
E17	+	+	+	+	+	+	+	+	PA	
E19	+	+	+	+	+	+	+	+	PA	
E20	+	+	+	+	+	+	+	+	PA	

Laboratoire: F

Aerobic mesophilic flora/ $2,3 \cdot 10^3$ /ml

Sample N°	Reference method ISO 11290-1					Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt	
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation		Final result
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
F2	-	-	-	-	-	-	-	-	NA	
F5	-	-	-	-	-	-	-	-	NA	
F8	-	-	-	-	-	-	-	-	NA	
F12	-	-	-	-	-	-	-	-	NA	
F13	-	-	-	-	-	-	-	-	NA	
F16	-	-	-	-	-	-	-	-	NA	
F22	-	-	-	-	-	-	-	-	NA	
F24	-	-	-	-	-	-	-	-	NA	
F3	+	+	+	+	+	+	+	+	PA	
F6	-	-	-	-	-	-	+	+	PD	
F10	+	+	+	+	+	+	+	+	PA	
F11	+	+	+	+	+	+	+	+	PA	
F14	+	+	+	+	+	+	+	+	PA	
F18	+	+	+	+	+	+	+	+	PA	
F21	+	+	+	+	+	+	+	+	PA	
F23	+	+	+	+	+	+	+	+	PA	
F1	+	+	+	+	+	+	+	+	PA	
F4	+	+	+	+	+	+	+	+	PA	
F7	+	+	+	+	+	+	+	+	PA	
F9	+	+	+	+	+	+	+	+	PA	
F15	+	+	+	+	+	+	+	+	PA	
F17	+	+	+	+	+	+	+	+	PA	
F19	+	+	+	+	+	+	+	+	PA	
F20	+	+	+	+	+	+	+	+	PA	

Laboratoire: G

Aerobic mesophilic flora : 1,7.10³/ml

Sample N°	Reference method ISO 11290-1					Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt	
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation		Final result
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
G2	-	-	-	-	-	-	-	-	NA	
G5	-	-	-	-	-	-	-	-	NA	
G8	-	-	-	-	-	-	-	-	NA	
G12	-	-	-	-	-	-	-	-	NA	
G13	-	-	-	-	-	-	-	-	NA	
G16	-	-	-	-	-	-	-	-	NA	
G22	-	-	-	-	-	-	-	-	NA	
G24	-	-	-	-	-	-	-	-	NA	
G3	+	+	+	+	+	+	+	+	PA	
G6	+	+	+	+	+	+	+	+	PA	
G10	+	+	+	+	+	+	+	+	PA	
G11	+	+	+	+	+	+	+	+	PA	
G14	+	+	+	+	+	+	+	+	PA	
G18	+	+	+	+	+	+	+	+	PA	
G21	+	+	+	+	+	+	+	+	PA	
G23	+	+	+	+	+	+	+	+	PA	
G1	+	+	+	+	+	+	+	+	PA	
G4	+	+	+	+	+	+	+	+	PA	
G7	+	+	+	+	+	+	+	+	PA	
G9	+	+	+	+	+	+	+	+	PA	
G15	+	+	+	+	+	+	+	+	PA	
G17	+	+	+	+	+	+	+	+	PA	
G19	+	+	+	+	+	+	+	+	PA	
G20	+	+	+	+	+	+	+	+	PA	

Laboratoire: H

Aerobic mesophilic flora : 3,4.10³/ml

Sample N°	Reference method ISO 11290-1					Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt	
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation		Final result
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
H2	-	-	-	-	-	-	-	-	NA	
H5	-	-	-	-	-	-	-	-	NA	
H8	-	-	-	-	-	-	-	-	NA	
H12	-	-	-	-	-	-	-	-	NA	
H13	-	-	-	-	-	-	-	-	NA	
H16	-	-	-	-	-	-	-	-	NA	
H22	-	-	-	-	-	-	-	-	NA	
H24	-	-	-	-	-	-	-	-	NA	
H3	+	+	+	+	+	+	+	+	PA	
H6	+	+	+	+	+	+	+	+	PA	
H10	+	+	+	+	+	+	+	+	PA	
H11	+	+	+	+	+	+	+	+	PA	
H14	+	+	+	+	+	+	+	+	PA	
H18	+	+	+	+	+	+	+	+	PA	
H21	+	+	+	+	+	+	+	+	PA	
H23	+	+	+	+	+	+	+	+	PA	
H1	+	+	+	+	+	+	+	+	PA	
H4	+	+	+	+	+	+	+	+	PA	
H7	+	+	+	+	+	+	+	+	PA	
H9	+	+	+	+	+	+	+	+	PA	
H15	+	+	+	+	+	+	+	+	PA	
H17	+	+	+	+	+	+	+	+	PA	
H19	+	+	+	+	+	+	+	+	PA	
H20	+	+	+	+	+	+	+	+	PA	

Laboratoire: I

Aerobic mesophilic flora 2,8.10³/ml

Sample N°	Reference method ISO 11290-1					Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt	
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation		Final result
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
I2	-	-	-	-	-	-	-	-	-	NA
I5	-	-	-	-	-	-	-	-	-	NA
I8	-	-	-	-	-	-	-	-	-	NA
I12	-	-	-	-	-	-	-	-	-	NA
I13	-	-	-	-	-	-	-	-	-	NA
I16	-	-	-	-	-	-	-	-	-	NA
I22	-	-	-	-	-	-	-	-	-	NA
I24	-	-	-	-	-	-	-	-	-	NA
I3	+	+	+	+	+	+	+	+	+	PA
I6	+	+	+	+	+	+	+	+	+	PA
I10	+	+	+	+	+	+	+	+	+	PA
I11	+	+	+	+	+	+	+	+	+	PA
I14	+	+	+	+	+	+	+	+	+	PA
I18	+	+	+	+	+	+	+	+	+	PA
I21	+	+	+	+	+	+	+	+	+	PA
I23	+	+	+	+	+	+	+	+	+	PA
I1	+	+	+	+	+	+	+	+	+	PA
I4	+	+	+	+	+	+	+	+	+	PA
I7	+	+	+	+	+	+	+	+	+	PA
I9	+	+	+	+	+	+	+	+	+	PA
I15	+	+	+	+	+	+	+	+	+	PA
I17	+	+	+	+	+	+	+	+	+	PA
I19	+	+	+	+	+	+	+	+	+	PA
I20	+	+	+	+	+	+	+	+	+	PA

Laboratoire: J

Aerobic mesophilic flora : 3,8.10³/ml

Sample N°	Reference method ISO 11290-1					Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt	
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation		Final result
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
J2	-	-	-	-	-	-	-	-	-	NA
J5	-	-	-	-	-	-	-	-	-	NA
J8	-	-	-	-	-	-	-	-	-	NA
J12	-	-	-	-	-	-	-	-	-	NA
J13	-	-	-	-	-	-	-	-	-	NA
J16	-	-	-	-	-	-	-	-	-	NA
J22	-	-	-	-	-	-	-	-	-	NA
J24	-	-	-	-	-	-	-	-	-	NA
J3	+	+	+	+	+	+	+	+	+	PA
J6	+	+	+	+	+	+	+	+	+	PA
J10	+	+	+	+	+	+	+	+	+	PA
J11	+	+	+	+	+	+	+	+	+	PA
J14	+	+	+	+	+	+	+	+	+	PA
J18	+	+	+	+	+	+	+	+	+	PA
J21	+	+	+	+	+	+	+	+	+	PA
J23	+	+	+	+	+	+	+	+	+	PA
J1	+	+	+	+	+	+	+	+	+	PA
J4	+	+	+	+	+	+	+	+	+	PA
J7	+	+	+	+	+	+	+	+	+	PA
J9	+	+	+	+	+	+	+	+	+	PA
J15	+	+	+	+	+	+	+	+	+	PA
J17	+	+	+	+	+	+	+	+	+	PA
J19	+	+	+	+	+	+	+	+	+	PA
J20	+	+	+	+	+	+	+	+	+	PA

Laboratoire: K

Aerobic mesophilic flora : 7,7.10²/ml

Sample N°	Reference method ISO 11290-1					Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt	
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation		Final result
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
K2	-	-	-	-	-	-	-	-	NA	
K5	-	-	-	-	-	-	-	-	NA	
K8	-	-	-	-	-	-	-	-	NA	
K12	-	-	-	-	-	-	-	-	NA	
K13	-	-	-	-	-	-	-	-	NA	
K16	-	-	-	-	-	-	-	-	NA	
K22	-	-	-	-	-	-	-	-	NA	
K24	-	-	-	-	-	-	-	-	NA	
K3	+	+	+	+	+	+	+	+	PA	
K6	+	+	+	+	+	+	+	+	PA	
K10	+	+	+	+	+	+	+	+	PA	
K11	+	+	+	+	+	+	+	+	PA	
K14	+	+	+	+	+	+	+	+	PA	
K18	+	+	+	+	+	+	+	+	PA	
K21	+	+	+	+	+	+	+	+	PA	
K23	+	+	+	+	+	+	+	+	PA	
K1	+	+	+	+	+	+	+	+	PA	
K4	+	+	+	+	+	+	+	+	PA	
K7	+	+	+	+	+	+	+	+	PA	
K9	+	+	+	+	+	+	+	+	PA	
K15	+	+	+	+	+	+	+	+	PA	
K17	+	+	+	+	+	+	+	+	PA	
K19	+	+	+	+	+	+	+	+	PA	
K20	+	+	+	+	+	+	+	+	PA	

Laboratoire: L

Aerobic mesophilic flora : 2,0.10³/ml

Sample N°	Reference method ISO 11290-1					Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt	
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation		Final result
	Palcam	<i>Brilliance</i> Listeria ISO	Palcam	<i>Brilliance</i> Listeria ISO						
L2	-	-	-	-	-	-	-	-	NA	
L5	-	-	-	-	-	-	-	-	NA	
L8	-	-	-	-	-	-	-	-	NA	
L12	-	-	-	-	-	-	-	-	NA	
L13	-	-	-	-	-	-	-	-	NA	
L16	-	-	-	-	-	-	-	-	NA	
L22	-	-	-	-	-	-	-	-	NA	
L24	-	-	-	-	-	-	-	-	NA	
L3	+	+	+	+	+	+	+	+	PA	
L6	+	+	+	+	+	+	+	+	PA	
L10	+	+	+	+	+	+	+	+	PA	
L11	+	+	+	+	+	+	+	+	PA	
L14	+	+	+	+	+	+	+	+	PA	
L18	+	+	+	+	+	+	+	+	PA	
L21	+	+	+	+	+	+	+	+	PA	
L23	+	+	+	+	+	+	+	+	PA	
L1	+	+	+	+	+	+	+	+	PA	
L4	+	+	+	+	+	+	+	+	PA	
L7	+	+	+	+	+	+	+	+	PA	
L9	+	+	+	+	+	+	+	+	PA	
L15	+	+	+	+	+	+	+	+	PA	
L17	+	+	+	+	+	+	+	+	PA	
L19	+	+	+	+	+	+	+	+	PA	
L20	+	+	+	+	+	+	+	+	PA	

Laboratoire: M

Aerobic mesophilic flora : 1,3.10³/ml

Sample N°	Reference method ISO 11290-1						Alternative method : <i>Listeria</i> Precis			Agreement Ref/Alt
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation	Final result	
	Palcam	<i>Brilliance</i> <i>Listeria</i> ISO	Palcam	<i>Brilliance</i> <i>Listeria</i> ISO						
M2	-	-	-	-	-	-	-	-	-	NA
M5	-	-	-	-	-	-	-	-	-	NA
M8	-	-	-	-	-	-	-	-	-	NA
M12	-	-	-	-	-	-	-	-	-	NA
M13	-	-	-	-	-	-	-	-	-	NA
M16	-	-	-	-	-	-	-	-	-	NA
M22	-	-	-	-	-	-	-	-	-	NA
M24	-	-	-	-	-	-	-	-	-	NA
M3	+	+	+	+	+	+	+	+	+	PA
M6	+	+	+	+	+	+	+	+	+	PA
M10	+	+	+	+	+	+	+	+	+	PA
M11	+	+	+	+	+	+	+	+	+	PA
M14	+	+	+	+	+	+	+	+	+	PA
M18	+	+	+	+	+	+	+	+	+	PA
M21	+	+	+	+	+	+	+	+	+	PA
M23	+	+	+	+	+	+	+	+	+	PA
M1	+	+	+	+	+	+	+	+	+	PA
M4	+	+	+	+	+	+	+	+	+	PA
M7	+	+	+	+	+	+	+	+	+	PA
M9	+	+	+	+	+	+	+	+	+	PA
M15	+	+	+	+	+	+	+	+	+	PA
M17	+	+	+	+	+	+	+	+	+	PA
M19	+	+	+	+	+	+	+	+	+	PA
M20	+	+	+	+	+	+	+	+	+	PA

Laboratoire: ADRIA

Aerobic mesophilic flora 1,2.10³/ml

Sample N°	Reference method ISO 11290-1						Alternative method : <i>Listeria</i> PRECIS			Agreement Ref/Alt
	Fraser 1/2		Fraser		Confir- mation result	Final result	Typical colonies	Confir- mation	Final result	
	Palcam	<i>Brilliance</i> <i>Listeria</i> ISO	Palcam	<i>Brilliance</i> <i>Listeria</i> ISO						
N2	-	-	-	-	-	-	-	-	-	NA
N5	-	-	-	-	-	-	-	-	-	NA
N8	-	-	-	-	-	-	-	-	-	NA
N12	-	-	-	-	-	-	-	-	-	NA
N13	-	-	-	-	-	-	-	-	-	NA
N16	-	-	-	-	-	-	-	-	-	NA
N22	-	-	-	-	-	-	-	-	-	NA
N24	-	-	-	-	-	-	-	-	-	NA
N3	+	+	+	+	+	+	+	+	+	PA
N6	+	+	+	+	+	+	+	+	+	PA
N10	+	+	+	+	+	+	+	+	+	PA
N11	+	+	+	+	+	+	+	+	+	PA
N14	+	+	+	+	+	+	+	+	+	PA
N18	+	+	+	+	+	+	+	+	+	PA
N21	+	+	+	+	+	+	+	+	+	PA
N23	+	+	+	+	+	+	+	+	+	PA
N1	+	+	+	+	+	+	+	+	+	PA
N4	+	+	+	+	+	+	+	+	+	PA
N7	+	+	+	+	+	+	+	+	+	PA
N9	+	+	+	+	+	+	+	+	+	PA
N15	+	+	+	+	+	+	+	+	+	PA
N17	+	+	+	+	+	+	+	+	+	PA
N19	+	+	+	+	+	+	+	+	+	PA
N20	+	+	+	+	+	+	+	+	+	PA

**Listeria Precis™ (Detection of *Listeria* species)
Protocol using 24 LEB**

25 g of sample + 225 ml 24 LEB
One swab to 10 ml of 24 LEB
One sponge to 100 ml of 24 LEB
According ISO 6887



37±1°C for 23±3 h



*Possibility to store
for 72 h at 5±3°C*

Streak 10µl onto *Brilliance™* Listeria Agar (ISO) using a basic loop



Typical colonies:

Blue colonies are presumptive positive *Listeria* species
Blue colonies with halo are presumptive positive *Listeria monocytogenes*



PrecisCheck™ Listeria species Kit or PrecisCheck™ Listeria
monocytogenes Kit (lateral flow test)

Or

A spot on Palcam

Or

Microbact™ Listeria 12L biochemical galleries or equivalent

Or

EN ISO 11290:2017 confirmation procedure

Or

Any appropriate EN ISO 16140-6:2019 validated confirmation
method

Or

SureTect™ Listeria species PCR Assay (or equivalent) according to
the ISO 7218:2007

Listeria Precis™ (Detection of *Listeria* species)
New protocol using 24 LEB for dairy products and multi component food

125 g of sample +
1125 ml pre-warmed 24 LEB
According ISO 6887



37±1°C for 23±3 h



*Possibility to store
for 72 h at 5±3°C*

Streak 10µl onto *Brilliance™* Listeria Agar (ISO) using a basic loop



Typical colonies:

Blue colonies are presumptive positive *Listeria* species
Blue colonies with halo are presumptive positive *Listeria monocytogenes*



PrecisCheck™ Listeria species Kit or PrecisCheck™ Listeria
monocytogenes Kit (lateral flow test)

Or

A spot on Palcam

Or

Microbact™ Listeria 12L biochemical galleries or equivalent

Or

EN ISO 11290:2017 confirmation procedure

Or


Any appropriate EN ISO 16140-6:2019 validated confirmation
method

Or

SureTect™ Listeria species PCR Assay (or equivalent) according to
the ISO 7218:2007

APPENDIX I
EN ISO 11290-1:2017

Diagram of the procedure as described in the standard



Appendix J - Artificial contaminations

Cat.	Type	Date	#	Matrix	Strain	Serovar	Reference	Origin	Injury protocol	Injury measurement	Inoculation level CFU/sample	Result
1	a	2022	2247840	Tabbouleh	<i>L.seeligeri</i>	/	ADTW22	Zucchini	Seeding 72 h at 2-8°C	/	2.8	+
1	a	2022	2333765	Piémontaise	<i>L.innocua</i>	/	XEN574	Salmon shell	Seeding 72 h at 2-8°C	/	2.6	+
1	a	2022	2333766	Salad, potatoes, tomato bacon	<i>L.innocua</i>	/	XEN574	Salmon shell	Seeding 72 h at 2-8°C	/	2.6	+
1	a	2022	2333767	Tuna salad, tomatoes, olives, parmesan	<i>L.welshimeri</i>	/	DCJ260	Pig's feet	Seeding 72 h at 2-8°C	/	3.0	+
1	a	2022	2333768	Cheese avocado sandwich	<i>L.welshimeri</i>	/	DCJ260	Pig's feet	Seeding 72 h at 2-8°C	/	3.0	+
1	a	2022	2333769	Quinoa salad, salmon, tomatoes	<i>L.welshimeri</i>	/	DCJ260	Pig's feet	Seeding 72 h at 2-8°C	/	3.0	+
1	a	2022	2333770	Ham and Comté cheese sandwich	<i>L.innocua</i>	/	XEN574	Salmon shell	Seeding 72 h at 2-8°C	/	2.6	+
1	a	2022	2319188	Vegetables wrap	<i>L.monocytogenes</i> + <i>L.seeligeri</i>	/	RJT457 + ADTW22	Wrap salmon Zucchini	Seeding 72 h at 2-8°C	/	1.0+1.2	+
1	a	2022	2319189	Piémontaise	<i>L.monocytogenes</i>	4b	ALB748	Salmon tagliatel	Seeding 72 h at 2-8°C	/	1.8	+
1	a	2022	2319190	Penne pesto	<i>L.monocytogenes</i>	/	MRE888	Chocolate whipped cream waffle	Seeding 72 h at 2-8°C	/	1.0	+
1	b	2022	2333771	Pizza tomatoes olives, ham, cheese	<i>L.monocytogenes</i> + <i>L.innocua</i>	/	LUK409+ GZF268	Spring rolls with crab Croque monsieur	Seeding 72 h at 2-8°C	/	1.8+1.0	+
1	b	2022	2333772	Tomato goat cheese tart	<i>L.monocytogenes</i> + <i>L.innocua</i>	/	LUK409+ GZF268	Spring rolls with crab Croque monsieur	Seeding 72 h at 2-8°C	/	1.8+1.0	+
1	b	2022	2333773	Butternut cheddar bacon pie	<i>L.monocytogenes</i> + <i>L.innocua</i>	/	LUK409+ GZF268	Spring rolls with crab Croque monsieur	Seeding 72 h at 2-8°C	/	1.8+1.0	+
1	b	2022	2333775	Chicken tacos	<i>L.monocytogenes</i> + <i>L.welshimeri</i>	/	BVU991+ RYH463	Mixed saled Delicatessen	Seeding 72 h at 2-8°C	/	0.8+1.2	+
1	b	2022	2333776	Bacon cheese soufflé	<i>L.monocytogenes</i> + <i>L.welshimeri</i>	/	BVU991+ RYH463	Mixed saled Delicatessen	Seeding 72 h at 2-8°C	/	0.8+1.2	+
1	c	2022	2247790	Liquid egg	<i>L.innocua</i>	/	HQM372	Egg product environment swab	Seeding 72 h at 2-8°C	/	3.0	+
1	c	2022	2247903	Pastry with cream	<i>L.innocua</i>	/	RXJ222	Fig tartlet	Seeding 72 h at 2-8°C	/	1.2	+
1	c	2022	2247904	Pastry with coffe	<i>L.innocua</i>	/	RXJ222	Fig tartlet	Seeding 72 h at 2-8°C	/	1.2	+
1	c	2022	2247905	Pastry "Flan"	<i>L.innocua</i>	/	RXJ222	Fig tartlet	Seeding 72 h at 2-8°C	/	1.2	+
1	c	2022	2247906	Coconut flan	<i>L.innocua</i>	/	RXJ222	Fig tartlet	Seeding 72 h at 2-8°C	/	1.2	+
1	c	2022	2247907	Passion fruit pastry	<i>L.innocua</i>	/	RXJ222	Fig tartlet	Seeding 72 h at 2-8°C	/	1.2	+
1	c	2022	2319191	Mayonnaise	<i>L.monocytogenes</i>	/	BYM052	Mixed saled	Seeding 72 h at 2-8°C	/	0.8	+
1	c	2022	2319192	Pastry "Ile flottante"	<i>L.monocytogenes</i>	/	LVT655	Chocolate pasrty	Seeding 72 h at 2-8°C	/	1.6	+
1	c	2022	2319193	Mimosa egg	<i>L.monocytogenes</i>	/	BYM052	Mixed saled	Seeding 72 h at 2-8°C	/	0.8	+
2	b	2022	2333777	Meat gratin	<i>L.welshimeri</i>	/	YBK185	Raw pork meat	Seeding 72 h at 2-8°C	/	2.4	+
2	b	2022	2333778	Tripes	<i>L.welshimeri</i>	/	YBK185	Raw pork meat	Seeding 72 h at 2-8°C	/	2.4	+
2	b	2022	2333779	Cookeek beef	<i>L.welshimeri</i>	/	YBK185	Raw pork meat	Seeding 72 h at 2-8°C	/	2.4	+
2	b	2022	2333780	Rougail sausages	<i>L.ivanovii</i>	/	AAZ671	Creamy red fruits	Seeding 72 h at 2-8°C	/	3.0	+
2	b	2022	2333781	Chili con carne	<i>L.ivanovii</i>	/	AAZ671	Creamy red fruits	Seeding 72 h at 2-8°C	/	3.0	+
2	b	2022	2333782	Cookeed meat	<i>L.ivanovii</i>	/	AAZ671	Creamy red fruits	Seeding 72 h at 2-8°C	/	3.0	+
2	b	2022	2281477	Chicken quiche	<i>L.monocytogenes</i>	4b	ALB748	Salmon tagliatel	Seeding 72 h at 2-8°C	/	1.4	-
2	b	2022	2281479	Tripes	<i>L.monocytogenes</i>	4b	JBV888	Composite foods with tarama	Seeding 72 h at 2-8°C	/	1.8	-
3	b	2022	2247801	Raw milk	<i>L.innocua</i>	/	XKU847	Raw milk cheese	Seeding 72 h at 2-8°C	/	2.8	+
3	b	2022	2247802	Raw milk	<i>L.innocua</i>	/	RXL353	Raw milk cheese	Seeding 72 h at 2-8°C	/	2.2	+
3	b	2022	2247803	Raw milk	<i>L.innocua</i>	/	RXL353	Raw milk cheese	Seeding 72 h at 2-8°C	/	2.2	+
3	c	2022	2247804	Pasteurized cow's milk cheese (Cantal)	<i>L.innocua</i>	/	RXL353	Raw milk cheese	Seeding 72 h at 2-8°C	/	2.2	+

Appendix J - Artificial contaminations

Cat.	Type	Date	#	Matrix	Strain	Serovar	Reference	Origin	Injury protocol	Injury measurement	Inoculation level CFU/sample	Result
3	c	2022	2247805	Pasteurized sheep's milk cheese	<i>L.innocua</i>	/	RXL353	Raw milk cheese	Seeding 72 h at 2-8°C	/	2.2	+
3	c	2022	2247806	Organic pasteurized cow's milk cheese	<i>L.innocua</i>	/	RXL353	Raw milk cheese	Seeding 72 h at 2-8°C	/	2.2	+
3	c	2022	2247807	Pasteurized cow's milk cheese (Chamois d'Or)	<i>L.innocua</i>	/	RXL353	Raw milk cheese	Seeding 72 h at 2-8°C	/	2.2	+
3	c	2022	2247808	Pasteurized cow's milk cheese (Tomme)	<i>L.ivanovii</i>	/	GQD028	Environment	Seeding 72 h at 2-8°C	/	2.8	+
3	c	2022	2247810	Pasteurized cow's milk cheese (Fol Epi)	<i>L.ivanovii</i>	/	GQD028	Environment	Seeding 72 h at 2-8°C	/	2.8	+
3	c	2022	2247811	Pasteurized cow's milk cheese (Chaumes)	<i>L.ivanovii</i>	/	GQD028	Environment	Seeding 72 h at 2-8°C	/	2.8	+
4	a	2022	2247910	Salmon	<i>L.welshimeri</i>	/	TVP191	Salmon puff pastry	Seeding 72 h at 2-8°C	/	2.8	+
4	a	2022	2247911	Cod	<i>L.welshimeri</i>	/	TVP191	Salmon puff pastry	Seeding 72 h at 2-8°C	/	2.8	+
4	a	2022	2247912	Hake	<i>L.welshimeri</i>	/	TVP191	Salmon puff pastry	Seeding 72 h at 2-8°C	/	2.8	+
4	a	2022	2247913	Tuna	<i>L.welshimeri</i>	/	TVP191	Salmon puff pastry	Seeding 72 h at 2-8°C	/	2.8	+
4	a	2022	2247914	Filet of julienne	<i>L.welshimeri</i>	/	TVP191	Salmon puff pastry	Seeding 72 h at 2-8°C	/	2.8	+
4	a	2022	2319214	Raw salmon	<i>L.monocytogenes</i>	4b	JBV888	Composite foods with tarama	Seeding 72 h at 2-8°C	/	1.6	+
4	a	2022	2319215	Saithe fillet	<i>L.monocytogenes</i>	4b	JBV888	Composite foods with tarama	Seeding 72 h at 2-8°C	/	1.6	+
4	b	2022	2247813	Smoked salmon	<i>L.welshimeri</i>	/	AJP106	Salmon steak	Seeding 72 h at 2-8°C	/	3.0	+
4	b	2022	2247814	Smoked trout	<i>L.welshimeri</i>	/	AJP106	Salmon steak	Seeding 72 h at 2-8°C	/	3.0	+
4	b	2022	2247815	Smoked herring	<i>L.welshimeri</i>	/	AJP106	Salmon steak	Seeding 72 h at 2-8°C	/	3.0	+
4	b	2022	2247915	Smoked salmon	<i>L.innocua</i>	/	ABB472	Marinated salmon	Seeding 72 h at 2-8°C	/	2.6	+
4	b	2022	2247916	Smoked trut	<i>L.innocua</i>	/	ABB472	Marinated salmon	Seeding 72 h at 2-8°C	/	2.6	+
4	c	2022	2247816	Salmon cooked	<i>L.innocua</i>	/	RXY158	Shrimp shell	Seeding 48h 3°C±2°C	/	3	+
4	c	2022	2247917	Salad with shrimps	<i>L.innocua</i>	/	ABB472	Marinated salmon	Seeding 72 h at 2-8°C	/	2.6	+
4	c	2022	2247918	Salmon with sorrel	<i>L.innocua</i>	/	ABB472	Marinated salmon	Seeding 72 h at 2-8°C	/	2.6	+
4	c	2022	2247919	Prawn salad	<i>L.innocua</i>	/	ABB472	Marinated salmon	Seeding 72 h at 2-8°C	/	2.6	+
4	c	2022	2247920	St Jacques shell	<i>L.innocua</i>	/	ABB472	Marinated salmon	Seeding 72 h at 2-8°C	/	2.6	+
5	a	2022	2247921	Apple	<i>L.innocua</i>	/	GWC718	Environment	Seeding 72 h at 2-8°C	/	2.4	+
5	a	2022	2247924	Radish	<i>L.innocua</i>	/	GWC718	Environment	Seeding 72 h at 2-8°C	/	2.4	+
5	a	2022	2247925	Zucchini	<i>L.innocua</i>	/	GWC718	Environment	Seeding 72 h at 2-8°C	/	2.4	+
5	a	2022	2333609	Cucumbers with cream	<i>L.monocytogenes</i>	1/2a	XBB696	Frozen peeled broad beans	Seeding 72 h at 2-8°C	/	0.8	-
5	b	2022	2247817	Red peppers	<i>L.innocua</i>	/	TWH478	Mixed vegetables	Seeding 72 h at 2-8°C	/	2.2	+
5	b	2022	2247818	Zucchini sliced	<i>L.innocua</i>	/	TWH478	Mixed vegetables	Seeding 72 h at 2-8°C	/	2.2	+
5	b	2022	2247927	Sliced pineapple	<i>L.welshimeri</i>	/	TXR109	Chinese noodles with vegetables	Seeding 72 h at 2-8°C	/	1.6	+
5	b	2022	2247835	Gratted carrot	<i>L.seeligeri</i>	/	ADTW22	Zucchini	Seeding 72 h at 2-8°C	/	2.8	+
5	b	2022	2247820	Cucumbers with cream	<i>L.welshimeri</i>	/	TLJ742	Vegetables	Seeding 72 h at 2-8°C	/	3.0	+
5	b	2022	2333616	beets	<i>L.monocytogenes</i>	/	BVU991	Mixed salad	Seeding 72 h at 2-8°C	/	2.0	+
5	b	2022	2333617	Mushrooms at the greek	<i>L.monocytogenes</i>	/	BXQ019	Cooked potatoes	Seeding 72 h at 2-8°C	/	2.6	+
5	c	2022	2247819	Tian vegetables	<i>L.welshimeri</i>	/	TLJ742	Vegetables	Seeding 72 h at 2-8°C	/	3.0	+
5	c	2022	2247841	Cauliflower gratin	<i>L.seeligeri</i>	/	TJM186	Vegetables - Collection strain	Seeding 72 h at 2-8°C	/	2.8	+
5	c	2022	2247842	Vegetables gratin	<i>L.seeligeri</i>	/	TJM186	Vegetables - Collection strain	Seeding 72 h at 2-8°C	/	2.8	+
5	c	2022	2247836	Ckickpea	<i>L.seeligeri</i>	/	ADTW22	Zucchini	Seeding 72 h at 2-8°C	/	2.8	+
5	c	2022	2247838	Couscous vegetables	<i>L.seeligeri</i>	/	ADTW22	Zucchini	Seeding 72 h at 2-8°C	/	2.8	+
5	c	2022	2247839	Cooked vegetables	<i>L.seeligeri</i>	/	ADTW22	Zucchini	Seeding 72 h at 2-8°C	/	2.8	+

Appendix J - Artificial contaminations

Cat.	Type	Date	#	Matrix	Strain	Serovar	Reference	Origin	Injury protocol	Injury measurement	Inoculation level CFU/sample	Result
5	c	2022	2333619	Pesto vegetables lasagna	<i>L.monocytogenes</i>	/	BXQ019	Cooked potatoes	Seeding 72 h at 2-8°C	/	2.6	+
5	c	2022	2333620	Vegetables gratin	<i>L.monocytogenes</i>	1/2a	XBB696	Frozen peeled broad beans	Seeding 72 h at 2-8°C	/	3.0	+
5	c	2022	2333621	Ratatouille	<i>L.monocytogenes</i>	1/2a	FCY076	Eggplant Gratin	Seeding 72 h at 2-8°C	/	1.8	+
5	c	2022	2333622	Vegetables galette	<i>L.monocytogenes</i>	1/2a	FCY076	Eggplant Gratin	Seeding 72 h at 2-8°C	/	1.8	+
6	a	2022	2247862	Process water cheese factory	<i>L.welshimeri</i>	/	RVG428	Plastic pallet	Seeding 72 h at 2-8°C	/	3.0	+
6	a	2022	2247863	Cheese line rinse water	<i>L.welshimeri</i>	/	RVG428	Plastic pallet	Seeding 72 h at 2-8°C	/	3.0	+
6	a	2022	2247864	Process water	<i>L.welshimeri</i>	/	RVG428	Plastic pallet	Seeding 72 h at 2-8°C	/	3.0	+
6	a	2022	2247866	Process water	<i>L.welshimeri</i>	/	RVG428	Plastic pallet	Seeding 72 h at 2-8°C	/	3.0	+
6	a	2022	2247832	Process water	<i>L.welshimeri</i>	/	BVP365	Wipe environment seafood products	Seeding 72 h at 2-8°C	/	3.0	+
6	a	2022	2247833	Process water	<i>L.monocytogenes</i>	/	BVP365	Wipe environment seafood products	Seeding 72 h at 2-8°C	/	3.0	+
6	a	2022	2247834	Process water	<i>L.monocytogenes</i>	/	BVP365	Wipe environment seafood products	Seeding 72 h at 2-8°C	/	3.0	+
6	a	2022	2247865	Process water	<i>L.welshimeri</i>	/	RVG428	Plastic pallet	Seeding 72 h at 2-8°C	/	3	-
6	b	2022	2247937	Dusts pastry industry	<i>L.welshimeri</i>	/	TKZ429	Wipe poultry crates	Spiking 30 min 60°C	0.7	1.2	+
6	b	2022	2247938	Dusts poultry industry	<i>L.welshimeri</i>	/	TKZ429	Wipe poultry crates	Spiking 30 min 60°C	0.7	1.2	+
6	b	2022	2247939	Dusts poultry industry	<i>L.welshimeri</i>	/	TKZ429	Wipe poultry crates	Spiking 30 min 60°C	0.7	1.2	+
6	b	2022	2247940	Dusts powder milk industry	<i>L.innocua</i>	/	GRR943	Environment	Spiking 30 min 60°C	0.9	2.6	+
6	b	2022	2247941	Dusts spicy packaging	<i>L.innocua</i>	/	GRR943	Environment	Spiking 30 min 60°C	0.9	2.6	+
6	b	2022	2247942	Dusts egg powder industry	<i>L.innocua</i>	/	GRR943	Environment	Spiking 30 min 60°C	0.9	2.6	+
6	b	2022	2333632	Poultry residues	<i>L.monocytogenes</i>	4b	RCJ280	Plain flour	Spiking 30 minutes at 55°C then 40 minutes at -20°C	0.9	0.6	-

Appendix J - Artificial contaminations

Category	#	Matrix	Strain	Serovar	Reference	Origin	Injury protocol	Injury measurement	Inoculation level CFU/sample	Result
DP-a	2869565	Raw sheep's milk cheese Roquefort	<i>L.monocytogenes</i>	4b	LAS822	Raw milk cheese	Seeding 72h at 2-8°C	/	3,0	-
DP-a	2869934	Raw cow's milk cheese "Comté"	<i>L.monocytogenes</i>	4b	LAS822	Raw milk cheese	Seeding 72h at 2-8°C	/	2,6	-
DP-a	2976904	Raw cow's milk cheese "Beaufort"	<i>L.monocytogenes</i>	/	KYQ776	Raw milk cheese	Seeding 72h at 2-8°C	/	3,2	-
DP-a	2869566	Raw cow's milk cheese Camembert	<i>L.monocytogenes</i>	1/2a ou 3a	BLV059	Raw milk cheese	Seeding 72h at 2-8°C	/	0,8	+
DP-a	2869567	Raw cow's milk cheese St Nectaire	<i>L.innocua</i>	/	RXL353	Raw milk cheese	Seeding 72h at 2-8°C	/	3,2	+
DP-a	2869568	Goat cheese with raw milk	<i>L.monocytogenes</i>	/	KYQ776	Raw milk cheese	Seeding 72h at 2-8°C	/	4,0	+
DP-a	2869916	Raw cow's milk cheese "Cantal"	<i>L.monocytogenes</i>	1/2a ou 3a	BLV059	Raw milk cheese	Seeding 72h at 2-8°C	/	2,8	+
DP-a	2869917	Raw cow's milk cheese "Cantal"	<i>L.innocua</i>	/	RXL353	Raw milk cheese	Seeding 72h at 2-8°C	/	2,0	+
DP-a	2869935	Raw cow's milk cheese "Comté"	<i>L.seeligeri</i>	/	TJM186	Vegetables - Collection strain	Seeding 72h at 2-8°C	/	3,0	+
DP-a	2869677	Raw cow's milk cheese "Comté"	<i>L.monocytogenes</i>	/	KYQ776	Raw milk cheese	Seeding 72h at 2-8°C	/	2,8	+
DP-a	2976900	Raw milk parmesan	<i>L.monocytogenes</i>	4b	LAS822	Raw milk cheese	Seeding 72h at 2-8°C	/	3,0	+
DP-a	2976901	Raw cow's milk cheese "Tomme fraîche"	<i>L.monocytogenes</i>	4b	LAS822	Raw milk cheese	Seeding 72h at 2-8°C	/	3,0	+
DP-a	2976902	Raw cow's milk cheese "Emmental"	<i>L.monocytogenes</i>	4b	LAS822	Raw milk cheese	Seeding 72h at 2-8°C	/	3,0	+
DP-a	2976903	Raw cow's milk cheese "Chaource"	<i>L.monocytogenes</i>	/	KYQ776	Raw milk cheese	Seeding 72h at 2-8°C	/	3,2	+
DP-a	2976905	Raw cow's milk cheese "Chaource"	<i>L.innocua</i>	/	TSA557	Pasteurized milk cheese	Seeding 72h at 2-8°C	/	2,4	+
DP-b	2869569	Raw goat's milk	<i>L.welshimeri</i>	/	GLX736	Environment	Seeding 72h at 2-8°C	/	3,0	+
DP-b	2869570	Raw cow's milk	<i>L.monocytogenes</i>	/	RKT730	Cream with raw milk	Seeding 72h at 2-8°C	/	2,8	+
DP-b	2869571	Raw milk butter	<i>L.monocytogenes</i>	/	KYN547	Butter with raw milk	Seeding 72h at 2-8°C	/	2,2	+
DP-b	2869922	Goat cheese with raw milk "Faisselle"	<i>L.monocytogenes</i>	/	RKG938	Pasteurized milk cheese	Seeding 72h at 2-8°C	/	1,6	+
DP-b	2869923	Goat cheese with raw milk "Faisselle"	<i>L.welshimeri</i>	/	JYCG38	Collection strain	Seeding 72h at 2-8°C	/	2,2	+
DP-b	2869928	Raw milk butter	<i>L.monocytogenes</i>	/	KYN547	Butter with raw milk	Seeding 72h at 2-8°C	/	1,4	+
DP-b	2869929	Raw milk butter	<i>L.ivanovii</i>	/	GQD028	Environment	Seeding 72h at 2-8°C	/	3,0	+
DP-b	2869931	Fresh raw milk cream	<i>L.ivanovii</i>	/	GQD028	Environment	Seeding 72h at 2-8°C	/	3,0	+
DP-b	2869932	Raw cow's milk	<i>L.monocytogenes</i>	1/2a ou 3a	FMJ325	Pasteurized milk cheese	Seeding 72h at 2-8°C	/	1,6	+
DP-b	2869933	Raw cow's milk	<i>L.seeligeri</i>	/	TJM186	Vegetables - Collection strain	Seeding 72h at 2-8°C	/	3,0	+

Appendix J - Artificial contaminations

Category	#	Matrix	Strain	Serovar	Reference	Origin	Injury protocol	Injury measurement	Inoculation level CFU/sample	Result
DP-b	2869673	Goat's cheese made with raw milk "Faisselle"	<i>L.monocytogenes</i>	/	RKT730	Cream with raw milk	Seeding 72h at 2-8°C	/	2,0	+
DP-b	2976923	Goat cheese with raw milk "Faisselle"	<i>L.welshimeri</i>	/	JYCG38	Collection strain	Seeding 72h at 2-8°C	/	2,8	+
DP-c	2869573	Fresh cream with pasteurized milk	<i>L.monocytogenes</i>	1/2 b	JAR249	Soft pasteurized milk cheese	Seeding 72h at 2-8°C	/	1,6	-
DP-c	2869572	Pasteurized cow's milk cheese Trappe d'Echourgnac	<i>L.ivanovii</i>	/	GQD028	Environment	Seeding 72h at 2-8°C	/	3,4	+
DP-c	2869574	Pasteurized cow's milk cheese Pié d'Anglovs	<i>L.monocytogenes</i>	1/2a ou 3a	FMJ325	Pasteurized milk cheese	Seeding 72h at 2-8°C	/	3,8	+
DP-c	2869920	Pasteurized cow's milk cheese "Morbier"	<i>L.monocytogenes</i>	1/2 b	JAR249	Soft pasteurized milk cheese	Seeding 72h at 2-8°C	/	1,8	+
DP-c	2869921	Pasteurized cow's milk cheese "Morbier"	<i>L.innocua</i>	/	TSA557	Pasteurized milk cheese	Seeding 72h at 2-8°C	/	1,4	+
DP-c	2869924	Pasteurized sheep's milk	<i>L.monocytogenes</i>	/	RKG938	Pasteurized milk cheese	Seeding 72h at 2-8°C	/	1,6	+
DP-c	2869925	Pasteurized sheep's milk	<i>L.welshimeri</i>	/	JYCG38	Collection strain	Seeding 72h at 2-8°C	/	2,2	+
DP-c	2869926	Pasteurized goat's milk	<i>L.monocytogenes</i>	1/2 b	JAR249	Soft pasteurized milk cheese	Seeding 72h at 2-8°C	/	1,8	+
DP-c	2869927	Pasteurized goat's milk	<i>L.innocua</i>	/	TSA557	Pasteurized milk cheese	Seeding 72h at 2-8°C	/	1,4	+
DP-c	2869678	Pasteurized goat's milk	<i>L.monocytogenes</i>	1/2a ou 3a	FMJ325	Pasteurized milk cheese	Seeding 72h at 2-8°C	/	2,4	+
DP-c	2869679	Pasteurized sheep's milk	<i>L.monocytogenes</i>	1/2a ou 3a	FMJ325	Pasteurized milk cheese	Seeding 72h at 2-8°C	/	2,4	+
DP-c	3054836	Milk powder	<i>L.monocytogenes</i>	1/2a ou 3a	BLV059	Raw milk cheese	Spiking 13 minutes at 56°C	0,6	1,6	+
DP-c	3054837	Milk powder	<i>L.monocytogenes</i>	1/2a ou 3a	BLV059	Raw milk cheese	Spiking 13 minutes at 56°C	0,6	1,6	+
CF-a	2939416	Tortis and grilled vegetable salad	<i>L.welshimeri</i>	/	TXR109	Chinese noodles with vegetables	Seeding 72h at 2-8°C	/	5,2	+
CF-a	2939418	Chicken wrap	<i>L.monocytogenes</i>	4b	NAB548	Cooked chicken	Seeding 72h at 2-8°C	/	2,7	+
CF-a	2939419	Parisian sandwich	<i>L.innocua</i>	/	TTW844	Tuna and raw vegetables sandwich	Seeding 72h at 2-8°C	/	3,6	+
CF-a	2939420	Piemontaise	<i>L.monocytogenes</i>	/	FGX970	Piémontaise	Seeding 72h at 2-8°C	/	3,0	+
CF-a	2976948	Macedoine	<i>L.seeligeri</i>	/	ADTW22	Zucchini	Seeding 72h at 2-8°C	/	3,4	+
CF-a	2976949	Rice and shrimp salad	<i>L.seeligeri</i>	/	TJM186	Vegetables - Collection strain	Seeding 72h at 2-8°C	/	4,0	+
CF-a	2976950	Mixture of cabbage, ham and emmental	<i>L.ivanovii</i>	/	GJP629	Collection strain	Seeding 72h at 2-8°C	/	2,6	+
CF-a	2939427	Salmon shell	<i>L.welshimeri</i>	/	XCW614	Salmon shell	Seeding 72h at 2-8°C	/	2,4	+
CF-a	2939428	Surimi shell	<i>L.innocua</i>	/	XGL773	Surimi shell	Seeding 72h at 2-8°C	/	2,6	+
CF-a	2939444	Cucumber tartare	<i>L.seeligeri</i>	/	ADTW22	Zucchini	Seeding 72h at 2-8°C	/	2,2	+

Appendix J - Artificial contaminations

Category	#	Matrix	Strain	Serovar	Reference	Origin	Injury protocol	Injury measurement	Inoculation level CFU/sample	Result
CF-b	2939421	Chicken focaccia	<i>L.monocytogenes</i>	4b	NAB548	Cooked chicken	Seeding 72h at 2-8°C	/	2,7	+
CF-b	2939422	Provençal chicken gratin	<i>L.monocytogenes</i>	4b	NAB548	Cooked chicken	Seeding 72h at 2-8°C	/	2,7	+
CF-b	2939423	Bite of sweetbreads	<i>L.ivanovii</i>	/	LCKP32	Raw veal blanquette	Seeding 72h at 2-8°C	/	2,2	+
CF-b	2939424	Maroille and Emmental cake	<i>L.monocytogenes</i>	/	RHB103	Cow cheese	Seeding 72h at 2-8°C	/	2,6	+
CF-b	2939445	Tuna and vegetable tart	<i>L.monocytogenes</i>	/	PAJ947	Egg product environment	Seeding 72h at 2-8°C	/	2,8	+
CF-b	2939446	Penne gratin with salmon and hake	<i>L.monocytogenes</i>	/	PAJ947	Egg product environment	Seeding 72h at 2-8°C	/	2,8	+
CF-b	2939447	Vegetable lasagna	<i>L.welshimeri</i>	/	TXR109	Chinese noodles with vegetables	Seeding 72h at 2-8°C	/	3,0	+
CF-b	2939448	Lorraine quiche	<i>L.ivanovii</i>	/	GJP629	Collection strain	Seeding 72h at 2-8°C	/	3,0	+
CF-b	2939449	Dauphinois gratin	<i>L.monocytogenes</i>	/	BXQ019	Cooked potatoes	Seeding 72h at 2-8°C	/	2,0	+
CF-b	2976325	Pork colombo and rice	<i>L.welshimeri</i>	/	JYCG38	Collection strain	Seeding 72h at 2-8°C	/	2,8	+
CF-b	3005733	Pâté en croute	<i>L.monocytogenes</i>	/	BCJ766	Duck mousse	Seeding 72h at 2-8°C	/	2,6	+
CF-b	3005734	Pâté en croute	<i>L.ivanovii</i>	/	GJP629	Collection strain	Seeding 72h at 2-8°C	/	2,6	+
CF-c	2939450	Peach and fig tart	<i>L.monocytogenes</i>	4b	KYR941	Chocolate pasrty	Seeding 72h at 2-8°C	/	1,0	+
CF-c	2939451	Flan	<i>L.innocua</i>	/	RXJ222	Fig tartlet	Seeding 72h at 2-8°C	/	3,0	+
CF-c	2939452	Far breton	<i>L.monocytogenes</i>	4b	KYR941	Chocolate pasrty	Seeding 72h at 2-8°C	/	1,8	+
CF-c	2939453	Caramel cream	<i>L.innocua</i>	/	RXJ222	Fig tartlet	Seeding 72h at 2-8°C	/	3,0	+
CF-c	2986109	Lemon meringue tartlet	<i>L.monocytogenes</i>	/	JJRF78	Collection strain	Seeding 72h at 2-8°C	/	3,0	+
CF-c	2986110	Chocolate donut	<i>L.monocytogenes</i>	/	LTH200	Chocolate cake	Seeding 72h at 2-8°C	/	2,8	+
CF-c	2986111	Pannacotta	<i>L.monocytogenes</i>	/	JJRF78	Collection strain	Seeding 72h at 2-8°C	/	3,0	+

APPENDIX K - SENSITIVITY STUDY - RAW RESULTS

Bacterial burden

∅: no culture

L = low

M = moderate

H = high

/: not realized

Distribution of flora

A = pure culture of suspect colonies

B = mixture with a majority of suspect colonies

C = mixture with a minority of suspect colonies

D = mixture with rare suspect colonies

E = absence of suspect colonies

(x): x colonies characteristic if $x \leq 5$

PA: positive agreement

NA: negative agreement

ND: negative deviation

PD: positive deviation

PPNA: positive presumptive negative agreement

PPND : positive presumptive negative deviation

/: not realized

Composite foods

Cat	Type	#	Sample	Contamination						ISO 11290-1*						Listeria Precis L.spp - 24 LEB 20h at 37°C										Listeria Precis L.spp 24 LEB 72h 2-8°C				Brilliance 72h at 2-8°C	Result	Agreement
				Type	Strain	Ref	Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PreCheck™ lateral flow L.spp	Result	Agreement	ISO 16340 tests Fraser+AL+Pal+ID	Brilliance	Conf.	Result	Agreement				
												O&A	Palcam	CAMP Test if necessary	Identification														O&A			
1	a	2247840	Tabbouleh	ac	L.seeligeri	ADTW22	Seeding	/	2.8	∅	∅	∅	∅	/	/	A	DL ø halo	L.seeligeri	L.seeligeri	+	+	P	PD	O&A: AM / PAL: AM L.seeligeri	AL ø halo	L.seeligeri	P	PD	DL ø halo	P	PD	
1	a	2317055	Salad with beef	nc	/	/	/	/	/	EL	EL	∅	∅	/	/	A	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PD	L.monocytogenes	AM halo	L.mono	P	PD	AM halo	P	PD	
1	a	2333765	Piémontaise	ac	L.innocua	XEN574	Seeding	/	2.6	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
1	a	2333766	Salad, potatoes, tomatoes, bacon	ac	L.innocua	XEN574	Seeding	/	2.6	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
1	a	2333767	Salad with tuna, tomatoes, cheese	ac	L.welshimeri	DCI260	Seeding	/	3.0	EL	EL	EL	EL	/	/	A	BM ø halo	L.welshimeri	L.welshimeri	+	+	P	PD	L.welshimeri	AM ø halo	L.welsh	P	PD	BM ø halo	P	PD	
1	a	2333768	Cheese avocado sandwich	ac	L.welshimeri	DCI260	Seeding	/	3.0	BL ø halo	BL	BL ø halo	AM	/	L.welshimeri	P	BM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	L.welshimeri	AM ø halo	L.welsh	P	PA	BM ø halo	P	PA	
1	a	2333769	Quinoa salad, salmon, tomatoes	ac	L.welshimeri	DCI260	Seeding	/	3.0	EM	EM	AM ø halo	AH	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA	
1	a	2333770	Ham and Comté cheese sandwich	ac	L.innocua	XEN574	Seeding	/	2.6	AM ø halo	AM	AH ø halo	AH	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
1	a	2319188	Vegetables wrap	ac	L.mono + L.seeligeri	RJT457 ADTW22	Seeding	/	1.0 +1.2	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	∅	/	/	/	/	/	A	ND	O&A: ø - Pal: ø	∅	/	A	ND	∅	A	ND
1	a	2319189	Piémontaise	ac	L.mono	ALB748	Seeding	/	1.8	∅	∅	∅	∅	/	/	A	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PD	L.monocytogenes	AM halo	L.mono	P	PD	AM halo	P	PD	
1	a	2319190	Penne pesto	ac	L.mono	MRE888	Seeding	/	1.0	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	BM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	BM halo	L.mono	P	PA	BM halo	P	PA	
1	a	2319249	Pasta salad	/	/	/	/	/	/	EL	EL	EL	EL	/	/	A	∅	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	∅	A	NA
1	a	2319250	Piémontaise	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	∅	A	NA
1	a	2319251	Chicken sandwich	/	/	/	/	/	/	EL	EH	EL	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	EL	A	NA
1	a	2319252	Sandwich poulet sauce curry	/	/	/	/	/	/	∅	EM	∅	∅	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EM	/	A	NA	EL	A	NA
1	a	2319253	Mixed vegetables	/	/	/	/	/	/	∅	EM	∅	∅	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	EL	A	NA
1	a	2319254	Tabbouleh	/	/	/	/	/	/	EL	EL	∅	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	EL	A	NA
1	a	2319269	Wrap	/	/	/	/	/	/	EL	EL	EL	EM	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	EL	A	NA
1	a	2319270	Piémontaise	/	/	/	/	/	/	∅	∅	EL	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	EL	A	NA
1	a	2319289	Chicken and curry sandwich	/	/	/	/	/	/	EL	EL	∅	EL	/	/	A	∅	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EM	/	A	NA	∅	A	NA
1	a	2319290	Tuna and rice salad	/	/	/	/	/	/	EL	EL	∅	∅	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	∅	/	A	NA	EL	A	NA
1	b	2333771	Tomatoes, ham and cheese pizza	ac	L.mono + L.innocua	LUK409+GFZ268	Seeding	/	1.8+1.0	AM ø halo+AL halo	AM	AM ø halo+AL halo	AM	/	L.mono+L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
1	b	2333772	Tomato goat cheese tart	ac	L.mono + L.innocua	LUK409+GFZ268	Seeding	/	1.8+1.0	AM ø halo+AL halo	AM	AM ø halo+AL halo	AM	/	L.mono+L.innocua	P	AM ø halo+AL halo	L.mono+L.innocua	L.mono+L.innocua	+/+	+	P	PA	L.mono+L.innocua	AM ø halo+AL halo	L.mono+L.innocua	P	PA	AM ø halo+AL halo	P	PA	
1	b	2333773	Butternut cheddar bacon pie	ac	L.mono + L.innocua	LUK409+GFZ268	Seeding	/	1.8+1.0	AL ø halo+AM halo	AM	AL ø halo+AM halo	AM	/	L.mono+L.innocua	P	AH ø halo	L.innocua	L.innocua	+	+	P	PA	L.innocua	AH ø halo	L.innocua	P	PA	AH ø halo	P	PA	
1	b	2333775	Chicken tacos	ac	L.mono + L.welsh.	BVU991+RYH463	Seeding	/	0.8+1.2	AL ø halo	BL	AL ø halo	AL	/	L.welshimeri	P	AL halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AL halo	L.mono	P	PA	AL halo	P	PA	
1	b	2333776	Bacon cheese soufflé	ac	L.mono + L.welsh.	BVU991+RYH463	Seeding	/	0.8+1.2	AM ø halo+AM halo	BM	AM ø halo+AM halo	BM	/	L.mono+L.welshimeri	P	DL ø halo+AH halo	L.mono+L.welsh	L.mono+L.welsh	+/+	+	P	PA	L.mono+L.welsh	DL ø halo+AH halo	L.mono+L.welsh	P	PA	DL ø halo+AH halo	P	PA	
1	b	2281373	Pizza Regina	nc	/	/	/	/	/	DL	DL	AM halo	AM	/	L.monocytogenes	P	BL halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	BL halo	L.mono	P	PA	BL halo	P	PA	
1	b	2281374	Pizza veggie	nc	/	/	/	/	/	EL	EL	AM halo	AM	/	L.monocytogenes	P	EL	/	/	/	/	/	A	ND	O&A: ø - Pal: ø	EL	/	A	ND	EL	A	ND
1	b	2281375	Pizza Regina	nc	/	/	/	/	/	EL	EL	∅	EL	/	/	A	BL halo	L.monocytogenes	L.monocytogenes	+	+	P	PD	L.monocytogenes	BL halo	L.mono	P	PD	BL halo	P	PD	
1	b	2281376	Cooked rice	nc	/	/	/	/	/	AL halo	AL	AM halo	AM	/	L.monocytogenes	P	AL halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AL halo	L.mono	P	PA	AL halo	P	PA	
1	b	2281377	Accra	nc	/	/	/	/	/	AH halo	AH	AM halo	AM	/	L.monocytogenes	P	AH halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AH halo	L.mono	P	PA	AH halo	P	PA	
1	b	2281378	Accra	nc	/	/	/	/	/	AH halo	AH	AM halo	AM	/	L.monocytogenes	P	AH halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AH halo	L.mono	P	PA	AH halo	P	PA	
1	b	2319255	Bolognese	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	EL	A	NA
1	b	2319256	Croque monsieur	/	/	/	/	/	/	∅	EL	∅	∅	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	EL	A	NA
1	b	2319257	Burger	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	EL	A	NA
1	b	2319271	Tortillas, potatoes, onions	/	/	/	/	/	/	∅	EL	EL	EL	/	/	A	∅	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	∅	/	A	NA	∅	A	NA
1	b	2319291	Mushroom puff pastry	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	∅	/	A	NA	∅	A	NA
1	b	2319292	Honey goat cheese bruschetta	/	/	/	/	/	/	EM	EM	∅	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	∅	/	A	NA	EL	A	NA
1	b	2319293	Pizza	/	/	/	/	/	/	EL	EL	∅	∅	/	/	A	EM	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EM	/	A	NA	EM	A	NA
1	b	2236737	Pepper chicken pizza	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	EL	/	A	NA	∅	A	NA
1	b	2236739	Kebab chicken panini	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	∅	/	A	NA	∅	A	NA
1	b	2263657	Pizza with salmon	/	/	/	/	/	/	EM	EL	EL	∅	/	/	A	EM	/	/	/	/	/	A	NA	O&A: Pal: ø	EM	/	A	NA	EM	A	NA
1	c	2247790	Liquid egg	ac	L.innocua	HQM372	Seeding	/	3.0	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
1	c	2247903	Pastry with cream	ac	L.innocua	RXJ222	Seeding	/	1.2	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
1	c	2247904	Pastry with coffe	ac	L.innocua	RXJ222	Seeding	/	1.2	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
1	c	2247905	Pastry (Flan)	ac	L.innocua	RXJ222	Seeding	/	1.2	AH ø halo	AM	AH ø halo	AM	/	L.innocua	P	ø	/	/	/	/	/	A	ND	O&A: ∅ / PAL: ∅	ø	/	A	ND	ø	A	ND

Meat products

Category	Type	#	Sample	Contamination						ISO 11290-1*										Listeria PreciS L.spp - 24 LEB 20h at 37°C										Listeria PreciS L.spp 24 LEB 72h 2-8°C				Brilliance 72h at 2-8°C	Result	Agreement
				Type	Strain	Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID		Brilliance	Conf.	Result	Agreement								
											O&A	Palcam	CAMP Test if necessary	Identification									O&A	Palcam					O&A	Palcam	O&A	Palcam				
2	a	2231978	Duck liver	nc	/	/	/	/	/	AL ø halo	BL	AM ø halo	AM	/	Linnocua	P	AH ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	CH ø halo	Linnocua	P	PA	AH ø halo	P	PA					
2	a	2236736	Raw chicken leg	nc	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	AL ø halo	L.welshimeri	L.welshimeri	+	+	P	PD	O&A: AM / PAL: AM L.welshimeri	AL ø halo	welshimeri	P	PD	AL ø halo	P	PD					
2	a	2317052	Sheep ore	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	++	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA					
2	a	2319196	Raw pork meat	nc	/	/	/	/	/	AL halo (1)	Ø	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA					
2	a	2319197	Pork belly	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA					
2	a	2319198	Filet mignon of pork	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA					
2	a	2319263	Turkey	nc	/	/	/	/	/	BM halo	BM	CM halo	BM	/	L.monocytogenes	P	BM halo	L.monocytogenes	L.monocytogenes	+	++	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	BM halo	P	PA					
2	a	2231979	Pork meat	nc1	/	/	/	/	/	Ø	EL	Ø	EL	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: EL	Ø	/	A	NA	Ø	A	NA				
2	a	2281386	Duck filet	nc	/	/	/	/	/	BL halo + BL ø halo	AM	AL halo (3) / AM ø halo	AM	/	L.mono + Linnocua	P	DL halo (4) / AM ø halo	L.mono + Linnocua	L.mono + Linnocua	+/+	+	P	PA	L.mono + Linnocua	BL halo / AM ø halo	L.mono + Linnocua	P	PA	DL halo (4) / AM ø halo	P	PA					
2	a	2281390	Ground beef meat	nc	/	/	/	/	/	DL ø halo	DL	AM ø halo	AM	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA					
2	a	2281392	Ground beef meat	nc	/	/	/	/	/	AM ø halo	AM	AL halo / AM ø halo	AM	/	L.mono + Linnocua	P	AL halo + AM ø halo	L.mono + Linnocua	L.mono + Linnocua	+/+	+	P	PA	L.mono + Linnocua	AL halo + AM ø halo	L.mono + Linnocua	P	PA	AL halo + AM ø halo	P	PA					
2	a	2281395	Raw rooster	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	Ø	/	/	/	/	/	A	ND	O&A: ø - Pal: ø	Ø	/	A	ND	Ø	A	ND				
2	a	2231980	Beef carpaccio	/	/	/	/	/	/	Ø	EL	Ø	EL	/	/	A	DL ø halo (doubt)	/	TSAYE: nc Catalase -	-	/	A (PP)	NA (PP)	O&A: Ø / PAL: Ø	Ø	/	A	NA	EL	A	NA					
2	a	2236735	Raw lamb meat	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	A	NA	Ø	A	NA				
2	a	2263646	Pork chop	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	A	NA	Ø	A	NA				
2	a	2263647	Beef chop	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	A	NA	Ø	A	NA				
2	a	2319329	Beef chop	/	/	/	/	/	/	Ø	Ø	EL	EL	/	/	A	Ø	/	/	/	/	/	A	NA	Ø	/	A	NA	Ø	A	NA					
2	a	2316939	Raw rabbit	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	EL	A	NA				
2	a	2281393	Beef carpaccio	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	A	NA	EL	A	NA				
2	a	2281394	Raw chicken	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	Ø	/	A	NA	Ø	A	NA				
2	a	2263647	Beef chop	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	Ø	/	A	NA	Ø	A	NA				
2	b	2317054	Cooked beef batch 1	nc	/	/	/	/	/	AL halo	AL	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA					
2	b	2319200	Cooked beef batch 2	nc	/	/	/	/	/	AL halo (2)	AL	AM halo	AM	/	L.monocytogenes	P	AL halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AL halo	L.mono	P	PA	AL halo	P	PA					
2	b	2319276	Mexican chicken	nc	/	/	/	/	/	CM halo	CM	AH halo	AH	/	L.monocytogenes	P	BH halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	BH halo	P	PA					
2	b	2333777	Meat gratin	ac	L.welsh	YBK185	Seeding	/	2.4	BM ø halo	BM	BM ø halo	BM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA					
2	b	2333778	Meat (Tripes)	ac	L.welsh	YBK185	Seeding	/	2.4	AL ø halo	AL	AL ø halo	AL	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA					
2	b	2333779	Cooked beef	ac	L.welsh	YBK185	Seeding	/	2.4	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA					
2	b	2333780	Cooked sausages	ac	Livanovii	AAZ671	Seeding	/	3.0	AM halo	AL	AM halo	AL	/	Livanovii	P	AL halo	Livanovii	Livanovii	+	+	P	PA	O&A: AM / PAL: AM Livanovii	AM halo	Livanovii	P	PA	AL halo	P	PA					
2	b	2333781	Chili con carne	ac	Livanovii	AAZ671	Seeding	/	3.0	AL halo	AL	AL halo	AL	/	Livanovii	P	AL halo	Livanovii	Livanovii	+	+	P	PA	O&A: AL / PAL: BL Livanovii	AM halo	Livanovii	P	PA	AL halo	P	PA					
2	b	2333782	Pie	ac	Livanovii	AAZ671	Seeding	/	3.0	AL halo	AL	AL halo	AL	/	Livanovii	P	BM halo	Livanovii	Livanovii	+	+	P	PA	O&A: AL / PAL: BL Livanovii	BM halo	Livanovii	P	PA	BM halo	P	PA					
2	b	2347806	Pulled cooked duck	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	Ø	/	A	NA	Ø	A	NA				
2	b	2319294	Hachis parmentier	/	/	/	/	/	/	EM	EM	EL	EL	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	Ø	/	A	NA	Ø	A	NA				
2	b	2319295	Ox muzzle	/	/	/	/	/	/	EL	EL	EL	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: EL	EL	/	A	NA	EL	A	NA				
2	b	2319296	Cooked pork	/	/	/	/	/	/	EL	EL	Ø	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: EL - Pal: EL	EL	/	A	NA	EL	A	NA				
2	b	2319297	Chili con carne	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	Ø	/	A	NA	Ø	A	NA				
2	b	2319298	Beef tongue	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	Ø	/	A	NA	Ø	A	NA				
2	b	2319327	Cooked turkey	/	/	/	/	/	/	Ø	Ø	EL	EL	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: EL - Pal: EM	EL	/	A	NA	Ø	A	NA				
2	b	2319328	Meat (Tripes)	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	Ø	/	A	NA	Ø	A	NA				
2	b	2281477	Chicken quiche	ac	L.mono	ALB748	Seeding	/	1.4	EL	EL	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	/	/	A	NA	EL	A	NA				
2	b	2281479	Meat (Tripes)	ac	L.mono	JVB888	Seeding	/	1.8	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	AL(3) halo	L.mono	P	PD	Ø	A	NA				
2	b	2319275	Cooked turkey	/	/	/	/	/	/	Ø	EL	EL	EM	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	/	/	A	NA	EL	A	NA				
2	c	2231981	Ground pork meat	nc	/	/	/	/	/	AL ø halo	Ø	AL ø halo	AL	/	L.welshimeri	P	Ø	/	/	/	/	/	A	ND	O&A: Ø / PAL: Ø	Ø	/	A	ND	Ø	A	ND				
2	c	2231983	Ground poultry meat	nc	/	/	/	/	/	AL halo/AL ø halo	AL	DL halo/AL ø halo	AL	/	Linnocua + L.mono	P	AH ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM	Linnocua	P	PA	AH ø halo	P	PA					
2	c	2231984	Poultry merguez	nc	/	/	/	/	/	EL	EL	Ø	EL	/	/	A	AM ø halo	Linnocua	Linnocua	+	+	P	PD	O&A: AM / PAL: AM Linnocua	AM	Linnocua	P	PD	AM ø halo	P	PD					
2	c	2231986	Delicatessen (Boudin blanc)	nc	/	/	/	/	/	AL ø halo	EL	AL	EL	/	L.welshimeri	P	AH ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM	L.welsh	P	PA	AH ø halo	P	PA					
2	c	2236687	Foie gras	nc	/	/	/	/	/	Ø	EL	EL	EL	/	/	A	BL ø halo	Linnocua	Linnocua	+	+	P	PD	O&A: AM / PAL: AM Linnocua	AM	Linnocua	P	PD	BL ø halo	P	PD					
2	c	2236689	Delicatessen (Boudin noir)	nc	/	/	/	/	/	Ø	EL	Ø	EL	/	/	A	AH ø halo	L.welshimeri	L.welshimeri	+	+	P	PD	O&A: AM / PAL: AM L.welshimeri	AM	L.welsh	P	PD	AH ø halo	P	PD					
2	c	2236732	Ground pork meat	nc	/	/	/																													

Meat products

Category	Type	#	Sample	Contamination						ISO 11290-1*						Listeria Precip L.spp - 24 LEB 20h at 37°C						Listeria Precip L.spp 24 LEB 72h 2-8°C				Brilliance 72h at 2-8°C	Result	Agreement				
				Type	Strain	Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance	Conf.				Result	Agreement		
											O&A	Palcam	CAMP Test if necessary	Identification																	O&A: AM / PAL: AM L.welshimeri	AM ø halo
2	c	2247761	Smoked bacon	nc	/	/	/	/	/	DM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM	L.welsh	P	PA	AM ø halo	P	PA	
2	c	2236688	Liver pate	/	/	/	/	/	/	Ø	EL	Ø	EL	/	/	A	Ø	/	/	/	/	/	A	NA	O&A:EL / PAL:EM	EL	/	/	/	Ø	A	NA
2	c	2231985	Delicatessen	/	/	/	/	/	/	Ø	EL	Ø	EL	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	/	/	Ø	A	NA
2	c	2231982	Duck sausage	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	/	/	Ø	A	NA
2	c	2236734	Merguez	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	/	/	Ø	A	NA
2	c	2316958	Duck liver mousse	/	/	/	/	/	/	EL	EL	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	Ø	/	/	/	EL	A	NA
2	c	2316959	Rabbit pâté	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	Ø	/	/	/	Ø	A	NA
2	c	2316960	Forest pâté	/	/	/	/	/	/	EL	EM	Ø	EL	/	/	A	EM	/	/	/	/	/	A	NA	O&A:ø - Pal:EL	EM	/	/	/	EM	A	NA
2	c	2281404	Ground meat pork-veal	/	/	/	/	/	/	EM	EM	Ø	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	EL	/	/	/	EL	A	NA
2	c	2281405	Sausage with herbs	/	/	/	/	/	/	EL	EL	EL	EL	/	/	A	EM	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	EM	/	/	/	EM	A	NA
2	c	2316935	Bacon crisp	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	Ø	/	/	/	Ø	A	NA

Dairy products

Cat	Type	#	Sample	Contamination						ISO 11290-1						Listeria PreciS L.spp - 24 LEB 20h at 37°C										Listeria PreciS L.spp 24 LEB 72h 2-8°C				Brilliance 72h at 2-8°C	Result	Agreement	
				Type	Strain		Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID		Brilliance	Conf.	Result	Agreement				
												O&A	Palcam	CAMP Test If necessary	Identification									O&A	Pal								O&A
3	a	2236690	Raw cow's milk cheese "Abundance"	nc	/	/	/	/	/	/	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	Ø	/	/	/	/	/	A	ND	O&A: Ø / PAL: Ø	AL ø halo	Linnocua	P	PA	Ø	A	ND
3	a	2236692	Raw cow's milk cheese "Tomme"	nc	/	/	/	/	/	/	AM ø halo	AM	BM ø halo	BM	/	Linnocua	P	AM	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM	P	PA	
3	a	2236694	Raw cow's milk cheese "Tomme"	nc	/	/	/	/	/	/	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	AM	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM	P	PA	
3	a	2247769	Raw milk cheese "Brie"	nc	/	/	/	/	/	/	BM	AM	AM	AM	/	Lgrayi	P	AM	Lgrayi	Lgrayi	+	+	P	PA	O&A: AM / PAL: AM Lgrayi	AM ø halo	Lgrayi	P	PA	AM	P	PA	
3	a	2281432	Raw milk cheese "Brie"	nc	/	/	/	/	/	/	AM halo	AM	AM halo	AM	/	Lmonocytogenes	P	AM halo	Lmonocytogenes	Lmonocytogenes	+	++	P	PA	Lmonocytogenes	AM halo	Lmono	P	PA	AM halo	P	PA	
3	a	2281435	Raw milk cheese "Pont l'Evêque"	nc	/	/	/	/	/	/	AM halo	AL	AM halo	AM	/	Lmonocytogenes	P	AM halo	Lmonocytogenes	Lmonocytogenes	+	++	P	PA	Lmonocytogenes	AM halo	Lmono	P	PA	AM halo	P	PA	
3	a	2281468	Raw cow's milk cheese "Tomme"	nc	/	/	/	/	/	/	AM halo	AM	AM halo	AM	/	Lmonocytogenes	P	BM halo	Lmonocytogenes	Lmonocytogenes	+	+	P	PA	Lmonocytogenes	BM halo	Lmono	P	PA	BM halo	P	PA	
3	a	2281469	Raw cow's milk cheese "Tomme"	nc	/	/	/	/	/	/	AM halo	AM	AM halo	AM	/	Lmonocytogenes	P	AM halo	Lmonocytogenes	Lmonocytogenes	+	+	P	PA	Lmonocytogenes	AL halo	Lmono	P	PA	AM halo	P	PA	
3	a	2281472	Cottage cheese with raw milk	nc	/	/	/	/	/	/	AM halo	AM	AM halo	AM	/	Lmonocytogenes	P	AM halo	Lmonocytogenes	Lmonocytogenes	+	+	P	PA	Lmonocytogenes	AM halo	Lmono	P	PA	AM halo	P	PA	
3	a	2319209	Raw cow's milk cheese "tomme de Savoie"	nc	/	/	/	/	/	/	AM halo + AL Ø halo	AM	AM halo + AM Ø halo	AM	/	Lmono + Linnocua	P	AM halo + BL Ø halo	Lmono + Linnocua	Lmono + Linnocua	+/+	+	P	PA	Lmono + Linnocua	BM halo + BM Ø halo	Lmono + Linnocua	P	PA	AM halo + BL Ø halo	P	PA	
3	a	2316947	Raw milk cheese "brie"	/	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: EL	EM	EM	A	NA	Ø	A	NA
3	a	2319277	Raw milk cheese "Normanville"	/	/	/	/	/	/	/	Ø	Ø	EM	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EM	/	/	/	EL	A	NA
3	a	2319278	Raw milk cheese	/	/	/	/	/	/	/	EL	EL	EM	EM	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EM	/	/	/	EL	A	NA
3	a	2319279	Raw milk cheese "Tomme"	/	/	/	/	/	/	/	EL	EL	EL	EL	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: EL - Pal: EL	EM	/	/	/	Ø	A	NA
3	a	2236695	Raw goat milk cheese	/	/	/	/	/	/	/	EL	Ø	EL	EL	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	/	/	Ø	A	NA
3	a	2236691	Raw ewe milk cheese "Abundance"	/	/	/	/	/	/	/	EL	EL	EL	EL	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	/	/	Ø	A	NA
3	a	2247770	Raw milk cheese "Meule"	/	/	/	/	/	/	/	EM	Ø	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	EL	/	/	/	EL	A	NA
3	a	2263639	Raw milk cheese "Bethmale"	/	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	EM	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	EM	/	/	/	EM	A	NA
3	a	2263640	Raw cow's milk cheese "Tomme"	/	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	/	/	Ø	A	NA
3	a	2263641	Goat milk cheese	/	/	/	/	/	/	/	Ø	EL	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	/	/	Ø	A	NA
3	b	2247768	Cottage cheese with raw milk	nc	/	/	/	/	/	/	DM	DM	AM	AM	/	Linnocua	P	AL ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AL ø halo	P	PA	
3	b	2247796	Raw milk	nc	/	/	/	/	/	/	AM ø halo	AL ø halo	AM ø halo	AM ø halo	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA	
3	b	2247801	Raw milk	ac	Linnocua	XKU847	Seeding	/	2.8	2.8	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA	
3	b	2247802	Raw milk	ac	Linnocua	RXL353	Seeding	/	2.2	2.2	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA	
3	b	2247803	Raw milk	ac	Linnocua	RXL353	Seeding	/	2.2	2.2	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA	
3	b	2333624	White cheese farm with raw milk	nc	/	/	/	/	/	/	AM halo	AM	AM halo	AM	/	Lmonocytogenes	P	AM halo	Lmonocytogenes	Lmonocytogenes	+	+	P	PA	Lmonocytogenes	AM halo	Lmono	P	PA	AM halo	P	PA	
3	b	2281431	Raw milk cream	nc	/	/	/	/	/	/	AM halo	AM	AM halo	AM	/	Lmonocytogenes	P	AM halo	Lmonocytogenes	Lmonocytogenes	+	++	P	PA	Lmonocytogenes	AM halo	Lmono	P	PA	AM halo	P	PA	
3	b	2319212	Raw farm cow's milk	nc	/	/	/	/	/	/	AM halo	AM	AM halo	AM	/	Lmonocytogenes	P	AM halo	Lmonocytogenes	Lmonocytogenes	+	+	P	PA	Lmonocytogenes	AM halo	Lmono	P	PA	AM halo	P	PA	
3	b	2333623	Raw cow's milk	nc	/	/	/	/	/	/	AM halo	BM	AM halo	AM	/	Lmonocytogenes	P	BM halo	Lmonocytogenes	Lmonocytogenes	+	+	P	PA	Lmonocytogenes	BM halo	Lmono	P	PA	BM halo	P	PA	
3	b	2318988	Raw cow's milk	nc	/	/	/	/	/	/	AM halo	AM	AM halo	AM	/	Lmonocytogenes	P	EL	/	/	/	/	/	A	ND	O&A: Ø - Pal: Ø	EL	/	/	/	EL	A	ND
3	b	2236693	Cottage raw milk cheese	/	/	/	/	/	/	/	EL	EL	EL	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	EL	/	/	/	EL	A	NA
3	b	2319330	Raw goat's milk	/	/	/	/	/	/	/	EL	EL	EL	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EL	/	/	/	EL	A	NA
3	b	2319334	Cream with raw milk	/	/	/	/	/	/	/	EL	EM	EL	EL	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	/	/	Ø	A	NA
3	b	2319335	Raw cow's milk	/	/	/	/	/	/	/	EL	EL	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	/	/	Ø	A	NA
3	b	2318987	Raw cow's milk	/	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EL	/	/	/	Ø	A	NA
3	b	2318988	Raw cow's milk	/	/	/	/	/	/	/	Ø	EL	Ø	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EM	/	/	/	EL	A	NA
3	b	2318989	Cream with raw milk	/	/	/	/	/	/	/	Ø	EL	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EL	/	/	/	EL	A	NA
3	b	2318989	Faisselle with raw sheep's milk	/	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EL	/	/	/	Ø	A	NA
3	b	2318990	Raw milk cheese yogurt	/	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	/	/	Ø	A	NA
3	b	2318990	Butter with raw milk	/	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	/	/	Ø	A	NA
3	c	2236696	Pasteurized cow's milk cheese (Baskeria)	nc	/	/	/	/	/	/	AL ø halo	CL	AM ø halo	AM	/	Linnocua	P	Ø	/	/	/	/	/	A	ND	O&A: Ø / PAL: Ø	Ø	/	/	/	Ø	A	ND
3	c	2236697	Pasteurized cow's milk cheese (Brie)	nc	/	/	/	/	/	/	AM ø halo	AM	BM ø halo	BM	/	Linnocua	P	AM	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM	P	PA	
3	c	2236698	Pasteurized cow's milk cheese (Tomme)	nc	/	/	/	/	/	/	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	AM	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM	P	PA	
3	c	2247804	Pasteurized cow's milk cheese (Cantal)	ac	Linnocua	RXL353	Seeding	/	2.2	2.2	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA	
3	c	2247805	Pasteurized sheep's milk cheese	ac	Linnocua	RXL353	Seeding	/	2.2	2.2	BM ø halo	BM ø halo	AM ø halo	AM ø halo	/	Linnocua	P	EM	/	/	/	/	/	A	ND	O&A: Ø / PAL: Ø	EM	/	/	/	EM	A	ND

Dairy products

Cat	Type	#	Sample	Contamination						ISO 11290-1*						Listeria Precis L.spp - 24 LEB 20h at 37°C						Listeria Precis L.spp 24 LEB 72h 2-8°C				Brilliance 72h at 2-8°C	Result	Agreement			
				Type	Strain		Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID							
												O&A	Palcam	CAMP Test if necessary	Identification									Brilliance	Conf.				Result	Agreement	
3	c	2247806	Organic pasteurized cow's milk cheese	ac	Linnocua	RXL353	Seeding	/	2.2	AL ø halo	AL ø halo	AM ø halo	AM ø halo	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA
3	c	2247807	Pasteurized cow's milk cheese (Chamois d'Or)	ac	Linnocua	RXL353	Seeding	/	2.2	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA
3	c	2247808	Pasteurized cow's milk cheese (Tomme)	ac	Linnocua	RXL353	Seeding	/	2.2	EM	∅	EM	∅	/	/	A	AL avec halo	Livanovii	Livanovii	+	+	P	PD	O&A: AM halo/ PAL: AM halo Livanovii	AL halo	Livanovii	P	PD	AL avec halo	P	PD
3	c	2247810	Pasteurized cow's milk cheese (Fol Epi)	ac	Livanovii	GQD028	Seeding	/	2.8	AL halo	∅	AL avec halo	∅	/	Livanovii	P	∅	/	/	/	/	A	ND	O&A: ∅ / PAL: ∅	∅	/	A	ND	∅	A	ND
3	c	2247811	Pasteurized cow's milk cheese (Chaumes)	ac	Livanovii	GQD028	Seeding	/	2.8	∅	∅	∅	∅	/	/	A	AM avec halo	Livanovii	Livanovii	+	+	P	PD	O&A: AM halo/ PAL: AM halo Livanovii	AM halo	Livanovii	P	PD	AM avec halo	P	PD
3	c	2263648	Pasteurized goat milk cheese	/	/	/	/	/	/	EL	EL	∅	∅	/	/	A	EM	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	EM	/	A	/	EM	A	NA
3	c	2263649	Pasteurized cow's milk cheese (Tomme)	/	/	/	/	/	/	EL	EL	∅	∅	/	/	A	∅	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	EL	/	/	/	∅	A	NA
3	c	2263650	Pasteurized cow's milk cheese (St Marcellin)	/	/	/	/	/	/	∅	EL	∅	∅	/	/	A	∅	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	∅	/	/	/	∅	A	NA
3	c	2263651	Pasteurized milk rice	/	/	/	/	/	/	∅	EL	∅	∅	/	/	A	∅	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	∅	/	/	/	∅	A	NA
3	c	2236699	Pasteurized ewe milk cheese	/	/	/	/	/	/	EL	∅	EL	EL	/	/	A	∅	/	/	/	/	A	NA	O&A: EL / PAL: EM	∅	/	/	/	∅	A	NA
3	c	2236700	Pasteurized goat milk cheese	/	/	/	/	/	/	EL	∅	∅	∅	/	/	A	∅	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	∅	/	/	/	∅	A	NA
3	c	2236701	Pasteurized cow's milk cheese (Tomme)	/	/	/	/	/	/	EL	EM	∅	∅	/	/	A	∅	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	∅	/	/	/	∅	A	NA
3	c	2247809	Pasteurized sheep's milk cheese	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	∅	/	/	/	∅	A	NA
3	c	2319280	Pasteurized milk cheese "St Nectaire"	/	/	/	/	/	/	∅	∅	∅	EM	/	/	A	EL	/	/	/	/	A	NA	O&A: ∅ - Pal: ∅	EM	/	/	/	EL	A	NA
3	c	2319281	Pasteurized milk cheese "Reblochon"	/	/	/	/	/	/	∅	EL	EH	EM	/	/	A	EL	/	/	/	/	A	NA	O&A: EL - Pal: EL	EL	/	/	/	EL	A	NA

Seafood products

Cat	Type	#	Sample	Contamination						ISO 11290-1*										Listeria PreciS L.spp - 24 LEB 20h at 37°C										Listeria PreciS L.spp 24 LEB 72h 2-8°C				Result	Agreement
				Type	Strain	Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance	Conf.	Result	Agreement								
											O&A	Palcam	CAMP Test If necessary	Identification														O&A	Palcam	Brilliance 72h at 2-8°C	Result	Agreement			
4	a	2247910	Salmon	ac	L.welshimeri	TVP191	Seeding	/	2.8	ø	ø	ø	ø	/	/	A	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PD	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PD	AM ø halo	P	PD				
4	a	2247911	Cod	ac	L.welshimeri	TVP191	Seeding	/	2.8	AL ø halo	AL	AL ø halo	AL	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA				
4	a	2247912	Hake	ac	L.welshimeri	TVP191	Seeding	/	2.8	AL ø halo	AL	AL ø halo	AL	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA				
4	a	2247913	Tuna	ac	L.welshimeri	TVP191	Seeding	/	2.8	ø	ø	ø	ø	/	/	A	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PD	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PD	AM ø halo	P	PD				
4	a	2247914	Filet of julienne	ac	L.welshimeri	TVP191	Seeding	/	2.8	AL ø halo	AL	AL ø halo	AL	/	L.welshimeri	P	AL ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AL ø halo	P	PA				
4	a	2281406	Salmon tartare	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	++	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA				
4	a	2281408	Herring	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	++	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA				
4	a	2281422	Herring	nc	/	/	/	/	/	AM halo+ AM ø halo	AM	AM halo+ AM ø halo	AM	/	L.monocytogenes + L.innocua	P	AL halo + AM ø halo	L.mono + L.innocua	L.mono + L.innocua	+/+	+	P	PA	L.mono + L.innocua	AL halo + AM ø halo	L.innocua + L.mono	P	PA	AL halo + AM ø halo	P	PA				
4	a	2319214	Raw salmon	ac	L.mono	JBV888	Seeding	/	1.6	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA				
4	a	2319215	Saithe	ac	L.mono	JBV888	Seeding	/	1.6	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA				
4	a	2263652	Squid	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	a	2263653	Cod fillet	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	a	2247771	Plaice	/	/	/	/	/	/	EL	ø	ø	ø	/	/	A	EL	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	EL	A	NA		
4	a	2247772	Salmon tartare	/	/	/	/	/	/	EM	ø	ø	ø	/	/	A	EL	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	EL	A	NA		
4	a	2263652	Squid	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	a	2263653	Cod fillet	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	a	2281409	Salmon Keta	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	a	2281410	Raw salmon	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	a	2281411	Herring	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	a	2281412	Herring	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	b	2247775	Smoked mackerel	nc	/	/	/	/	/	EM	EM	AM	AM	/	L.innocua	P	ø	/	/	/	/	/	/	A	ND	O&A:ø / PAL:ø	ø	/	A	ND	ø	A	ND		
4	b	2247813	Smoked salmon	ac	L.welshimeri	AJP106	Seeding	/	3.0	EL	EL	AL ø halo	AL ø halo	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA				
4	b	2247814	Smoked trout	ac	L.welshimeri	AJP106	Seeding	/	3.0	ø	ø	AL ø halo	AL ø halo	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA				
4	b	2247815	Smoked herring	ac	L.welshimeri	AJP106	Seeding	/	3.0	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA				
4	b	2247915	Smoked salmon	ac	L.innocua	ABB472	Seeding	/	2.6	AL ø halo	AL	AL ø halo	AL	/	L.innocua	P	AL ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AL ø halo	L.innocua	P	PA	AL ø halo	P	PA				
4	b	2247916	Smoked trut	ac	L.innocua	ABB472	Seeding	/	2.6	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA				
4	b	2316952	Smoked herring	nc	/	/	/	/	/	DL (1) halo	ø	BM halo	BM	/	L.monocytogenes	P	ø	/	/	/	/	/	/	A	ND	O&A:EL - Pal:EL	ø	/	A	ND	ø	A	ND		
4	b	2317057	Smoked salmon	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA				
4	b	2317058	Smoked salmon	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA				
4	b	2319332	Smoked herring	nc	/	/	/	/	/	AM ø halo	BM	AM ø halo	AM	/	L.innocua	P	AL ø halo	L.innocua	L.innocua	+	/	P	PA	O&A:AM ø halo - Pal:AL L.innocua	AM ø halo	L.innocua	P	PA	AL ø halo	P	PA				
4	b	2263654	Smoked haddock	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø Pal:ø	ø	/	/	/	ø	A	NA		
4	b	2247773	Salmon tartare with oil	/	/	/	/	/	/	EM	EL	ø	ø	/	/	A	EL	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	EL	/	/	/	EL	A	NA		
4	b	2247774	Salmon tataki	/	/	/	/	/	/	EM	ø	ø	ø	/	/	A	CL ø halo (doubt)	/	TSAYE: nc catalase -	-	/	/	/	A (PP)	NA(PP)	O&A:ø - Pal:ø	EL	/	/	/	CL ø halo (doubt)	A (PP)	NA(PP)		
4	b	2247776	Smoked salmon	/	/	/	/	/	/	EL	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	b	2319333	Smoked trout	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	b	2319299	Marinated shrimps	/	/	/	/	/	/	EL	EM	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	b	2319300	Provencal mackerel	/	/	/	/	/	/	EM	EM	EL	EL	/	/	A	EL	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	EM	/	/	/	EL	A	NA		
4	b	2319301	Smoked salmon	/	/	/	/	/	/	EM	EM	ø	EL	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	b	2319302	Marinated salmon	/	/	/	/	/	/	EL	EL	EL	EL	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	b	2263654	Smoked haddock	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	/	A	NA	O&A:ø - Pal:ø	ø	/	/	/	ø	A	NA		
4	c	2247780	Shrimp shell	nc	/	/	/	/	/	EM	EM	AM	AM	/	L.welshimeri	P	ø	/	/	/	/	/	/	A	ND	O&A:ø / PAL:ø	EL	/	A	ND	ø	A	ND		
4	c	2247781	Surimi shell	nc	/	/	/	/	/	EM	ø	AM	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA				
4	c	2247816	Salmon preparation	ac	L.innocua	RXY158	Seeding	/	1.6	BM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA				
4	c	2247917	Salad with shrimps	ac	L.innocua	RXY158	Seeding	/	1.6	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA				
4	c	2247918	Salmon with sorrel	ac	L.innocua	ABB472	Seeding	/	2.6	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AH ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AH ø halo	L.innocua	P	PA	AH ø halo	P	PA				
4	c	2247919	Prawn salad	ac	L.innocua	ABB472	Seeding	/	2.6	ø	EL	ø	EL	/	/	A	AM ø halo	L.innocua	L.innocua	+	+	P	PD	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PD	AM ø halo	P	PD				
4	c	2247920	St Jacques shell	ac	L.innocua	ABB473																													

Seafood products

Cat	Type	#	Sample	Contamination						ISO 11290-1*						Listeria Precis L.spp - 24 LEB 20h at 37°C						Listeria Precis L.spp 24 LEB 72h 2-8°C				Brilliance 72h at 2-8°C	Result	Agreement				
				Type	Strain		Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance				Conf.	Result	Agreement	
												O&A	Palcam	CAMP Test If necessary	Identification																	O&A-φ
4	c	2281419	Shrimp fritter	nc	/	/	/	/	/	EM	EM	∅	EM	/	/	A	BM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	+	+	P	PD	<i>L.monocytogenes</i>	BM halo	<i>L.mono</i>	P	PD	BM halo	P	PD	
4	c	2281421	Cod accra	nc	/	/	/	/	/	∅	∅	∅	∅	/	/	A	AL halo + AM ∅ halo	<i>L.mono</i> + <i>L.innocua</i>	<i>L.mono</i> + <i>L.innocua</i>	+/+	+	P	PD	<i>L.mono</i> + <i>L.innocua</i>	AL halo + AM ∅ halo	<i>L.mono</i> + <i>L.innocua</i>	P	PD	AL halo + AM ∅ halo	P	PD	
4	c	2317053	Shrimp fritter	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	<i>L.monocytogenes</i>	P	AM halo	<i>L.monocytogenes</i>	<i>L.monocytogenes</i>	+	+	P	PA	<i>L.monocytogenes</i>	AM halo	<i>L.mono</i>	P	PA	AM halo	P	PA	
4	c	2263655	Shrimp shell	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	EL	/	/	/	/	/	A	NA	O&A-φ - Pal-φ	EL	/	/	/	EL	A	NA
4	c	2263656	Salmon shell	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	/	A	NA	O&A-φ - Pal-φ	∅	/	/	/	∅	A	NA
4	c	2263658	St Jacques shell	/	/	/	/	/	/	∅	EL	EL	∅	/	/	A	∅	/	/	/	/	/	A	NA	O&A-φ - Pal-φ	∅	/	/	/	∅	A	NA
4	c	2247777	Salmon shell	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	/	A	NA	O&A-φ - Pal-φ	∅	/	/	/	∅	A	NA
4	c	2247778	Fish salad	/	/	/	/	/	/	EM	EM	∅	EM	/	/	A	EM	/	/	/	/	/	A	NA	O&A-φ - Pal-φ	EL	/	/	/	EM	A	NA
4	c	2247779	King prawns and scallops	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	/	A	NA	O&A-φ - Pal-φ	EL	/	/	/	∅	A	NA
4	c	2319283	Ginger Coconut Mussels Prawns	/	/	/	/	/	/	∅	∅	∅	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A-φ - Pal-φ	EL	/	/	/	EL	A	NA
4	c	2263655	Shrimp shell	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	EL	/	/	/	/	/	A	NA	O&A-φ - Pal-φ	EL	/	/	/	EL	A	NA
4	c	2263656	Salmon shell	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	/	A	NA	O&A-φ - Pal-φ	∅	/	/	/	∅	A	NA
4	c	2263658	St Jacques shell	/	/	/	/	/	/	∅	EL	EL	∅	/	/	A	∅	/	/	/	/	/	A	NA	O&A-φ - Pal-φ	∅	/	/	/	∅	A	NA

Vegetables

Cat	Type	#	Sample	Contamination						ISO 11290-1*						Listeria PreciS L.spp - 24 LEB 20h at 37°C										Listeria PreciS L.spp 24 LEB 72h 2-8°C				Brilliance 72h at 2-8°C	Result	Agreement
				Type	Strain	Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PreciSCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+HID									
											O&A	Palcam	CAMP Test if necessary	Identification									Brilliance	Conf.	Result	Agreement						
5	a	2247921	Apple	ac	L.innocua	GWC718	Seeding	/	2.4	AM ø halo	AM	AM ø halo	AM	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
5	a	2247924	Radish	ac	L.innocua	GWC718	Seeding	/	2.4	AL ø halo	AL	AL ø halo	AL	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
5	a	2247925	Zucchini	ac	L.innocua	GWC718	Seeding	/	2.4	EM	EM	AM ø halo	AM	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
5	a	2247783	Raspberry	nc	/	/	/	/	/	AM	AM	AM	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh	P	PA	AM ø halo	P	PA	
5	a	2247784	Onions	nc	/	/	/	/	/	AM	AM	AM	AM	/	L.innocua	P	AL ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AL ø halo	L.innocua	P	PA	AL ø halo	P	PA	
5	a	2247923	Mushrooms	nc	/	/	/	/	/	AL ø halo	AL	AL ø halo	AL	/	L.innocua	P	AM ø halo + halo	L.innocua+L.mono	L.innocua+L.mono	+/+	+	P	PA	O&A: AM halo+AM ø halo/ PAL: AM L.innocua +L.monocytogenes	AM ø halo + halo	L.innocua +L.mono	P	PA	AM ø halo + halo	P	PA	
5	a	2281433	Zucchini	nc	/	/	/	/	/	AM halo	AL	AM halo	AM	/	L.monocytogenes	P	AM halo	L.mono	L.monocytogenes	+	++	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA	
5	a	2281434	Beets	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.mono	L.monocytogenes	+	++	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA	
5	a	2281439	Raddish	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	++	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA	
5	a	2318992	Mushrooms	nc	/	/	/	/	/	BM halo	EL	AM halo	AM	/	L.monocytogenes	P	BL halo	L.monocytogenes	L.monocytogenes	+	++	P	PA	L.monocytogenes	BM halo	L.mono	P	PA	BL halo	P	PA	
5	a	2247782	Lettuce	/	/	/	/	/	/	EM	EM	ø	EL	/	/	A	EM	/	/	/	/	/	A	NA	O&A: ø / PAL: ø	EM	/	/	/	EM	A	NA
5	a	2247922	Endive	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø / PAL: ø	ø	/	/	/	ø	A	NA
5	a	2319284	Raddish	/	/	/	/	/	/	ø	EL	EH	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EM	/	/	/	EL	A	NA
5	a	2319285	Melon	/	/	/	/	/	/	EH	EL	EM	EM	/	/	A	EH	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	ø	/	/	/	EH	A	NA
5	a	2319303	Banana	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	ø	/	/	/	ø	A	NA
5	a	2319304	Strawberry	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	ø	/	/	/	ø	A	NA
5	a	2319305	Watermelon	/	/	/	/	/	/	EM	EM	EL	EL	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	ø	/	/	/	ø	A	NA
5	a	2316953	Tomatoes	/	/	/	/	/	/	ø	EL	ø	EL	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	ø	/	/	/	ø	A	NA
5	a	2319308	Zucchini	/	/	/	/	/	/	EL	EL	ø	ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	/	/	EL	A	NA
5	a	2319311	Apple	/	/	/	/	/	/	EL	EL	ø	ø	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	/	/	ø	A	NA
5	a	2335609	Cucumber	ac	L.mono	XB8696	Seeding	/	0.8	ø	ø	ø	ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EM	/	/	/	EL	A	NA
5	b	2247817	Red peppers	ac	L.innocua	TWH478	Seeding	/	2.2	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
5	b	2247818	Zucchini sliced	ac	L.innocua	TWH478	Seeding	/	2.2	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.innocua	P	AM ø halo	L.innocua	L.innocua	+	+	P	PA	O&A: AM / PAL: AM L.innocua	AM ø halo	L.innocua	P	PA	AM ø halo	P	PA	
5	b	2247927	Sliced pineapple	ac	L.welshimeri	TXR109	Seeding	/	1.6	ø	ø	ø	ø	/	/	A	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PD	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PD	AM ø halo	P	PD	
5	b	2247929	Sliced carrots	nc	/	/	/	/	/	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PA	AM ø halo	P	PA	
5	b	2247930	Mixed carrots, pepper, cabbage	nc	/	/	/	/	/	ø	ø	ø	ø	/	/	A	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PD	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PD	AM ø halo	P	PD	
5	b	2247835	Gratted carrot	ac	L.seeligeri	ADTW22	Seeding	/	2.8	ø	ø	AL ø halo	ø	/	L.seeligeri	P	ø	/	/	/	/	/	A	ND	O&A: ø / PAL: ø	EL	/	A	ND	ø	A	ND
5	b	2247820	Cucumbers with cream	ac	L.welshimeri	TJ1742	Seeding	/	3.0	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PA	AM ø halo	P	PA	
5	b	2281453	Rice salad with peas and peppers	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA	
5	b	2333616	Beets	ac	L.mono	BVU991	Seeding	/	2.0	EL	EL	ø	ø	/	/	A	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PD	L.monocytogenes	BM halo	L.mono	P	PD	AM halo	P	PD	
5	b	2336167	Mushrooms at the greek	ac	L.mono	BXQ019	Seeding	/	2.5	CM halo	CM	AL halo	BL	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	BM halo	L.mono	P	PA	AM halo	P	PA	
5	b	2247926	Mixed carrots	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø / PAL: ø	ø	/	/	/	ø	A	NA
5	b	2247928	Mixed carrots, leeks	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø / PAL: ø	ø	EL	/	/	ø	A	NA
5	b	2316961	Mixed salad	/	/	/	/	/	/	ø	ø	ø	ø	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø - Pal: EL	ø	/	/	/	ø	A	NA
5	b	2316962	Celery remoulade	/	/	/	/	/	/	EL	EL	ø	ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: EL	EL	/	/	/	EL	A	NA
5	b	2319266	Seasoned carrot	/	/	/	/	/	/	EL	EM	ø	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	/	/	EL	A	NA
5	b	2247787	Quinoa and bulgur salad	/	/	/	/	/	/	EM	EM	ø	ø	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	ø	/	/	/	ø	A	NA
5	b	2263642	Vegetable spelled salad	/	/	/	/	/	/	EM	EM	ø	EL	/	/	A	EM	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EM	/	/	/	EM	A	NA
5	b	2263644	Celery and carrot	/	/	/	/	/	/	ø	EL	ø	ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EM	/	/	/	EL	A	NA
5	b	2263645	Cucumbers with cream	/	/	/	/	/	/	EM	EM	ø	ø	/	/	A	ø	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	EL	/	/	/	ø	A	NA
5	b	2319306	Mixed salad	/	/	/	/	/	/	ø	ø	ø	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: ø - Pal: ø	ø	/	/	/	EL	A	NA
5	c	2247819	Tian vegetables	ac	L.welshimeri	TJ1742	Seeding	/	3.0	AM ø halo	AM ø halo	AM ø halo	AM ø halo	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PA	AM ø halo	P	PA	
5	c	2247841	Cauliflower gratin	ac	L.seeligeri	TJM186	Seeding	/	2.8	ø	ø	AL ø halo	ø	/	L.seeligeri	P	AM ø halo	L.seeligeri	L.seeligeri	+	+	P	PA	O&A: AM / PAL: AM L.seeligeri	AM ø halo	L.seeligeri	P	PA	AM ø halo	P	PA	
5	c	2247842	Vegetables gratin	ac	L.seeligeri	TJM186	Seeding	/	2.8	ø	ø	AL ø halo	ø	/	L.seeligeri	P	AM ø halo	L.seeligeri	L.seeligeri	+	+	P	PA	O&A: AM / PAL: AM L.seeligeri	AM ø halo	L.seeligeri	P	PA	AM ø halo	P	PA	
5	c	2247836	Clickpea	ac	L.seeligeri	ADTW22	Seeding	/	2.8	ø	ø	AL ø halo	ø	/	L.seeligeri	P	AL ø halo	L.seeligeri	L.seeligeri	+	+	P	PA	O&A: AM / PAL: AM L.seeligeri	AM ø halo	L.seeligeri	P	PA	AL ø halo	P	PA	
5	c	2247838	Couscous vegetables	ac	L.seeligeri	ADTW22	Seeding	/	2.8	ø	ø	AL ø halo	ø	/	L.seeligeri	P	AL ø halo	L.seeligeri	L.seeligeri	+	+	P	PA	O&A: AM / PAL: AM L.seeligeri	AL ø halo	L.seeligeri	P	PA	AL ø halo	P	PA	
5	c	2247839	Cooked vegetables	ac	L.seeligeri	ADTW22	Seeding	/	2.8	ø	ø	AL ø halo(1)	ø	/	L.seeligeri	P	CL ø halo	L.seeligeri	L.seeligeri	+	+	P	PA	O&A: AM / PAL: AM L.seeligeri	BL ø halo	L.seeligeri	P	PA	CL ø halo	P	PA	
5	c																															

Vegetables

Cat	Type	#	Sample	Contamination						ISO 11290-1*						Listeria Precis L.spp - 24 LEB 20h at 37°C							Listeria Precis L.spp 24 LEB 72h 2-8°C				Brilliance 72h at 2-8°C	Result	Agreement		
				Type	Strain	Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance	Conf.	Result				Agreement	
											O&A	Palcam	CAMP Test if necessary	Identification																	
5	c	2316963	Vegetables panfried	/	/	/	/	/	/	∅	EM	∅	EL	/	/	A	EL	/	/	/	/	A	NA	O&A:∅ - Pal:∅	EL	/	/	/	EL	A	NA
5	c	2247785	Cooked vegetables	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	EL	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	EL	/	/	/	EL	A	NA
5	c	2247786	Moussaka	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	∅	/	/	/	∅	A	NA
5	c	2247788	Coral lentils	/	/	/	/	/	/	EM	∅	∅	∅	/	/	A	EL	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	EL	/	/	/	EL	A	NA
5	c	2247789	Green beans	/	/	/	/	/	/	EL	∅	∅	∅	/	/	A	EL	/	/	/	/	A	NA	O&A: ∅ / PAL: ∅	EL	/	/	/	EL	A	NA
5	c	2316941	Pesto sauce	/	/	/	/	/	/	EM	EM	∅	∅	/	/	A	EM	/	/	/	/	A	NA	O&A:∅ - Pal:∅	EL	/	/	/	EM	A	NA
5	c	2316942	Tomato sauce	/	/	/	/	/	/	∅	EL	∅	∅	/	/	A	EL	/	/	/	/	A	NA	O&A:∅ - Pal:∅	EL	/	/	/	EL	A	NA
5	c	2319267	Cooked beets	/	/	/	/	/	/	∅	EL	∅	∅	/	/	A	EL	/	/	/	/	A	NA	O&A:∅ - Pal:∅	EL	/	/	/	EL	A	NA

Environmental samples

Cat	Type	#	Sample	Contamination							ISO 11290-1*										Listeria Precis L.spp - 24 LEB 20h at 37°C										Listeria Precis L.spp 24 LEB 72h 2-8°C				Brilliance 72h at 2-8°C	Result	Agreement
				Type	Strain		Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+HD	Brilliance	Conf.	Result	Agreement									
												O&A	Palcam	CAMP Test if necessary	Identification																						
6	a	2247862	Process water cheese factory	ac	L.welshimeri	RVG428	Seeding	/	3.0	AM ø halo	AM ø halo	AM ø halo	AM	/	L.welshimeri	P	AL ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PA	AL ø halo	P	PA						
6	a	2247863	Cheese line rinse water	ac	L.welshimeri	RVG428	Seeding	/	3.0	AM ø halo	AM ø halo	AM ø halo	AM	/	L.welshimeri	P	AL ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	BM ø halo	L.welsh.	P	PA	AL ø halo	P	PA						
6	a	2247864	Process water	ac	L.welshimeri	RVG428	Seeding	/	3.0	AL ø halo	AL ø halo	AM ø halo	AM	/	L.welshimeri	P	AL ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PA	AL ø halo	P	PA						
6	a	2247866	Process water	ac	L.welshimeri	RVG428	Seeding	/	3.0	AM ø halo	AM ø halo	AM ø halo	AM	/	L.welshimeri	P	AL ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PA	AL ø halo	P	PA						
6	a	2247832	Process water	ac	L.welshimeri	BVP365	Seeding	/	3.0	AL halo	AL	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	O&A: AM halo / PAL: AM L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA						
6	a	2247833	Process water	ac	L.mono	BVP365	Seeding	/	3.0	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AL halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	O&A: AM halo / PAL: AM L.monocytogenes	AL halo	L.mono	P	PA	AL halo	P	PA						
6	a	2247834	Process water	ac	L.mono	BVP365	Seeding	/	3.0	AM halo	AL	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	O&A: AM halo / PAL: AM L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA						
6	a	2333625	Blood line process water	nc	/	/	/	/	/	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA						
6	a	2333626	Feather line process water	nc	/	/	/	/	/	AL halo	AL	AH halo	AH	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	AM halo	L.mono	P	PA	AM halo	P	PA						
6	a	2333627	Poultry line process water	nc	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	AL halo (2)	L.monocytogenes (after réiso)	L.monocytogenes	+	+	P	PD	L.monocytogenes	EL	/	A	NA	AL halo (2)	P	PD						
6	a	2247861	Process water cheese factory	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	A	NA	Ø	A	NA					
6	a	2247865	Process water	ac	L.welshimeri	RVG428	Seeding	/	3	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø / PAL: Ø	Ø	/	A	NA	Ø	A	NA					
6	a	2319314	Process water poultry brine	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	a	2319315	Process water vegetables	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	a	2319316	Process water food packaging	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	a	2319317	Process water vegetables	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	EL	Ø	EL	/	/	/	A	NA	O&A: Ø - Pal: Ø	EM	/	A	NA	EL	A	NA					
6	a	2318890	Process water	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	a	2318891	Process water RTH industry	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	a	2318892	Process water butcher	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	a	2318893	Process water bakery	/	/	/	/	/	/	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	b	2247937	Dusts pastry industry	ac	L.welshimeri	TK2429	king 30 min G	0.7	1.2	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	BM ø halo	L.welsh.	P	PA	AM ø halo	P	PA						
6	b	2247938	Dusts poultry industry	ac	L.welshimeri	TK2429	king 30 min G	0.7	1.2	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PA	AM ø halo	P	PA						
6	b	2247939	Dusts poultry industry	ac	L.welshimeri	TK2429	king 30 min G	0.7	1.2	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	BM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	BL ø halo	L.welsh.	P	PA	BM ø halo	P	PA						
6	b	2247940	Dusts powder milk industry	ac	Linnocua	GRR943	king 30 min G	0.9	2.6	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA						
6	b	2247941	Dusts spicy packaging	ac	Linnocua	GRR943	king 30 min G	0.9	2.6	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA						
6	b	2247942	Dusts egg powder industry	ac	Linnocua	GRR943	king 30 min G	0.9	2.6	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA						
6	b	2319321	Dusts flour environment	nc	/	/	/	/	/	EH	EH	BH Ø halo	DH	/	L.welshimeri	P	CL Ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM halo - Pal: AM	AM Ø halo	L.welsh.	P	PA	CL Ø halo	P	PA						
6	b	2333868	Dusts dairy industry	nc	/	/	/	/	/	BM halo	BM	BM halo	BM	/	L.monocytogenes	P	BM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	BM halo	L.mono	P	PA	BM halo	P	PA						
6	b	2333783	Vegetables residues	nc	/	/	/	/	/	EL	EL	CL Ø halo	EL	/	L.welshimeri	P	EL	/	/	/	/	/	A	ND	O&A: Ø - Pal: Ø	EM	/	A	ND	EL	A	ND					
6	b	2333784	Fish industry residues	nc	/	/	/	/	/	Ø	EL	EL	EL	/	/	A	AM ø halo	Linnocua	Linnocua	+	+	P	PD	Linnocua	AM ø halo	Linnocua	P	PD	AM ø halo	P	PD						
6	b	2319318	Dusts milk powder industry	/	/	/	/	/	/	EL	EL	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	b	2319319	Dusts infant cereals industry	/	/	/	/	/	/	EL	EL	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	b	2319320	Dusts spices industry	/	/	/	/	/	/	EL	EL	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	b	2319322	Dusts flour environment	/	/	/	/	/	/	EM	EH	EH	EM	/	/	A	EM	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EM	/	A	NA	EM	A	NA					
6	b	2319323	Poultry processing residues	/	/	/	/	/	/	EH	EH	EL	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EL	/	A	NA	EL	A	NA					
6	b	2319324	Fish residues	/	/	/	/	/	/	EL	EL	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EL	/	A	NA	EL	A	NA					
6	b	2319325	Poultry residues	/	/	/	/	/	/	EL	EL	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	Ø	/	A	NA	Ø	A	NA					
6	b	2319326	Animal meal residues	/	/	/	/	/	/	EL	EL	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EL	/	A	NA	EL	A	NA					
6	b	2319331	Chicken industry residues	/	/	/	/	/	/	EL	EM	EL	EL	/	/	A	EL	/	/	/	/	/	A	NA	O&A: Ø - Pal: Ø	EM	/	A	NA	EL	A	NA					
6	b	2333632	Poultry residues	ac	L.mono	RJC280	Spiking	0.9	0.6	EL	EL	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A: EL - Pal: EL	EL	/	A	NA	EL	A	NA					
6	c	2247943	Wipe cold room siphon	nc	/	/	/	/	/	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AL ø halo	L.welsh.	P	PA	AM ø halo	P	PA						
6	c	2247944	Wipe chopping block	nc	/	/	/	/	/	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA						
6	c	2247945	Wipe ground	nc	/	/	/	/	/	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PA	AM ø halo	P	PA						
6	c	2247946	Wipe ground	nc	/	/	/	/	/	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PA	AM ø halo	P	PA						
6	c	2247947	Wipe désarêteuse	nc	/	/	/	/	/	AM ø halo	AM	AM ø halo	AM	/	L.welshimeri	P	AM ø halo	L.welshimeri	L.welshimeri	+	+	P	PA	O&A: AM / PAL: AM L.welshimeri	AM ø halo	L.welsh.	P	PA	AM ø halo	P	PA						
6	c	2247948	Wipe plastic pallet	nc	/	/	/	/	/	AM ø halo	AM	AM ø halo	AM	/	Linnocua	P	AM ø halo	Linnocua	Linnocua	+	+	P	PA	O&A: AM / PAL: AM Linnocua	AM ø halo	Linnocua	P	PA	AM ø halo	P	PA						
6	c	2333810	Swab egg product environment area 1	nc	/	/	/	/	/	AH halo	AH	AH halo	AH	/																							

Environmental samples

Cat	Type	#	Sample	Contamination						ISO 11290-1*						Listeria Precis L.spp - 24 LEB 20h at 37°C								Listeria Precis L.spp 24 LEB 72h 2-8°C				Brilliance 72h at 2-8°C	Result	Agreement	
				Type	Strain	Stress	Stress level	Inoc. level	O&A	Palcam	Fraser tube		Conf.		Result L.spp	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+ID	Brilliance	Conf.	Result	Agreement				
											O&A	Palcam	CAMP Test if necessary	Identification																	Brilliance
6	c	2333873	Wipe cold room shelf	/	/	/	/	/	/	∅	EM	∅	∅	/	/	A	EM	/	/	/	/	A	NA	O&A:∅ - Pal:∅	EL	/	A	NA	EM	A	NA
6	c	2333874	Wipe Europe container in cold room	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	EL	/	/	/	/	A	NA	O&A:∅ - Pal:∅	EL	/	A	NA	EL	A	NA
6	c	2333875	Wipe pallet truck RTH environment	/	/	/	/	/	/	EM	EM	∅	∅	/	/	A	EM	/	/	/	/	A	NA	O&A:∅ - Pal:∅	EM	/	A	NA	EM	A	NA
6	c	2333876	Wipe meat products environment area 1	/	/	/	/	/	/	EM	EM	∅	∅	/	/	A	EM	/	/	/	/	A	NA	O&A:∅ - Pal:∅	EL	/	A	NA	EM	A	NA
6	c	2333877	Wipe refrigerated display	/	/	/	/	/	/	∅	EL	∅	∅	/	/	A	∅	/	/	/	/	A	NA	O&A:∅ - Pal:∅	∅	/	A	NA	∅	A	NA
6	c	2333878	Wipe environment pastry	/	/	/	/	/	/	∅	∅	∅	∅	/	/	A	∅	/	/	/	/	A	NA	O&A:∅ - Pal:∅	∅	/	A	NA	∅	A	NA

Appendix K - sensitivity study

Bacterial burden

∅: no culture

L = low

M = moderate

H = high

/: not realized

Distribution of flora

A = pure culture of suspect colonies

B = mixture with a majority of suspect colonies

C = mixture with a minority of suspect colonies

D = mixture with rare suspect colonies

E = absence of suspect colonies

(x): x colonies characteristic of Listeria if $x \leq 5$

PA: positive agreement

NA: negative agreement

ND: negative deviation

PD: positive deviation

PPNA: positive presumptive negative agreement

PPND : positive presumptive negative deviation

/: not realized

Appendix K: sensitivity - raw results - dairy products

Type	#	Sample	Strain	Inoculation level	ISO 11290-1*								Identification	Result L. spp	24LEB (20h - 37°C)						24LEB (20h at 37°C) after storage 72h at 5±3°C							
					Half fraser				Fraser tube						Brilliance	Microbact	ISO 16140 tests Fraser+Brilliance	ISO	Precis		Brilliance	Identification	Precis					
					ALOA 24h	Palcam 24h	ALOA 48h	Palcam 48h	ALOA 24h	Palcam 24h	ALOA 48h	Palcam 48h							Result	Agreement			Result	Agreement				
a-	2869565	Raw sheep's milk cheese Roquefort	<i>L.monocytogenes</i> LAS822	3,0	∅	∅	∅	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	∅	/	A	NA				
a-	2869934	Raw cow's milk cheese "Comté"	<i>L.monocytogenes</i> LAS822	2,6	∅	(EL)	(EL)	(EL)	∅	(EL)	∅	(EL)	/	A	∅	/	∅	/	A	NA	∅	/	A	NA				
a-	2976893	Raw goat's milk cheese	/	/	∅	∅	(EL)	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	A	NA				
a-	2976894	Raw cow's milk cheese	/	/	∅	(EL)	∅	(EL)	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	A	NA				
a-	3005727	Raw milk parmesan	/	/	∅	(EL)	(EL)	(EL)	∅	(EL)	∅	(EL)	/	A	(EL)	/	(EL)	/	A	NA	/	/	A	NA				
a-	2976896	Raw cow's milk cheese "Tomme fraîche"	/	/	∅	∅	(EL)	(EL)	∅	∅	∅	∅	/	A	(EL)	/	∅	/	A	NA	/	/	A	NA				
a-	2976897	Raw cow's milk cheese "Emmental"	/	/	∅	∅	∅	∅	∅	∅	∅	∅	/	A	(EL)	/	∅	/	A	NA	/	/	A	NA				
a-	2976898	Raw cow's milk cheese "Chaource"	/	/	(EL)	(EL)	(EL)	(EL)	∅	∅	∅	∅	/	A	(EL)	/	∅	/	A	NA	/	/	A	NA				
a-	2976899	Raw cow's milk cheese "Beaufort"	/	/	∅	∅	(EL)	∅	∅	∅	∅	∅	/	A	(EL)	/	∅	/	A	NA	/	/	A	NA				
a-	2976904	Raw cow's milk cheese "Beaufort"	<i>L.monocytogenes</i> KYQ776	3,2	∅	∅	∅	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	∅	/	A	NA				
a+	2976895	Raw milk parmesan	/	/	+	(BL)	+	(BL)	+	(AM)	+	(AM)	<i>L. innocua</i>	P	+	(BL)	<i>L. innocua</i>	+	(AH)	<i>L. innocua</i>	P	PA	+	(BL)	<i>L. innocua</i>	P	PA	
a+	2976892	Raw goat's milk cheese	/	/	∅	∅	∅	∅	∅	∅	∅	∅	/	A	+	(BL)	<i>L. innocua</i>	+	(AL)	<i>L. innocua</i>	P	PD	+	(BL)	<i>L. innocua</i>	P	PD	
a+	2869566	Raw cow's milk cheese Camembert	<i>L.monocytogenes</i> BLV059	0,8	+	(AL) (3)	+	(AL) (1)	+	(AL) (3)	+	(AL)	(AM)	+	(AM)	+	(AM)	+	(AM)	(AM)	<i>L.monocytogenes</i>	P	PA	+	(AL) (5)	<i>L.monocytogenes</i>	P	PA
a+	2869567	Raw cow's milk cheese St Neactaire	<i>Linnocua</i> RXL353	3,2	+	(AM)	+	(AM)	+	(AM)	+	(AM)	(AM)	+	(AM)	+	(AM)	+	(AM)	(AM)	<i>L. innocua</i>	P	PA	+	(AM)	<i>L. innocua</i>	P	PA
a+	2869568	Goat cheese with raw milk	<i>L.monocytogenes</i> KYQ776	4,0	∅	∅	EL	EL	+	(AM)	+	(AM)	+	(AM)	+	(AM)	+	(AM)	+	(AM)	<i>L.monocytogenes</i>	P	PA	+	(AL) (5)	<i>L.monocytogenes</i>	P	PA
a+	2869916	Raw cow's milk cheese "Cantal"	<i>L.monocytogenes</i> BLV059	2,8	+	(BL)	(EL)	+	(BM)	+	(BM)	+	(AM)	+	(BM)	+	(AM)	+	(BM)	(AM)	<i>L.monocytogenes</i>	P	PA	+	(AM)	<i>L.monocytogenes</i>	P	PA
a+	2869917	Raw cow's milk cheese "Cantal"	<i>Linnocua</i> RXL353	2,0	+	(AL)	+	(BL)	+	(BM)	+	(CM)	(AM)	+	(AM)	+	(AM)	+	(AM)	(AM)	<i>L. innocua</i>	P	PA	+	(AM)	<i>Linnocua</i>	P	PA
a+	2869935	Raw cow's milk cheese "Comté"	<i>L.seeligeri</i> TJM186	3,0	+	(AM)	+	(BM)	+	(AM)	+	(BM)	(AL)	+	(AL)	+	(AL)	+	(AL)	(AL)	<i>L.seeligeri</i>	P	PA	+	(BL)	<i>L.seeligeri</i>	P	PA
a+	2869677	Raw cow's milk cheese "Comté"	<i>L.monocytogenes</i> KYQ776	2,8	+	(AL)	∅	+	(AM)	+	(AL)	+	(AM)	+	(AM)	+	(AM)	+	(AM)	(AM)	<i>L.monocytogenes</i>	P	PA	+	(AL) (3)	<i>L.monocytogenes</i>	P	PA
a+	2976900	Raw milk parmesan	<i>L.monocytogenes</i> LAS822	3,0	+	(BL)	+	(AL)	+	(BM)	+	(BM)	(BM)	+	(AM)	+	(BM)	+	(AM)	(AM)	<i>L.monocytogenes</i>	P	PA	+	(BL)	<i>L.monocytogenes</i>	P	PA
a+	2976901	Raw cow's milk cheese "Tomme fraîche"	<i>L.monocytogenes</i> LAS822	3,0	+	(AM)	+	(AL)	+	(AM)	+	(AL)	+	(AM)	+	(AM)	+	(AM)	+	(AM)	<i>L.monocytogenes</i>	P	PA	+	(AL)	<i>L.monocytogenes</i>	P	PA
a+	2976902	Raw cow's milk cheese "Emmental"	<i>L.monocytogenes</i> LAS822	3,0	+	(AL)	+	(AL)	+	(AM)	+	(AM)	+	(AM)	+	(AM)	+	(AM)	+	(AM)	<i>L.monocytogenes</i>	P	PA	+	(AL)	<i>L.monocytogenes</i>	P	PA
a+	2976903	Raw cow's milk cheese "Chaource"	<i>L.monocytogenes</i> KYQ776	3,2	+	(AL)	+	(AM)	+	(AL)	+	(AM)	+	(AM)	+	(AM)	+	(AM)	+	(AM)	<i>L.monocytogenes</i>	P	PA	+	(AL)	<i>L.monocytogenes</i>	P	PA
a+	2976905	Raw cow's milk cheese "Chaource"	<i>Linnocua</i> TSA557	2,4	+	(AL)	+	(BL)	+	(AL)	+	(BL)	+	(AM)	+	(AM)	+	(AM)	+	(AM)	<i>L. innocua</i>	P	ND	+	(AL)	<i>L. innocua</i>	P	PA
b-	2976906	Raw cow's milk	/	/	∅	∅	(EL)	(EL)	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	A	NA				
b-	2976907	Faiselle with raw cow's milk	/	/	∅	∅	∅	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	A	NA				
b-	2976908	Butter with raw milk	/	/	∅	∅	∅	(EL)	∅	∅	∅	(EL)	/	A	∅	/	∅	/	A	NA	/	/	A	NA				
b-	2976909	Butter with raw milk and salt	/	/	∅	∅	∅	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	A	NA				
b-	2976910	Raw cream	/	/	∅	∅	∅	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	A	NA				
b-	2976911	Raw cream	/	/	(EL)	∅	(EL)	(EL)	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	A	NA				
b-	2976912	Raw cream	/	/	∅	∅	(EL)	(EL)	∅	∅	(EL)	(EL)	/	A	∅	/	(EL)	/	A	NA	/	/	A	NA				
b-	2976913	Faiselle with raw cow's milk	/	/	∅	∅	∅	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	A	NA				

Appendix K: sensitivity - raw results - dairy products

Type	#	Sample	Strain	Inoculation level	ISO 11290-1*								Identification	Result L. spp	24LEB (20h - 37°C)				24LEB (20h at 37°C) after storage 72h at 5±3°C					
					Half fraser				Fraser tube						Brilliance	Microbact	ISO 16140 tests Fraser+Brilliance	ISO	Precis		Brilliance	Identification	Precis	
					ALOA 24h	Palcam 24h	ALOA 48h	Palcam 48h	ALOA 24h	Palcam 24h	ALOA 48h	Palcam 48h							Result	Agreement			Result	Agreement
b-	2976914	Raw cow's milk	/	/	∅	∅	- (EL)	- (EL)	∅	∅	∅	- (EL)	/	A	- (EL)	/	∅	/	A	NA	/	/	A	NA
b-	2976915	white cheese made from raw cow's milk	/	/	∅	∅	∅	- (EM)	∅	∅	∅	- (EM)	/	A	∅	/	∅	/	A	NA	/	/	A	NA
b+	2869569	Raw goat's milk	<i>L.welshimeri</i> GLX736	3,0	+	+	+	+	+	+	+	+	<i>L. welshimeri</i>	P	+	<i>L. welshimeri</i>	+	<i>L. welshimeri</i>	P	PA	+	<i>L. welshimeri</i>	P	PA
b+	2869570	Raw cow's milk	<i>L.monocytogenes</i> RKT730	2,8	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
b+	2869571	Raw milk butter	<i>L.monocytogenes</i> KYN547	2,2	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
b+	2869922	Goat cheese with raw milk "Faiselle"	<i>L.monocytogenes</i> RKG938	1,6	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	∅	/	∅	/	A	ND	∅	/	A	ND
b+	2869923	Goat cheese with raw milk "Faiselle"	<i>L.welshimeri</i> JYCG38	2,2	+	+	+	+	+	+	+	+	<i>L.welshimeri</i>	P	+	<i>L.welshimeri</i>	+	<i>L.welshimeri</i>	P	PA	+	<i>L.welshimeri</i>	P	PA
b+	2869928	Raw milk butter	<i>L.monocytogenes</i> KYN547	1,4	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
b+	2869929	Raw milk butter	<i>Livanovii</i> GQD028	3,0	+	-	+	-	+	+	+	+	<i>Livanovii</i>	P	+	<i>Livanovii</i>	+	<i>Livanovii</i>	P	PA	+	<i>Livanovii</i>	P	PA
b+	2869931	Fresh raw milk cream	<i>Livanovii</i> GQD028	3,0	+	-	+	+	+	+	+	+	<i>Livanovii</i>	P	+	<i>Livanovii</i>	+	<i>Livanovii</i>	P	PA	+	<i>Livanovii</i>	P	PA
b+	2869932	Raw cow's milk	<i>L.monocytogenes</i> FMJ325	1,6	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
b+	2869933	Raw cow's milk	<i>L.seeligeri</i> TJM186	3,0	+	+	+	+	+	+	+	+	<i>L.seeligeri</i>	P	+	<i>L.seeligeri</i>	+	<i>L.seeligeri</i>	P	PA	+	<i>L.seeligeri</i>	P	PA
b+	2869673	Goat's cheese made with raw milk "Faiselle"	<i>L.monocytogenes</i> RKT730	2,0	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
b+	2976922	Raw cow's milk	NC	/	+	+	+	+	+	+	+	+	<i>L.welshimeri</i>	P	+	<i>L.welshimeri</i>	+	<i>L.welshimeri</i>	P	PA	+	<i>L.welshimeri</i>	P	PA
b+	2976923	Goat cheese with raw milk "Faiselle"	<i>L.welshimeri</i> JYCG38	2,8	+	+	+	+	+	+	+	+	<i>L.welshimeri</i>	P	∅	/	∅	/	A	ND	∅	/	A	ND
b+	3005735	Raw cow's milk	NC	/	+	+	+	+	+	+	+	+	<i>L.innocua</i>	P	+	<i>L.innocua</i>	+	<i>L.innocua</i>	P	PA	+	<i>L.innocua</i>	P	PA
c-	2869573	Fresh cream with pasteurized milk	<i>L.monocytogenes</i> JAR249	1,6	∅	∅	∅	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	∅	/	A	NA
c-	2976930	Kefir with pasteurized milk	/	/	- (EL)	∅	- (EL)	- (EL)	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	/	/
c-	2976931	Sheep's butter with pasteurized milk	/	/	∅	∅	∅	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	/	/
c-	2976932	Fresh sheep's cream with pasteurized milk	/	/	- (EL)	- (EL)	- (EL)	- (EL)	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	/	/
c-	2976933	Sheep's skyr with pasteurized milk	/	/	∅	∅	∅	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	/	/
c-	2976934	Buffalo mozzarella with pasteurized milk	/	/	∅	- (EL)	∅	- (EL)	∅	- (EL)	∅	- (EL)	/	A	- (EL)	/	∅	/	A	NA	/	/	/	/
c-	2976935	Feta with pasteurized milk	/	/	- (EL)	- (EL)	- (EL)	- (EL)	∅	∅	∅	∅	/	A	- (EL)	/	∅	/	A	NA	/	/	/	/
c-	2976936	Pasteurized goat's milk	/	/	∅	∅	∅	∅	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	/	/
c-	2976937	Fresh cow's cream with pasteurized milk	/	/	∅	∅	∅	- (EL)	∅	∅	∅	∅	/	A	∅	/	∅	/	A	NA	/	/	/	/
c-	2976938	Pasteurized butter	/	/	∅	∅	∅	- (EM)	∅	∅	∅	- (EL)	/	A	- (EL)	/	∅	/	A	NA	/	/	/	/
c+	2869572	Pasteurized cow's milk cheese Trappe d'Echourgnac	<i>Livanovii</i> GQD028	3,4	+	∅	+	+	∅	∅	∅	∅	<i>L. ivanovii</i>	P	+	<i>L. ivanovii</i>	+	<i>L. ivanovii</i>	P	PA	+	<i>L. ivanovii</i>	P	PA
c+	2869574	Pasteurized cow's milk cheese Pié d'Angloys	<i>L.monocytogenes</i> FMJ325	3,8	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
c+	2869920	Pasteurized cow's milk cheese "Morbier"	<i>L.monocytogenes</i> JAR249	1,8	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
c+	2869921	Pasteurized cow's milk cheese "Morbier"	<i>L.innocua</i> TSA557	1,4	- (EL)	- (EL)	- (EL)	- (EL)	∅	- (EL)	∅	- (EL)	/	A	+	<i>L.innocua</i>	+	<i>L.innocua</i>	P	PD	+	<i>L.innocua</i>	P	PD
c+	2869924	Pasteurized sheep's milk	<i>L.monocytogenes</i> RKG938	1,6	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
c+	2869925	Pasteurized sheep's milk	<i>L.welshimeri</i> JYCG38	2,2	+	+	+	+	+	+	+	+	<i>L.welshimeri</i>	P	+	<i>L.welshimeri</i>	+	<i>L.welshimeri</i>	P	PA	+	<i>L.welshimeri</i>	P	PA

Appendix K: sensitivity - raw results - dairy products

Type	#	Sample	Strain	Inoculation level	ISO 11290-1*								Identification	Result L. spp	24LEB (20h - 37°C)				24LEB (20h at 37°C) after storage 72h at 5±3°C					
					Half fraser				Fraser tube						Brilliance	Microbact	ISO 16140 tests Fraser+Brilliance	ISO	Precis		Brilliance	Identification	Precis	
					ALOA 24h	Palcam 24h	ALOA 48h	Palcam 48h	ALOA 24h	Palcam 24h	ALOA 48h	Palcam 48h							Result	Agreement			Result	Agreement
c+	2869926	Pasteurized goat's milk	<i>L.monocytogenes</i> JAR249	1,8	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
c+	2869927	Pasteurized goat's milk	<i>L.innocua</i> TSA557	1,4	+	+	+	+	+	+	+	+	<i>L.innocua</i>	P	+	<i>L.innocua</i>	+	<i>L.innocua</i>	P	PA	+	<i>L.innocua</i>	P	PA
c+	2869678	Pasteurized goat's milk	<i>L.monocytogenes</i> FMJ325	2,4	+	∅	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
c+	2869679	Pasteurized sheep's milk	<i>L.monocytogenes</i> FMJ325	2,4	+	∅	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
c+	3054836	Milk powder	<i>L.monocytogenes</i> BLV059	1,6	-	-	-	-	-	-	-	-	/	A	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PD	+	<i>L.monocytogenes</i>	P	PD
c+	3054837	Milk powder	<i>L.monocytogenes</i> BLV059	1,6	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA

Appendix K: sensitivity - raw results - Multi-component foods

Type	#	Sample	Strain	Inoculation level	ISO 11290-1*								Identification	Result L. spp	24LEB (20h - 37°C)				24LEB (20h at 37°C) after storage 72h at 5±3°C					
					Half fraser				Fraser tube						Brilliance	Microbact	ISO 16140 tests Fraser+Brilliance	ISO	Precis		Brilliance	Identification	Precis	
					ALOA 24h	Palcam 24h	ALOA 48h	Palcam 48h	ALOA 24h	Palcam 24h	ALOA 48h	Palcam 48h							Result	Agreement			Result	Agreement
a-	2976940	Rice and shrimp salad	/	/	- (EL)	- (EL)	- (EM)	- (EM)	Ø	- (EL)	Ø	- (EL)	/	A	- (EL)	/	- (EL)	/	A	NA	/	/	/	/
a-	2976941	Mixture of cabbage, ham and emmental	/	/	- (EL)	Ø	- (EL)	- (EL)	Ø	- (EL)	Ø	- (EL)	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
a-	2976942	Ham piemontaise	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
a-	2976943	Chicken tabbouleh	/	/	- (EL)	- (EL)	- (EL)	- (EL)	Ø	Ø	- (EL)	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
a-	2976944	Tomatoes and chicken penne	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
a-	2976945	Rice, chicken and pepper	/	/	- (EL)	- (EL)	- (EL)	- (EL)	Ø	- (EL)	Ø	- (EL)	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
a-	2976946	Potato and ham salad	/	/	Ø	- (EL)	Ø	- (EL)	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
a-	2976947	Potato and herring salad	/	/	Ø	Ø	Ø	- (EL)	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
a-	3006004	Pineapple surimi salad	/	/	- (EL)	- (EL)	- (EL)	- (EL)	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
a-	6006005	Choriza pasta salad	/	/	- (EL)	- (EL)	- (EL)	- (EL)	Ø	- (EL)	Ø	- (EL)	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
a+	2939416	Tortis and grilled vegetable salad	<i>L.welshimeri</i> TXR109	3,2	+	+	+	+	+	+	+	+	<i>L.welshimeri</i>	P	+	<i>L.welshimeri</i>	+	<i>L.welshimeri</i>	P	PA	+	<i>L.welshimeri</i>	P	PA
a+	2939418	Chicken wrap	<i>L.monocytogenes</i> NAB548	2,7	+	+	+	-	Ø	Ø	Ø	Ø	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
a+	2939419	Parisian sandwich	<i>L.innocua</i> TTW844	3,6	+	+	+	+	+	+	+	+	<i>L.innocua</i>	P	+	<i>L.innocua</i>	+	<i>L.innocua</i>	P	PA	+	<i>L.innocua</i>	P	PA
a+	2939420	Piemontaise	<i>L.monocytogenes</i> FGX970	3,0	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
a+	2976948	Macedoine	<i>L.seeligeri</i> ADTW22	3,4	+	-	+	-	+	+	+	+	<i>L.seeligeri</i>	P	+	<i>L.seeligeri</i>	+	<i>L.seeligeri</i>	P	PA	+	<i>L.seeligeri</i>	P	PA
a+	2976949	Rice and shrimp salad	<i>L.seeligeri</i> TJM186	4,0	+	+	+	+	+	+	+	+	<i>L.seeligeri</i>	P	+	<i>L.seeligeri</i>	+	<i>L.seeligeri</i>	P	PA	+	<i>L.seeligeri</i>	P	PA
a+	2976950	Mixture of cabbage, ham and emmental	<i>L.ivanovii</i> GJP629	2,6	Ø	- (EL)	Ø	- (EL)	Ø	- (EL)	Ø	- (EL)	/	A	+	<i>L.ivanovii</i>	+	<i>L.ivanovii</i>	P	PD	+	<i>L.ivanovii</i>	P	PD
a+	2939427	Salmon shell	<i>L.welshimeri</i> XCW614	2,4	+	+	+	+	+	+	+	+	<i>L.welshimeri</i>	P	+	<i>L.welshimeri</i>	+	<i>L.welshimeri</i>	P	PA	+	<i>L.welshimeri</i>	P	PA
a+	2939428	Surimi shell	<i>L.innocua</i> XGL773	2,6	+	+	+	+	+	+	+	+	<i>L.innocua</i>	P	+	<i>L.innocua</i>	+	<i>L.innocua</i>	P	PA	+	<i>L.innocua</i>	P	PA
a+	2939444	Cucumber tartare	<i>L.seeligeri</i> ADTW22	2,2	Ø	- (EM)	+	+	+	+	+	+	<i>L.seeligeri</i>	P	+	<i>L.seeligeri</i>	+	<i>L.seeligeri</i>	P	PA	+	<i>L.seeligeri</i>	P	PA
b-	2986139	Rabbit and potatoes	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
b-	2986140	Mustard rabbit	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
b-	2986141	Pork with caramel and rice	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
b-	2986142	Pork and rice colombo	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
b-	2986143	Lamb, white beans and carrots	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
b-	2986144	Sweetbreads and scallops	/	/	- (EM)	- (EL)	- (EM)	- (EL)	- (EL)	- (EL)	- (EL)	- (EL)	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
b-	2986145	Duck and mushroom pie	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
b-	2986146	Beef and cheese burger	/	/	Ø	- (EL)	- (EL)	- (EL)	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
b-	2986147	Salmon and broccoli quiche	/	/	Ø	Ø	- (EL)	Ø	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	/	/	/	/
b-	3005736	Pâté en croûte	/	/	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	/	A	Ø	/	Ø	/	A	NA	Ø	/	A	NA
b+	2939421	Chicken focaccia	<i>L.monocytogenes</i> NAB548	2,7	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
b+	2939422	Provençal chicken gratin	<i>L.monocytogenes</i> NAB548	2,7	+	+	+	+	+	+	+	+	<i>L.monocytogenes</i>	P	+	<i>L.monocytogenes</i>	+	<i>L.monocytogenes</i>	P	PA	+	<i>L.monocytogenes</i>	P	PA
b+	2939423	Bite of sweetbreads	<i>L.ivanovii</i> LCKP32	2,2	+	+	+	+	+	+	+	+	<i>L.ivanovii</i>	P	+	<i>L.ivanovii</i>	+	<i>L.ivanovii</i>	P	PA	+	<i>L.ivanovii</i>	P	PA

APPENDIX L - ISO 6887 specific preparations

Cat	Type	#	Sample	Contamination						ISO 11290-1*					Listeria PreciS L.spp - 24 LEB 20h at 37°C										
										O&A	Palcam	Fraser tube		Conf.		Result L.mono	Brilliance NF	Microbact	ISO	Spot on Palcam	PrecisCheck™ lateral flow L.spp	Result	Agreement	ISO 16140 tests Fraser+AL+Pal+D	
				O&A	Palcam	CAMP Test if necessary	Identification	Type	Strain			Ref strain	Stress	Stress level	Inoc. level										
3	a	2281355	Raw milk cheese "Brillat Savarin" 28 % FAT with Tween 80	ac	L. mono	FMJ725	Seeding	/	0.8	EM	EL	AM halo	AM	/	L.monocytogenes	P	BL halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
3	a	2281355 bis	Raw milk cheese "Brillat Savarin" 28 % FAT without Tween 80	ac	L. mono	FMJ725	Seeding	/	0.8	EM	EL	AM halo	AM	/	L.monocytogenes	P	EL	/	/	/	/	/	A	ND	O&A:Ø - Pal:Ø
3	a	2333844	Raw milk cheese "Brillat Savarin" 28 % FAT with Tween 80	ac	L. mono	FMJ725	Seeding	/	2.2	BM halo	EL	AM halo	BM	/	L.monocytogenes	P	DM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
3	a	2333845	Raw milk cheese "Brillat Savarin" 28 % FAT without Tween 80	ac	L. mono	FMJ725	Seeding	/	2.2	BM halo	EL	AM halo	BM	/	L.monocytogenes	P	DM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
3	c	2281454	Pasteurized milk cheese "Bleu basque" without Tween	ac	L. mono	RKG938	Seeding	/	2.2	BM halo	BM	BM halo	BM	/	L.monocytogenes	P	BM halo	L.monocytogenes	L.monocytogenes	+	++	P	PA	L.monocytogenes	
3	c	2281454bis	Pasteurized milk cheese "Bleu basque" 32.2 % FAT with Tween 80	ac	L. mono	RKG938	Seeding	/	2.2	BM halo	BM	BM halo	BM	/	L.monocytogenes	P	BM halo	L.monocytogenes	L.monocytogenes	+	++	P	PA	L.monocytogenes	
3	c	2281455	Pasteurized milk cheese "Roquefort" without Tween	ac	L. mono	RKG938	Seeding	/	2.2	BM halo	BM	BM halo	BM	/	L.monocytogenes	P	BM halo	L.monocytogenes	L.monocytogenes	+	++	P	PA	L.monocytogenes	
3	c	2281455bis	Pasteurized milk cheese "Roquefort" 29 % FAT with Tween 80	ac	L. mono	RKG938	Seeding	/	2.2	BM halo	BM	BM halo	BM	/	L.monocytogenes	P	BM halo	L.monocytogenes	L.monocytogenes	+	++	P	PA	L.monocytogenes	
2	c	2333846	Delicatessen "Mousse de foie" 28% FAT without Tween	ac	L. mono	ALN239	Seeding	/	1.8	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A:Ø - Pal:Ø
2	c	2333847	Delicatessen "Mousse de foie" 28% FAT with Tween	ac	L. mono	ALN239	Seeding	/	1.8	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A:Ø - Pal:Ø
2	c	2333848	Delicatessen "Rillettes" 39% FAT without Tween	ac	L. mono	ALN239	Seeding	/	1.8	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A:Ø - Pal:Ø
2	c	2333849	Delicatessen "Rillettes" 39% FAT with Tween	ac	L. mono	ALN239	Seeding	/	1.8	Ø	Ø	Ø	Ø	/	/	A	Ø	/	/	/	/	/	A	NA	O&A:Ø - Pal:Ø
2	c	2333850	Delicatessen "Rosette" 38% FAT without Tween	ac	L. mono	WBH449	Seeding	/	2.0	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
2	c	2333851	Delicatessen "Rosette" 38% FAT with Tween	ac	L. mono	WBH449	Seeding	/	2.0	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
5	a	2333852	Orange juice without pH adjustment	ac	L. mono	DBZ862	Seeding	/	1.6	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
5	a	2333853	Orange juice with pH adjustment	ac	L. mono	DBZ862	Seeding	/	1.6	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
5	a	2317069	Orange juice without pH adjustment	ac	L. mono	VVY500	Seeding	/	2.4	AM halo	AM	AH halo	AH	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
5	a	2317070	Orange juice with pH adjustment	ac	L. mono	VVY500	Seeding	/	2.4	AM halo	AM	AH halo	AH	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
5	a	2317073	Orange juice without pH adjustment	ac	L. mono	DBZ862	Seeding	/	3.0	AM halo	AM	AH halo	AH	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
5	a	2317074	Orange juice with pH adjustment	ac	L. mono	DBZ862	Seeding	/	3.0	AM halo	AM	AH halo	AH	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
5	a	2333854	Cayenne pepper without K2SO3	ac	L. mono	AYZ054	Spiking	0.7	2.8	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	AM halo	L.monocytogenes	L.monocytogenes	+	+	P	PA	L.monocytogenes	
5	a	2333855	Cayenne pepper with K2SO3	ac	L. mono	AYZ054	Spiking	0.7	2.8	AM halo	AM	AM halo	AM	/	L.monocytogenes	P	EL	/	/	/	/	/	A	ND	O&A:Ø - Pal:Ø
5	a	2333856	Garlic powder without K2SO4	ac	L. mono	RCJ280	Spiking	0.8	1.2	EL	EL	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A:Ø - Pal:Ø
5	a	2333857	Garlic powder with K2SO4	ac	L. mono	RCJ280	Spiking	0.8	1.2	EL	EL	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A:Ø - Pal:Ø
5	a	2333858	Onion powder without K2SO5	ac	L. mono	RCJ280	Spiking	0.8	1.2	EL	EL	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A:Ø - Pal:Ø
5	a	2333859	Onion powder with K2SO5	ac	L. mono	RCJ280	Spiking	0.8	1.2	EL	EL	Ø	Ø	/	/	A	EL	/	/	/	/	/	A	NA	O&A:Ø - Pal:Ø

APPENDIX M - RLOD - Composite foods

Matrix : Deli salad "Piémontaise"

Strain : *Listeria monocytogenes*

Aerobic mesophilic flora: 8800 CFU/g

N° sample	Level	Inoculation level (cfu/sample)	ISO 11290-1*					Number positive samples/Total	Listeria Precip <i>Listeria</i> spp 24 LEB - 20h - 37°C				
			Half Fraser		Fraser		Confirmation		Final Result	Brilliance	Confirmation	Final result	Number positive samples/Total
			O&A	Palcam	O&A	Palcam							
2263579	0	0	EL	EL	EL	EL	/	A	0/5	∅	/	A	0/5
2263580			EL	EL	∅	∅	/	A		∅	/	A	
2263581			EL	EL	∅	EL	/	A		∅	/	A	
2263582			EL	EL	∅	EL	/	A		∅	/	A	
2263583			EL	EL	∅	EL	/	A		EL	/	A	
2263584	1	0.8	EM	EM	AM halo	AM	<i>L.monocytogenes</i>	P	8/20	AL halo	<i>L.monocytogenes</i>	P	8/20
2263585			EL	EL	∅	EL	/	A		EL	/	A	
2263586			AM halo	AM halo	AM halo	AM	<i>L.monocytogenes</i>	P		EL	/	A	
2263587			EL	EL	∅	EL	/	A		∅	/	A	
2263588			AM halo	AM halo	AM halo	AM	<i>L.monocytogenes</i>	P		AL halo	<i>L.monocytogenes</i>	P	
2263589			EM	EM	EM	EM	/	A		∅	/	A	
2263590			EM	EM	AM halo	AM	<i>L.monocytogenes</i>	P		∅	/	A	
2263591			AM halo	AM halo	AM halo	AM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2263592			BM halo	BM halo	AM halo	AM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2263593			EM	EL	∅	∅	/	A		∅	/	A	
2263594			∅	EL	∅	∅	/	A		AM halo	<i>L.monocytogenes</i>	P	
2263595			AM halo	AM halo	AM halo	AM	<i>L.monocytogenes</i>	P		BM halo	<i>L.monocytogenes</i>	P	
2263596			∅	EL	∅	EL	/	A		BM halo	<i>L.monocytogenes</i>	P	
2263597			AM halo	EM	AM halo	AM	<i>L.monocytogenes</i>	P		EL	/	A	
2263598			EL	EL	∅	∅	/	A		∅	/	A	
2263599			∅	∅	∅	∅	/	A		∅	/	A	
2263600			∅	∅	∅	∅	/	A		AM halo	<i>L.monocytogenes</i>	P	
2263601			∅	EL	∅	∅	/	A		∅	/	A	
2263602			∅	∅	∅	∅	/	A		∅	/	A	
2263603			EM	EL	∅	∅	/	A		EL	/	A	
2263604	2	2.3	AM halo	EM	AM halo	AM	<i>L.monocytogenes</i>	P	5/5	AM halo	<i>L.monocytogenes</i>	P	4/5
2263605			BM halo	BM halo	AM halo	AM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2263606			∅	EM	AM halo	AM	<i>L.monocytogenes</i>	P		EL	/	A	
2263607			AM halo	AM halo	AM halo	AM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2263608			BM halo	BM halo	AM halo	AM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	

APPENDIX M - RLOD - Meat products

Matrix : Rillettes
 Strain : *Listeria ivanovii*
 Aerobic mesophilic flora: 200 CFU/g

N° sample	Level	Inoculation level (cfu/sample)	ISO 11290-1*						Listeria Preci <i>s</i> <i>Listeria spp</i>				
			Half Fraser		Fraser		Confirmation	Final Result	Number positive samples/Total	24 LEB - 20h - 37°C			
			O&A	Palcam	O&A	Palcam				Brilliance	Confirmation	Final result	Number positive samples/Total
2231931	0	0	Ø	Ø	/	/	/	A	0/5	Ø	/	A	0/5
2231932			Ø	Ø	/	/	/	A		Ø	/	A	
2231933			Ø	Ø	/	/	/	A		Ø	/	A	
2231934			Ø	Ø	/	/	/	A		Ø	/	A	
2231935			Ø	Ø	/	/	/	A		Ø	/	A	
2231936	1	0.4	Ø	Ø	Ø	Ø	/	A	8/20	AL	<i>L.ivanovii</i>	P	15/20
2231937			Ø	Ø	Ø	Ø	/	A		AL	<i>L.ivanovii</i>	P	
2231938			Ø	Ø	Ø	Ø	/	A		AL	<i>L.ivanovii</i>	P	
2231939			Ø	Ø	Ø	Ø	/	A		AL	<i>L.ivanovii</i>	P	
2231940			Ø	Ø	Ø	Ø	/	A		AL	<i>L.ivanovii</i>	P	
2231941			Ø	Ø	Ø	Ø	/	A		AL	<i>L.ivanovii</i>	P	
2231942			AL	AL	AM	AL	<i>L.ivanovii</i>	P		Ø	/	A	
2231943			AL	AL	AL	AL	<i>L.ivanovii</i>	P		AL	<i>L.ivanovii</i>	P	
2231944			Ø	Ø	Ø	Ø	/	A		Ø	/	A	
2231945			Ø	Ø	Ø	Ø	/	A		Ø	/	A	
2231946			Ø	Ø	Ø	Ø	/	A		AM	<i>L.ivanovii</i>	P	
2231947			BL	Ø	AL	AL	<i>L.ivanovii</i>	P		Ø	/	A	
2231948			Ø	Ø	Ø	Ø	/	A		AM	<i>L.ivanovii</i>	P	
2231949			AL	AL	AL	AL	<i>L.ivanovii</i>	P		AL	<i>L.ivanovii</i>	P	
2231950			AL	AL	AL	AL	<i>L.ivanovii</i>	P		Ø	/	A	
2231951			AL	AL	AL	AL	<i>L.ivanovii</i>	P		AM	<i>L.ivanovii</i>	P	
2231952			Ø	Ø	Ø	Ø	/	A		AM	<i>L.ivanovii</i>	P	
2231953			AL	AL	AL	AL	<i>L.ivanovii</i>	P		AM	<i>L.ivanovii</i>	P	
2231954			AL	AL	AL	AL	<i>L.ivanovii</i>	P		AM	<i>L.ivanovii</i>	P	
2231955			Ø	Ø	Ø	Ø	/	A		AM	<i>L.ivanovii</i>	P	
2231956	2	2.1	AL	AL	AL	AL	<i>L.ivanovii</i>	P	3/5	Ø	/	A	4/5
2231957			AL	AL	AL	AL	<i>L.ivanovii</i>	P		AM	<i>L.ivanovii</i>	P	
2231958			AL	AL	AL	AL	<i>L.ivanovii</i>	P		AM	<i>L.ivanovii</i>	P	
2231959			Ø	Ø	Ø	Ø	/	A		AL	<i>L.ivanovii</i>	P	
2231960			Ø	Ø	Ø	Ø	/	A		AM	<i>L.ivanovii</i>	P	

APPENDIX M - RLOD - Dairy products

Matrix : Raw milk

Strain : *Listeria monocytogenes*

Aerobic mesophilic flora: 38000 UFC/g

N° sample	Level	Inoculation level (cfu/sample)	ISO 11290-1 ^a						Listeria Precis <i>Listeria spp</i>				
			Half Fraser		Fraser		Confirmation	Final Result	Number positive samples/Total	24 LEB - 20h - 37°C			
			O&A	Palcam	O&A	Palcam				Brilliance	Confirmation	Final result	Number positive samples/Total
2281216	0	0	EM	EM	∅	∅	/	A	0/5	∅	/	A	0/5
2281217			EM	EM	∅	∅	/	A		EL	/	A	
2281218			EM	EM	∅	∅	/	A		EL	/	A	
2281219			EM	EM	∅	∅	/	A		EL	/	A	
2281220			EM	EM	∅	∅	/	A		EL	/	A	
2281221	1	0.7	BM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P	12/20	EL	/	A	10/20
2281222			BM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		EL	/	A	
2281223			AM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281224			∅	EM	∅	EM	/	A		∅	/	A	
2281225			EL	EM	∅	EM	/	A		AM halo	<i>L.monocytogenes</i>	P	
2281226			∅	EM	∅	EM	/	A		EM	/	A	
2281227			AM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		AL halo	<i>L.monocytogenes</i>	P	
2281228			AM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		AL halo	<i>L.monocytogenes</i>	P	
2281229			∅	EM	∅	EM	/	A		∅	/	A	
2281230			∅	EM	∅	EM	/	A		EL	/	A	
2281231			EM	EM	AM halo	BM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281232			EM	EM	AM halo	BM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281233			EM	EM	AM halo	BM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281234			EM	EM	∅	∅	/	A		AM halo	<i>L.monocytogenes</i>	P	
2281235			BM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281236			BM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		EL	/	A	
2281237			BM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281238			BM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		EL	/	A	
2281239			EM	EM	∅	EM	/	A		∅	/	A	
2281240			EM	EM	∅	EM	/	A		EL	/	A	
2281241	2	2.4	AM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P	5/5	AM halo	<i>L.monocytogenes</i>	P	5/5
2281242			AM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281243			AM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281244			AM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281245			AM halo	BM	AM halo	BM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	

APPENDIX M - RLOD - Seafood products

Matrix : Smoked salmon

Strain : *Listeria innocua*

Aerobic mesophilic flora: 3600 CFU/g

N° sample	Level	Inoculation level (cfu/sample)	ISO 11290-1*						Listeria Precis <i>Listeria spp</i> 24 LEB - 20h - 37°C				
			Half Fraser		Fraser		Confirmation	Final Result	Number positive samples/Total	Brilliance	Confirmation	Final result	Number positive samples/Total
			O&A	Palcam	O&A	Palcam							
2236702	0	0	∅	∅	∅	∅	/	A	0/5	∅	/	A	0/5
2236703			∅	∅	∅	∅	/	A		∅	/	A	
2236704			∅	∅	∅	∅	/	A		∅	/	A	
2236705			∅	∅	∅	∅	/	A		∅	/	A	
2236706			∅	∅	∅	∅	/	A		∅	/	A	
2236707	1	0.7	∅	∅	∅	∅	/	A	11/20	AM	<i>L.innocua</i>	P	15/20
2236708			∅	∅	∅	∅	/	A		AL	<i>L.innocua</i>	P	
2236709			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236710			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236711			∅	∅	∅	∅	/	A		AM	<i>L.innocua</i>	P	
2236712			∅	∅	∅	∅	/	A		AM	<i>L.innocua</i>	P	
2236713			∅	∅	∅	∅	/	A		∅	/	A	
2236714			AL	∅	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236715			∅	∅	∅	∅	/	A		∅	/	A	
2236716			∅	∅	∅	∅	/	A		AM	<i>L.innocua</i>	P	
2236717			AL	AM	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236718			∅	∅	∅	∅	/	A		∅	/	A	
2236719			AM	AM	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236720			AL	AL	AM	AM	<i>L.innocua</i>	P		EL	/	A	
2236721			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236722			AM	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236723			AL	AL	AM	AM	<i>L.innocua</i>	P		∅	/	A	
2236724	AL	AL	AM	AM	<i>L.innocua</i>	P	AM	<i>L.innocua</i>	P				
2236725	∅	∅	∅	∅	/	A	AM	<i>L.innocua</i>	P				
2236726	AL	AL	AM	AM	<i>L.innocua</i>	P	AM	<i>L.innocua</i>	P				
2236727	2	2.0	AL	AL	AM	AM	<i>L.innocua</i>	P	5/5	AM	<i>L.innocua</i>	P	4/5
2236728			AL	AL	AM	AM	<i>L.innocua</i>	P		AL	<i>L.innocua</i>	P	
2236729			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236730			AL	AL	AM	AM	<i>L.innocua</i>	P		AM	<i>L.innocua</i>	P	
2236731			AL	AL	AM	AM	<i>L.innocua</i>	P		∅	/	A	

APPENDIX M - RLOD - Vegetables

Matrix : Ready-to-cook vegetables

Strain : *Listeria monocytogenes*

Aerobic mesophilic flora: 3300 UFC/g

N° sample	Level	Inoculation level (cfu/sample)	ISO 11290-1*					Number positive samples/Total	Listeria Precis <i>Listeria</i> spp 24 LEB - 20h - 37°C				
			Half Fraser		Fraser		Confirmation		Final Result	Brilliance	Confirmation	Final result	Number positive samples/Total
			O&A	Palcam	O&A	Palcam							
2281246	0	0	∅	∅	∅	EL	/	A	0/5	∅	/	A	0/5
2281247			∅	∅	∅	∅	/	A		∅	/	A	
2281248			∅	∅	∅	∅	/	A		∅	/	A	
2281249			∅	∅	∅	EL	/	A		∅	/	A	
2281250			∅	∅	∅	EL	/	A		∅	/	A	
2281251	1	0.8	AL halo	AL	AM halo	AM	<i>L.monocytogenes</i>	P	13/20	EL	/	A	12/20
2281252			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		∅	/	A	
2281253			∅	EL	∅	EL	/	A		∅	/	A	
2281254			AL halo	AL	AM halo	AM	<i>L.monocytogenes</i>	P		∅	/	A	
2281255			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		∅	/	A	
2281256			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		AL halo	<i>L.monocytogenes</i>	P	
2281257			∅	EL	∅	EL	/	A		EL	/	A	
2281258			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		AL halo	<i>L.monocytogenes</i>	P	
2281259			∅	EL	∅	EM	/	A		AM halo	<i>L.monocytogenes</i>	P	
2281260			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281261			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		EL	/	A	
2281262			AM halo	AM	∅	∅	/	A		AM halo	<i>L.monocytogenes</i>	P	
2281263			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281264			∅	EL	∅	EL	/	A		AM halo	<i>L.monocytogenes</i>	P	
2281265			∅	EL	∅	EL	/	A		AL halo	<i>L.monocytogenes</i>	P	
2281266			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		∅	/	A	
2281267			∅	EL	∅	EL	/	A		AL halo	<i>L.monocytogenes</i>	P	
2281268			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		AL halo	<i>L.monocytogenes</i>	P	
2281269			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		AL halo	<i>L.monocytogenes</i>	P	
2281270			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281271	2	2.1	AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P	4/5	AM halo	<i>L.monocytogenes</i>	P	4/5
2281272			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		EL	/	A	
2281273			AM halo	AM	AM halo	AM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	
2281274			∅	EL	∅	EL	/	A		AM halo	<i>L.monocytogenes</i>	P	
2281275			AL halo	AL	AM halo	AM	<i>L.monocytogenes</i>	P		AM halo	<i>L.monocytogenes</i>	P	

APPENDIX M - RLOD - Environmental samples

Matrix : process water

Strain : *Listeria welshimeri* RVG428

Aerobic mesophilic flora: 3.2 10⁷ CFU/g CFU/g

N° sample	Level	Inoculation level (cfu/sample)	ISO 11290-1 ^a					Listeria Precip <i>Listeria</i> spp 24 LEB - 20h - 37°C					
			Half Fraser		Fraser		Confirmation	Final Result	Number positive samples/Total	Brilliance	Confirmation	Final result	Number positive samples/Total
			O&A	Palcam	O&A	Palcam							
2247867	0	0	∅	∅	∅	∅	/	A	0/5	∅	/	A	0/5
2247868			∅	∅	∅	∅	/	A		∅	/	A	
2247869			∅	∅	∅	∅	/	A		∅	/	A	
2247870			∅	∅	∅	∅	/	A		∅	/	A	
2247871			∅	∅	∅	∅	/	A		∅	/	A	
2247872	1	0.8	AM	AM	AM	AM	<i>L.welshimeri</i>	P	13/20	∅	/	A	13/20
2247873			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247874			AM	AM	AM	AM	<i>L.welshimeri</i>	P		AL	<i>L.welshimeri</i>	P	
2247875			AL	AL	AM	AM	<i>L.welshimeri</i>	P		AL	<i>L.welshimeri</i>	P	
2247876			AL	AL	AM	AM	<i>L.welshimeri</i>	P		AL	<i>L.welshimeri</i>	P	
2247877			∅	∅	∅	∅	/	A		AL	<i>L.welshimeri</i>	P	
2247878			AL	AL	AM	AM	<i>L.welshimeri</i>	P		AL	<i>L.welshimeri</i>	P	
2247879			∅	∅	∅	∅	/	A		AL	<i>L.welshimeri</i>	P	
2247880			∅	∅	∅	∅	/	A		AL	<i>L.welshimeri</i>	P	
2247881			∅	∅	∅	∅	/	A		AL	<i>L.welshimeri</i>	P	
2247882			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247883			∅	∅	∅	∅	/	A		AL	<i>L.welshimeri</i>	P	
2247884			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247885			∅	∅	∅	∅	/	A		AL	<i>L.welshimeri</i>	P	
2247886			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247887			AL	AL	AM	AM	<i>L.welshimeri</i>	P		AL	<i>L.welshimeri</i>	P	
2247888			∅	∅	∅	∅	/	A		AL	<i>L.welshimeri</i>	P	
2247889			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247890			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247891			AL	AL	AM	AM	<i>L.welshimeri</i>	P		AL	<i>L.welshimeri</i>	P	
2247892	2	2.0	∅	∅	∅	∅	/	A	1/5	∅	/	A	3/5
2247893			∅	∅	∅	∅	/	A		AM	<i>L.welshimeri</i>	P	
2247894			AL	AL	AM	AM	<i>L.welshimeri</i>	P		∅	/	A	
2247895			∅	∅	∅	∅	/	A		AM	<i>L.welshimeri</i>	P	
2247896			∅	∅	∅	∅	/	A		AM	<i>L.welshimeri</i>	P	

Appendix M: RLOD study - raw results

Matrix : Raw milk

Strain : *Listeria monocytogenes*

Aerobic mesophilic flora: UFC/g

N° sample	Level	Inoculation level (cfu/sample)	ISO 11290-1*						Precis method				
			Half Fraser		Fraser		Confirmation	Final Result	Number positive samples/Total	24 LEB - 20h - 37°C			Number positive samples/Total
			O&A	Palcam	O&A	Palcam				Brilliance	Confirmation	Final result	
3005622	0	0	∅	∅	∅	-(EL)	/	A	0/5	-(EM)	/	A	0/5
3005623			∅	∅	∅	-(EL)	/	A		-(EL)	/	A	
3005624			∅	∅	∅	∅	/	A		-(EM)	/	A	
3005625			∅	∅	∅	∅	/	A		-(EM)	/	A	
3005626			∅	∅	-(EL)	-(EL)	/	A		-(EM)	/	A	
3005627	1	0,5	∅	∅		-(EL)	/	A	7/20	+(DL)	<i>L.monocytogenes</i>	P	8/20
3005628			+(AM)	+(AM)	+(AH)	+(AH)	<i>L.monocytogenes</i>	P		-(EL)	/	A	
3005629			∅	∅	∅	-(EL)	/	A		+(DL)	<i>L.monocytogenes</i>	P	
3005630			∅	∅	∅	-(EL)	/	A		-(EM)	/	A	
3005631			∅	∅	∅	-(EL)	/	A		+(DL)	<i>L.monocytogenes</i>	P	
3005632			+(AM)	+(AM)	+(AH)	+(AH)	<i>L.monocytogenes</i>	P		-(EM)	/	A	
3005633			+(AM)	+(AM)	+(AM)	+(AH)	<i>L.monocytogenes</i>	P		+(DL)	<i>L.monocytogenes</i>	P	
3005634			∅	∅	∅	-(EL)	/	A		-(EL)	/	A	
3005635			∅	∅	∅	-(EL)	/	A		-(EL)	/	A	
3005636			+(AM)	+(AM)	+(AH)	+(AH)	<i>L.monocytogenes</i>	P		-(EL)	/	A	
3005637			∅	∅	∅	-(EL)	/	A		+(BM)	<i>L.monocytogenes</i>	P	
3005638			∅	∅	∅	-(EL)	/	A		-(EL)	/	A	
3005639			∅	∅	∅	-(EL)	/	A		+(BL)	<i>L.monocytogenes</i>	P	
3005640			∅	∅	∅	-(EL)	/	A		-(EL)	/	A	
3005641			∅	∅	∅	-(EL)	/	A		+(BL)	<i>L.monocytogenes</i>	P	
3005642			+(AM)	+(AM)	+(AH)	+(AH)	<i>L.monocytogenes</i>	P		+(DL) 2	<i>L.monocytogenes</i>	P	
3005643			+(AM)	+(AM)	+(AH)	+(AH)	<i>L.monocytogenes</i>	P		-(EL)	/	A	
3005644			∅	∅	∅	-(EL)	/	A		-(EM)	/	A	
3005645			+(AM)	+(AM)	+(AH)	+(AH)	<i>L.monocytogenes</i>	P		-(EL)	/	A	
3005646			∅	∅	∅	-(EL)	/	A		-(EL)	/	A	
3005647	2	2,8	+(AL)	+(AL)	+(AH)	+(AH)	<i>L.monocytogenes</i>	P	5/5	+(BL)	<i>L.monocytogenes</i>	P	5/5
3005648			+(AL)	+(AL)	+(AM)	+(AM)	<i>L.monocytogenes</i>	P		+(BL)	<i>L.monocytogenes</i>	P	
3005649			+(AL)	+(AL)	+(BM)	+(AH)	<i>L.monocytogenes</i>	P		+(DL)	<i>L.monocytogenes</i>	P	
3005650			+(AL)	+(AL)	+(AH)	+(AH)	<i>L.monocytogenes</i>	P		+(BL)	<i>L.monocytogenes</i>	P	
3005651			+(AL)	+(AL)	+(AH)	+(AH)	<i>L.monocytogenes</i>	P		+(BL)	<i>L.monocytogenes</i>	P	

Appendix M: RLOD study - raw results

Matrix : Pâté en croûte

Strain : *Listeria innocua* RXF471

Aerobic mesophilic flora: 360 UFC/g

N° sample	Level	Inoculation level (cfu/sample)	ISO 11290-1*						Precis method				
			Half Fraser		Fraser		Confirmation	Final Result	Number positive samples/Total	24 LEB - 20h - 37°C			Number positive samples/Total
			O&A	Palcam	O&A	Palcam				Brilliance	Confirmation	Final result	
3042693	0	0	∅	∅	∅	∅	/	A	0/5	∅	/	A	0/5
3042694			∅	∅	∅	∅	/	A		∅	/	A	
3042695			∅	∅	∅	∅	/	A		∅	/	A	
3042696			∅	∅	∅	∅	/	A		∅	/	A	
3042697			∅	∅	∅	∅	/	A		∅	/	A	
3042698	1	0,63	∅	∅	+(AL)	+(AL)	<i>L. innocua</i>	P	9/20	+(AM)	<i>L. innocua</i>	P	13/20
3042699			∅	∅	∅	∅	/	A		+(AL)	<i>L. innocua</i>	P	
3042700			+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P		+(AM)	<i>L. innocua</i>	P	
3042701			∅	∅	∅	∅	/	A		+(AL)	<i>L. innocua</i>	P	
3042702			+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P		+(AM)	<i>L. innocua</i>	P	
3042703			∅	∅	∅	∅	/	A		∅	/	A	
3042704			+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P		∅	/	A	
3042705			∅	∅	∅	∅	/	A		∅	/	A	
3042706			∅	∅	+(AL)	+(AL)	<i>L. innocua</i>	P		+(AL)	<i>L. innocua</i>	P	
3042707			∅	∅	∅	∅	/	A		∅	/	A	
3042708			+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P		+(AL)	<i>L. innocua</i>	P	
3042709			∅	∅	∅	∅	/	A		+(AL)	<i>L. innocua</i>	P	
3042710			+(AL)	+(AL)	+(AM)	+(AM)	<i>L. innocua</i>	P		+(AM)	<i>L. innocua</i>	P	
3042711			∅	∅	∅	∅	/	A		+(AM)	<i>L. innocua</i>	P	
3042712			+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P		+(AM)	<i>L. innocua</i>	P	
3042713			∅	∅	∅	∅	/	A		∅	/	A	
3042714			+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P		+(AM)	<i>L. innocua</i>	P	
3042715			∅	∅	∅	∅	/	A		+(AM)	<i>L. innocua</i>	P	
3042716			∅	∅	∅	∅	/	A		∅	/	A	
3042717			∅	∅	∅	∅	/	A		∅	/	A	
3042718	2	2,1	+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P	5/5	+(AM)	<i>L. innocua</i>	P	4/5
3054678			+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P		+(AM)	<i>L. innocua</i>	P	
3054679			+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P		+(AL)	<i>L. innocua</i>	P	
3054680			+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P		+(AM)	<i>L. innocua</i>	P	
3054681			+(AM)	+(AM)	+(AH)	+(AH)	<i>L. innocua</i>	P		∅	/	A	