



Validation of alternative  
analysis methods

NF102 – Application to the food industry

# Certificate

Certificate No.: **3M 01/01-09/89**

Renewal decision dated: 20-07-2021

Expiry date: 10-09-2025

The Company:

**NEOGEN Food Safety Corporation**

620 Leshar Place, Lansing

Michigan 48912, USA

Is authorized to affix the NF VALIDATION mark on the alternative analysis method cited below, in accordance with the NF VALIDATION general rules and the certification rules NF102 - Validation of alternative analysis methods (Application to the food industry):

## Test 3M™ Petrifilm™ Flore Totale (AC)

Validated for the enumeration of mesophilic aerobic flora

Technical sheet  
reference's

**34-8727-9411-9**

This decision attests that the alternative analysis method has been assessed by AFNOR Certification and found to conform to the standards cited in page 2/2 and complementary requirements, as specified in the certification reference document. The **principal certified characteristics** are the "analytical performances" as defined in the associated validation study summarized report (relative trueness, accuracy profile), available on the certification dedicated website <http://nf-validation.org/en>.

This certificate supersedes all previous certificates (last version dated 14-01-2022)..This NF VALIDATION certificate, included 2 pages, is valid until **September 10<sup>th</sup> 2025**. It is subject to the results obtained upon regular controls carried out by AFNOR Certification. Appropriate decision is made by AFNOR Certification in accordance with the NF VALIDATION general rules and certification rules NF102 - Validation of alternative analysis methods (Application to the food industry).



Managing Director  
Julien NIZRI

Issue dated 23/12/2022

Page 1/2



Validation of alternative  
analysis methods

NF102 – Application to the food industry

# Certificate

Certificate No.: **3M 01/01-09/89**

Renewal decision dated: **20-07-2021**

Expiry date: **10-09-2025**

The alternative analysis method:

## Test 3M™ Petrifilm™ Flore Totale (AC)

Validated for the enumeration of mesophilic aerobic flora

Manufactured by:

**3M Health Care**  
601 22nd Avenue South  
P.O. Box 5227 Brookings SD, USA

Has been certified according to the reference documents and the application scope specified here after:

|                     |   |
|---------------------|---|
| Validation protocol | <b>NF EN ISO 16140-2</b> (September 2016): Microbiology of the food chain. Method validation - Part 2: Protocol for the validation of alternative (proprietary) methods against a reference method. |
| Reference method(s) | <b>NF EN ISO 4833-1 (2013)</b> : Microbiology of the food chain - Horizontal method for the enumeration of microorganisms - Part 1 : colony-count at 30 °C by the pour plate technique              |
| Scope               | All human food products (by performing validation assays on a broad range of foods), pet products and industrial production environmental samples.  |
| Restriction(s)      | None.   |
| Warning             | None.   |
| Other informations  | Non applicable.   |

Please send any queries concerning the performances of the certified alternative method to AFNOR Certification.

You may download the validation study **summarized report** on <http://nf-validation.afnor.org/en>.

CERTIF 2022.1 08/2020

Issue dated 23/12/2022

Page 2/2